

JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS

F.ditor.

A.J. FREEMAN, Dept. of Physics and Astronomy, Northwestern University, EVANSTON, IL 60208-3112, USA

Associate Editors

G. BATE *, University of Santa Clara, Dept. of Electronic Engineering and Computer Science, SANTA CLARA, CA 95053, USA

J.G. BOOTH, Department of Pure and Applied Physics, University of Salford, SALFORD M5 4WT, UK

I.A. CAMPBELL, Lab. de Physique des Solides, Université de Paris-Sud, Bât. 510, 91405 ORSAY Cedex, France

R.W. CHANTRELL*, Physics Department, Keele University, KEELE, Staffordshire ST5 5BG, UK

H. FUJIMORI, Institute for Materials Research, Tohoku University, Katahira 2-1-1, SENDAI 980, Japan

V.I. OZHOGIN, Kurchatov Institute of Atomic Energy, Kurchatov Square 2, 123182 MOSCOW, Russian Federation

L.J. VARNERIN, Computer Science and Electrical Engineering Department, Lehigh University, BETHLEHEM, PA 18015, USA

Advisory Editors

The complete mailing addresses of all Editors are printed in the beginning of each volume.

B. ANTONINI, Coppito

A. ARROTT, Burnaby 2, BC

J. ARTMAN, Pittsburgh, PA S.D. BADER, Argonne, IL

S.D. BADER, Argonne, IL

J.I. BUDNICK, Storrs, CT K.H.J. BUSCHOW, Eindhoven

J.N. CHAPMAN *, Glasgow

J.M.D. COEY, Dublin

N. CONNELL*, Palo Alto, CA

C.E.T.G. da SILVA, Campinas

D.M. EDWARDS, London

E. FAWCETT, Toronto

J.J.M. FRANSE, Amsterdam

F.J. FRIEDLAENDER, Lafayette, IN

K.A. GSCHNEIDNER, Jr., Ames, IA

N. IMAMURA*, Ayase-Shi

G.M. KALVIUS, Garching

T. KASUYA, Sendai

J.S. KOUVEL, Chicago, 1L

J.C. LODDER *, Enschede

F.E. LUBORSKY, Schenectady, NY

S.B. LUITJENS *, Eindhoven

A.R. MACKINTOSH, Copenhagen

D. MELVILLE, London

S. METHFESSEL, Bochum-Querenburg

S. MIYAOKA*, Tokyo

E. MÜLLER-HARTMANN, Cologne

Y. NAKAMURA *. Sendai

V.I. PETINOV, Chernogolovka

F.E. PINKERTON, Warren, MI

J.L. PORTESEIL, Grenoble G. PRINZ, Washington, DC

F.C. PU, Peking

J.J. RHYNE, Columbia, MO

J.C. SLONCZEWSKI, Yorktown Heights, NY

H. SZYMCZAK, Warsaw

R.J. VEITCH *, Ludwigshafen

H. VÖLZ *, Berlin

S.V. VONSOVSKY, Ekaterinburg

W.E. WALLACE, Pittsburgh, PA

W. ZINN, Jülich

Desk Editor

J.M. HOGENDORP, Elsevier Science Publishers B.V. (North-Holland), P.O. Box 103, 1000 AC Amsterdam, The Netherlands

Cover design by Jonathan Eric Freeman (d)

For 1993, the Journal of Magnetism and Magnetic Materials is scheduled to appear in 36 issues (12 volumes). Subscription prices are available upon request from the publisher.

Subscriptions should be sent to the Publisher, Elsevier Science Publishers B.V., Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, or to any subscription agent or bookseller.

Journals are sent by surface delivery to all countries, except the following countries where SAL air delivery (Surface Airlifted Mail) is ensured: USA, Canada, Japan, Australia, New Zealand, The People's Republic of China, Israel, India, Brazil, Malaysia, Singapore, South Korea, Taiwan, Pakistan, Hong Kong, South Africa. Air mail rates for other countries are available upon request. Claims for issues not received should be made within six months of publication, if they are to be honoured free of charge.

Elsevier Science Publishers B.V. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of the Publisher, Elsevier Science Publishers B.V., Copyright & Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

Special regulations for authors – Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA – This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying. No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Published monthly

Printed in The Netherlands

^{*:} Editor section Information Storage: Basic and Applied

journal of magnetism and magnetic materials



EDITOR:

A.J. FREEMAN

Department of Physics and Astronomy Northwestern University EVANSTON, IL 60208-3112, USA

> MASTER INDEX Volumes 92–110 November 1990–May 1992

journal of magnetism and magnetic materials



Recognized by the European Physical Society



NORTH-HOLLAND

© 1993 Elsevier Science Publishers B.V. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of the Publisher, Elsevier Science Publishers B.V., Copyright & Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

Special regulations for authors – Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA – This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

This volume is printed on acid-free paper.

Printed in The Netherlands

JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS

Editorial Board (*: Editor section Information Storage: Basic and Applied)

Editor

A.J. FREEMAN

Department of Physics and Astronomy, Northwestern University, Evanston, IL 60208- Tel.: +1-708-491-3343

3112, USA

Fax.: +1-708-491-5082

Email: art@freeman.phys.nwu.edu

Associate Editors

G. BATE *

Department of Electronic Engineering and Computer Science, Santa Clara University,

Santa Clara, CA 95053, USA

Tel.: +1-408-554-4482

Fax.: +1-408-554-5474

J.G. BOOTH

Department of Pure and Applied Physics, University of Salford, Salford M5 4WT, UK

Tel.: +44-61-745-5259

Fax.: +44-61-745-5903

Email: j.g.booth@physics.salford.

ac.uk

I.A. CAMPBELL

Laboratoire de Physique des Solides, Université de Paris-Sud, Bâtiment 510, 91405 Orsay

Cedex, France

Tel.: +33-1-6941-5326

Fax.: +33-1-6941-6086

Bitnet: Campbell @ FRSOL11

R.W. CHANTRELL *

Physics Department, Keele University, Keele, Staffs. ST5 5BG, UK

Tel.: +44-782-621111

Fax.: +44-782-711093

H. FUJIMORI

Institute for Materials Research, Tohoku University, Katahira 2-1-1, Sendai 980, Japan

Tel.: +81-22-227-6200

Fax.: +81-22-215-2095

V.I. OZHOGIN

Kurchatov Institute of Atomic Energy, Kurchatov Square 2, 123182 Moscow, Russian Tel.: +7-095-196-1711

Federation

Fax.: +7-095-196-1632 Telex: 411594 SHUGA SU

L.J. VARNERIN

Department of Computer Science and Electrical Engineering, Packard Lab. 19, Lehigh Tel.: +1-215-758-4061

University, Bethlehem, PA 10815-3084, USA

Fax.: +1-215-691-5420

Desk Editor

J.M. HOGENDORP

North-Holland (Elsevier Science Publishers B.V.), P.O. Box 103, 1000 AC Amsterdam, Tel.: +31-20-5862507

The Netherlands

Fax.: +31-20-5862431

Advisory Editors

B. ANTONINI

Dipartimento di Fisica, Università di L'Aquila, I-67010 Coppito, Italy

A. ARROTT

Simon Fraser University, Physics Department, Burnaby, BC, Canada V5A 186

J. ARTMAN

Department of Electrical Engineering, Carnegie-Mellon University, Pittsburgh, PA 15213, USA

S.D. BADER

Materials Science Division, Argonne National Laboratory, Argonne, IL 60439, USA

J.I. BUDNICK

Department of Physics, University of Connecticut, Storrs, CT 06268, USA

K.H.J. BUSCHOW

Philips Research Laboratories, P.O. Box 80000, 5600 JA Eindhoven, The Netherlands

J.N. CHAPMAN *

Department of Physics and Astronomy, Glasgow University, Glasgow G12 8QQ, Scotland

J.D.M. COEY

Department of Pure and Applied Physics, Trinity College, University of Dublin, Dublin 2, Ireland

N. CONNELL *

Electronic Materials Lab., Xerox Corporation, Palo Alto Research Center, 3333 Coyete Hill Road, Palo Alto, CA 94304, USA

C.E.T.G. da SILVA

Instituto de Física "Gleb Wataghin", Universidade Estadual de Campinas, Caixa Postal 1170, 13100 Campinas SP, Brazil

D.M. EDWARDS

Department of Mathematics, Imperial College of Science and Technology, Huxley Building, 180 Queen's Gate, London SW7 2BZ, UK

E. FAWCETT

Physics Department, University of Toronto, Toronto, Canada M5S 1A7

J.J.M. FRANSE

Natuurkundig Laboratorium der Universiteit van Amsterdam, Valckenierstraat 65, 1018 XE Amsterdam, The Netherlands

F.J. FRIEDLAENDER

Purdue University, School of Electrical Engineering, Electrical Engineering Building, West Lafayette, IN 47907, USA

K.A. GSCHNEIDNER, Jr.

Ames Laboratory, US Department of Energy, Iowa State University, Ames, IA 50011, USA

N. IMAMURA *

Tosoh Corporation, Advanced Materials Research Laboratories, 2743-1, Hayakawa, Ayase-Shi 252, Japan

G.M. KALVIUS

Physik Department E15, Fakultät für Physik der Technischen Universität München, James-Franck-Strasse, W-8046 Garching bei München, Germany

T. KASUYA

Department of Physics, Faculty of Science, Tohoku University, Sendai 980, Japan

J.S. KOUVEL

Department of Physics, University of Illinois at Chicago, Box 4348/M/C273, Chicago, IL 60680, USA

J.C. LODDER *

Electrical Engineering, Transducers and Materials Science, University of Twente, P.O. Box 217, 7500 AE Enschede, The Netherlands

F.E. LUBORSKY

Research & Development, General Electric Co., 123M, K-1, Schenectady, NY 12301, USA

S.B. LUITJENS *

Philips Research Laboratories, Magnetic Recording Department, P.O. Box 80000, 5600 JA Eindhoven, The Netherlands

A.R. MACKINTOSH

Nordisk Institut før Teoretisk Atomfysik, Blegdamsvej 17, DK-2100 Copenhagen, Denmark

D. MELVILLE

Middlesex Polytechnic, Bramley Road, Oakwood, London N14 4XS, UK

S. METHFESSEL

Ruhr-Universität Bochum, Fakultät für Physik und Astronomie, Institut für Experimentalphysik IV, Postfach 102148, W-4630 Bochum 1, Germany

S. MIYAOKA *

Corporate Research Laboratories, Sony Corporation, 6-7-35, Kitashinagawa, Shinagawa-ku, Tokyo 141, Japan

E. MÜLLER-HARTMANN

Institut für Theoretische Physik, Universität zu Köln, Zülpicher Strasse 77, W-5000 Cologne 41, Germany

Y. NAKAMURA *

Research Institute of Electrical Communication, 2-1-1 Katahira, Aoba-ku, Sendai 980, Japan

V.I. PETINOV

Institute of Chemical Physics, Russian Academy of Sciences, 142432 Moscow Region, Chernogolovka, Russian Federation

F.E. PINKERTON

Physics Department, General Motors Research, 3050 Mound Road, Box 9055, Warren, MI 48090-9055, USA

J.L. PORTESEIL

Centre National de la Recherche Scientifique, Laboratoire de Magnétisme Louis Néel, 25, avenue des Martyrs-Grenoble, BP 166, 38042 Grenoble cedex 9, France

G. PRINZ

Naval Research Laboratories, Condensed Matter & Science Division, Code 4600, Washington, DC 20375-5000, USA

F.C. PU

Institute of Physics, Academia Sinica, Beijing, P.R. China

LL RHYNE

Missouri University Research Reactor, University of Missouri, Columbia, MO 65211, USA

J.C. SLONCZEWSKI

Thomas Watson Research Center, P.O. Box 218, Yorktown Heights, NY 10598, USA

H. SZYMCZAK

Institute of Physics, Polish Academy of Sciences, al. Lotników 32/46, 02-668 Warsaw, Poland

R. VEITCH *

VIT/EWP, J542, BASF AG, W-6700 Ludwigshafen, Germany

H. VÖLZ *

Zentralinstitut für Kybernetik und Informationsprozesse, Rudower Chaussee 5/6, O-1199 Berlin, Germany

S.V. VONSOVSKI

Institute of Metal Physics, Ural Science Research Center of the Russian Academy of Sciences, 18 South Kovalevskaya str., K-66 Ekaterinburg, Russian Federation

W.E. WALLACE

Materials Science and Engineering Department, Carnegie-Mellon University, Pittsburgh, PA 15213, USA

W ZINN

Institut für Festkörperforschung, Institut 4: Magnetismus, KFA-Jülich, Postfach 1913, W-5170 Jülich 1, Germany



List of Proceedings and Special Issues published in this period

Volume 93 (February (1991): Proceedings of Symposium C on Magnetic Thin Films, Multilayers and Superlattices of the 1990 E-MRS Spring Conference (29 May-1 June 1990, Srasbourg, France)

Volume 95, No. 1 (April I 1991): Selected Papers from the Second General Meeting of CAMST (31 May-1 June 1990, Enschede, The Netherlands).

Volume 95, No. 3 (May 1991): Special Issue on Information Storage: Basic and Applied.

Volume 100 (November 1991): Special Volume on Magnetism in the Nineties.

Volume 101 (October 1991): Proceedings of the 4th European Magnetic Materials and Applications Conference (16–19 April 1991, Dresden, Germany).

Volumes 104–107 (February II 1992): Proceedings of the International Conference on Magnetism (2–6 September 1991, Edinburgh, Scotland).

Volume 108 (February III 1992): Proceedings of the International Conference on Magnetism Symposium on Heavy Fermions (2–6 September 1991, Edinburgh, Scotland).





Author index to volumes 92-110

Abbas, A. and T.J. Hicks, Spin glass-like phenomena in antiferromagnetic (Fe _{0.77} Mg _{0.23}) _{0.92} O (<i>Letter to the Editor</i>) Abdalian, A.T., A. Desert, C. Dugautier, A. Bulou, P. Moch and J. Nouet, Magnon Raman scattering in the two-dimensional antiferromagnet KFeF ₄ Abe, K., see T. Mitsui Abe, S., see Y. Adachi Abe, S., see H. Yasui	92 (1990) L6 104–107 (1992) 1047 104–107 (1992) 819 104–107 (1992) 887 104–107 (1992) 927	Acet, M., see W.M. Xu Acharya, B.R., see R. Krishnan Achiwa, N., see K. Yamagata Achiwa, N., see M. Fujino Ackland, G.J., see K.A. Hawick Adachi, K., see K. Ichinose Adachi, K., see F. Maruyama Adachi, K., see H. Yoshie Adachi, K., see Y. Amako Adachi, Y., M. Yuzuri, T. Kaneko and S. Abe, Magnetic properties of the Cr ₂ S _{3-x} Se _x and Cr ₂ Te _{3-y} Se _y sys-	104-107 (1992) 2023 104-107 (1992) 1822 104-107 (1992) 849 104-107 (1992) 851 104-107 (1992) 423 104-107 (1992) 1159 104-107 (1992) 1165 104-107 (1992) 1149 104-107 (1992) 1451
Abe, S., see M. Ohashi	104–107 (1992) 1383	tems $C_{1_2}C_{3_{-x}}C_{x_0}$ and $C_{1_2}C_{3_{-y}}C_{y_0}$ sys-	104–107 (1992) 887
Abe, S., see K. Yagasaki	104-107 (1992) 1389	Adachi, Y., see H. Yoshida	104-107 (1992) 1983
Abe, S., Y. Atsumi, T. Kaneko and H.		Adam, A., see J. Sakurai	108 (1992) 143
Yoshida, Magnetic properties of		Adroja, D.T., see S.K. Malik	92 (1990) 80
$RCu_4In (R = Gd-Er)$ intermetallic	404 407 (4000) 4007	Adroja, D.T. and S.K. Malik, Valence	
compounds	104–107 (1992)1397	fluctuation and heavy fermion be-	
Abe, S., see T. Kaneko Abe, S., T. Kaneko, M. Ohashi, Y.	104-107 (1992)1401	haviour in rare earth and actinide based compounds	100 (1991) 126
Nakagawa and T. Kitai, Field-in-		Adroja, D.T., see S.K. Malik	102 (1991) 42
duced magnetic transition in a sin-		Aeppli, G., see G.H. Lander	100 (1991) 151
gle crystal of DyZn ₂	104107 (1992) 1403	Aeppli, G., Z. Fisk, S.M. Hayden, M.F.	(,
Abe, S., M. Matsumoto, H. Yoshida, S.		Hundley, H. Mook and D. Rytz,	
Mori, T. Kanomata and T. Kaneko,		The marginal Fermi liquid hypothe-	
Thermal expansion anomalies at the		sis and magnetic fluctuations in	
magnetic transition temperatures of		$La_{1.95}Ba_{0.05}CuO_4$	104–107 (1992) 507
Au ₄ Mn and Au ₂ Mn	104–107 (1992) 2059	Aeschlimann, M., see M.R. Scheinfein	93 (1991) 109
Abe, S., see M. Matsumoto	104–107 (1992) 2061	Aeschlimann, M., see F. Meier	93 (1991) 523
Abe, T., see K. Yamagata	104–107 (1992) 803	Affleck, I., see M. Hagiwara	104-107 (1992) 839
Abell, J.S., see Y.J. Bi	99 (1991) 159	Aggarwal, K., see E. Schmidbauer	109 (1992) 67
Abell, J.S., see B.K. Tanner	104–107 (1992) 317 104–107 (1992) 611	Agostinelli, E., D. Fiorani, A.M. Testa and G. Calestani, Irreversibility (H,	
Abell, J.S., see A.J. Twin Abell, J.S., see D.G.R. Jones	104–107 (1992) 1468	T) line in Bi-Pb-Sr-Ca-CuO su-	
Abell, J.S., see Y.J. Bi	104–107 (1992)1471	perconductor	104-107 (1992) 603
Abell, J.S., see C. Carboni	104–107 (1992) 1513	Agostinelli, E., see M. Nogues	104–107 (1992) 1641
Abu-Aljarayesh, I. and A. Abu-Libdeh,		Aguilar, M., see F. Cebollada	101 (1991) 199
Initial susceptibility of iron in mer-		Aharoni, A. and J.P. Jakubovics, One-	
cury magnetic fluids	96 (1991) 89	dimensional domain walls in bulk	
Abu-Aljarayesh, I., see A.S. Saleh	99 (1991) 152	magnetic materials	104-107 (1992) 353
Abu-Aljarayesh, I., see H. Abu-Safia	103 (1992) 19	Ahlers, H., see A. Wulfes	104-107 (1992) 2069
Abu-Libdeh, A., see I. Abu-Aljarayesh	96 (1991) 89	Ahlheim, U., see F. Steglich	108 (1992) 5
Abu-Safia, H., I. Abu-Aljarayesh, H.M. El-Ghanem and N.A. Yusuf, Car-		Ahlheim, U., see K. Fraas Ahlheim, U., K. Fraas, P.H.P. Rein-	108 (1992) 220
rier and chain formation depend-		ders, F. Steglich, O. Nakamura, T.	
ence of birefringence in magnetic	102 (1002)	Suzuki and T. Kasuya, Antiferro-	
fluids	103 (1992) 19	magnetism and heavy-fermion ef-	100 (1002) 012
		fects in a semiconductor: Sm ₃ Te ₄	108 (1992) 213

Ahmed, M.A., M.K. El Nimr, A. Taw-		Albino Aguiar, J., J.M. Ferreira, M.T.	
fik and A.M. El Hasab, Dielectric		De Melo, C. Schettini, F. Schnei-	
behaviour in Ni-Al ferrites at low		der, M.V.S. Barbosa, L.R. Madeiro	
frequencies	98 (1991) 33	de Melo, A.C. Pavão and J.M. Van	
Ahn, T.H., see C. Marquina	104-107 (1992) 1323	Ruitenbeek, Effects of substitution	
Ajiro, Y., see S. Kawano	104-107 (1992) 791	of CuO by NiS on the superconduc-	
Ajiro, Y., see B.J. Sternlieb	104-107 (1992) 801	tivity in YBa ₂ Cu ₃ O _{7-δ}	104-107 (1992) 547
Ajiro, Y., see M. Chiba	104–107 (1992) 807	Albrecht, M., T. Furubayashi, U. Grad-	
Ajiro, Y., see H. Hori	104–107 (1992) 815	mann and W.A. Harrison, Magnetic	
	104–107 (1992) 859	step moments	104-107 (1992)1699
Ajiro, Y., see M. Mekata	104-107 (1992) 639		104–107 (1992) 609
Ajò, D., D. Attanasio, S. Lucente, P.		Aldica, Gh., see V. Dolocan	104–107 (1992) 1152
Mura, A.L. Segre and F. De Zuane,		Alegria Feio, M., see J.B. Oliveira	104-107 (1992)1132
The unusual paramagnetic behav-		Alekseev, P.A., V.N. Lazukov, I.P.	
iour of Ir ^{IV} and Rh ^{IV} dihydrido		Sadikov, M.N. Khlopkin, G.A.	
complexes in the solid state and in		Takzei, Yu.P. Grebenyuk and I.I.	
solution	104–107 (1992) 1997	Sych, Magnetism in the CeCu ₅	440 (4000) 440
Akai, H., see P.H. Dederichs	100 (1991) 241	Kondo system	110 (1992) 119
Akai, H., see H. Ebert	104–107 (1992) 733	Alemany, C., see F. Carmona	92 (1991) 417
Akai, K., see H. Ishii	104–107 (1992) 1457	Alexander, Jr., C., see J.O. Artman	104–107 (1992) 977
Akimitsu, J., see K. Tajima	104–107 (1992) 177	Algarabel, P.A., C. Marquina, M.R.	
Akimitsu, J., see Y. Kimishima	104-107 (1992) 779	Ibarra, A. del Moral, M. Solzi, G.	
Akimitsu, M., see K. Tajima	104-107 (1992) 177	Marusi and L. Pareti, A study of the	
Akishin, P.G. and I.A. Gaganov, The		spin reorientation transitions in	
macroscopic demagnetizing effects		$(Er_xHo_{1-x})Fe_{10}V_2$ intermetallics	101 (1991) 111
in cylindrical and rectangular box		Algarabel, P.A. and M.R. Ibarra, Invar	
samples	110 (1992) 175	behaviour and in situ observation of	
Aktas, B., see Y. Öner	109 (1992) 323	the nitriding process in R ₂ Fe ₁₇ N _x	
Akutsu, N., see Y. Kimishima	104-107 (1992) 781	intermetallics	110 (1992) 323
Akutsu, Y., see K. Matsumoto	104-107 (1992) 1655	Algarabel, P.A., see A. del Moral	104–107 (1992) 243
Alameda, J.M., see G.T. Pérez	93 (1991) 155	Algarabel, P.A., see A. del Moral	104–107 (1992) 1051
Alameda, J.M., see M.C. Contreras	93 (1991) 233	Algarabel, P.A., see M.R. Ibarra	104–107 (1992)1149
Alameda, J.M., F.H. Salas, D. Givord	75 (1771) 255	Algarabel, P.A., see M.R. Ibarra	104–107 (1992) 1371
and J.M.B. Ndjaka, Direct observa-		Al-Hawery, A.S., see J.S. Thorp	94 (1991) 119
tion of interlayer exchange coupling		Al-Hawery, A.S., see J.S. Thorp	
by MOKE in amorphous RE-TM			97 (1991) 112
sandwiches	02 (1001) 500	Al-Jaber, R., see A.S. Saleh	99 (1991) 152
	93 (1991) 509	Allenspach, R., see M. Stampanoni	104–107 (1992) 1805
Alameda, J.M., L.T. Baczewski, B. Die-		Allia, P., C. Beatrice, G. Brida and F.	
ny, D. Givord, J.M. Ndjaka, J.P.		Vinai, Permeability relaxation at	
Nozières, J.J. Préjean, J.P. Rebouil-		constant magnetic induction in	
lat and F.H. Salas, Magnetic prop-		amorphous ferromagnets	101 (1991) 49
erties of sandwich films based on		Allia, P., C. Beatrice, E. Bonetti, G.	
R-Co amorphous alloys (R = rare-		Sberveglieri, G. Valdré and F. Vinai,	
earth, Y or Zr)	104–107 (1992) 1813	Effect of growth rate on the mag-	
Albanese, L., C. Bucci, P. Carretta, R.		netic properties of Fe-Al multilay-	
De Renzi, G. Guidi, R. Tedeschi, F.		ers	104-107 (1992) 1767
Licci, C. Paris, G. Calestani, M.G.		Almeida, T., see L. Havela	104-107 (1992) 23
Francesconi, S.F.J. Cox and C.A.		Alonso, J., see X. Batlle	104-107 (1992) 918
Scott, Relation between T_c and		Alonso, J.A., J.X. Boucherle, J. Rossat-	
London penetration depth in YBa ₂		Mignod, J. Schweizer, T. Suzuki and	
$(Cu_{1-x}Zn_x)_3O_7$ by μSR	104-107 (1992) 509	T. Kasuya, Magnetic phase diagram	
Alberti, M., see P.L. Cavallotti	104-107 (1992) 905	and magnetic structures of Ce ₄ Bi ₃	103 (1992) 179
Albertini, J.B., see J. Mouchot	101 (1991) 239	Al-Qenaie, A., see J. Popplewell	104–107 (1992) 1555
Alberts, H.L., see J.A.J. Lourens	104-107 (1992) 1535	Alten, B.G., see A. Gavrin	104–107 (1992) 1351
Alberts, H.L., see G.L. High	104-107 (1992) 2029	Altounian, Z., see X. Chen	109 (1992) 271
Alberts, H.L. and A.H. Boshoff, Mag-	(Alvarado, S.F., see C. Schoenenberger	93 (1991) 123
neto-elasticity of a Cr + 0.3 at% Ru		Alves, K.M.B., see A.P. Guimarães	104–107 (1992)1460
single crystal through the magnetic		Amado, M.M., see R.P. Pinto	
		A LIMITO, IVI.IVI., SCC IV.I . FIIIIU	104–107 (1992) 1235
transition temperatures	104-107 (1992) 2031		

Mana, Y., see K. Sato Amana, Y. Sato Barbara, J.B. Sousa, J. Filippi, A.G.M. Jansen and J.M. Moreira, Coexistence of weak localization and magnetism in amorphous alloys: (Day, Y., Shi Amato, A., see H. Maletta Andreix, A. V., see P. Monachei Andreix, A. V., see P. Swoboda Andresc, X. V., see P. Swoboda Andresc, X. V., see P. Konpopathyay Special Candreix, A. V., see P. Swoboda Andresc, X. V., see P. Swo	Amako, Y., H. Nagai, T. Nomura, H. Yoshie, I. Oguro, T. Shinohara and K. Adachi, Magnetic properties of	104 107 (1000) 4474	Andresen, A.F., K. Bärner, H. Fjellvåg, A. Kjekshus, H. Rager, U. Sonder- mann and S. Stoølen, Influence of	
Amana, H., see K. Suzuki Amaral, V.S. B. Barbara, J.B. Sousa, J. Filippi, A.G.M. Jansen and J.M. Moreira, Coexistence of weak localization and magnetism in amorphous alloys: (Dy.Y., J.Ni) Amato, A., see H. Maletta Amato, A., see A. Schenck Amitsuka, H., see T. Stakakibara and Y. Miyako Amitsuka, H., see T. Stakakibara and Y. Miyako Amitsuka, H., see T. Stakakibara Amoretti, G., see D. Moze Amitsuka, H., see T. Stakakibara Amoretti, G., see O. Moze Amitsuka, H., see T. Sato Amoretti, G., see O. Moze Amitsuka, H., see T. Sato Andersen, N.H., see M. Winkelmann Andersson, JO., see K. Gumarsson Andersson, JO., see K. Gumarsson Andersson, JO., see K. Gumarsson Andersson, JO., and P. Svedlindh, Aging behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Anders, K. T. Stakabashi and T. Okuda, Zinc-blende MnTe: magnetic properties of VBa-Cu, O _{7−z} superconducing single crystals Andréz, N. W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of VBa-Cu, O _{7−z} superconducing single crystals Andréz, G., W. Bažela, A. Oleś and A. Szytula, Namedreit or properties of VBa-Cu, O _{7−z} superconducing single crystals of ThAg, In and DyAg, In Andréz, N. W., See P. Monachesi Andreze, A.V., E.R. de Boer, T.H. Jacobs and K.H.B. Buschows, Spontaneous magnetostriction in Vg-Fe ₁ C. Andreze, A.V., see P. Monachesi Andreze, A.V., see P. Maletta Andreev, A.V., see P. Maletta Andreev, A.V., see P. Monachesi Andreev, A.V., see P. Maletta Andreev, A.V., see P. Monachesi Andreev, A.V., see P. Mo				04 (1001) 347
Amaral, V.S. B. Barbara, J.B. Sousa, J. Filippi, A.G.M. Jansen and J.M. Moreira, Coexistence of weak localization and magnetism in proposal alloys: $(D_3Y_{1-})^{-1}$ Ministry, A. H., K. Tatsyama, C.C. Paulsen, T. Sakakibara and Y. Miyako Amitsuka, H., see T. Miyakia Amitsuka, H., see Y. Miyako Amitsuka, H.			***	94 (1991) 347
Filippi, A.G.M. Jansen and J.M. Moreira, Coexistence of weak localization and magnetism in amorphous alloys: (Dey,Y _{1-y} Ni) 104-107 (1992) 495 Amato, A., see H. Maletta 104-107 (1992) 495 Amitsuka, H., k. See T. Miyadai 104-107 (1992) 475 Amitsuka, H., k. Tateyama, C.C. Paulsen, T. Sakakibara and Y. Miyako, Magnetic properties of U₁ La, Ru, Si2, 0 ≤ x ≤ 0.3 1 Amitsuka, H., k. Tateyama, C.C. Paulsen, T. Sakakibara and Y. Miyako, Magnetic properties of U₁ La, Ru, Si2, 0 ≤ x ≤ 0.3 1 Amitsuka, H., k. See T. Sakakibara and Y. Miyako, Magnetic properties of U₁ La, Ru, Si2, 0 ≤ x ≤ 0.3 1 Amitsuka, H., see T. Sakakibara and P. Vigier, Microstructural and thermomagnetic investigation of rapidly solidified Nd-Fe(-Al) eutetic alloys Anderson, N-D., see K. Gunarsson Andersson, JO. and P. Swedlindh, Agingbehaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Anderson, JO., see K. Gunarsson and P. Swedlindh, Agingbehaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Anderson, NY, see P. Omerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals Andrée, G., W. Bažela, A. Oleś and A. Szytula, Neutron diffraction studies of ToAg ₂ In and DyAg ₂ I		100 (1772) 101		
Moreira, Coexistence of weak localization and magnetism in amorphous alloys: (Dy,Y1,-y)Ni Amato, A., see H. Maletta Amato, A., see H. Maletta Amato, A., see H. Misetta Amato, A., see H. Misetta Amato, A., see A. Schenck Amitsuka, H., see T. Miyadai 104-107 (1992) 47 Amitsuka, H., see T. Miyadai 104-107 (1992) 47 Angusha, H., K. Tateyama, C.C. Paulsen, T. Sakakibara and Y. Miy- kako, Magnetic properties of U1,-y- La,Ru,Si2 (0 ≤ x ≤ 0.3) Amitsuka, H., see T. Miyadai 104-107 (1992) 193 Amitsuka, H., see Y. Miyako Amoretti, G., see O. More Amoretti, G., see M. Winkelmann Anderston, JO., see K. Gunnarsson Andersson, JO., and P. Svedlindh, Agring by Mortour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Andro, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Andro, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties 104-107 (1992) 193 Andro, K., see P. Monachesi André, G., w. Bažela, A. Oleś and A. Szytula, Neutron diffraction studies of TbAg-lin and DyAg-lin Andrean, A. C., ese P. Monachesi Andrean, A.V., F.R. de Boer, T. H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y,Fe-l-C, and the exception of parties of WAJ. See P. Monachesi Andreev, A.V., F.R. de Boer, T. H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y,Fe-l-C, and the exception of parties of WAJ. See P. Monachesi Andreev, A.V., See P. Monach				95 (1991) 195
Andrainov, A.V., Yu.P. Gaidukov, A.N.			2 0	
Dal-107 (1992) 2079	ization and magnetism in amor-			
Amato, A., see A. Schenck Amitsuka, H., see T. Miyadai Amitsuka, H., K. Tateyama, C.C. Paulsen, T. Sakakibara and Y. Miyako, Magnetic properties of U1-24 Amitsuka, H., see Y. Miyako Amitsuka, H., see T. Sakakibara Amoretti, G., see D. Mabra Amoretti, G., see D. Malaman Amoretti, G., see D. Mabra Andresson, JO., see K. Gunnarsson Andersson, JO., see K. Gunnarsson Anderson, JO., see R. Malikan 104-107 (1992) 1697 104-107 (1992) 169	phous alloys: $(Dy_xY_{1-x})Ni$	104-107 (1992) 2079		
Amitsuka, H., See T. Miyadai Amitsuka, H., K. Tateyama, C.C. Paulsen, T. Sakakibara and Y. Miyako Amitsuka, H., see Y. Miyako Amoretti, G., see B. Matimez 104-107 (1992) 1359 104-107 (1992) 1391 104-107 (1992) 1391 104-107 (1992) 1391 104-107 (1992) 1391 104-107 (1992) 1491 104-107 (1992) 1491 104-107 (1992) 1491 104-107 (1992) 1491 104-107 (1992) 1492 104-107 (1992) 1492 104-107 (1992) 1492 105 104-107 (1992) 1492 104-107 (1992) 1492 104-107 (1992) 1493 1		104–107 (1992) 495	netic phase diagrams of dysprosium	97 (1991) 246
Amitsuka, H., K. Tateyama, C.C. Paulsen, T. Sakakibara and Y. Miyako, Magnetic properties of U _{1−1} , La, see Y. Lera (104–107 (1992) 195 Amitsuka, H., see T. Sakakibara (108 (1992) 190 Amitsuka, H., see T. Sakakibara (104–107 (1992) 190 Amoretti, G., see O. Moze Amit, N., J. Delamare, D. Lemarchand and P. Vigier, Microstructural and thermomagnetic investigation of rapidly solidified Nd–Fe(–Al) eutectic alloys Anderson, JO., see K. Giunnarsson (104–107 (1992) 187 Andersson, JO., see K. Giunnarsson (104–107 (1992) 187 Andersson, Y., see P. Nonerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Andra, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7−x} superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In (104–107 (1992) 187 Andreau, A.V., Exe B. Monachesi Andreave, A.V., see P. Monachesi Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontancous magnetostriction in Y ₂ Fe ₁ -C ₂ , Aldreeve, A.V., see P. Monachesi Andreeve,				
Paulsen, T. Sakakibara and Y. Miy- ako, Magnetic properties of U1−2 La_Ru25i₂ (0 ≤ x ≤ 0.3) Amitsuka, H., see Y. Miyako Amoretti, G., see B. Malaman Amoretti, G., see C. Moze Amitsuka, H., see Y. Wikako Amitsuka, H., see Y. Wikako Amitsuka, H., see Y. Miyako Amoretti, G., see B. Malaman Amoretti, G., see B. Malaman Amoretti, G., see D. Malaman Amoretti, G., see D. Malaman Amoretti, G., see D. Malaman Amoretti, G., see C. Moze Amitsuka, H., see Y. Miyako Amitsuka, H., see Y. Miyako Amoretti, G., see D. Malaman Amoretti, G., see D. Malaman Amoreti, G., see O. Moze Andersen, N.H., see M. Winkelmann Andersson, JO., and P. Svedlindh, Againg behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Anderson, Y., see P. Önnerud Ando, K., K. Takabashi and T. Okuda, Zinc-blende MnTe: magnetic properties Andrey, A., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-z} superconducting single crystals 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992) 1825 104-107 (1992)		104–107 (1992) 47		
La $_{\rm Ru}$ $_{\rm 2}$ $_{\rm 1}$ $_{\rm 2}$ $_{\rm 3}$ $_{\rm 4}$ $_{\rm 5}$ $_{\rm 6}$ $_{\rm 7}$ $_{\rm 6}$ $_{\rm 7}$ $_{\rm 8}$ $_{\rm 8}$ $_{\rm 1}$				
La_Ru₃Si₃ (0 ≤ x ≤ 0.3) Amitsuka, H., see Y. Sakakibara Amoretti, G., see B. Malaman Amoretti, G., see O. Moze Amit, N., J. Delamare, D. Lemarchand and P. Vigier, Microstructural and thermomagnetic investigation of rapidly solidified Nd-Fe(-Al) eutectic alloys Andersson, JO., see K. Gunnarsson Andersson, JO. and P. Svedlindh, Aging behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Ando, T., see T. Sato Ando, T., see T. Sato Ando, K. K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties of YBa₂Cu₃Oγ−₂ superconducting single crystals André, G., W. Bažela, A. Oleś and A. Stashkevich, Thermal deflection optical waveguide modes by MSW in a YIG film Antipor, S.D., see A.V. Tsvyashchenko Antonini, B., see R. Hock Antonini, B., see R. Hock Antonini, B., see R. Winkelmann 104-107 (1992) 1871 Adoki, H., G.W. Crabtree, W. Joss and F. Hulliger, New high frequency did+Vo Abranch of CeSb₁ with properties 104-107 (1992) 1607 Aoki, H., See K. Satoh 104-107 (1992) 1699 Aoki, H., see Y. Gondo Aoki, M., and H. Yamada, Isomer shift and atomic environment effect in the intermetallic compound Y(Fe₁Al.)₂ Andreini, N., Letton diffraction studies of TbAg₂In and DyAg₂In André, G., W. Bažela, A. Oleś and A. Stashkevich, Thermal deflection opotical waveguide modes by MSW Antipor, N.D., see R. V. Tsvyashchenko Antonini, B., see R. Hock Aoki, H., G.W. Crabtree, W. Joss and F. Hulliger, New high frequency did+Vo Abranch of CeSb₁ with properties 104-107 (1992) 1607 Aoki, H., See K. Satoh 104-107 (1992) 1989 Aoki, H., See K. Satoh Aoki, M., and H. Yamada, Isomer shift and atomic environment effect in the intermetallic compound Y(Fe₁Al.)₂ Aoki, M., see H. Yamada Aoyangi, K., see Y. Gondō Aoyangi, K., see Y. Delia (Ho-107 (1992) 1657 Aoyangi, K., see Y. Delia (Ho-107 (1992) 1657 Arajs, K., see				
Amistuka, H., see T. Sakakibara Amoretti, G., see B. Malaman Amoretti, G., see B. Malaman Amoretti, G., see B. Malaman Amistuka, H., see T. Sakakibara Andrerson, JD., see K. Gunnarsson Andersson, JO., see K. Gunnarsson Andersson, JO., see K. Gunnarsson Andersson, JO. and P. Svedlindh, Aging behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Andra, W., K. Takahashi and T. Okuda, Zine-blende MrTe: magnetic properties Andra, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of TbAg_2In and DyAg_1n Andrée, G., W. Bažela, A. Oleś and A. Stashkovich, Thermal deflection of optical waveguide modes by MSW in a YIG film Antipov, S.D., see A. V. Tsvyashchenko Antonini, B., see R. Hock Anki, H., G.W. Crabtree, W. Joss and F. Hulliger, New high frequency dHvA branch of CeSb 104–107 (1992) 1607 Aoki, H., see K. Satoh Aoki, H., M. Yata, Y. Isoda and S. Uji, MBE growth of CeSi ₂ thin films and their electrical transport properties of YBa_Cul_Op_T. Andréeni, V., see T. Sato 104–107 (1992) 1699 Ando, K., K. Takahashi and T. Okuda, Zine-blende MrTe: magnetic properties 104–107 (1992) 1695 Andrée, G., w. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg_2In and DyAg_1 in Andréeni, L.C., see P. Monachesi Andreev, A.V., see H. Maletta Andreev, A.V., see R. Maletta Andreev, A.V., see P. Svoboda Andreve, A.V., see P. Svoboda An		104_107 (1992) 60		
Amirstuka, H., see T. Sakakibara Amoretti, G., see D. Moze Amri, N., J. Delamare, D. Lemarchand and P. Vigier, Microstructural and thermomagnetic investigation of rapidly solidified Nd-Fe(-A) eutetic alloys Andersen, N.H., see M. Winkelmann Andersson, JO., see K. Gunnarsson Andersson, JO. and P. Svedlindh, Aging behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Ando, T., see T. Sato Andrai, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals Andreev, A.V., see P. Monachesi Andreavi, L.C., see P. Monachesi Andreavi, L.C., see P. Monachesi Andreavi, L.C., see P. Monachesi Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda Andreve, A.V., see P. Svoboda Andreve, A.V., see P. Svoboda Andreavi, A.V., see P. Svoboda Andrever, A.V., see P. Svoboda Andrever, A.V., see P. Svoboda Andrever, A.V., see P. Svoboda Andreavi, A.V., see P. Svobod				104-107 (1772) 741
Amoretti, G., see B. Malaman Amoretti, G., see O. Moze Amoretti, G., see O. Moze Amri, N. J. Delamare, D. Lemarchand and P. Vigier, Microstructural and thermomagnetic investigation of rapidly solidified Nd–Fe(–Al) eutetic alloys Andersson, N.H., see M. Winkelmann Andersson, JO., see K. Gunnarsson Andersson, JO., and P. Svedlindh, Aging behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Andrä, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szyula, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In Andreani, L.C. and H. Beck, A variational Study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda Andreev, A.V., see P. Svoboda Andreev, A.V., see P. Svoboda Andreous magnetostriction in Y ₂ Fe ₁ - ₂ C _x Andreeve, A.V., see P. Svoboda				
Amoretti, G., see O. Moze Amri, N., J. Delamare, D. Lemarchand and P. Vigier, Microstructural and thermomagnetic investigation of rapidly solidified Nd-Fe(-A) eutetic alloys Andersen, N.H., see M. Winkelmann Andersson, JO., and P. Svedlindh, Aging behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Andrä, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., See P. Monachesi Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda 104-107 (1992)1305 104-107 (1992) 1307 104-10				
Antonini, B., see R. Hock Aoki, H., G.W. Crabtree, W. Joss and F. Hulliger, New high frequency dHVA branch of CeSb Andersson, JO., see K. Gunnarsson Andersson, JO. and P. Svedlindh, Ag- ing behaviour in two- and three-di- mensional Ising spin glasses studied by Monte Carlo simulations Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zine-blende MnTe: magnetic prop- erties Ando, T., see T. Sato Ando, T., see T. Sato Andrá, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic prop- erties of YBa ₂ Cu ₃ O _{7-x} supercon- ducting single crystalis André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In André, G., see P. Monachesi Andreani, L.C., see P. Monachesi Andreani, L.C., see P. Monachesi Andreav, A.V., see H. Maletta Andreev, A.V., see P. Svoboda Andreous magnetostriction in Y ₂ Fe ₁ rC _x Andreous magnetostriction in Y ₂ Fe ₁ rC _x Andreous magnetostriction in Y ₂ Fe ₁ rC _x Andreev, A.V., see P. Svoboda Antonini, B., see R. Hock Aoki, H., G.W. Crabtree, W. Usos and F. Hulliger, New high frequency dHVA branch of CeSb Aoki, H., G.W. Crabtree, W. Jose and F. Hulliger, New high frequency dHVA branch of CeSb Aoki, H., See K. Satoh Aoki, H., M. Yata, Y. Isoda and S. Uji, MBE growth of CeSi ₂ thin films and their electrical transport prop- erties Aoki, M., M. Stay, Y. Isoda and S. Uji, MBE growth of CeSi ₂ thin films and their electrical transport prop- erties Aoki, M., M. Yata, Y. Isoda and S. Uji, MBE growth of CeSi ₂ thin films and their electrical transport prop- erties Aoki, M., M. Yata, Y. Isoda and S. Uji, MBE growth of CeSi ₂ thin films and their electrical transport prop- erties Aoki, M., M. Yata, Y. Isoda and S. Uji, MBE growth of CeSi ₂ thin dillo-lor (1992) 1905 Aoki, M., ase H. Yamada, Isomer shift and atomic environment effect in the intermetallic compound Y(Fe ₁ , A.P.		104-107 (1992) 1391	in a YIG film	101 (1991) 157
thermomagnetic investigation of rapidly solidified Nd–Fe(–Al) eutectic alloys Andersen, N.H., see M. Winkelmann Andersson, JO., see K. Gunnarsson Andersson, JO., see K. Gunnarsson I04–107 (1992) 1607 Andersson, JO., see K. Gunnarsson I04–107 (1992) 1607 Andersson, JO., see K. Gunnarsson I04–107 (1992) 1609 Andersson, JO. see K. Gunnarsson I04–107 (1992) 1609 Andersson, JO. see K. Gunnarsson I04–107 (1992) 1609 Andersson, JO. see K. Gunnarsson I04–107 (1992) 1809 Andra, K. Takhashi and T. Okuda, Zinc-blende MnTe: magnetic properties I04–107 (1992) 1939 Andra, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O ₇ —x superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In André, G., see P. Thuéry Andreani, L.C., see P. Monachesi Andrew, A.V., see P. Monachesi Andreev, A.V., see H. Maletta Andreev, A.V., see H. Maletta Andreev, A.V., See P. Ronachesi Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁ C ₂ Andreev, A.V., see P. Svoboda	Amri, N., J. Delamare, D. Lemarchand		Antipov, S.D., see A.V. Tsvyashchenko	98 (1991) 285
F. Hulliger, New high frequency dHVA branch of CeSb	and P. Vigier, Microstructural and		Antonini, B., see R. Hock	104–107 (1992) 453
Tectic alloys				
Andersen, N.H., see M. Winkelmann Andersson, JO., see K. Gunnarsson Andersson, JO. and P. Svedlindh, Aging behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Ando, T., see T. Sato Andrä, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In Andrew, A.V., see P. Monachesi Andrew, A.V., see H. Maletta Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁ rC _x Andreev, A.V., see P. Svoboda Andreve,		404 (4004) 272		07 (4004) 440
Andersson, JO. and P. Svedlindh, Aging behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Andra, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., w. Ba²ela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda Andreeve,				
Andersson, JO. and P. Svedlindh, Aging behaviour in two- and three-dismensional Ising spin glasses studied by Monte Carlo simulations Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Andra, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., W. Ba²ela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In André, G., see P. Thuéry Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda				104–107 (1992) 39
ing behaviour in two- and three-dimensional Ising spin glasses studied by Monte Carlo simulations Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Ando, T., see T. Sato Andra, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In Andreani, L.C., see P. Monachesi Andreev, A.V., see H. Maletta Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda Andreev, A.V., see P. Svoboda Andreov, A.V., see P. Svoboda Andreini, L.C. and H. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁ 7C _x Andreove, A.V., see P. Svoboda Andreove, A.V., see P. Svobo		104-107 (1992)1007		
mensional Ising spin glasses studied by Monte Carlo simulations Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties Ando, T., see T. Sato Andrā, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In André, G., see P. Thuéry Andreani, L.C., see P. Monachesi Andreev, A.V., see H. Maletta Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda Mensional H. Yamada, Isomer shift and atomic environment effect in the intermetallic compound Y(Fe _{1-x} Al _x) ₂ 104-107 (1992) 1965 Aoki, M. and H. Yamada, Isomer shift and atomic environment effect in the intermetallic compound Y(Fe _{1-x} Al _x) ₂ 104-107 (1992) 1965 Aoki, M., see H. Yamada 104-107 (1992) 1965 Aoyagi, K., see Y. Gondō 93 (1991) 43 Aoyagi, F., see Y. Gondō 93 (1991) 43 Aoyagi, F., see Y. Gondō 94 (1991) 67 Apaydin, F., see Y. Gondō 95 (1991) 355 Apostolov, A., see V. Bozukov 109 (1992) 323 Apostolov, A., see V. Petkov 109 (1992) 394 Arai, M., see J. Suzuki 104-107 (1992) 1657 Arai, M., see J. Suzuki 104-107 (1992) 1657 Arai, M., see J. Suzuki 104-107 (1992) 1853 Araijo, S.M.V., see R.S. De Biasi 104-107 (1992) 1871 Arbaoui, A., see B. Dinia 104-107 (1992) 1873 Arbaoui, A., see B. Muller 104-107 (1992) 1873 Arbaoui, A., see B. Muller 104-107 (1992) 1873 Arbaoui, A., see B. Muller 104-107 (1992) 1874 Arbaoui, A., see B. Muller 104-107 (1992) 1875 Arbaoui, A., see B. Dinia 104-107 (1992) 1875 Arbaoui, A., see B. Muller 104-107 (1992) 1875 Arbaoui, A., see B.				
Andersson, Y., see P. Önnerud 104–107 (1992) 1989 Aoki, M. and H. Yamada, Isomer shift and atomic environment effect in the intermetallic compound Y(Fe _{1-x} Al _x) ₂ 104–107 (1992) 1965 Aoki, M., see H. Yamada 104–107 (1992) 1965 Aoki, M., see H. Yamada 104–107 (1992) 1967 Aoki, M., see H. Yamada 104–107 (1992) 1968 Aoki, M., see H. Yamada 104–107 (1992) 1969 Aoki, M., see H. Yamada 104–107 (1992) 1968 Aoki, M., see H. Yamada 104–107 (1992) 1965 Aoki, M., see H. Yamada 104–107 (1992) 1965 Aoki, M., see H. Yamada 104–107 (1992) 1967 Aoyadi, K., see Y. Gondō 93 (1991) 43 Aoki, M., see H. Yamada 104–107 (1992) 135 Aoyadi, K., see Y. Gondō 93 (1991) 43 Aoyadi, K., see Y. Gondō 94 (1991) 10				104-107 (1992) 1905
Andersson, Y., see P. Önnerud Ando, K., K. Takahashi and T. Okuda, Zinc-blende MnTe: magnetic properties 104–107 (1992) 993 Ando, T., see T. Sato 104–107 (1992) 1625 Andrä, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa $_2$ Cu $_3$ O $_{7-x}$ superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg $_2$ In and DyAg $_2$ In Andreń, G., see P. Thuéry Andreani, L.C., see P. Monachesi Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y $_2$ Fe $_{17}$ C $_x$ Andreev, A.V., see P. Svoboda 104–107 (1992) 1325 Andreev, A.V., see P. Svoboda 104–107 (1992) 1329 Andreev, A.V., see P. Svoboda 104–107 (1992)		104-107 (1992) 1609	Aoki, M. and H. Yamada, Isomer shift	
Zinc-blende MnTe: magnetic properties $104-107 (1992) 993$ Aoki, M., see H. Yamada $104-107 (1992) 1967$ Ando, T., see T. Sato $104-107 (1992) 1625$ Aoyagi, K., see Y. Gondō $93 (1991) 43$ Andrä, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa $_2$ Cu $_3$ O $_{7-x}$ superconducting single crystals $104-107 (1992) 481$ André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg $_2$ In and DyAg $_2$ In $109 (1992) 34$ Arai, M., see S. E. Nagler $104-107 (1992) 1657$ Andreani, L.C., see P. Thuéry $109 (1992) 197$ Andreani, L.C., see P. Monachesi $104-107 (1992) 1327$ Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model $108 (1992) 53$ Andreev, A.V., see H. Maletta $104-107 (1992) 135$ Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y $_2$ Fe $_{17}$ C $_x$ Andreev, A.V., see P. Svoboda $104-107 (1992) 1329$ Andreev, A.V., see P. Svoboda $104-107 (1992) 1329$ Andreev, A.V., see P. Svoboda $104-107 (1992) 1325$ Andreev, A.V., see P. Svoboda $104-107 ($	Andersson, Y., see P. Önnerud	104-107 (1992) 1989	and atomic environment effect in	
erties Ando, T., see T. Sato 104–107 (1992) 1993 Andrä, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In André, G., see P. Thuéry Andreani, L.C., see P. Monachesi Andrew, A.V., see H. Maletta Andreev, A.V., see H. Maletta Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda Andreev, A.V., see P. Sv	Ando, K., K. Takahashi and T. Okuda,		the intermetallic compound	
Ando, T., see T. Sato Andrä, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In André, G., see P. Thuéry Andreani, L.C., see P. Monachesi Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., see H. Maletta Andreev, A.V., see P. Svoboda 104-107 (1992) 1305 Andreev, A.V., see P. Svoboda 104-107 (1992) 1305 Aoyana, T., see Y. Gondō Aoyama, T., see Y. Gondō Apaydin, F., see Y. Gondō Apostolov, A., see V. Betkov 104-107 (1992) 309 Arai, M., see S. E. Nagler Arai, M., see S. E. Nagler 104-107 (1992) 481 Arai, M., see J. Suzuki 104-107 (1992) 1657 Arai, M., see J. Suzuki 104-107 (1992) 1855 Arai, T., see KI. Kobayashi 104-107 (1992) 1871 Araujo, S.M.V., see R.S. De Biasi Arabaoui, A., see D. Muller Arbaoui, A., see D. Muller A				
Andrä, W., K. Fischer, W. Gawalek, P. Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of $YBa_2Cu_3O_{7-x}$ superconducting single crystals 104–107 (1992) 481 André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of $TbAg_2In$ and $DyAg_2In$ 109 (1992) 34 Arai, M., see P. Thuéry 109 (1992) 37 Andreani, L.C., see P. Monachesi 104–107 (1992) 1327 Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model 108 (1992) 53 Andreev, A.V., see H. Maletta 104–107 (1992) 21 Andreev, A.V., see H. Maletta 104–107 (1992) 135 Andreev, A.V., see P. Svoboda 104–107 (1992) 1305 Andreev, A.V., see P. Svoboda 104–107 (1992) 1329 Andreev, A.V., see P. Svoboda 104–107 (1992) 1305 Andreev,				
Görnert, R. Hergt and Th. Klupsch, Real structure and magnetic properties of YBa ₂ Cu ₃ O _{7-x} superconducting single crystals André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg ₂ In and DyAg ₂ In André, G., see P. Thuéry Andreani, L.C., see P. Monachesi Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁₇ C _x Andreev, A.V., see P. Svoboda Apaydin, F., see Y. Öner Apostolov, A., see L. Bozukov 101 (1991) 355 Apostolov, A., see L. Bozukov 104-107 (1992) 309 Arai, M., see S.E. Nagler 104-107 (1992) 1657 Arai, M., see J. Suzuki 104-107 (1992) 1535 Araki, T., see KI. Kobayashi 104-107 (1992) 1327 Arbaoui, A., see R.S. De Biasi 104-107 (1992) 1871 Arbaoui, A., see A. Dinia Arbaoui, A., see D. Muller Arbaoui, A., see D. Muller Arbaoui, A., see K. Ounadjela Arbuzova, T.I., A.A. Samokhvalov, I.B. Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals		104–107 (1992) 1625		
Real structure and magnetic properties of $YBa_2Cu_3O_{7-x}$ superconducting single crystals 104–107 (1992) 481 André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of $TbAg_2In$ and $DyAg_2In$ 109 (1992) 34 Araki, T., see F. Huéry 109 (1992) 197 Araujo, S.M.V., see R.S. De Biasi 104–107 (1992) 1871 Andreani, L.C., see P. Monachesi 104–107 (1992) 1327 Arbaoui, A., see A. Dinia 104–107 (1992) 1871 Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model 108 (1992) 53 Arbaoui, A., see B. Muller 104–107 (1992) 1873 Arbaoui, A., see K. Ounadjela 104–107 (1992) 1896 Arbaoui, A., see R. Ounadjela 104–107 (1992) 1896 Arbaous and K.H.J. Buschow, Spontaneous magnetostriction in $Y_2Fe_{17}C_x$ 104–107 (1992) 1305 Andreev, A.V., see P. Svoboda 104–107 (1992) 1329 CuO single crystals 95 (1991) 168			**	
erties of YBa $_2$ Cu $_3$ O $_{7-x}$ superconducting single crystals 104–107 (1992) 481 Arai, M., see V. Petkov 109 (1992) 309 Apostolov, A., see V. Petkov 109 (1992) 309 Arai, M., see S.E. Nagler 104–107 (1992) 847 Arai, M., see J. Suzuki 104–107 (1992) 1657 Arai, S., see J.A.J. Lourens 104–107 (1992) 1535 of TbAg $_2$ In and DyAg $_2$ In 109 (1992) 34 Araki, T., see KI. Kobayashi 104–107 (1992) 413 Andreáni, L.C., see P. Thuéry 109 (1992) 197 Araujo, S.M.V., see R.S. De Biasi 104–107 (1992) 1871 Arbaoui, A., see D. Muller 104–107 (1992) 1871 Arbaoui, A., see D. Muller 104–107 (1992) 1873 Arbaoui, A., see K. Ounadjela 104–107 (1992) 1873 Arbaoui, A., see K. Ounadjela 104–107 (1992) 1896 Arbuzova, T.I., A.A. Samokhvalov, I.B. Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168				
ducting single crystals $104-107 (1992) 481$ Arai, M., see S.E. Nagler $104-107 (1992) 847$ Andrée, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of TbAg $_2$ In and DyAg $_2$ In $109 (1992) 34$ Arai, M., see J. Suzuki $104-107 (1992) 1535$ of TbAg $_2$ In and DyAg $_2$ In $109 (1992) 34$ Araki, T., see KI. Kobayashi $104-107 (1992) 413$ Andreani, L.C., see P. Thuéry $109 (1992) 197$ Araujo, S.M.V., see R.S. De Biasi $104-107 (1992) 471$ Arbaoui, A., see A. Dinia $104-107 (1992) 1871$ Arbaoui, A., see D. Muller $104-107 (1992) 1873$ Arbaoui, A., see K. Ounadjela $108 (1992) 53$ Arbuzova, T.I., A.A. Samokhvalov, I.B. Andreev, A.V., see H. Maletta $104-107 (1992) 1305$ Arbuzova, T.I., A.A. Samokhvalov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals $95 (1991) 168$				
André, G., W. Bažela, A. Oleś and A. Szytuła, Neutron diffraction studies of $TbAg_2In$ and $DyAg_2In$ 109 (1992) 34 Araki, T., see KI. Kobayashi 104–107 (1992) 1535 Araki, T., see R.S. De Biasi 104–107 (1992) 471 Araujo, S.M.V., see R.S. De Biasi 104–107 (1992) 1871 Arbaoui, A., see A. Dinia 104–107 (1992) 1871 Arbaoui, A., see B. Muller 104–107 (1992) 1873 Arbaoui, A., see B. Muller 104–107 (1992) 1873 Arbaoui, A., see K. Ounadjela 104–107 (1992) 1896 Arbaoui, A., see K. Ounadjela 104–1		104-107 (1992) 481		
Szytuła, Neutron diffraction studies of $TbAg_2In$ and $DyAg_2In$ 109 (1992) 34 Araki, T., see KI. Kobayashi 104–107 (1992) 413 André, G., see P. Thuéry 109 (1992) 197 Araujo, S.M.V., see R.S. De Biasi 104–107 (1992) 1871 Arbaoui, A., see A. Dinia 104–107 (1992) 1871 Arbaoui, A., see D. Muller 104–107 (1992) 1873 Arbaoui, A., see B. Muller 104–107 (1992) 1873 Arbaoui, A., see K. Ounadjela 104–107 (1992) 1896 Arbaoui, A., see K. Ounadjela 104–107 (1992) 1896 Arbaoui, A., see K. Ounadjela 104–107 (1992) 1896 Arbuzova, T.I., A.A. Samokhvalov, I.B. Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168		201 201 (2112)		
of $TbAg_2In$ and $DyAg_2In$ 109 (1992) 34 Araki, T., see KI. Kobayashi 104–107 (1992) 413 André, G., see P. Thuéry 109 (1992) 197 Andreani, L.C., see P. Monachesi 104–107 (1992) 1327 Arbaoui, A., see A. Dinia 104–107 (1992) 1871 Arbaoui, A., see D. Muller 104–107 (1992) 1873 Arbaoui, A., see E. Ounadjela 108 (1992) 53 Arbuzova, T.I., A.A. Samokhvalov, I.B. Andreev, A.V., see H. Maletta 104–107 (1992) 21 Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168				104-107 (1992) 1535
Andreani, L.C., see P. Monachesi Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁₇ C _x Andreev, A.V., see P. Svoboda Arbaoui, A., see A. Dinia Arbaoui, A., see D. Muller Arbaoui, A., see K. Ounadjela Arbuzova, T.I., A.A. Samokhvalov, I.B. Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168		109 (1992) 34	Araki, T., see KI. Kobayashi	104-107 (1992) 413
Andreani, L.C. and H. Beck, A variational study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁₇ C _x Andreev, A.V., see P. Svoboda Arbaoui, A., see D. Muller Arbaoui, A., see K. Ounadjela Arbuzova, T.I., A.A. Samokhvalov, I.B. Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168	André, G., see P. Thuéry	109 (1992) 197		104–107 (1992) 471
tional study of the two-impurity Anderson model Andreev, A.V., see H. Maletta Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁₇ C _x Andreev, A.V., see P. Svoboda Arbaoui, A., see K. Ounadjela Arbuzova, T.I., A.A. Samokhvalov, I.B. Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168		104–107 (1992) 1327		
derson model 108 (1992) 53 Arbuzova, T.I., A.A. Samokhvalov, I.B. Andreev, A.V., see H. Maletta 104–107 (1992) 21 Smolyak, B.V. Karpenko, N.M. Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁₇ C _x 104–107 (1992)1305 Andreev, A.V., see P. Svoboda 104–107 (1992)1329 Arbuzova, T.I., A.A. Samokhvalov, I.B. Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168				
Andreev, A.V., see H. Maletta Andreev, A.V., F.R. de Boer, T.H. Jacobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁₇ C _x Andreev, A.V., see P. Svoboda 104–107 (1992) 1305 Andreev, A.V., see P. Svoboda 104–107 (1992) 1329 Smolyak, B.V. Karpenko, N.M. Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168		100 (1000) 50		104-107 (1992) 1896
Andreev, A.V., F.R. de Boer, T.H. Ja- cobs and K.H.J. Buschow, Sponta- neous magnetostriction in Y ₂ Fe ₁₇ C _x Andreev, A.V., see P. Svoboda Chebotaev and S.V. Naumov, Temperature transition from 3D to quasi-1D antiferromagnetism in CuO single crystals 95 (1991) 168				
cobs and K.H.J. Buschow, Spontaneous magnetostriction in Y ₂ Fe ₁₇ C _x 104-107 (1992)1305 quasi-1D antiferromagnetism in Andreev, A.V., see P. Svoboda 104-107 (1992)1329 CuO single crystals 95 (1991) 168		104-107 (1992) 21		
neous magnetostriction in $Y_2Fe_{17}C_x$ 104–107 (1992)1305 quasi-1D antiferromagnetism in Andreev, A.V., see P. Svoboda 104–107 (1992)1329 CuO single crystals 95 (1991) 168				
Andreev, A.V., see P. Svoboda 104–107 (1992)1329 CuO single crystals 95 (1991) 168		104-107 (1992) 1305		
				95 (1991) 168
		103 (1992) 267		

Arenzon, J.J., R.M.C. de Almeida, J.R. Iglesias, T.J.P. Penna and P.M.C. de Oliveira, Simulations of the RS model	104–107 (1992)1652 108 (1992) 215	Artman, J.O., C. Alexander, Jr., J.C. Cates and M.R. Parker, Estimation of ultimate switching speeds in hard magnetic recording media by ferromagnetic resonance linewidth mea-	
Arko, A.J., see J.M. Lawrence Armand, M.F., see J. Mouchot Armitage, J.G.M., see Y. Yamada Armitage, J.G.M., R.G. Graham, J.S. Lord, P.C. Riedi, S.F. Matar and G.	104 (1992) 239 104 - 107 (1992) 1317	surements Arts, A.F.M., see A.G. Schins Arts, A.F.M., see M.L.J. Hollman Aruga Katori, H., T. Goto, S. Ebii and	104–107 (1992) 977 104–107 (1992) 931 104–107 (1992) 1063
Demazeau, Pressure dependence of magnetic properties of Fe ₄ N and Mn ₄ N Armstrong, N.R., see P.A. Lee	104–107 (1992) 1935 93 (1991) 159	A. Ito, Effect of magnetic fields on phase transitions in the reentrant spin glass Fe _x Mn _{1-x} TiO ₃ Aruga Katori, H., see A. Seidel	104–107 (1992) 1639 104–107 (1992) 1599
Arnaud d'Avitaya, F., see S. Auffret Arnaudas, J.I., A. del Moral, P.A.J. de Groot and B.D. Rainford, Magnetic	104–107 (1992)1209	Aruga Katori, H., see K. Gunnarsson Aruga Katori, H., see A. Ito Asahara, Y., see K. Matsumoto	104–107 (1992)1607 104–107 (1992)1635 104–107 (1992) 451
scaling and magnetoelastic properties of amorphous $(Gd_{1-x}Tb_x)_2Cu$ Arnaudas, J.I., A. Del Moral and P.A.J. De Groot, Hysteretic behaviour of	101 (1991) 65	Asano, S., see Y. Kubo Aso, K., see K. Hayashi Aso, K., see K. Hayashi Assmus, W., see F. Steglich	92 (1990) 284 96 (1991) 230 108 (1992) 5
amorphous $(Gd_{1-x}Tb_x)_2Cu$ random anisotropy magnets Arnaudas, J.I., A. del Moral, P.A.J. de	104–107 (1992) 115	Åström, H.U., G.K. Nicolaides, G. Benediktsson and K.V. Rao, First order antiferromagnetic transition	100 (1992) 3
Groot and C. de la Fuente, Non-lin- ear susceptibility and ferromag- netic-like scaling in random mag-	104 107 (1002) 214	in europium Atalay, S. and P.T. Squire, Field-dependent shear modulus and internal friction in annealed iron-based	104–107 (1992)1507
netic anisotropy alloys Arnaudas, J.I., see A. Del Moral Arnaudas, J.I., see A. del Moral Arnold, G.B., see G.J. Mata	104–107 (1992) 216 104–107 (1992) 243 104–107 (1992) 1051 104–107 (1992) 855	amorphous wires Atkinson, R., I.W. Salter and J. Xu, Optical and magneto-optical prop-	101 (1991) 47
Arnold, Z., see M.R. Ibarra Aroca, C., see C. Morón Aroca, C., see P. Sánchez	104–107 (1992) 1371 101 (1991) 59 104–107 (1992) 145	erties of TbFeCo films Atkinson, R., Single layer equivalence of magneto-optic multilayers for	95 (1991) 35
Aroca, C., see M. Maicas Aron, Ch., see M. Maurer Arrott, A.S., see B. Heinrich Arrott, A.S. and B. Heinrich, Phe-	104–107 (1992) 319 93 (1991) 15 93 (1991) 75	normal incidence (I) Atkinson, R., Single layer equivalence of magneto-optic multilayers for oblique incidence (II)	95 (1991) 61 95 (1991) 69
nomenology of anisotropy in the ferromagnetism of ultrathin films (Invited paper)	93 (1991) 571	Atkinson, R., I.W. Salter and J. Xu, Quadrilayer magneto-optic enhancement with zero Kerr ellipticity	102 (1991) 357
Arrott, A.S., see Q.M. Zhong Arrott, A.S., see T.L. Templeton Arsenieva, A.D., A.B. Granovsky, G.M. Myalikguliev, A.V. Pechennikov,	104–107 (1992)1837 104–107 (1992)2116	Atkinson, R., R. Gerber, P. Papakon- stantinou, I.W. Salter and Z. Šimša, Optical and magneto-optical prop- erties of Co/Ti substituted barium	
A.Ph. Prokoshin, S.I. Stadnik, R.P. Vasilieva and A.V. Vedyayev, The extraordinary Nernst-Ettingshausen effect in amorphous ferromag-		ferrite Atkinson, R., I.W. Salter and J. Xu, Magneto-optic quadrilayers showing zero Kerr ellipticity	104–107 (1992) 1005 104–107 (1992) 1013
netic alloys Arsenieva, A.D., see A.V. Vedyayev Artigas, M., D. Fruchart, C. Rillo, E. Tomey, C. Jimenez, L.A. Angurel, F. Lera, J. Bartolomé and R.	99 (1991) 167 99 (1991) 190	Atkinson, W., see G.J. Tomka Atsumi, Y., see S. Abe Attanasio, D., see D. Ajò Aubry, S., see L.M. Floría Auffret, S., see J. Pierre	104-107 (1992) 1147 104-107 (1992) 1397 104-107 (1992) 1997 104-107 (1992) 199 104-107 (1992) 1207
Fruchart, Magnetic phase transitions in $(\text{Fe}_{1-x}\text{Ru}_x)_2\text{P}$ $(0.25 \le x \le 0.6)$ Artman, J.O., see A. Layadi	104–107 (1992) 1993 92 (1990) 143	Auffret, S., J. Pierre, J.A. Chroboczek, P.A. Badoz, F. Arnaud d'Avitaya, A. Guivarc'h and A. Le Corre,	

Magnetoresistance anomalies in		Badia, F., see J. Tejada	101 (1991) 181
metamagnetic single crystals and		Badia, F., see B. Martinez	104-107 (1992) 123
epitaxial films	104–107 (1992)1209	Badia, F., see L.L. Balcells	109 (1992)L159
Auluck, S., T. Gasche, M.S.S. Brooks		Badoz, P.A., see S. Auffret	104–107 (1992) 1209
and B. Johansson, Magnetic and		Badurek, G., see R. Grössinger	101 (1991) 304
magneto-optical properties of ura-		Baggio-Saitovitch, E.M., see C. Larica	110 (1992) 106
nium sulphide	104–107 (1992) 35	Baghurst, A., see M. Soinski	101 (1991) 62
Auluck, S., see T. Gasche	104–107 (1992) 37	Bahadur, D., see P. Brahma	102 (1991) 109
Auluck, S., see M.S.S. Brooks	104–107 (1992)1381	Bahadur, D., see P. Brahma	103 (1992) 174
Auluck, S., see M.S.S. Brooks	104–107 (1992)1496	Bains, G.S., R. Carey, D.M. Newman	
Autissier, D., see C. Jacquiod	104–107 (1992) 419	and B.W.J. Thomas, Optical and	
Averous, M., see B.A. Lombos	93 (1991) 391	magneto-optical constants for Pt-	
Aviram, I., L.H. Bennett, L.J. Swart-		MnSb thin films	104–107 (1992) 1011
zendruber and I.I. Satija, Complex		Bakkaloglu, O.F. and M.F. Thomas,	
dynamics in the Barkhausen effect	98 (1991) 92	The effect of radiation damage on	
Axe, J.D., see T. Chattopadhyay	104–107 (1992) 1213	the Morin transition in α -Fe ₂ O ₃	104–107 (1992) 1921
Aya, Y., see G. Oomi	104-107 (1992) 2075	Bakker, K., see Z. Tarnawski	104–107 (1992) 613
Aylesworth, K.D., D.J. Sellmyer and		Bakker, K., A. de Visser, E. Brück,	
G.C. Hadjipanayis, The structural		A.A. Menovsky and J.J.M. Franse,	
and magnetic properties of films of		Anisotropic variation of T_c and T_N	
Pr ₂ Fe ₁₄ B and Nd ₂ Fe ₁₄ B cosput-	4	in URu ₂ Si ₂ by uniaxial pressure	108 (1992) 63
tered with Ta	98 (1991) 65	Bakker, K., A. de Visser and J.J.M.	
Ayoub, N.Y., Dependence of the sus-		Franse, Double superconducting	
ceptibility on low magnetic fields for		transition in the specific heat of	(
the electron-doped superconductors		non-stoichiometric UPt _{3+x}	108 (1992) 65
$\operatorname{Ln}_{2-x} \operatorname{M}_{x} \operatorname{CuO}_{4-y} (\operatorname{Ln} = \operatorname{Nd}, \operatorname{Pr}, \operatorname{Sm};$		Bakonyi, I., see A. Burgstaller	109 (1992) 117
M = Ce, Th	99 (1991) 239	Bala, H., see S. Szymura	94 (1991) 113
Azevedo, A. and S.M. Rezende, Spatial		Bala, H., S. Szymura, V.V. Sergeev,	
distribution of magnetostatic modes	101 107 (1000) 1000	D.V. Pokrovskii, G. Pawłowska and	
in a thin YIG slab	104–107 (1992)1039	L.V. Potapova, Properties of ter-	
Azevedo, A. and S.M. Rezende, Bifur-		bium-doped (Nd,Dy)-(Fe,Co)-B	100 (1000) 50
cations, chaos and control of chaos	104 107 (1000) 1041	sintered magnets	103 (1992) 58
in spin-wave instabilities	104–107 (1992)1041	Balakrishnan, G., S.K. Malik, C.K. Sub-	
Azevedo, L.A., see D.P. Yang	109 (1992) 1	ramaniam, D.McK. Paul, S. Pinol	
Baberschke, K., see M. Farle	93 (1991) 215	and R. Vijayaraghavan, Anisotropy	
Baberschke, K., see Y. Li	93 (1991) 345	in the magnetic properties of single	104 107 (1002) 460
Babić, E., see J. Horvat	92 (1990) L25	crystal Nd _{1.85} Ce _{0.15} CuO _{4-y}	104-107 (1992) 469
Babić, E., see J. Horvat	96 (1991) L13	Balakrishnan, G., see B.V.B. Sarkissian	104–107 (1992) 1271
Babić, E., see J. Horvat	104-107 (1992) 359	Balbas, L.C., see A. Vega	104–107 (1992)1687
Babić, E., see S. Sabolek	110 (1992) L25	Balbashov, A.M., see R. Szymczak	92 (1990) L19
Babić, E., see J. Horvat	110 (1992) 215	Balbashov, A.M., A.G. Berezin, Ju.V.	
Bacmann, M., see C. Rillo	104-107 (1992) 1995	Bobryshev, P.Ju. Marchukov, I.V.	
Baczewski, L.T., see J.M. Alameda	104-107 (1992) 1813	Nikolaev, E.G. Rudashevsky, J. Paches and L. Půst, Orthogonal	
Bader, S.D., see C. Liu	93 (1991) 307	magnetic impurity in antiferromag-	
Bader, S.D., SMOKE	100 (1991) 440	net YFeO ₃ single crystal: magnetic	
Bader, S.D., see M.J. Conover	102 (1991) L5	resonance and magnetisation mea-	
Bader, S.D., see M.E. Brubaker	103 (1992) L7	surements	104-107 (1992)1037
Bader, S.D., see J.E. Mattson	109 (1992) 179	Balcells, L.L., X.X. Zhang, F. Badia,	104-107 (1992)1037
Badia, A., see J. Blasco	104–107 (1992) 573	J.M. Ruiz, C. Ferraté and J. Tejada,	
Badía, A., see F. Lera	104–107 (1992) 615	Quantum tunneling of magnetiza-	
Badia, F., G. Fratucello, B. Martínez,		tion in multilayer systems (Letter to	
D. Fiorani, A. Labarta and J. Te-		the Editor)	109 (1992)L159
jada, Magnetic properties of Fe/Cu	00 (4	Balcerzak, T., see J. Mielnicki	94 (1991) 74
multilayers	93 (1991) 425	Balcerzak, T., Cluster identities in lo-	7 (1771) 14
Badia, F., C. Ferrater, B. Martínez, A.		calized spin systems	97 (1991) 152
Lousa and J. Tejada, Magnetic	00 (1001) 100	The second of th	7 (2772) 132
phase diagram of Fe-Y multilayers	93 (1991) 429		

Ball, A.R., D. Gignoux, D. Schmitt and F.Y. Zhang, Complex magnetic		Baran, M., see J. Zbroszczyk Barandiarán, J.M., see J.M. Blanco	109 (1992) 221 101 (1991) 35
phase diagrams in hexagonal rare-	104-107 (1992) 170	Barandiarán, J.M., see M. Vázquez Barandiarán, J.M., see A. Hernando	96 (1991) 321 101 (1991) 6
earth compounds Ball, A.R., D. Gignoux, B. Gorges, D.	104-107 (1772) 170	Barandiarán, J.M., see L. Fernández	101 (1772)
Schmitt and A. Tari, Magnetic		Barquin	101 (1991) 52
properties of $Pr(Ni_{1-x}Co_x)_5$ compounds	109 (1992) 185	Barandiarán, J.M. and A. Hernando, Amorphous magnetism: the role of	
Ball, A.R., D. Gignoux, F.E. Kayzel, D.	107 (1772) 100	anisotropy and magnetostriction	
Schmitt and A. de Visser, High field		distributions	104–107 (1992) 73
magnetization in $Pr(Ni_{1-x}Co_x)_5$ single crystals	110 (1992) 337	Barandiarán, J.M., see M.L. Fdez- Gubieda	104–107 (1992) 82
Ball, A.R., D. Gignoux, D. Schmitt,	110 (1772) 007	Barandiarán, J.M., see P.T. Squire	104–107 (1992) 107
F.Y. Zhang and M. Reehuis, Field		Barandiarán, J.M., see J. González	104–107 (1992) 139
induced magnetic structures in	110 (1002) 242	Baranov, N., see E. Gratz	104–107 (1992)1918 104–107 (1992)1329
hexagonal HoAlGa Ball, K.D., see P.J. Shields	110 (1992) 343 104–107 (1992) 1043	Baranov, N.V., see P. Svoboda Barault, G., see J. Rivas	101 (1991) 403
Ballou, R., see M.D. Nunez-Regueiro	104–107 (1992) 285	Barbara, B., see J. Filippi	104-107 (1992) 165
Ballou, R., C. Lacroix and M.D. Nunez		Barbara, B., see J. Beille	104–107 (1992) 532
Regueiro, Competition between		Barbara, B., see V.S. Amaral	104–107 (1992) 2079 93 (1991) 31
frustration and magnetic instability in RMn ₂ compounds	104-107 (1992) 753	Barbier, A., see C. Boeglin Barbon, P.G., see J. González	102 (1991) 63
Ballou, R., P.J. Brown, J. Deportes,		Barbón, P.G., see J.M. Blanco	104–107 (1992) 137
A.S. Markosyan and B. Ouladdiaf,		Barbosa, M.V.S., see J. Albino Aguiar	104–107 (1992) 547
Exchange frustration and metasta- bility of the magnetic structure of		Barilo, S.N., A.P. Ges, S.A. Guretskii, D.I. Zhigunov, A.A. Ignatenko,	
TbMn ₂	104-107 (1992) 935	A.M. Luginets and V.N. Der-	
Ballou, R., see P. Gerard	104-107 (1992)1463	kachenko, Influence of Sm ³⁺ -Fe ³⁺	
Ballou, R., I.Yu. Gaydukova, A.S.		interaction on antiferromagnetic	
Markosyan and B. Ouladdiaf, Study of the Mn-moment instability in the		Gd^{3+} ions ordering in $Gd_{1-x}Sm_x$ - FeO_3	102 (1991) 30
TbMn ₂ intermetallic compound by		Barilo, S.N., see T. Chattopadhyay	104–107 (1992) 607
substitutions of Fe for Mn	104–107 (1992) 1465	Barnas, J., see P. Grünberg	93 (1991) 58
Ballou, R., A.S. Markosyan, I.S. Dubenko and R.Z. Levitin, Gigantic		Barnas, J. and P. Grünberg, On the static magnetization of double fer-	
increase in the Curie temperature		romagnetic layers with antiferro-	
of the $R(Co_{1-x}Mn_x)_2$ (R: heavy		magnetic inter-layer coupling in an	
rare earths) systems at small Mn concentrations	110 (1992) 209	external magnetic field Barnas, J., On the Hoffmann boundary	98 (1991) 57
Bando, Y., see T. Fujii	92 (1990) 261	conditions at the interface between	
Bang, L., Q.Y. Shen, N. Matsumoto, F.		two ferromagnets	102 (1991) 319
Ono, O. Kohmoto, H. Maeta and K.		Barnaś, J. and L. Smardz, Spin wave	
Haruna, Magnetization process in high permeability Fe-Cu-Nb-Si-B		spectrum of ferromagnetic superlat- tices	104–107 (1992) 1865
alloys	104-107 (1992) 147	Barnaś, J., see L. Smardz	104–107 (1992) 1885
Bansmann, J., C. Westphal, M. Get-		Bärner, K., see A.F. Andresen	94 (1991) 347
zlaff, F. Fegel and G. Schönhense, Magnetic circular dichroism in va-		Bärner, K., see JW. Schünemann	104–107 (1992) 923
lence-band photo-emission from		Bärner, K., see P. Fröbel Bärner, K., see D. Müller	104–107 (1992) 1155 110 (1992) 161
Fe(100)	104-107 (1992) 1691	Baro, M.D., see M.T. Clavaguera-Mora	104–107 (1992) 1141
Bansmann, J., see M. Getzlaff	104-107 (1992) 1781	Barradi, T. and A. Mailfert, On the	
Bara, J.J., B.F. Bogacz and A.T. Pędziwiatr, Mössbauer effect study		incidence of domain wall behaviour	
of $(Er_{1-x}Pr_x)_2Fe_{14}B$ system	99 (1991) 204	on iron losses in grain-oriented Si- Fe sheets	104–107 (1992) 387
Baran, A., see W. Suski	95 (1991)L133	Bartashevich, M.I., see T. Futakata	104–107 (1992) 729
Baran, A., see M. Zelený	98 (1991) 25	Bartashevich, M.I., see P. Svoboda	104–107 (1992) 1329
Baran, M., see K. Piotrowski	104–107 (1992) 483	Barth, S., see A. Schenck	108 (1992) 97

Barthélémy, A., see F. Petroff	93 (1991) 95	Bauer, E., see N. Pillmayr	104-107 (1992) 639
Barthélémy, A., see D.H. Mosca	93 (1991) 480	Bauer, E., K. Payer, R. Hauser, E.	
Barthélémy, A., see A. Fert	104–107 (1992) 1712	Gratz, D. Gignoux, D. Schmitt, N.	
Barthélémy, A., A. Fert, P. Etienne, R.		Pillmayr and G. Schaudy, A cross-	
Cabanel and S. Lequien, Tempera-		over from intermediate valence to	
ture dependence of the interface		integer valence in Yb(Cu,Al) ₅ com-	
anisotropy in Fe(001)/Ag(001) su-		pounds	104–107 (1992) 651
perlattices	104–107 (1992) 1816	Bauer, E., see E. Gratz	104–107 (1992) 1918
Bartlett, R.J., see J.M. Lawrence	108 (1992) 215	Bauer, E., Anomalous properties of	
Bartolomé, J., see F.J. Lázaro	101 (1991) 372	Ce-Cu-based compounds	108 (1992) 27
Bartolomé, J., F. Luis, D. Fruchart, O.		Bauer, E., see I. Das	108 (1992) 82
Isnard, S. Miraglia, S. Obbade and		Bauer, E., E. Gratz, G. Hutflesz, A.K.	
K.H.J. Buschow, The effect of maxi-		Bhattacharjee and B. Coqblin,	
mum hydrogenation on the RE_2	101 (1001) 411	Thermal conductivity of Ce-based	100 (1002) 150
$Fe_{14}X$, $X = B$, C compounds	101 (1991) 411	Kondo compounds	108 (1992) 159
Bartolomé, J., see F. Luis Bartolomé, J., see A. Larrea	101 (1991) 414 104–107 (1992) 229	Bauer, M. and E. Dormann, Aniso-	
Bartolomé, J., see F. Lera	104–107 (1992) 615	tropic hyperfine interactions at the ²⁷ Al-sites of ferromagnetically or-	
Bartolomé, J., see C. Piqué	104–107 (1992) 1167	dered GdAl ₂	104–107 (1992) 1291
Bartolomé, J., see M. Artigas	104–107 (1992)1107	Bauer, Ph., see K. Cherifi	93 (1991) 609
Bartolomé, J., see C. Rillo	104–107 (1992) 1995	Bauhofer, W., W. Joss, R.K. Kremer,	75 (1771) 007
Baruchel, J., see B.K. Tanner	104–107 (1992) 317	Hj. Mattausch and A. Simon, Origin	
Baruchel, J., see J. Sandonís	104–107 (1992) 345	of the resistivity increase in gadolin-	
Baruchel, J., see J. Sandonís	104-107 (1992) 347	ium hydride halides: GdXH(D) _v (X	
Baruchel, J., see J. Sandonís	104-107 (1992) 350	= Cl, Br, I; $0.67 < y < 1.0$)	104-107 (1992) 1243
Baruchel, J., see R. Hock	104-107 (1992) 453	Baum, E. and J. Bork, Systematic de-	
Basa, K., Power loss measurements in		sign of magnetic shields (Invited pa-	
amorphous soft magnetic cores	101 (1991) 296	per)	101 (1991) 69
Baskey, J.H., see D.J. Lockwood	104–107 (1992) 1053	Baumgart, P., B. Hillebrands and G.	
Bass, J., see J. Mattsson	104–107 (1992)1619	Güntherodt, In-situ determination	
Bass, J., see J. Mattsson	104–107 (1992)1623	of Magnetic anisotropies of thin ex-	
Baszyński, J., see L. Smardz	104–107 (1992) 1885	pitaxial Fe(110) and Co(0001) films	
Batas, K., see N.K. Flevaris	93 (1991) 39	on W(110) using Brillouin light scat-	02 (1001) 225
Bate, G., Magnetic recording materials since 1975	100 (1991) 413	tering Bauminger, E.R., see I. Felner	93 (1991) 225 104–107 (1992) 543
Bateson, R.D., see J.A.C. Bland	93 (1991) 331	Bava, G.F., see P. Cavallotti	104–107 (1992) 1216
Bateson, R.D., see J.A.C. Bland	93 (1991) 513	Bayle, C., see M. Le Floc'h	104–107 (1992) 1591
Bateson, R.D., see J.A.C. Bland	104–107 (1992) 1798	Bayreuther, G., see P. Bruno	93 (1991) 605
Bateson, R.D., see J.A.C. Bland	104–107 (1992) 1909	Bażela, W., J. Leciejewicz, A. Szytuła	7.7 (277.2) 000
Batlle, X., B. Martínez, X. Obradors,		and A. Zygmunt, Magnetism of	
M. Pernet, M. Vallet, J. González-		DyPd ₂ Si ₂ and ErPd ₂ Si ₂	96 (1991) 114
Calvet and J. Alonso, Study of the		Bažela, W., see G. André	109 (1992) 34
magnetic properties of Nd ₂ NiO ₄	104-107 (1992) 918	Bažela, W., J. Leciejewicz, K. Maletka	
Bauch, J., see J. Wieting	101 (1991) 128	and A. Szytuła, Magnetic ordering	
Baudelet, F., see M. Maurer	93 (1991) 15	in TbNiGe ₂ and HoNi _{0.64} Ge ₂ by	
Baudelet, F., see R. Clarke	93 (1991) 53	neutron diffraction	109 (1992) 305
Baudelet, F., E. Dartyge, G. Krill, J.P.		Bødker, F., S. Mørup, C.A. Oxborrow,	
Kappler, C. Brouder, M. Piecuch		M.B. Madsen and J.W. Niemants-	
and A. Fontaine, Magnetic proper-		verdriet, Surface magnetism in ul-	104 107 (1000) 1000
ties of neodymium atoms in Nd-Fe		trafine α -Fe particles	104–107 (1992)1695
multilayers studied by magnetic X-	02 (1001) 520	Beach, R.S., see M.B. Salamon	104–107 (1992) 1729
ray dichroism	93 (1991) 539	Beach, R.S., J.A. Borchers, R.W. Erwin, C.P. Flynn, A. Matheny, J.J.	
Baudelet, F., C. Brouder, E. Dartyge,		Rhyne and M.B. Salamon, Magnetic	
A. Fontaine, J.P. Kappler and G. Krill, Magnetic properties of some		order in Dy/Lu superlattices	104-107 (1992) 1915
REFe ₂ and Gd-Fe intermetallics		Beale, A.D., J.P. Jakubovics, M.G. Het-	101 101 (1776) 1713
studied by circular magnetic X-ray		herington, C.B. Scruby, B.A. Lewis	
dichroism	104-107 (1992)1418	and K.J. Davies, TEM studies of	

1		romagnetic ordering in the Kondo	
domains and micromagnetic pro-	104-107 (1992) 365	lattice YbNiSn	108 (1992) 141
cesses in structural steels	104-107 (1992) 303	Bellouard, C., M. Hennion, I. Mire-	100 (1772) 111
Beatrice, C., F. Vinai, G. Sberveglieri,		beau, A.J. Dianoux and V. Caig-	
S. Groppelli, E. Bonetti and S. Enzo,		naert, Inelastic neutron study in su-	
Magnetic and structural properties			104-107 (1992) 517
of Fe/Al multilayered films de-	02 (1001) 147	perconducting $YBa_2(Cu_{1-x}Co_x)_3O_7$ Bellouard, C., see I. Mirebeau	104–107 (1992) 317
posited by thermal evaporation	93 (1991) 147		104-107 (1992)1300
Beatrice, C., see P. Allia	101 (1991) 49	Bellouard, C., M. Hennion, I. Mire-	
Beatrice, C. and G. Bertotti, Influence		beau and B. Hennion, Insulating	
of magnetic viscosity on domain wall		and metallic spin glasses: a compar-	
dynamics and Barkhausen effect in	104 107 (1002) 224	ative study of the dynamics by neu- tron scattering	104-107 (1992) 1627
metallic ferromagnetic systems	104–107 (1992) 324 104–107 (1992) 1767	Belous, N.A., I.A. Zorin, N.V. Kulich,	104-107 (1992) 1027
Beatrice, C., see P. Allia			
Beaurepaire, E., see F. Scheurer	93 (1991) 150	I.V. Lezhnenko and A.I. Tovstolyt-	
Beauvillain, P., see C. Chappert	93 (1991) 319	kin, Dynamics of low temperature	
Beauvillain, P., see P. Bruno	93 (1991) 605	magnetic behavior of Co _{0.53} Ga _{0.47}	110 (1002) 107
Beauvillain, P., see F. Giron	104–107 (1992) 1887	alloy	110 (1992) 197 104–107 (1992) 433
Becerra, C.C., see M.S. Torikachvili	104–107 (1992) 69 104–107 (1992) 71	Belt, R.F., see M. Pardavi-Horvath	104–107 (1992) 433
Becerra, C.C., see A. Zieba	104–107 (1992) 71 104–107 (1992) 269	Beltrán, D., see F. Sapiña Ben Jaffel, L., see L. Bessais	104–107 (1992) 1565
Becerra, C.C., see A. Paduan-Filho		Bender Koch, C., see S. Mørup	104–107 (1992) 1563
Bechevet, B., see J. Mouchot	101 (1991) 239 108 (1992) 53	Benediktsson, G., see H.U. Åström	104–107 (1992) 1507
Beck, H., see L.C. Andreani Becker, E., see R. Kordecki	93 (1991) 281	Benner, H., see G. Wiese	104–107 (1992)1072
	99 (1991) 171	Benner, H., see F. Rödelsperger	104–107 (1992)1072
Bedell, K.S., see L.E. De Long Bednarski, S., see H. Kepa	104–107 (1992) 2065	Benner, H., J.A. Holyst and J. Löw,	104-107 (1992)1073
Behnia, K., D. Jaccard, L. Taillefer, J.	104-107 (1992)2003	Pairing of kinks observed in TMMC	
Flouquet and K. Maki, Thermal		below $T_{\rm N}$	104-107 (1992)1077
conductivity of superconducting U-		Bennett, L.H., see I. Aviram	98 (1991) 92
Pt ₃ versus magnetic field: probing		Bennett, L.H., see M. Pardavi-Horvath	104–107 (1992) 313
the gap structure	108 (1992) 133	Bennett, L.H., L.J. Swartzendruber,	104-107 (1992) 313
Behr, R., see M. Ziese	104-107 (1992) 537	D.L. Kaiser, F.W. Gayle, J. Blendell,	
Behre, J., S. Miyashita and HJ. Mikes-	104-107 (1772) 337	J.M. Habib and H.M. Seyoum,	
ka, Quantum Monte Carlo study of		Thermoremanence and Meissner	
a two-dimensional Heisenberg anti-		effect in QMG and single-crystal	
ferromagnet with nonmagnetic im-		YBCO	104-107 (1992) 539
purities	104-107 (1992) 863	Bennett, L.H., R.D. McMichael, L.J.	104 107 (1772) 337
Beille, J., G. Fillion, B. Barbara, Th.	10 / 10 / (1) /2 / 005	Swartzendruber, R.D. Shull and	
Grenet, M. Cyrot, A. Gerber and		R.E. Watson, Monte Carlo and	
J.L. Martinez, Weak ferromagnet-		mean-field calculations of the mag-	
ism of Gd _{1.85} Th _{0.15} CuO _{4-v} under		netocaloric effect of ferromagneti-	
pressure	104-107 (1992) 532	cally interacting clusters	104-107 (1992) 1094
Beille, J., see H. Schmitt	104-107 (1992)1247	Bennett, W.R., see C.H. Lee	93 (1991) 592
Bekker, F.F., see N.H. Kim-Ngan	104–107 (1992)1298	Berendschot, T.T.J.M., see E. Brück	104–107 (1992) 17
Belanger, D.P. and A.P. Young, The	10. 10. (1),2,12,0	Berezin, A.G., see A.M. Balbashov	104–107 (1992) 1037
random field Ising model	100 (1991) 272	Berger, R., see L. Häggström	98 (1991) 37
Belayachi, A., see J.L. Dormann	104–107 (1992) 239	Bergerat, P., see E. Codjovi	104–107 (1992) 2103
Bellessa, G., see N. Vernier	102 (1991) L15	Berghaus, A., see M. Farle	93 (1991) 215
Bellissent, R., see B. Boucher	104-107 (1992) 93	Berkov, D.V., Micromagnetics of the	70 (1771) 213
Bellitto, C., L.P. Regnault and J.P. Re-		single cylindrical particle (Letter to	
nard, Low temperature magnetic		the Editor)	99 (1991) L7
properties of the quasi-one-dimen-		Berkov, D.V., The orientation kinetics)) (1))1) D)
sional antiferromagnet tetramethyl-		of real magnetic particle assemblies	101 (1991) 221
ammonium chromium (II) trichlo-		Berkov, D.V., The aggregation mech-	202 (1771) 221
ride	102 (1991) 116	amism of small magnetic particle	
Bellot, P., P. Bonville, J. Hammann,		chains	104-107 (1992) 1540
J.A. Hodges, P. Imbert, G. Jéhanno,		Berlureau, T., B. Chevalier, P. Graver-	(======================================
L. Leylekian and L. D'Onofrio, Fer-		eau, L. Fournes and J. Etourneau,	

Investigation of the U(Fe _{10-x} -Co _x)Si ₂ ternary system with $0 \le x \le 10$ by X-ray powder diffraction, magnetic and ⁵⁷ Fe Mössbauer stud-		Beuerle, T. and M. Fähnle, Local hyperfine fields and the pressure dependence of the magnetization, the	
ies Bernal, M.J., see J.M. Riveiro Bernal, M.J., J.M. Riveiro, A. Hernando, E. Pulido and P. Crespo, Formation and properties of (CoP)	102 (1991) 166 104–107 (1992) 155	hyperfine fields and the critical temperature in Y ₂ Fe ₁₇ : an ab-initio calculation (<i>Letter to the Editor</i>) Beutler, T., see A. Vaterlaus Bewley, R.I., R. Cywinski and S.H. Kilcoyne, Random anisotropy and ex-	110 (1992) L29 104–107 (1992) 1693
Zr ultrafine particles prepared by mechanical alloying Bernhoeft, N., see P. Warren	104–107 (1992) 1090 104–107 (1992) 687	change in amorphous $R_{7-x}R'_xNi_3$ Bezdushnyi, R.V., see S.A. Nikitin Bhagat, S.M., see M. Huang	104–107 (1992) 133 92 (1991) 397 97 (1991) 297
Bernhoeft, N.R., see C.I. Gregory Berthier, C., see W.G. Clark Berthier, Y., see W.G. Clark Berthon, S., see S.F. Matar	104–107 (1992) 689 104–107 (1992) 589 104–107 (1992) 589 104–107 (1992)1553	Bhattacharjee, A.K., see J.P. Lascaray Bhattacharjee, A.K., see E. Bauer Bi, S.Y., see L.M. Mei Bi, Y.J., J.S. Abell and A.M.H. Hwang,	104–107 (1992) 995 108 (1992) 159 104–107 (1992)1903
Bertotti, G., see Y. Gros Bertotti, G., see C. Beatrice Bertotti, G., see M. Pasquale	104–107 (1992) 621 104–107 (1992) 324 104–107 (1992) 337	Defects in Terfenol-D crystals Bi, Y.J., A.M.H. Hwang and J.S. Abell, Magnetostrictive and microstruc-	99 (1991) 159
Bertrand, D., J. Ferré, P. Meyer, J. Pommier and W. Kleemann, Random field effects in a disordered metamagnet: magnetic domains and their dynamics	104–107 (1992) 389	tural properties of Terfenol-D pre- pared by different routes Białas-Borgieł, K., see Z. Drzazga Bieber, A., and F. Gautier, Phase sta- bility and short range order in mag-	104–107 (1992) 1471 101 (1991) 399
Beseničar, S. and M. Drofenik, High coercivity Sr hexaferrites Beseničar, S., see B. Saje	101 (1991) 307 101 (1991) 357	netic transition metal alloys. I. Electronic structure and interplay between chemical and magnetic clus-	
Beseničar, S., B. Saje, G. Dražič and J. Holc, The influence of ZrO ₂ addition on the microstructure and the		ter interactions Bienert, J.A.M., see H.A.M. de Gronckel	99 (1991) 293 93 (1991) 457
magnetic properties of Nd-Dy-Fe-B magnets Besnus, M.J., A. Braghta, N. Hamdaoui	104–107 (1992)1175	Biénkowski, A. and J. Kulikowski, Effect of stresses on the magnetostriction of Ni–Zn(Co) ferrites	101 (1991) 122
and A. Meyer, A correlation between specific heat and the ratio $T_{\rm K}/T_{\rm N}$ in magnetic Kondo lattices	104–107 (1992)1385	Biénkowski, A., Some effects of stresses in Ni–Zn ferrites containing cobalt Binder, K., see D.P. Landau	101 (1991) 125 104–107 (1992) 841
Besnus, M.J., A. Essaihi, G. Fischer, N. Hamdaoui and A. Meyer, Magnetic, specific heat and transport properties of CePd ₂ Ge ₂	104–107 (1992)1387	Biner, S.B., see D.A. Kaminski Binner, A., see FTh. Bölter Binner, A., J. Schneider and C. Stiller, Effect of structural features in Nd-	104–107 (1992) 382 101 (1991) 289
Bessais, L., L. Ben Jaffel and J.L. Dor- mann, New method of resolution of Brown's model for the relaxation	104 107 (1992) 1307	FeB-based magnets on the demagnetization process Birrer, P., see A. Schenck	101 (1991) 427 108 (1992) 97
time of fine magnetic particles: approximative formula and numerical calculations Best, D., see J. Pszczoła	104–107 (1992) 1565 92 (1990) 101	Bishop, A.R., see A.R. Völkel Bissell, P.R., see M.D. Clarke Bissell, P.R. and A. Lyberatos, Reversible changes during remanent	104–107 (1992) 766 95 (1991) 17
Betancourt, L., M. Chourio and V. Sagredo, Optical and magnetic properties of the semiconductor	101 (1991) 162	magnetisation and demagnetisation processes in particulate and thin film recording media Bissell, P.R., see G.J. Tomka	95 (1991) 27 104–107 (1992)1147
spinel $Cd_{1-x}Mn_xIn_2S_4$ Beuerle, T., P. Braun and M. Fähnle, On the total electronic energy and the magnetic properties of pure and	101 (1771) 102	Bissell, P.R., R.W. Chantrell, S.R. Hoon, D.B. Lambrick and B.K. Tanner, Small-angle X-ray scatter-	107 107 (1772)1147
nitrogenated Y_2Fe_{17} compounds (Letter to the Editor) Beuerle, T., see M. Fähnle	94 (1991) L11 104–107 (1992)1931	ing study of ferrofluids Biyadi, K., see J. Bras	104–107 (1992) 1551 101 (1991) 369

Blache, C. and G. Lemarquand, Linear displacement sensor with high magnetic field gradient Blache, C. and G. Lemarquand, High	104–107 (1992)1106	Bland, J.A.C., R.D. Bateson, A.D. Johnson, B. Heinrich, Z. Celinski and H.J. Lauter, Magnetic properties of ultrathin bcc Fe(001) films	
magnetic field gradients in flux con- fining permanent magnet structures Blackman, J.A., K.N. Trohidou and J.F.	104–107 (1992)1111	grown epitaxially on Ag(001) substrates Bland, J.A.C., A.D. Johnson, H.J.	93 (1991) 331
Cooke, High-energy spin waves in cubic and hcp transition metals Blackman, J.A., see J. Poulter	104–107 (1992) 721 104–107 (1992)1647	Lauter, R.D. Bateson, S.J. Blundell, C. Shackleton and J. Penfold, Spin-polarised neutron reflection studies of epitaxial films (<i>Invited paper</i>)	93 (1991) 513
Blaha, P., K. Schwarz and A.K. Ray, Isomer shifts and electric field gra- dients in Y(Fe _{1-x} Al _x) ₂ Blaise, A., M.N. Bouillet, F. Bourdarot,	104–107 (1992) 683	Bland, J.A.C., A.D. Johnson, R.D. Bateson and H.J. Lauter, Magnetic properties of ultrathin Co/Ag(001)	93 (1771) 313
P. Burlet, J. Rebizant, J. Rossat- Mignod, J.P. Sanchez, J.C. Spirlet and O. Vogt, Magnetic structure and		films Bland, J.A.C., R.D. Bateson, B. Heinrich, Z. Celinski and H.J. Lauter,	104–107 (1992)1798
properties of NpS and NpSe Blaise, A., see K. Mattenberger Blaise, A., see B. Malaman	104–107 (1992) 33 104–107 (1992) 43 104–107 (1992) 1359	Spin polarised neutron reflection studies of ultrathin magnetic films Blank, R., What determines the demag-	104–107 (1992) 1909
Blamire, M.G., see R.J. Highmore Blanco, A.M., see F. Carmona Blanco, J.A., D. Gignoux, D. Schmitt	104–107 (1992)1777 92 (1991) 417	netization in Nd-Fe-B magnets? (Invited paper) Blasco, J., J. Garcia and A. Badia, Study	101 (1991) 317
and C. Vettier, Field induced magnetic structures in TbNi ₂ Si ₂ Blanco, J.A., D. Gignoux, J.C. Gómez	97 (1991) 4	of Y by Zr substitution in YBa_2Cu_3 $O_{7-\delta}$ superconductor: structural, magnetic and conductivity proper-	
Sal and D. Schmitt, Commensurate and incommensurate magnetic phases in tetragonal PrNi ₂ Si ₂ and	404 405 (4000) 4050	ties Bleaney, B., R.W. Hill, M.J.M. Leask and M.R. Wells, Thermal and mag-	104–107 (1992) 573
TbNi ₂ Si ₂ Blanco, J.A., D. Gignoux, J.C. Gómez Sal, J. Rodríguez Fdez and D.	104–107 (1992)1273	netic properties of barium holmium fluoride Blendell, J., see L.H. Bennett	104–107 (1992) 1245 104–107 (1992) 539
Schmitt, Magnetic contribution to the electrical resistivity in RGa ₂ compounds (R = rare earth)	104–107 (1992)1285	Blick, R., see P. Thalmeier Blick, R., see G. Bruls Bloemen, P.J.H., W.J.M. de Jonge and	108 (1992) 109 108 (1992) 111
Blanco, J.A., L. Fernández Barquín, D. Gignoux, J.C. Gómez Sal, J. Rodríguez-Carvajal and J. Rodríguez Fer-		F.J.A. den Broeder, The tempera- ture dependence of the magnetiza- tion of magnetic multilayers	93 (1991) 105
nández, Magnetic structures and cerium moment reduction in the CeNi _x Pt _{1-x} ferromagnetic Kondo		Bloemen, P.J.H., see F.J.A. den Broeder Bloemen, P.J.H., see H.W. van Kes-	93 (1991) 562
lattices Blanco, J.M., see M. Vázquez Blanco, J.M., J. González, M. Vázquez, J.M. Barandiarán and A. Hernando,	108 (1992) 51 96 (1991) 321	teren Bloemen, P.J.H., E.A.M. van Alphen and W.J.M. de Jonge, Interlayer coupling in Co/Pt/Co trilayers in-	102 (1991) L9
Measurement of magnetostriction and induced magnetic anisotropy by SAMR method in Co-rich stress +		vestigated by ferromagnetic resonance Bloemen, P.J.H., see H.A.M. de Gron-	104–107 (1992) 1775
field annealed amorphous ribbons Blanco, J.M., see J. González Blanco, J.M., P.G. Barbón, J. Gonzá-	101 (1991) 35 102 (1991) 63	ckel Blundell, S.J., see J.A.C. Bland Blythe, H.J., see E. Klugmann	104–107 (1992) 1809 93 (1991) 513 101 (1991) 99
lez, C. Gómez-Polo and M. Váz- quez, Stress induced magnetic ani- sotropy in non-magnetostrictive		Boardman, C.J., see J.L. García-Muñoz Bobák, A. and P. Macko, Phase transi- tion of site-dilute Ising model in a	104–107 (1992) 555
amorphous wires Blanco, J.M., see J. González	104–107 (1992) 137 104–107 (1992) 139	random field	109 (1992) 172

Deleg I E D Delegio I C O			
Bobo, JF., P. Delcroix, JC. Ousset, MF. Ravet and M. Piecuch, Mag-		Boothroyd, A.T., T.G. Perring, A.D.	
netic properties of sputtered Fe/Al		Taylor, D.McK. Paul and H.A.	
multilayers	93 (1991) 452	Mook, High energy spin waves in iron measured by neutron scattering	104–107 (1992) 713
Bobryshev, Ju.V., see A.M. Balbashov	104–107 (1992) 1037	Borchers, J.A., see M.B. Salamon	104–107 (1992) 1729
Bochu, B., see H. Vincent	101 (1991) 170	Borchers, J.A., see F. Tsui	104–107 (1992) 1901
Bochu, M., see J.L. Deschanvres	101 (1991) 224	Borchers, J.A., see R.S. Beach	104–107 (1992) 1915
Bock, J., see H. Maletta	104-107 (1992) 495	Bordet, P., see M. Tovar	104-107 (1992) 549
Bocquet, S. and S.J. Kennedy, The Néel		Borgieł, W., see Z. Drzazga	101 (1991) 399
temperature of fine particle goethite	109 (1992) 260	Borisov, A.B., B.N. Filippov, V.V.	
Bode, S., see L. Kraus	101 (1991) 1	Zverev and B.Ya. Rubinstein, On	
Boeglin, C., A. Barbier, F. Scheurer, B.		the magnetization chaotic dynamics	
Carrière and J.P. Deville, Evidence		in the ferromagnetic resonance re-	
of epitaxial cobalt on platinum (100)	00 (1001)	gion	110 (1992) 202
surfaces	93 (1991) 31	Bork, J., see E. Baum	101 (1991) 69
Boeglin, C., see F. Scheurer	93 (1991) 150	Born, O., see W. Palme	104–107 (1992) 805
Boender, G.J., see P.C.M. Gubbens Boender, G.J., see A.A. Moolenaar	97 (1991) 69	Bornfreund, R.E., see M. Pardavi-	104 107 (1002) 422
Bogacz, B.F., see J.J. Bara	101 (1991) 395 99 (1991) 204	Horvath Borrás-Almenar, J.J., E. Coronado, J.C.	104–107 (1992) 433
Bogomaz, I.V. and V.A. Ignatchenko,	77 (1771 <i>)</i> 204	Gallart, R. Georges and C.J. Go-	
Stochastic magnetic structure and		mez-García, Spin frustration in	
magnetization curve of amorphous		one-dimensional magnetic materials	104-107 (1992) 835
ferro- and ferrimagnets	94 (1991) 179	Borras-Almenar, J.J., E. Coronado, R.	
Boher, P., see F. Pierre	93 (1991) 131	Georges and C.J. Gómez-García,	
Boher, P., see F. Pierre	104-107 (1992)1033	Magnetic properties of mixed-va-	
Boher, P., see F. Giron	104-107 (1992)1887	lence tetranuclear iron clusters:	
Böhm, A., see C. Geibel	108 (1992) 209	electron transfer versus exchange	
Bohné, O., see R.A. Brand	104–107 (1992) 1891	interactions	104–107 (1992) 955
Bolmont, D., see C. Krembel	93 (1991) 529	Borsje, H.R., see R.J.H. Kappert	100 (1991) 363
Bölter, FTh. and A. Binner, Adaptive		Boshoff, A.H., see H.L. Alberts	104–107 (1992) 2031
grid generation for the finite ele-	101 (1001) 200	Böttger, Ch., R. Stasch, A. Wulfes and	
ment method Bonaldi, M., see G. Durin	101 (1991) 289 101 (1991) 89	J. Hesse, Magnetic field dependences of the characteristic temper-	
Bond, M.R., see T.E. Grigereit	104–107 (1992) 831	atures in the reentrant spin glasses	
Bonetti, E., see C. Beatrice	93 (1991) 147	$(Fe_{0.65}Ni_{0.35})_{1-x}Mn_x$	99 (1991) 280
Bonetti, E., see P. Allia	104-107 (1992) 1767	Böttger, Ch., see T. Eckelt	104-107 (1992) 1665
Bonino, Ch., see Ch. Sarda	109 (1992) 127	Böttger, Ch., see A. Wulfes	104-107 (1992) 2069
Bonomartini-Corradi, A., see T.E. Gri-		Bottoni, G., The reptation of the mag-	
gereit	104-107 (1992) 831	netization cycles in particulate	
Bonville, P., J.A. Hodges, P. Imbert, G.		recording media	95 (1991) 14
Jéhanno, D. Jaccard and J. Sierro,		Bottoni, G., D. Candolfo, A. Cecchetti,	
Magnetic ordering and paramag-		A.R. Corradi and F. Masoli, Mag-	
netic relaxation of YB ³⁺ in YbNi ₂ -	07 (4004) 470	netization processes in iron parti-	404 407 (4002) 044
Si ₂	97 (1991) 178	cles for magnetic recording	104~107 (1992) 961
Bonville, P., see J.A. Hodges	104–107 (1992) 551	Bottoni, G., D. Candolfo, A. Cecchetti	
Bonville, P., see P. Bellot	108 (1992) 141	and F. Masoli, Evolution of the in- teractions effects with Co-doping of	
Boockmann, K., M. Liehr, W. Rode-		iron oxide particles	104-107 (1992) 975
wald, E. Salzborn, M. Schlapp and B. Wall, Effect of γ-radiation on		Bottoni, G., Influence of the crystal	104-107 (1992) 973
Sm-Co- and Nd-Dy-Fe-B-mag-		lattice modifications with doping	
nets	101 (1991) 345	ions on the reptation of magnetic	
Booth, J.G., M.M.R. Costa, J. Rodri-	101 (1771) 010	recording particles	110 (1992) 355
guez-Carjaval and J.A. Paixao, Mag-		Bouarab, S., H. Nait-Laziz, C. Deman-	
netic phase diagram of the dilute		geat, A. Mokrani and H. Dreysse,	
Cr-Ge system	104-107 (1992) 735	Spin polarization in V(001) slabs	
Boothroyd, A.T., see M.P. Nutley	104-107 (1992) 623	(Letter to the Editor)	102 (1991)L233

Bouarab, S., H. Nait-Laziz, C. Demangeat, A. Mokrani and H. Dreyssé, Thickness dependence of the spin polarization in V(001) and Pd(001)		netic properties of Sb ₂ O ₃ -doped Ba-M hexagonal ferrites Brahma, P., A.K. Giri, M. Roy, D. Ba- hadur and D. Chakravorty, Prepara-	102 (1991) 109
slabs Bouchara, D., see J. Degauque Boucher, B. and R. Tourbot, Magnetic medium-range order in amorphous	104–107 (1992)1765 101 (1991) 114	tion of Ba-W hexaferrite by Sb ₂ O ₃ doping Bramley, R., see W.A. Kaczmarek Branco, N.S., see A. Chame	103 (1992) 174 96 (1991) 341 104–107 (1992) 211
${ m Tb}_x { m Si}_{1-x}~(x=0.59;~0.87)$ Boucher, B., R. Tourbot and R. Bellissent, Magnetic behavior of ${ m Er}_x$ ${ m Cu}_{1-x}$ amorphous alloys $(x=0.69,$	104–107 (1992) 85	Brand, R.A., see B. Scholz Brand, R.A., see B. Scholz Brand, R.A., O. Bohné and W. Keune, Mössbauer studies of magnetic ani-	93 (1991) 499 104–107 (1992)1889
0.33, 0.09)	104–107 (1992) 93 110 (1992) 139	sotropy in $Pt/Fe_{1-x}Co_x$ multilayers Brandão, D.E., see G.L.F. Fraga	104–107 (1992) 1891 102 (1991) 199
Boucher, B., see Q. Chen Boucherle, J.X., see J.A. Alonso Boucherle, J.X., J.Y. Henry, R. Papoular, J. Rossat-Mignod, J. Schweizer and F. Tasset, Spin density in the high T_c superconductor	103 (1992) 179	Brändle, H., see O.E.I. Haga Brändle, H., see D. Weller Brändle, H., J. Schoenes, P. Wachter, F. Hulliger and W. Reim, Large room-temperature magneto-optical Kerr effect in CuCr ₂ Se _{4-x} Br _x (x =	93 (1991) 183
YBa ₂ Cu ₃ O ₇	104-107 (1992) 630	0 and 0.3)	93 (1991) 207
Boudarène, L., see D. Petitgrand	104-107 (1992) 585	Brändle, H., see W. Reim	93 (1991) 220
Bouillet, M.N., see A. Blaise	104–107 (1992) 33	Bras, J., see J. Degauque	101 (1991) 114
Bouillet, M.N., see K. Mattenberger	104–107 (1992) 43	Bras, J., K. Biyadi, M. Fagot, J. De-	
Bourdards F. see S. Logothetidis	93 (1991) 444 104–107 (1992) 33	gauque, F. Vial and P. Tenaud, Mi- crostructure of NdFeB based sin-	
Bourdarot, F., see A. Blaise Bourdarot, F., see K. Mattenberger	104–107 (1992) 43	tered magnets with additions of Dy,	
Bourdarot, F., see P. Burlet	108 (1992) 202	Co, Al and V	101 (1991) 369
Bourges, P., see D. Petitgrand	104–107 (1992) 585	Braun, P., see T. Beuerle	94 (1991) L11
Bourree-Vigneron, F., see M. Nogues	104-107 (1992) 1643	Braun, P., see M. Fähnle	104-107 (1992) 1931
Boursier, D., see H. Vincent	101 (1991) 170	Bredl, C.D., see F. Steglich	108 (1992) 5
Bousseksou, A., C. Place, J. Linares		Bredl, C.D., see S. Horn	108 (1992) 205
and F. Varret, Dynamic spin cross-		Bredl, C.D., see C. Geibel	108 (1992) 207
over in $[Fe(2-BIK)_3](ClO_4)_2$ and		Bredl, C.D., see C. Geibel	108 (1992) 209
$[Fe(Me_22-BIK)_3](BF_4)_2$ investigated	101 107 (1000) 007	Brewer, J.H., see B.J. Sternlieb	104–107 (1992) 801
by Mössbauer spectroscopy	104–107 (1992) 225	Briat, B., see Z. Tun	104–107 (1992) 1045
Bousseksou, A., A. Ducouret-Cérèze,		Brida, G., see P. Allia	101 (1991) 49
M. Guillot, J. Hamman, J. Linares, J. Nasser and F. Varret, Magnetic		Briggs, G.A.D., see D.H.L. Ng	104–107 (1992) 355
and Mössbauer data of Fe ²⁺ in K_2ZnF_4 , analyzed in the spin Ha-		Bringley, J.F., see F. Mehran Brizzolara, R.A. and R.J. Colton, The magnetostriction of CoFeNiMo	104–107 (1992) 637
miltonian formalism	110 (1992) 295	metallic glasses measured with a	
Bowen, L.H., see S.C. Dorman	98 (1991) 28	tunneling transducer	103 (1992) 111
Bozukov, L., A. Apostolov and M.		Brodsky, M.B., see M.J. Conover	102 (1991) L5
Stoytchev, A change in magnetic and		Brodsky, M.B., see J.E. Mattson	109 (1992) 179
structural properties of the CeFe ₁₁ Ti intermetallic compound upon hy-		Broemme, A.D.D., see V.A.M. Brabers Broese van Groenou, A., Tribology of	104–107 (1992) 405
drogen absorption	101 (1991) 355	magnetic storage systems, a short	
Bozzini, B., see P.L. Cavallotti	104–107 (1992) 905	review	95 (1991) 289
Bozzini, B., see P. Cavallotti Brabers, V., see Y. Kawai	104–107 (1992) 1216	Bröhl, K., see Ch. Morawe	102 (1991) 223
Brabers, V.A.M. and A.D.D. Broemme.	104–107 (1992) 407	Brömer, H., see E. Tönsing Brommer, P.E., see N.H. Duc	97 (1991) 316 104–107 (1992) 1252
Low-spin-high-spin transition in the		Brommer, P.E., see N.H. Kim-Ngan	104–107 (1992)1232
Co ₃ O ₄ spinel	104-107 (1992) 405	Brooks, M.S.S., see S. Auluck	104–107 (1992) 1298
Brabers, V.A.M., see J.H.P.M. Emmen	104-107 (1992) 473	Brooks, M.S.S., see T. Gasche	104–107 (1992) 37
Braga, M.E., see R.P. Pinto	104-107 (1992) 1235	Brooks, M.S.S., see L. Severin	104–107 (1992) 745
Braghta, A., see M.J. Besnus	104-107 (1992) 1385	Brooks, M.S.S., see L. Nordström	104-107 (1992) 1378
Brahma, P., A.K. Giri, D. Chakravorty, M. Tiwari and D. Bahadur, Mag-		Brooks, M.S.S., T. Gasche, S. Auluck, L. Nordström, L. Severin, J. Trygg	

and B. Johansson, Density func-		phase transitions in CoNiTAC	104 107 (1000)1700
tional theory of molecular fields in	404 40# (4000) 4004	mixed crystals	104–107 (1992) 1629
R-M systems	104–107 (1992) 1381	Brucker, C.F., see R.H. Victora	97 (1991) 343
Brooks, M.S.S., see J. Trygg	104–107 (1992)1447	Bruls, G., see P. Thalmeier	108 (1992) 109
Brooks, M.S.S., S. Auluck, T. Gasche,		Bruls, G. and R. Blick, Critical current	
J. Trygg, L. Nordström, L. Severin		and vortex lattice in superconduct-	
and B. Johansson, Theory of the		ing UPt ₃	108 (1992) 111
Curie temperatures of the rare earth		Brunet, L.G., M.A. Gusmão and J.R.	
metals	104-107 (1992) 1496	Iglesias, Local approach to the mag-	
Brooks, M.S.S., see L. Nordström	104-107 (1992) 1942	netic susceptibility and specific heat	
Brotzeller, C., H. Jaitner, B. Hock, O.		of the Anderson lattice	108 (1992) 147
Neumann, R. Geick, W. Treut-		Bruno, A., see C. Dufour	93 (1991) 545
mann, S. Hosoya and H. Kato, Vari-		Bruno, P., see C. Chappert	93 (1991) 319
ous exchange interactions and ani-		Bruno, P., G. Bayreuther, P. Beauvil-	70 (1771) 017
sotropies in Fe ₂ SiO ₄ and Co ₂ SiO ₄	104-107 (1992) 949	lain, C. Chappert, G. Lugert, D.	
Brotzeller, C., see W. Schmidt	104–107 (1992) 1049	Renard, J.P. Renard and J. Seiden,	
Brouder, C., see F. Baudelet	93 (1991) 539	Magnetic hysteresis of cobalt ultra-	
Brouder, C., see F. Baudelet	104–107 (1992) 1418	thin films with perpendicular aniso-	
Brown, J.R., R.C.L. Jenkins, S. Price,	104-107 (1992)1410		02 (1001) 605
Y.G. Proykova, D.W. Salt, C.J.		Prushara M. soo W. Grünharger	93 (1991) 605 101 (1991) 173
		Brusberg, M., see W. Grünberger	
Tinsley and G.J.A. Hunter, Monte		Bruson, A., see K. Cherifi	93 (1991) 609
Carlo and cumulant expansion stud-		Bucci, C., see L. Albanese	104–107 (1992) 509
ies of ferrimagnetic order in Ising	104 107 (1002) 207	Buckley, R.A., see A. Manaf	101 (1991) 360
and classical Heisenberg systems	104–107 (1992) 207	Buckley, R.A., see A. Manaf	104–107 (1992)1145
Brown, P.J., see T. Chattopadhyay	104–107 (1992) 607	Budnick, J.I., see Y.D. Zhang	100 (1991) 13
Brown, P.J., see R. Ballou	104–107 (1992) 935	Bulou, A., see A.T. Abdalian	104–107 (1992) 1047
Brown, P.J., J. Deportes, KU. Neu-		Bunbury, D.St.P., see C. Carboni	104–107 (1992) 1513
mann and K.R.A. Ziebeck, High-		Burgstaller, A., W. Socher, J. Voit-	
temperature magnetisation distribu-	104 107 (1002)2002	länder, I. Bakonyi, E. Tóth-Kádár,	
tion in nickel	104–107 (1992) 2083	A. Lovas and H. Ebert, Magnetic	100 (1000) 117
Brown, S.E., see E.A. Knetsch	108 (1992) 71	studies of amorphous Ni–P alloys	109 (1992) 117
Brown, S.E., see E.A. Knetsch	108 (1992) 73	Burlet, P., see H. Maletta	104–107 (1992) 21
Brown, S.R. and I. Hall, Mössbauer	104 107 (1002) 021	Burlet, P., see A. Blaise	104–107 (1992) 33
study of (NH ₄) ₂ FeCl ₅ ·H ₂ O	104–107 (1992) 921	Burlet, P., see K. Mattenberger	104–107 (1992) 43
Brož, D. and B. Sedlák, Surface ferri-	102 (1001) 102	Burlet, P., see D. Gignoux	104–107 (1992) 1262
magnetism of synthetic goethite	102 (1991) 103	Burlet, P., F. Bourdarot, S. Quezel, J.	
Brubaker, M.E., E.R. Moog, C.H. Sow-		Rossat-Mignod, P. Lejay, B. Cheva-	
ers, J. Zak and S.D. Bader, Trans-		lier and H. Hickey, Magnetic phase	
verse magneto-optic Kerr effect in	102 (1002) 7.77	diagram of the $U(Rh_{1-x}Ru_x)Si_2$	100 (1000) 200
ultrathin films (Letter to the Editor)	103 (1992) L7	system	108 (1992) 202
Brück, E., H.P. Van der Meulen, A.A.		Burmistrov, S., J. Jalishev and V.	
Menovsky, F.R. De Boer, P.F. De		Pokazan'ev, Spectroscopical detec-	
Châtel, J.J.M. Franse, J.A.A.J.		tion of horizontal Bloch line in 180°	06 (4004) 240
Perenboom, T.T.J.M. Berendschot,		domain wall	96 (1991) 349
H. Van Kempen, L. Havela and V.		Burriel, R., see F. Luis	101 (1991) 414
Sechovský, Specific heat of UNiAl	404 405 (4000) 45	Burriel, R., see M. Castro	104–107 (1992) 619
in high magnetic fields	104–107 (1992) 17	Burriel, R., M. Castro, C. Piqué, A.	
Brück, E., see L. Jirman	104-107 (1992) 19	Salinas-Sánchez and R. Sáez-Puche,	
Brück, E., see H. Maletta	104–107 (1992) 21	Calorimetric study of the green	
Brück, E., see J.P. Kuang	104–107 (1992) 1475	phases R_2BaCuO_5 (R = Gd, Dy,	104 107 (1000) (07
Brück, E., see J. Schoenes	108 (1992) 40	Ho, Er, Lu, Y)	104–107 (1992) 627
Brück, E., see K. Bakker	108 (1992) 63	Burriel, R., see C. Piqué	104–107 (1992)1167
Brück, E.H., see L. Havela	104–107 (1992) 23	Burzo, E., V. Pop and N. Plugaru,	
Brückel, Th., W. Prandl and K. Hag-		Magnetic properties of GdCo _{4-x} -	
dorn, Neutron scattering investiga-		$M_x B$ compounds where $M = Fe$ or Ni	97 (1991) 147
tion of the magnetic structure and		141	9/(1991) 14/

Buschow, K.H.J., R. Coehoorn, D.B. de		Caciuffo, R., see O. Moze	104-107 (1992) 1394
Mooij, K. de Waard and T.H. Ja-		Cadogan, J.M., see HS. Li	103 (1992) 53
cobs, Structure and magnetic prop-		Cadogan, J.M., see HS. Li	109 (1992)L153
erties of $R_2 Fe_{17} N_x$ compounds		Cadogan, J.M. and HS. Li, Analysis of	
(Letter to the Editor)	92 (1990) L35	the unusual temperature depend-	
Buschow, K.H.J., see X.P. Zhong	92 (1990) 46	ence of the anisotropy constant K_1	
Buschow, K.H.J., see M.W. Dirken	94 (1991) L15	of Y_2 Fe ₁₄ B (Letter to the Editor)	110 (1992) L15
Buschow, K.H.J., see M. Yethiraj	97 (1991) 45	Cadogan, J.M. and HS. Li, Spin reori-	
Buschow, K.H.J., see P. Schobinger-), (1), 1)	entations in (Er,Nd) ₂ Fe ₁₄ B (<i>Letter</i>	
Papamantellos	97 (1991) 53	to the Editor)	110 (1992) L20
Buschow, K.H.J., see P.C.M. Gubbens	97 (1991) 69	Cagan, V., see R. Krishnan	101 (1991) 205
Buschow, K.H.J., see P.C.M. Gubbens	98 (1991) 141	Cagan, V., see M. Guyot	101 (1991) 256
Buschow, K.H.J., see R.A. Robinson	98 (1991) 147	Caignaert, V., see C. Bellouard	104-107 (1992) 517
Buschow, K.H.J., see J.P. Liu	98 (1991) 291	Calage, Y., M.C. Moron, J.L. Fourquet	
Buschow, K.H.J., Permanent magnet		and F. Palacio, Mössbauer study of	
materials based on tetragonal rare		the α and β forms of $(NH_4)_2 FeF_5$	98 (1991) 79
earth compounds of the type		Calais, JL., see A. Hjelm	104-107 (1992) 727
RFe ₁₂ _r M _r	100 (1991) 79	Calais, JL., see A. Hjelm	110 (1992) 275
Buschow, K.H.J., see X.C. Kou	101 (1991) 349	Calderon, F., see O. Popov	99 (1991) 119
Buschow, K.H.J., see F.J. Lázaro	101 (1991) 372	Calestani, G., see L. Peraldo Bicelli	94 (1991) 267
Buschow, K.H.J., see A.A. Moolenaar	101 (1991) 395	Calestani, G., see L. Albanese	104-107 (1992) 509
Buschow, K.H.J., see J. Bartolomé	101 (1991) 411	Calestani, G., see E. Agostinelli	104-107 (1992) 603
Buschow, K.H.J., see F. Luis	101 (1991) 414	Calka, A., see W.A. Kaczmarek	96 (1991) 341
Buschow, K.H.J., see H. Maletta	104-107 (1992) 21	Cambridge, J.A., see P.I. Mayo	95 (1991) 109
Buschow, K.H.J., see P.C.M. Gubbens	104-107 (1992)1113	Campana, L.S., see G. Kamieniarz	104-107 (1992) 865
Buschow, K.H.J., see O.A. Pringle	104-107 (1992)1123	Campbell, I.A. and L. de Arcangelis,	
Buschow, K.H.J., see T.H. Jacobs	104-107 (1992) 1275	The phase diagram of Ising spin	
Buschow, K.H.J., see P.C.M. Gubbens	104-107 (1992)1283	glasses	104-107 (1992) 1671
Buschow, K.H.J., see A.V. Andreev	104-107 (1992) 1305	Campbell, S.J., see P.W. Thompson	104-107 (1992) 1503
Buschow, K.H.J., see Cz. Kapusta	104-107 (1992)1331	Campbell, S.J., see T.J. McKenna	104-107 (1992) 1505
Buschow, K.H.J., see Cz. Kapusta	104-107 (1992) 1333	Campos, A., J. Englich, H. Lütgemeier,	
Buschow, K.H.J., see M.R. Ibarra	104-107 (1992) 1375	M. Marysko, P. Novak and W. Zinn,	
Buschow, K.H.J., see O. Moze	104-107 (1992) 1391	Magnetization process and site pre-	
Buschow, K.H.J., see T. Endstra	108 (1992) 69	ference of Bi in YIG:Bi epitaxial	
Buschow, K.H.J., see G.F. Zhou	109 (1992) 265	films studied by ⁵⁷ Fe NMR	104–107 (1992) 431
Butaud, P., see W.G. Clark	104–107 (1992) 589	Candolfo, D., see G. Bottoni	104–107 (1992) 961
Buttino, G., A. Cecchetti, M. Poppi		Candolfo, D., see G. Bottoni	104–107 (1992) 975
and G. Zini, Bending effects on		Canfield, P., see M. Tovar	104–107 (1992) 549
magnetic properties of nearly zero-		Canfield, P.C., see J.M. Lawrence	108 (1992) 215
magnetostrictive Co-rich amorphous		Canfield, P.C., J.D. Thompson, Z. Fisk,	
ribbons	97 (1991) 135	M.F. Hundley and A. Lacerda, Ef-	
Büttner, G. and K.D. Usadel, Monte		fects of doping on hybridization	
Carlo investigation of dynamic		gapped materials	108 (1992) 217
properties of the quantum Ising spin	104 107 (1000) 1 (01	Cao, L., see BG. Shen	104–107 (1992) 1281
glass in a transverse field	104–107 (1992) 1601	Caplin, A.D., see E. Lähderanta	104–107 (1992) 1605
Buyers, W.J.L., see W. Wei	108 (1992) 77	Caramico D'Auria, A., see G. Kamie-	404 408 (4000) 255
Buzano, C. and L.R. Evangelista, Cluster variation method for the Blu-		niarz	104–107 (1992) 865
me-Emery-Griffiths model	104 107 (1002) 221	Carboni, C. and D. Ciomartan, Mag-	
Bykovetz, N., see T. Yuen	104–107 (1992) 231	netic properties of Ho ₂ Cu ₂ O ₅ and	104 405 (4000) 000
bykovetz, iv., see 1. 1 dell	109 (1992) 98	Y ₂ Cu ₂ O ₅	104–107 (1992) 939
Cabanel, R., see D.H. Mosca	02 (1001) 490	Carboni, C., see A. Tari	104–107 (1992)1355
Cabanel, R., see A. Barthélémy	93 (1991) 480 104~107 (1992) 1816	Carboni, C., M.A.H. McCausland,	
Cable, J.W., see P. Radhakrishna	104–107 (1992) 1065	D.St.P. Bunbury, B.L. Reid, M.	
Cabrera, G.G., see G.A. Lara	104–107 (1992) 1063	Lataifeh and J.S. Abell, Crystal-field	
Cabrera, G.G., see D. Medeiros	104–107 (1992) 799	anisotropy of Tb, Ho and Tm in	104 107 (1000) 1510
Caciuffo, R., see O. Moze	104–107 (1992) 1391	gadolinium Carey, R., see G.S. Bains	104–107 (1992) 1513
	-01 101 (1772)1371	Carey, R., see G.S. Dallis	104–107 (1992)1011

Carmesin, H.O. and K. Ohno, Mean-		the atomic structure in amorphous	
field theory and series expansion		$\operatorname{Co}_{100-x}\operatorname{P}_{x}$	101 (1991) 199
analysis of multipolar glasses	104–107 (1992) 264	Cebollada, F., see J.M. González	101 (1991) 397
Carmona, F., A.M. Blanco and C. Ale-		Cebollada, F., see M.T. Clavaguera-	
many, Magnetic viscosity in Ba-fer-	00 (1001) 115	Mora	104–107 (1992)1141
rite	92 (1991) 417	Cebollada, F., see J.M. Gonzalez	104–107 (1992)1179
Carmona, F., J.M. Gonzalez, A. Mar-		Cecchetti, A., see G. Buttino	97 (1991) 135
tin, V.E. Martin and A. Garcia-		Cecchetti, A., see G. Bottoni	104–107 (1992) 961
Escorial, Thermomagnetic behav-	101 (1001) 110	Cecchetti, A., see G. Bottoni	104–107 (1992) 975
iour of mechanically alloyed Fe-Si	101 (1991) 119	Cecchini, R., see P. Cavallotti	104–107 (1992)1216
Carretta, P., see L. Albanese	104–107 (1992) 509	Celinski, Z., see B. Heinrich	93 (1991) 75
Carrière, B., see C. Boeglin	93 (1991) 31	Celinski, Z., see W.B. Muir	93 (1991) 229
Carrière, B., see F. Scheurer Carteaux, V., G. Ouvrard, J.C. Grenier	93 (1991) 150	Celinski, Z., see J.A.C. Bland	93 (1991) 331
and Y. Laligant, Magnetic structure		Celinski, Z. and B. Heinrich, Exchange	
of the new layered ferromagnetic		coupling in Fe/Cu, Pd, Ag, Au/Fe trilayers (<i>Letter to the Editor</i>)	99 (1991) L25
chromium hexatellurosilicate Cr ₂ -		Celinski, Z., see Q.M. Zhong	104–107 (1992) 1837
Si ₂ Te ₆	94 (1991) 127	Celinski, Z., see J.A.C. Bland	104-107 (1992) 1909
Caspary, R., see K. Fraas	108 (1992) 220	Celotta, R.J., see M.R. Scheinfein	93 (1991) 109
Castaing, J.C., see B. Gillon	104-107 (1992) 583	Cerdonio, M., see G. Durin	101 (1991) 89
Castro, C., see F. Palacio	104–107 (1992) 2101	Cerdonio, M., P. Falferi, R. Macchi-	101 (1))1) 0)
Castro, M., R. Burriel, A. Salinas-Sán-	101 107 (1772)2101	etto, G.A. Prodi and S. Vitale, Low	
chez and R. Sáez-Puche, Heat-cap-		frequency behaviour of soft ferro-	
acity measurement of R ₂ BaNiO ₅		magnets at liquid helium tempera-	
(R = Y, Ho, Er) oxides	104-107 (1992) 619	ture	101 (1991) 92
Castro, M., see R. Burriel	104-107 (1992) 627	Chaboy, J., J. Garcia and A. Marcelli,	
Castro, S., see J. Rivas	101 (1991) 405	Correlation between mixed valence	
Cates, J.C., see J.O. Artman	104-107 (1992) 977	behaviour of cerium and the mag-	
Caudron, R. and I. Mirebeau, Para-		netic and superconducting phenom-	
magnetic critical scattering by a di-		ena of CeFe ₂ and CeRu ₂	104-107 (1992) 661
lute incommensurate antiferromag-		Chaboy, J., J. Garcia, A. Marcelli,	
net YEr	104-107 (1992) 287	O. Isnard, S. Miraglia and D.	
Causa, M.T., M. Tovar, X. Obradors,		Fruchart, Detection of hydrogen-in-	
A. Labarta and J. Tejada, Electron		duced effects in $Ce_2Fe_{14}BH_x$ and	
spin resonance in the spin-glass-like		$Ce_2Fe_{17}H_x$ permanent magnets by	
system $Fe_{1-x}Ga_xSbO_4$	104–107 (1992) 1649	L _{III} absorption edge of cerium	104–107 (1992)1171
Cavalcanti, S.B., see M.L. Lyra	104–107 (1992) 587	Chaddha, G.S., Heisenberg ferromag-	
Cavallotti, P., B. Bozzini, R. Cecchini,		net above T_c : magnetization and	
G.F. Bava, H.A. Davies and C.		susceptibility studies	109 (1992) 359
Hoggarth, Corrosion and protection	404 407 (4000) 4046	Chafik El Idrissi, B., see G. Venturini	94 (1991) 35
of NdFeB type magnets	104–107 (1992)1216	Chaiken, A., see C.M. Williams	110 (1992) 61
Cavallotti, P.L., M. Alberti, B. Bozzini,		Chakravorty, D., see P. Brahma	102 (1991) 109
A. Iudica, L. Nobili and P.M. Ossi,		Chakravorty, D., see P. Brahma	103 (1992) 174
Statistical thermodynamics of order-	104 107 (1000) 005	Challeton, D., see J. Mouchot	101 (1991) 239
ing in ferromagnets	104–107 (1992) 905	Chamberlain, R.V., see G.C. DeFotis	104–107 (1992) 187
Cebollada, A., see J.J. De Miguel	93 (1991) 1	Chamberlain, R.V., see E.W. Harlan	104–107 (1992) 189
Cebollada, A., see J.L. Martínez	93 (1991) 89	Chambers A see A.Z. Maksumowicz	104–107 (1992)1603
Cebollada, A., R. Miranda, C.M.		Chambers, A., see A.Z. Maksymowicz Chame, A. and N.S. Branco, Magneti-	94 (1991) 109
Schneider, P. Schuster and J.		zation of the Ising model on the	
Kirschner, Experimental evidence of		Sierpinski pastry-shell	104-107 (1992) 211
an oscillatory magnetic coupling in	102 (1991) 25	Chana, K.S., J.H. Samson, M.U. Lu-	104-107 (1772) 211
Co/Cu/Co epitaxial layers Cebollada, F., J.M. Gonzalez, M.	102 (1771) 23	chini and V. Heine, Magnetic short-	
Vazquez, M. Aguilar, M. Pancorbo		range order in iron above T_C ? Sta-	
and E. Anguiano, Correlation be-		tistical mechanics with many-atom	
tween high field magnetization		interactions	104-107 (1992) 743
measurements and STM imaging of		Chandra, G., see S. Prasad	92 (1990) 92
33			

Chandra, G., see A.K. Nigam	102 (1991) 297	tization, coercive forces and magne-	
Chandra, G., see V. Srinivas	104-107 (1992)2121	toresistance in simple and double	
Chandra, G., see S. Radha	110 (1992) 103	Co films with perpendicular magne-	
Chandramouli, M., see C. Koestler	110 (1992) 264	tization (Invited paper)	93 (1991) 319
Chang, CA., Angular dependence of		Chappert, C., see P. Bruno	93 (1991) 605
the in-plane magnetization of (100)		Chappert, C., see F. Giron	104-107 (1992) 1887
Cu/Ni/Cu structures (<i>Letter to the</i>		Charles, S.W., see S. Mørup	104-107 (1992) 1563
Editor)	92 (1990) L1	Chaskar, M.G., see A.K. Nikumbh	97 (1991) 119
Chang, CA., Structure and magnetiza-	(,	Chateigner, D., see M. Tovar	104-107 (1992) 549
tion of (100)FeCr and FeV films		Chattopadhyay, T., see H. Fjellvåg	92 (1990) 75
deposited on Pd/Cu/Si(100) (Let-		Chattopadhyay, T., P.J. Brown, A.A.	
ter to the Editor)	95 (1991)L137	Stepanov, A.I. Zvyagin, S.N. Barilo	
Chang, CA., Reversed magnetic ani-	(=, , , , , , , , , , , , , , , , , , ,	and D.I. Zhigunov, Antiferromag-	
sotropy of (100) Pd/Ni/Pd and		netic ordering in Gd ₂ CuO ₄	104-107 (1992) 607
Pd/NiPd/Pd structures: effects of		Chattopadhyay, T., G. Grübel, J.D. Axe	
changing lattice mismatch (Letter to		and D. Gibbs, X-ray resonance	
the Editor)	96 (1991) L1	magnetic scattering in EuAs ₃	104-107 (1992) 1213
Chang, CA., Absence of reversed		Chaudouet, P., see H. Vincent	101 (1991) 170
magnetic anisotropy in (111) Cu/		Chauyineau, J.P., see C. Chappert	93 (1991) 319
Ni/Cu structures (Letter to the Edi-		Chebotaev, N.M., see T.I. Arbuzova	95 (1991) 168
tor)	96 (1991) L7	Chen, C.T., see P. Rudolf	109 (1992) 109
Chang, CA., Reversal in magnetic ani-		Chen, C.T., see L.H. Tjeng	109 (1992) 288
sotropy of (100)Cu-Ni superlattices	97 (1991) 102	Chen, G.M., see Jz. Liang	102 (1991) 217
Chang, CA., Magnetization of ultra-		Chen, J.C., see T. Kaneyoshi	98 (1991) 201
thin (100) Co films deposited on		Chen, Q., R. Tourbot and B. Boucher,	
Cu/Si(100)	109 (1992) 243	Bulk magnetic behaviour of amor-	
Chang, CR. and J.P. Shyu, Interaction		phous $RE_{0.67}Zr_{0.33}$ (RE = Tb,Gd)	
energy among pores within porous		alloys	110 (1992) 139
particles	104-107 (1992) 1543	Chen, S.K., S. Jin, G.W. Kammlott,	
Chang, L.L., see S. von Molnár	93 (1991) 356	T.H. Tiefel, D.W. Johnson Jr., and	
Chang, W.C., H. Nakamura, C.R. Paik,		E.M. Gyorgy, Synthesis and mag-	
S. Sugimoto, M. Okada and M.		netic properties of Fe ₄ N and (Fe,	
Homma, The effect of additional		Ni) ₄ N sheets	110 (1992) 65
elements on the magnetic proper-		Chen, T.P., see S.J. Tzeng	104-107 (1992) 889
ties of hot-rolled Nd—Fe-B alloys	109 (1992) 103	Chen, T.P., see S.U. Jen	109 (1992) 91
Chang, Y.H., see S.W. Yung	98 (1991) 341	Chen, X., L.X. Liao, Z. Altounian, D.H.	
Chantrell, R.W., see M.D. Clarke	95 (1991) 17	Ryan and J.O. Ström-Olsen, Tem-	
Chantrell, R.W., see P.I. Mayo	95 (1991) 109	perature dependence of magne-	
Chantrell, R.W., Magnetic viscosity of		tocrystalline anisotropy of Sm ₂ Fe ₁₇ -	
recording media	95 (1991) 365	C_2	109 (1992) 271
Chantrell, R.W., see Th. Orth	101 (1991) 235	Chen, Y., see Z. Hu	104–107 (1992) 1583
Chantrell, R.W., see S.R. Hoon	104–107 (1992) 967	Chen, Y., J.M. Florczak and E. Dan	
Chantrell, R.W., see G.J. Tomka	104–107 (1992)1147	Dahlberg, Comparison of spin valve	
Chantrell, R.W., see B. Dean	104–107 (1992) 1547	effect and anisotropic magnetoresis-	
Chantrell, R.W., see P.R. Bissell	104–107 (1992)1551	tance in Co/Cu multilayer films	104–107 (1992) 1907
Chantrell, R.W., see M. El-Hilo	104–107 (1992) 1580	Chen, Y.Y., see S.J. Tzeng	104–107 (1992) 889
Chantrell, R.W., see M. El-Hilo	109 (1992)L164	Chenavas, J., see M. Tovar	104–107 (1992) 549
Chaplin, D.H., see P.W. Thompson	104–107 (1992) 1503	Chenevier, B., see C. Rillo	104–107 (1992) 1995
Chaplin, D.H., see T.J. McKenna	104–107 (1992)1505	Cheng, S.F., see H. Ido	104–107 (1992) 1361
Chapman, J.N., see S.J. Hefferman	95 (1991) 76	Cheng, S.F., see A.E. Clark	104–107 (1992) 1433
Chapman, J.N., see J. Zweck	104–107 (1992) 315	Chennaoui, A., see W. Palme	104–107 (1992) 805
Chapman, J.N., see H.Y. Wong	104–107 (1992) 329	Cheremissinov, V.M., see V.A. Virkov-	
Chapman, J.N., see M. Labrune	104–107 (1992) 343	sky	95 (1991) 379
Chappert, C., P. Beauvillain, P. Bruno,		Cherifi, K., C. Dufour, M. Piecuch, A.	
J.P. Chauyineau, M. Galtier, K. Le		Bruson, Ph. Bauer, G. Marchal and	
Dang, C. Marlière, R. Mégy, D. Re-		Ph. Mangin, Interface and magnetic	00 (17)
nard, J.P. Renard J. Seiden, F. Tri-		anisotropy in Tb/Fe multilayers	93 (1991) 609
gui, P. Veillet and E. Vélu, Magne-			

Cherifi, K., C. Dufour, G. Marchal, Ph.		Chuang, Y.C., see ZG. Zhao	104–107 (1992)1289
Mangin and J. Hubsch, Magnetic		Chuang, Y.C., see T. Zhao	104-107 (1992)2119
structure of Gd/Fe multilayers	104-107 (1992) 1833	Chuang, Y.C., see Q. Wang	109 (1992) 59
Chetkin, M.V., see S.O. Demokritov	102 (1991) 339	Chudnovsky, E.M., Reply to the com-	
Chetkin, M.V. and V.V. Lykov, Nonlin-		ments on "dependence of the mag-	
ear waves of magnetization in iron		netization law on structural disorder	
borate	103 (1992) 325	in amorphous ferromagnets" by	
Chetkin, M.V., see S.O. Demokritov	104–107 (1992) 663	V.A. Ignatchenko and R.S. Iskhakov	92 (1990) 267
Chetverikov, A.V., see K.B. Vlasov	94 (1991) 96	Chung, R., R. Weber and D.C. Jiles,	
Chevalier, B., see T. Berlureau	102 (1991) 166	Highly magnetostrictive rare earth-	
Chevalier, B., see R.P. Pinto	104–107 (1992) 1235	iron intermetallic compound for a	
Chevalier, B., see P. Burlet	108 (1992) 202	magnetostrictive laser diode magne-	
Chiba, M., Y. Ajiro, H. Kikuchi, T.		tometer	104–107 (1992)1455
Kubo and T. Morimoto, Anoma-		Cibin, R., D. Jaccard and J. Sierro,	
lous staggered transverse moment		Transport properties of $Ce_x La_{1-x}$	100 (1000) 100
in Haldane-gap antiferromagnet	104 105 (1000) 005	Al ₃	108 (1992) 107
NENP under magnetic fields	104–107 (1992) 807	Ciomartan, D., see C. Carboni	104–107 (1992) 939
Chien, A.C.L., see A. Gavrin	104–107 (1992) 1351	Ciurzyńska, W., see J. Zbroszczyk	109 (1992) 221
Chien, C.J., R.F.C. Farrow, C.H. Lee,		Clad, R., R. Kuentzler, M. Migschitz	
C.J. Lin and E.E. Marinero, High-		and W. Pfeiler, dependence of	
resolution transmission electron mi-		spin-glass behaviour on atomic	104–107 (1992)1593
croscopy studies of seeded epitaxial Co/Pt superlattices	93 (1991) 47	short-range order	
Chien, C.J., see C.J. Lin	93 (1991) 47	Clad, R., see R. Kuentzler Clark, A.E., S.F. Cheng, J.P. Teter, M.	104–107 (1992)1976
Chien, C.J., see C.H. Lee	93 (1991) 592	Wun-Fogle, M.Q. Huang and Y.	
Chien, C.L., see J.R. Childress	104–107 (1992) 1585	Zheng, Effect of nitrogenation on	
Chikazumi, S., see S. Itoh	103 (1992) 126	the magnetostriction of Y_2 Fe ₁₇ ,	
Childress, J.R., see A. Gavrin	104–107 (1992) 1351	Pr ₂ Fe ₁₇ and Nd ₂ Fe ₁₇	104-107 (1992) 1433
Childress, J.R., C.L. Chien, J.J. Rhyne	101 101 (1772)1031	Clark, W.G., C. Berthier, Y. Berthier,	101 107 (1772) 1100
and R.W. Erwin, Small-angle neu-		P. Butaud, J.Y. Henry, M. Horvatić	
tron scattering of nanometer-size		and P. Ségransan, ¹⁷ O and ⁶³ Cu	
magnetic particles	104-107 (1992) 1585	NMR study of anisotropic magnetic	
Chistykov, O.D., see S.A. Nikitin	96 (1991) 26	fluctuations in a single crystal of	
Choi, S.D., see C.J. Yang	96 (1991) 60	$YBa_2Cu_3O_{6+x}$: comparison with	
Chougule, B.K., see S.H. Patil	110 (1992) 147	neutron diffraction	104-107 (1992) 589
Chourio, M., see L. Betancourt	101 (1991) 162	Clark, W.G., see W.H. Wong	108 (1992) 175
Chouteau, G., see P. Pernot	104-107 (1992) 853	Clark, W.G., see D.P. Yang	109 (1992) 1
Christiansen, G., see S. Mørup	104-107 (1992) 1793	Clarke, M.D., P.R. Bissell, R.W.	
Christides, C., see X.C. Kou	104-107 (1992) 1341	Chantrell and R. Gilson, Experi-	
Christoph, V. and KH. Müller, Calcu-		mental studies of particulate record-	
lation of magnetization curves of		ing media noise	95 (1991) 17
permanent magnet materials (In-		Clarke, R., F.J. Lamelas, H.D. Hui, F.	
vited paper)	101 (1991) 323	Baudelet, E. Dartyge and A. Fon-	
Christoph, V., K. Elk, L. Jahn and KH.		taine, X-ray scattering and absorp-	
Müller, Influence of internal field		tion studies of epitaxial strains in	02 (1001) 52
fluctuations on the hysteresis loops	404 405 (4000) 4404	Co-Au superlattices	93 (1991) 53
of permanent magnets	104–107 (1992)1121	Clarke, S.J., see A. Harrison	104–107 (1992) 557
Chroboczek, J.A., see S. Auffret	104–107 (1992) 1209	Clausen, K.N., see H.M. Mayer	97 (1991) 210 104–107 (1992) 197
Chuang, Y.C., see Zd. Zhang	92 (1990) 191	Clausen, K.N., see T.E. Mason Clausen, K.N., see H.M. Mayer	104–107 (1992) 197
Chuang, Y.C., see X.K. Sun	96 (1991) 197 96 (1991) 206	Clavaguera-Mora, M.T., M.D. Baro, S.	101 101 (1772)1273
Chuang, Y.C., see Zw. Zhang Chuang, Y.C., see Zg. Zhao	96 (1991) 211	Suriñach, J.A. Diego, J.M. Gonza-	
Chuang, Y.C., see Zg. Zhao Chuang, Y.C., see Zd. Zhang	96 (1991) 215	lez and F. Cebollada, Hysteretic be-	
Chuang, Y.C., see Zd. Zhang Chuang, Y.C., see Zd. Zhang	96 (1991) 219	haviour of melt-spun Nd ₁₃ Fe ₇₉ B ₈	
Chuang, Y.C., see Zg. Zhao	97 (1991) 79	after different crystallization treat-	
Chuang, Y.C., see Zg. Zhao	98 (1991)L231	ments	104-107 (1992)1141
Chuang, Y.C., see ZG. Zhao	104–107 (1992) 1287		

Clegg, W.W., N.A.E. Heyes, E.W. Hill and C.D. Wright, Development of a scanning laser microscope for mag- neto-optic studies of thin magnetic films Clegg, W.W., see B. Liu	95 (1991) 49 101 (1991) 245	Coles, B.R., see S.B. Roy Colino, J., see M.C. Contreras Collins, M.F., see T.E. Mason Collins, M.F., see H. Lin Collomb, A., see J. Muller Collomb, A., see J. Muller	108 (1992) 43 93 (1991) 233 104-107 (1992) 197 104-107 (1992) 1511 102 (1991) 305 103 (1992) 194
Clin, M., see P. Thuéry Clinton, T.W., J.W. Lynn, J.Z. Liu, Y.X. Jia and R.N. Shelton, Two-dimensional magnetic correlations and magnetic ordering of Dy and Er in	109 (1992) 197	Colombet, P., see C. Payen Colombo, E., O. Donzelli, G.B. Fratucello and F. Ronconi, The Ni-γ-Fe interface: hyperfine magnetic field and magnetic anisotropy	93 (1991) 597
DyBa ₂ Cu ₃ O ₇ and ErBa ₂ Cu ₃ O ₇ Cochran, J.F., see B. Heinrich Cochran, J.F., see W.B. Muir Cochran, J.F., see V. Kamberský	104–107 (1992) 625 93 (1991) 75 93 (1991) 229 104–107 (1992) 2089	Colombo, E., O. Donzelli, G.B. Fratucello and F. Ronconi, Static magnetization direction in fcc (111) Fe/Ni multilayers	104–107 (1992) 1857
Cockcroft, J.K., see R.K. Kremer Codjovi, E., P. Bergerat, K. Nakatani, Yu Pei and O. Kahn, Molecular- based magnets studied with an ul- trasensitive SQUID magnetometer	104–107 (1992) 959 104–107 (1992) 2103	Colpa, J.H.P., Dipole–dipole anisot- ropy in Y ₂ Co ₁₇ and Gd ₂ Co ₁₇ Colton, R.J., see R.A. Brizzolara Conover, M.J., M.B. Brodsky, J.E. Mattson, C.H. Sowers and S.D.	104–107 (1992)1211 103 (1992) 111
Coehoorn, R., see K.H.J. Buschow Coehoorn, R., see M.W. Dirken Coehoorn, R., see W. Coene Coehoorn, R., First principles band	92 (1990) L35 94 (1991) L15 96 (1991) 189	Bader, Magnetothermopower of Fe/Cr superlattices (<i>Letter to the Editor</i>) Continentino, M.A., see G.M. Japiassu	102 (1991) L5 104–107 (1992) 1945
structure calculations for rare earth-transition metal compounds: magnetization, hyperfine parame- ters and magnetocrystalline aniso- tropy (<i>Topical review: E.P. Wohl-</i>		Continenza, A. and P. Monachesi, Electronic properties of isostruc- tural intermetallics of Ce Contreras, M.C., J. Colino, J.M. Ala- meda, A.R. Lagunas, M. Rodriguez,	104–107 (1992)1308
farth lecture) Coehoorn, R. and G.H.O. Daalderop, Magnetocrystalline anisotropy in	99 (1991) 55	M. Fernandez and A. Lienard, The effects of oxidation on the magneto-optical properties in amorphous	02 (1001) 222
new magnetic materials Coene, W., F. Hakkens, R. Coehoorn, D.B. de Mooij, C. de Waard, J. Fid- ler and R. Grössinger, Magne- tocrystalline anisotropy of Fe ₃ B,	104–107 (1992)1081	Ni_xY_{1-x} and Co_xY_{1-x} films Cooke, J.F., see J.A. Blackman Cooper, B.R., Q.G. Sheng, S.P. Lim, C. Sanchez-Castro, N. Kioussis and J.M. Wills, Moment washout and	93 (1991) 233 104–107 (1992) 721
Fe ₂ B and Fe _{1.4} Co _{0.6} B as studied by Lorentz electron microscopy, singu- lar point detection and magnetiza- tion measurements	96 (1991) 189	the onset to the heavy fermion state Coqblin, B., see E. Bauer Coqblin, B., see G. Ortiz Coquillat, D., see J.P. Lascaray	108 (1992) 10 108 (1992) 159 108 (1992) 179 104–107 (1992) 995
Coey, J.M.D., H. Sun, Y. Otani and D.P.F. Hurley, Gas-phase carbonation of R ₂ Fe ₁₇ ; R = Y, Sm Coey, J.M.D., see D.P.F. Hurley	98 (1991) 76 99 (1991) 229	Coronado, E., see J.J. Borrás-Almenar Coronado, E., see F. Sapiña Coronado, E., see J.J. Borras-Almenar Corradi, A.R., see G. Bottoni	104–107 (1992) 835 104–107 (1992) 837 104–107 (1992) 955 104–107 (1992) 961
Coey, J.M.D., Hong Sun and D.P.F. Hurley, Intrinsic magnetic proper- ties of new rare-earth iron inter- metallic series (<i>Invited paper</i>)	101 (1991) 310	Cosman, E.C., see S.T. Purcell Costa, M.M.R., see J.G. Booth Costi, T.A. and A.C. Hewson, Photoe-	93 (1991) 25 104–107 (1992) 735
Coey, J.M.D. and D.P.F. Hurley, New interstitial rare-earth iron intermetallics produced by gas phase re-		mission spectrum of the Anderson model with conduction electron screening Cottam, M.G., see D.J. Lockwood	108 (1992) 129 104–107 (1992) 1053
action Coey, J.M.D., see C.D. Meekison	104–107 (1992)1098 104–107 (1992)1161	Couderchon, G., Magnetic alloys with vanishing anisotropies	96 (1991) 47
Coey, J.M.D., see H. Sun Coey, J.M.D., see HS. Li Coles, B.R., see S.B. Roy	104–107 (1992)1439 104–107 (1992)1444 97 (1991) 291	Coulomb, JL., see S. Pelissier Coutinho-Filho, M.D., see M.M. Leite	101 (1991) 335 104–107 (1992) 181

Coutinho-Filho, M.D., see A.M.S. Ma-		Da Cunha, S.F., see L.C. Sampaio	99 (1991) 145
cêdo	104-107 (1992) 679	Da Silva, X.A., see L. Iannarella	102 (1991) 87
Cowen, J.A., see J. Mattsson	104-107 (1992) 1619	Daalderop, G.H.O., P.J. Kelly and	
Cowen, J.A., see J. Mattsson	104-107 (1992) 1621	M.F.H. Schuurmans, Magnetocrys-	
Cowen, J.A., see J. Mattsson	104-107 (1992) 1623	talline anisotropy of RECo ₅ com-	
Cowlam, N., see R.A. Cowley	104-107 (1992) 159	pounds	104-107 (1992) 737
Cowley, R.A., N. Cowlam, P.K. Ivison	, , , , , , , , , , , , , , , , , , , ,	Daalderop, G.H.O., see R. Coehoorn	104-107 (1992) 1081
and J. Martinez, The structure of		Da Costa Jr., M.I., see J.C.P. De Oli-	10, 10, (1), 2, 1001
Fe-Ni amorphous alloys	104-107 (1992) 159	veira	98 (1991) 239
Cowley, R.A., see S.E. Nagler	104-107 (1992) 847	Dahlbeck, R., see H. Krause	95 (1991) 95
Cowley, R.A., see D.A. Jehan	104–107 (1992) 1523	Dahlbeck, R., see B.S. Han	104–107 (1992) 305
Cox, S.F.J., see L. Albanese	104–107 (1992) 509	Dahlberg, E.D., see J.M. Florczak	104–107 (1992) 399
Crabtree, G.W., see H. Aoki	97 (1991) 169	Dahlberg, E.D., see Y. Chen	104–107 (1992) 1907
Crespo, P., see M.J. Bernal	104–107 (1992) 1090	Dahlberg, E.D., see R. Proksch	104–107 (1992)2123
Crespo, P., see J.M. Gonzalez	104–107 (1992) 1179	Dai, C., see RY. Fang	104–107 (1992)1031
Creuzet, G., see F. Petroff	93 (1991) 95	Dai, DS., see CB. Peng	92 (1991) 353
Croat, J.J., see J.F. Herbst	100 (1991) 57	Dai, DS., see RY. Fang	104–107 (1992) 1031
Crow, J.E., see S. Rahman	97 (1991) 223	Dai, D.s., see C.b. Peng	110 (1992) 113
Crow, J.E., see T. Yuen	109 (1992) 98	Dakin, S., see B.D. Rainford	104–107 (1992) 1257
Cruz Filho, S.P., M. Knobel, J.P. Sin-	107 (1772) 70	Dakin, S., G. Rapson and B.D. Rain-	10+ 107 (1772)1237
necker, R. Sato Turtelli and M.		ford, Magnetic ground states of	
Vázquez, Disaccommodation meas-		CeRu ₂ Si _{2-x} Ge _x alloys	108 (1992) 117
urements in amorphous wires	104-107 (1992) 105	Dakin, S., see B.D. Rainford	108 (1992) 119
Cubitt, R., see D.McK. Paul	104–107 (1992) 591	D'Albuquerque e Castro, J., D.M. Ed-	100 (1772) 117
Cuccoli, A., V. Tognetti, R. Vaia and	104 107 (1772) 371	wards, J. Mathon and R.B. Muniz,	
P. Verrucchi, Quantum thermody-		Exchange stiffness constant of two-	
namics of easy-plane ferromagnetic		dimensional Ni and Fe	93 (1991) 295
chains	104-107 (1992) 785	D'Albuquerque e Castro, J., see M.V.	73 (1771) 273
Cueto, S., P. Rys, F.S. Rys, R. Sanjinez	104 107 (1772) 703	Tovar Costa	104-107 (1992) 1913
and H.P. Straumann, Electrical and		Dalmas de Réotier, P., A. Yaouanc,	101 107 (1772)1713
magnetic properties of new copper		P.C.M. Gubbens, D. Gignoux, B.	
arylcarboxylates	104-107 (1992) 1096	Gorges, D. Schmitt, O. Hartmann,	
Cugat, O., D. Givord, J.P. Rebouillat	10 10 7 (1) 2) 1000	R. Wäppling and A. Weidinger, Ef-	
and Y. Souche, Transverse Kerr ef-		fect of the Tb ³⁺ crystal field on the	
fect in amorphous thin film R-Co		positive muon precession frequency	
alloys	104-107 (1992) 397	in TbNi ₅	104-107 (1992)1267
Cui, F.Z., see Y. Wang	102 (1991) 121	Dalmas de Réotier, P., see P.C.M.	101 107 (1772)1207
Cui, H.J., see J.P. Kuang	104–107 (1992)1475	Gubbens	104-107 (1992)1269
Cullen, J., see A. Del Moral	104–107 (1992) 243	Damento, M., see A.K. Gangopadhyay	103 (1992) 267
Cullen, J.R., see K.B. Hathaway	104–107 (1992) 1840	Dang, MZ., see ZW. Zhang	92 (1990) 196
Culverhouse, S.R., B.D. Rainford and	10 / 10 / (17)2/10 10	Danilova, N.P., see L. Taillefer	108 (1992) 138
D,McK. Paul, Intermediate valence		Darriet, J., see A. le Lirzin	109 (1992) 47
to local moment transition in Ce-		Dartyge, E., see R. Clarke	93 (1991) 53
Pd ₃ B _x alloys	108 (1992) 121	Dartyge, E., see F. Baudelet	93 (1991) 539
Cyrot, M., see J. Beille	104–107 (1992) 532	Dartyge, E., see F. Baudelet	104-107 (1992) 1418
Cywinski, R., see R.I. Bewley	104–107 (1992) 133	Das, B.N., see N.C. Koon	100 (1991) 173
Cywinski, R., see J.L. García-Muñoz	104–107 (1992) 555	Das, I., E.V. Sampathkumaran and R.	100 (1771) 175
Cywinski, R., see B.D. Rainford	104–107 (1992) 1257	Vijayaraghavan, Electrical resis-	
Cywinski, R., see S. Mondal	104–107 (1992) 1421	tance anomalies in the antiferro-	
Cywinski, R. and B.D. Rainford, Muon	101 107 (1772)1121	magnetic state of ternary Pr com-	
spin rotation in DyMn ₂ and TbMn ₂	104-107 (1992)1424	pounds	104-107 (1992) 874
Cywinski, R., see C. Ritter	104–107 (1992) 1427	Das, I., E.V. Sampathkumaran, E.	
Cywinski, R., see S.H. Kilcoyne	104–107 (1992) 1959	Bauer and N. Pillmayr, Incoherent	
Czarnecki, P., B. Idzikowski and A.	201 201 (2772) 1707	Kondo lattice behaviour in CeCu ₃	
Wrzeciono, Transport properties of		Ga ₂	108 (1992) 82
$R_x Co_{70-x} B_{30}$ and $R_x Fe_{80-x} B_{20}$		Das, I., see E.V. Sampathkumaran	108 (1992) 85
amorphous alloys	101 (1991) 32	Date, A.M., see N. Iwata	104-107 (1992) 27
Czycholl, G., see H. Schweitzer	108 (1992) 150	Date, M., see R.J. Radwański	101 (1991) 392
objection, oi, over the own versus			

Date, M., see K. Kindo	104-107 (1992) 811	De Boer, F.R., see J.P. Kuang	104–107 (1992) 1475
Date, M., see T. Takeuchi	104-107 (1992) 813	De Boer, F.R., see T. Zhao	104-107 (1992)2119
Date, M., see H. Hori	104-107 (1992) 815	De Boer, F.R., see Q. Wang	109 (1992) 59
Date, M., see R.J. Radwański	104–107 (1992)1139	De Boer, F.R., see G.F. Zhou	109 (1992) 265
Date, M., see K. Sugiyama	104-107 (1992)1223	De Châtel, P.F., see E. Brück	104–107 (1992) 17
Date, M., Recent progress in high-field		De Gasperis, P., see R. Marcelli	104–107 (1992) 436
magnetism	104-107 (1992) 2105	De Gronckel, H.A.M., J.A.M. Bienert,	
Date, M., see A. Yamagishi	108 (1992) 211	F.J.A. den Broeder and w.J.M. de	
Davies, H.A., see A. Manaf	101 (1991) 360	Jonge, Co/X multilayers, NMR	
Davies, H.A., see A. Manaf	104-107 (1992)1145	study of microscopic structure and	
Davies, H.A., see P. Cavallotti	104-107 (1992) 1216	strain	93 (1991) 457
Davies, K.J., see A.D. Beale	104-107 (1992) 365	De Gronckel, H.A.M., B.M. Mertens,	
Dawson, S.J., J.F. Gregg, J.S. Lord,		P.J.H. Bloemen, K. Kopinga and	
M.R. Wells and W.P. Wolf, 'Onion		W.J.M. de Jonge, Interfaces and	
skin' domains in a relaxing metas-		strain in multilayers probed by NMR	104-107 (1992) 1809
table antiferromagnet	104-107 (1992) 373	De Groot, P.A.J., see J.I. Arnaudas	101 (1991) 65
Day, I.E., see M.R.J. Gibbs	104-107 (1992) 327	De Groot, P.A.J., see J.I. Arnaudas	104-107 (1992) 115
Day, R.K., see M. Ghafari	104–107 (1992) 1668	De Groot, P.A.J., see J.I. Arnaudas	104-107 (1992) 216
De Albuquerque, D.F., see I.P. Fitti-	10, 10, (13,2,1000	De Haan, P., see T. Katayama	104-107 (1992) 1002
paldi	104-107 (1992) 236	De Jesus, J.C.O., see F.C. Montenegro	104–107 (1992) 277
De Almeida, J.R.L., see E. Montar-	104 107 (1772) 250	De Jonge, W.J.M., see P.J.H. Bloemen	93 (1991) 105
royos	104-107 (1992) 149	De Jonge, W.J.M., see H.A.M. de	75 (1771) 105
De Almeida, R.M.C., see J.J. Arenzon	104–107 (1992) 1652	Gronckel	93 (1991) 457
De Andres, A., see M. Maurer	93 (1991) 15	De Jonge, W.J.M. and H.J.M. Swagten,	75 (1771) 457
De Arcangelis, L., see I.A. Campbell	104–107 (1992) 1671	Magnetic properties of diluted mag-	
De Biasi, R.S. and S.M.V. Araujo, In-	104-107 (1772)1071	netic semiconductors	100 (1991) 322
fluence of the annealing parameters		De Jonge, W.J.M., see H.W. van Kes-	100 (1991) 322
on the volume fraction of the high- T_c		teren	102 (1991) L9
phase in the Bi-Sr-Ca-Cu-O sys-			102 (1991) L9
tem	104-107 (1992) 471	De Jonge, W.J.M., see J.H.P.M. Emmen	104 107 (1002) 472
De Boer, F.R., see X.P. Zhong	92 (1990) 46		104–107 (1992) 473 104–107 (1992) 795
De Boer, F.R., see Zw. Zhang	96 (1991) 206	De Jonge, W.I.M., see T. Delica	104-107 (1992) 793
		De Jonge, W.J.M., see P.J.T. Eggen-	104 107 (1002) 027
De Boer, F.R., see Zd. Zhang	96 (1991) 215	kamp	104–107 (1992) 937
De Boer, F.R., see Zd. Zhang	96 (1991) 219	De Jonge, W.J.M., see H.J.M. Swagten	104–107 (1992) 989
De Boer, F.R., see Zg. Zhao De Boer, F.R., see R.A. Robinson	97 (1991) 79	De Jonge, W.J.M., see P.J.H. Bloemen	104–107 (1992) 1775
De Boer, F.R., see J.P. Liu	98 (1991) 147 98 (1991) 291	De Jonge, W.J.M., see H.A.M. de	104 107 (1002) 1000
	98 (1991) 291	Gronckel	104–107 (1992) 1809
De Boer, F.R., P. Kossacki, R. Puźniak,		De Kozak, A., see J. Renaudin	92 (1991) 381
T. Stobiecki, H. Szymczak and X.P. Zhong, High field susceptibility of		De la Fuente, C., see J.I. Arnaudas	104–107 (1992) 216
Co-based amorphous ferromagnets	101 (1001) 2	De Long, L.E., J.G. Huber and K.S.	
De Boer, F.R., see R.J. Radwański	101 (1991) 3	Bedell, Criteria for the occurrence	
	101 (1991) 392	of ferromagnetism and weak mag-	00 (1001) 171
De Boer, F.R., see E. Brück	104–107 (1992) 17	netic order in narrow-band metals	99 (1991) 171
De Boer, F.R., see L. Jirman	104–107 (1992) 19	De Melo, M.T., see J. Albino Aguiar	104–107 (1992) 547
De Boer, F.R., see H. Maletta	104–107 (1992) 21	De Miguel, J.J., A. Cebollada, J.M.	
De Boer, F.R., see L. Havela	104–107 (1992) 23	Gallego, R. Miranda, C.M. Schnei-	
De Boer, F.R., J.C.P. Klaasse, P. Kos-		der, P. Schuster and J. Kirschner,	
sacki, H. Nakotte, R. Puźniak, A.		Influence of the growth conditions	
Szewczyk, H. Szymczak and X.P.		on the magnetic properties of fcc	
Zhong, High-field susceptibility and		cobalt films: from monolayers to su-	
specific heat of Co-based amor-	104 10% (100%)	perlattices (Invited paper)	93 (1991) 1
phous ferromagnets	104–107 (1992) 113	De Miguel, J.J., see J.L. Martínez	93 (1991) 89
De Boer, F.R., see R.J. Radwański	104–107 (1992)1139	De Mooij, D.B., see K.H.J. Buschow	92 (1990) L35
De Boer, F.R., see A. Szytuła	104–107 (1992) 1237	De Mooij, D.B., see W. Coene	96 (1991) 189
De Boer, F.R., see T.H. Jacobs	104–107 (1992)1275	De Oliveira, P.M.C., see J.J. Arenzon	104–107 (1992)1652
De Boer, F.R., see ZG. Zhao	104–107 (1992) 1287	De Podesta, M., see N. Patrikios	108 (1992) 95
De Boer, F.R., see A.V. Andreev	104–107 (1992) 1305		

De Renzi, R., μSR and NMR mea-		W.R.A. Jarvis and D.J. Krovich,	
surements on high T_c oxides	104-107 (1992) 461	Magnetism and spin glass behavior	
De Renzi, R., see L. Albanese	104-107 (1992) 509	of CoCl ₂ ·H ₂ O	104-107 (1992) 1603
De Rosa, L., A. Geri and G.M. Veca,		Degauque, J., M. Fagot, J. Bras, D.	
Three-dimensional magnetic field		Bouchara and Y. Gannac, Purity in-	
analysis in an MHD device using a		fluence on the magnetic properties	
discrete element model	101 (1991) 283	of Fe-6.5 wt% Si melt-spun ribbons	101 (1991) 114
De Santis, M., see M. Maurer	93 (1991) 15	Degauque, J., see J. Bras	101 (1991) 369
De Visser, A. and J.J.M. Franse, Ura-		Deguchi, H., see K. Yamagata	104-107 (1992) 803
nium-based heavy-fermion super-		Deguchi, H., see K. Okuda	104-107 (1992) 817
conductors: an experimental survey	100 (1991) 204	Deguchi, H., see K. Takeda	104-107 (1992) 901
De Visser, A., J.J.M. Franse and J.		Dehesa, C., see P. Sánchez	104-107 (1992) 145
Flouquet, Interplay and competition		Dekeyser, R. and G. Kamieniarz, Ef-	
in heavy-fermion systems	108 (1992) 15	fective field methods with correla-	
De Visser, A., N.H. van Dijk, J.J.M.		tions in magnetic systems	104–107 (1992) 273
Franse, A. Lacerda, J. Flouquet, Z.		Dekoster, J., see M. Maurer	93 (1991) 15
Fisk and J.L. Smith, Absence of an-	400 (4000) #4	Del Moral, A., see J.I. Arnaudas	101 (1991) 65
tiferromagnetic order in UBe ₁₃	108 (1992) 56	Del Moral, A., see P.A. Algarabel	101 (1991) 111
De Visser, A., U. Wyder, D. Schmitt		Del Moral, A., see J.I. Arnaudas	104–107 (1992) 115
and M. Zerguine, Thermal expan-		Del Moral, A., see J.I. Arnaudas	104–107 (1992) 216
sion and magnetostriction of CePt ₂	100 (1002) 50	Del Moral, A., J. Schweizer, J.I. Arnau-	
Si ₂	108 (1992) 59	das, M.B. Salamon, C. Ritter, E.	
De Visser, A., H.P. van der Meulen,		Joven, P.M. Gehring, P.A. Algara-	
B.J. Kors and J.J.M. Franse, Grün-		bel and J. Cullen, Ferro-, quasi- ferro- and antiferromagnetic spin-	
eisen parameter inversion in U(Pt,	108 (1002) 61		
Pd) ₃	108 (1992) 61 108 (1992) 63	glass orders in random anisotropy crystalline $Dy_xY_{1-x}Al_2$ compounds	104-107 (1992) 243
De Visser, A., see K. Bakker De Visser, A., see K. Bakker	108 (1992) 65	Del Moral, A., P.A. Algarabel, M.R.	104-107 (1992) 243
De Visser, A., see F. Marabelli	108 (1992) 79	Ibarra, J.I. Arnaudas, J. Schweizer	
De Visser, A., see A.R. Ball	110 (1992) 337	and C. Marquina, Domain walls and	
De Waard, C., see W. Coene	96 (1991) 189	small angle neutron scattering in	
De Waard, K., see K.H.J. Buschow	92 (1990) L35	$(Nd_x Er_{1-x})_2 Fe_{14} B$ hard magnets	104-107 (1992) 1051
De Wijn, H.W., see A.G. Schins	104-107 (1992) 931	Del Castillo-Mussot, M., D. Guenzbur-	
De Wijn, H.W., see M.L.J. Hollman	104-107 (1992) 1063	ger and J.S. Helman, Competition	
De Wit, H.J., see F. Pierre	93 (1991) 131	between the Cr ³⁺ -Gd ³⁺ direct ex-	
De Wit, H.J., see M. Rivoire	93 (1991) 489	change and superexchange in Cr	
De Zuane, F., see D. Ajò	104-107 (1992) 1997	doped GdAlO ₃	95 (1991) 154
Dean, B., see Th. Orth	101 (1991) 235	Delamare, J., D. Lemarchand and P.	
Dean, B., see S.R. Hoon	104-107 (1992) 967	Vigier, Transmission electron mi-	
Dean, B., R.W. Chantrell, A. Hart and		croscopy study of the μ phase in the	
D.A. Parker, Mathematical mod-		Fe-Nd-Al system	104–107 (1992) 1092
elling of ferromagnetic resonance in		Delamare, J., see N. Amri	101 (1991) 352
a system of Stoner-Wohlfarth parti-		Delcroix, P., see JF. Bobo	93 (1991) 452
cles	104–107 (1992) 1547	Delica, T., W.J.M. de Jonge, K.	
Debauche, M., see H.T. Diep	104–107 (1992) 184	Kopinga, H. Leschke and H. Mikes-	
Deckers, I., see A. Mordijck	104–107 (1992) 2081	ka, Static properties of CsNiF ₃ : nu-	
Dederichs, P.H., R. Zeller, H. Akai and		merical results, experimental data	104 107 (1002) 705
H. Ebert, Ab-initio calculations of		and soliton bearing models	104–107 (1992) 795
the electronic structure of impuri-		Della Torre, E., C.M. Perlov and M.	
ties and alloys of ferromagnetic	100 (1001) 241	Pardavi-Horvath, Comparison of co-	
transition metals	100 (1991) 241	ercivity calculations with anisotropy	
DeFotis, G.C., R.V. Chamberlain and		and exchange wells in magneto-optic media	104-107 (1992) 303
W.R.A. Jarvis, Magnetic behavior		Demangeat, C., see A. Mokrani	93 (1991) 299
and phase diagram of $Co_{1-x}Mn_x$	104-107 (1992) 187	Demangeat, C., see S. Bouarab	102 (1991)L233
(SCN) ₂ (CH ₃ OH) ₂ DeFotis, G.C., see E.W. Harlan	104–107 (1992) 187	Demangeat, C., see A. Vega	104-107 (1992) 1687
DeFotis, G.C., See E.W. Harlan DeFotis, G.C., R.V. Chamberlain,	101 101 (1772) 107	Demangeat, C., see S. Bouarab	104–107 (1992) 1765
Der ous, O.C., R. V. Chamberlain,			

Demazeau, G., see S. Matar	101 (1991) 251	Dhar, S.K., S.M. Pattalwar and R. Vija-	
Demazeau, G., see S.F. Matar	104–107 (1992) 1553	yaraghavan, Magnetic and thermal	
Demazeau, G., see J.G.M. Armitage	104–107 (1992) 1935	behavior of CeAlX $(X = Si \text{ and } Ge)$	
Demczyk, B.G., Structure and mor-	· ·	compounds	104-107 (1992)1303
phology of magnetron sputtered		Dhez, P., see J.C. Malaurent	93 (1991) 164
CoCr thin films	102 (1991) 238	Di, G.Q., S. Iwata, S. Tsunashima and	
Demokritov, S., see A. Fuß	103 (1992)L221	S. Uchiyama, Magneto-optical Kerr	
Demokritov, S., see P. Grünberg	104-107 (1992) 1734	effects of MnBi and MnBiAl films	104-107 (1992)1023
Demokritov, S.O., A.I. Kirilyuk, N.M.		Dianoux, A.J., see C. Bellouard	104–107 (1992) 517
Kreines, V.I. Kudinov, V.B. Smirnov		Diego, J.A., see M.T. Clavaguera-Mora	104–107 (1992)1141
and M.V. Chetkin, Interaction of		Diehl, J., see C. Geibel	108 (1992) 209
the moving domain wall with		Dieny, B., see M. Maurer	93 (1991) 15
phonons	102 (1991) 339	Dieny, B., V.S. Speriosu, B.A. Gurney,	
Demokritov, S.O., A.I. Kirilyuk, N.M.		S.S.P. Parkin, D.R. Wilhoit, K.P.	
Kreines, V.I. Kudinov, V.B. Smirnov		Roche, S. Metin, D.T. Peterson and	
and M.V. Chetkin, Interaction be-		S. Nadimi, Spin-valve effect in soft	(
tween the moving domain wall and		ferromagnetic sandwiches	93 (1991) 101
acoustic phonons	104–107 (1992) 663	Dieny, B., D. Givord and J.M.B. Nd-	
Den Broeder, F.J.A., see P.J.H. Bloe-	00 (4004) 407	jaka, Original magnetization pro-	
men	93 (1991) 105	cesses in the artificial ferrimagnet	02 (1001) 502
Den Broeder, F.J.A., see H.A.M. de	02 (1001) 457	Y-Co/Gd-Co/Y-Co	93 (1991) 503
Gronckel	93 (1991) 457	Dieny, B., see J.M. Alameda	104–107 (1992) 1813
Den Broeder, F.J.A., W. Hoving and		Diep, H.T., M. Debauche and H. Gia- comini, Reentrance and disorder so-	
P.J.H. Bloemen, Magnetic anisotropy of multilayers (<i>Invited paper</i>)	93 (1991) 562	lutions in exactly solvable Ising	
Den Broeder, F.J.A., see H.W. van	93 (1991) 302	models	104-107 (1992) 184
Kesteren	102 (1991) L9	Diep, H.T., see D. Loison	104–107 (1992) 1689
Denholm, D.R., B.D. Rainford and T.J.	102 (1771) 27	Dietzmann, G., see M. Schaefer	101 (1991) 95
Sluckin, Monte Carlo studies of		Dietzmann, G. and M. Schaefer, Ray-	101 (1771) 70
random anisotropy magnets	104-107 (1992) 103	leigh hysteresis with sinusoidal wave	
De Oliveira, J.C.P., M.I. Da Costa Jr.,		form of magnetic induction	110 (1992) 151
W.H. Schreiner and A. Vasquez,		Dillon Jr., J.F., Magnetooptics	100 (1991) 425
Magnetic properties of some iron-		Dimashko, Yu.A., see D.A. Yablonskii	99 (1991) 261
poor natural olivines	98 (1991) 239	Ding, J., see Bg. Shen	92 (1990) 53
Deportes, J., see O. Isnard	103 (1992) 157	Ding, J., see C.D. Meekison	104-107 (1992)1161
Deportes, J., see R. Ballou	104-107 (1992) 935	Ding, X.L., see J. Voigt	93 (1991) 341
Deportes, J., see P.J. Brown	104-107 (1992) 2083	Dingley, D.J., see N.M. Jennett	93 (1991) 472
Deriu, A., see L. Peraldo Bicelli	94 (1991) 267	Dinhut, J.F. and J.P. Eymery, Spin ori-	
Deriu, A., see R. Segnan	104–107 (1992)1399	entation in Fe and Fe-Co thin films	93 (1991) 252
Derkachenko, V.N., see S.N. Barilo	102 (1991) 30	Dinia, A., K. Ounadjela, A. Arbaoui,	
Derriche, O., L. Jorat, G. Noyel and J.		G. Suran, D. Muller and P. Panis-	
Monin, Magneto dielectric response	102 (1001) 255	sod, Perpendicular anisotropy in	404 405 (4000) 4054
of a ferrofluid at low temperature	102 (1991) 255	Co/Ru epitaxial superlattices	104–107 (1992) 1871
Deschanvres, J.L., M. Langlet, B. Bochu and J.C. Joubert, Growth of Bi-sub-		Dinia, A., see D. Muller	104-107 (1992) 1873
stituted YIG thin films for mag-		Dinia, A., see K. Ounadjela	104–107 (1992)1896
neto-optic applications	101 (1991) 224	Dirken, M.W., R.C. Thiel, R. Co- ehoorn, T.H. Jacobs and K.H.J.	
Desert, A., see A.T. Abdalian	104-107 (1992) 1047	Buschow, ¹⁵⁵ Gd Mössbauer effect	
Desvignes, J.M., see J. Gouzerh	101 (1991) 189	study of Gd ₂ Fe ₁₇ N _r (Letter to the	
Deville, J.P., see C. Boeglin	93 (1991) 31	Editor)	94 (1991) L15
Deville, J.P., see F. Scheurer	93 (1991) 150	Dirne, F.W.A., see F. Pierre	93 (1991) 131
Devine, M.K., see A.R. Eichmann	104–107 (1992) 375	Dirne, F.W.A., see M. Rivoire	93 (1991) 489
Devine, M.K., D.C. Jiles and S. Hariha-		Diviš, M., see P.C.M. Gubbens	98 (1991) 141
ran, Effects of cyclic stress on the		Divis, M., see H. Maletta	104–107 (1992) 21
magnetic hysteresis parameters of		Divis, M., see T. Holubar	104–107 (1992) 479
polycrystalline iron	104-107 (1992) 377	Divis, M., see P.C.M. Gubbens	104–107 (1992) 1283
Dhar, S.K., see K. Ikeda	100 (1991) 292	Diviš, M., see P. Svoboda	104–107 (1992) 1329

Diago Moriodoscou C soo I Miro		Daniel D. L. M. D.	104 107 (1000) 1001
Djega-Mariadassou, C., see I. Mirebeau	104-107 (1992) 1560	Dormann, E., see M. Bauer Dormann, J.L., A. Belayachi and M.	104–107 (1992)1291
Djega-Mariadassou, C., see J.L. Dor-	104-107 (1772)1300	Nogues, Ferromagnetic scaling in	
mann	104-107 (1992) 1567	randomly canted systems: critical	
Do, H.V., see C.J. Lin	93 (1991) 194	exponents	104-107 (1992) 239
Dobrzyński, L. and M.Th. Rekveldt,		Dormann, J.L., see M. Nogues	104–107 (1992) 415
Three-dimensional neutron depo-		Dormann, J.L., see I. Mirebeau	104-107 (1992) 1560
larization technique and some prop-		Dormann, J.L., see L. Bessais	104-107 (1992) 1565
erties of Co ₄₅ Ni ₂₅ -Fe ₅ Si ₁₅ B ₁₀ amor-		Dormann, J.L., C. Djega-Mariadassou	
phous alloy	94 (1991) 153	and J. Jove, Magnetic structure of	
Dobrzyński, L., see K. Szymański	99 (1991) 222	fine Fe particles included in an alu-	
Dohnomae, H., see T. Shinjo	93 (1991) 35	mina matrix	104–107 (1992) 1567
Dohnomae, H., T. Shinjo and M. Mo-		Dormann, J.L., see M. Nogues	104–107 (1992) 1641
tokawa, Analysis of magnetization	02 (1001) 455	Dormann, J.L., see M. Nogues	104–107 (1992) 1643
process in Fe/GdFe multilayers	93 (1991) 477	Dorner, B., see H.M. Mayer	97 (1991) 210
Dohnomae, H., see H. Yamamoto	99 (1991) 243	Dorner, B., see B. Schmid	104–107 (1992) 771
Doi, K., see M. Doyama Doi, K., see M. Nawate	93 (1991) 374 104–107 (1992) 1861	Dorner, B., see H.M. Mayer	104–107 (1992)1295
Dolocan, V., L. Miu and Gh. Aldica,	104-107 (1992)1001	Dos Santos, C.A., see B. Rodmacq Dos Santos, C.A., see B. Rodmacq	104–107 (1992) 1739 109 (1992) 298
Superconductivity in YBa ₂ Cu ₃ O ₇₋₈		Dossmann, Y., see R. Kuentzler	104–107 (1992) 1976
and $(BiPb)_2Sr_2Ca_2Cu_3O_x$	104-107 (1992) 609	Dötsch, H., see B. Lührmann	96 (1991) 237
Domingues, P.H., E. Nunez and J.M.	107 107 (1772) 007	Dowben, P.A., see D.q. Li	99 (1991) 85
Neto, Mössbauer studies on high-		Doyama, M., M. Matsui, H. Matsuoka,	
temperature lithiated magnetite,		S. Mitani and K. Doi, Preparation	
Li _x Fe ₃ O ₄	96 (1991) 101	and physical properties of fcc-iron	
Dong, Y.d., see G.m. Wang	97 (1991) 73	and copper multilayers	93 (1991) 374
Donnelly, D., see H. Ohta	104–107 (1992) 777	Dragieva, I., see J. Nikolov	101 (1991) 137
Dönni, A., A. Furrer, P. Fischer, F.		Dragieva, I.D., see D.R. Mehandjiev	101 (1991) 167
Hulliger and S.M. Hayden, Anisot-		Dražič, G., see S. Beseničar	104–107 (1992)1175
ropic exchange and spin dynamics		Dreysse, H., see A. Mokrani	93 (1991) 299
in the type-II antiferromagnetic	104 107 (1002) 1204	Dreysse, H., see S. Bouarab	102 (1991)L233
cerium monochalcogenide CeSe D'Onofrio, L., see J. Lamazares	104–107 (1992) 1204 104–107 (1992) 997	Dreyssé, H., see A. Vega Dreyssé, H., see S. Bouarab	104–107 (1992) 1687 104–107 (1992) 1765
D'Onofrio, L., see P. Bellot	104–107 (1992) 397	Drillon, M., see J.L. Paillaud	96 (1991) 41
Donskaya, I.S., K. Durczewski, A.R.	100 (1772) 141	Drittler, B., see H. Ebert	104–107 (1992) 733
Kessel and J. Ulner, Phonon-in-		Drobac, D., see K. Zadro	104–107 (1992) 271
duced indirect quadrupole-quadru-		Drofenik, M., see S. Beseničar	101 (1991) 307
pole and quadrupole-dipole inter-		Drumheller, J.E., see P. Erhart	104-107 (1992) 487
actions in a model tetragonal lattice	104-107 (1992) 883	Drumheller, J.E., see T.E. Grigereit	104-107 (1992) 831
Donzelli, O., see E. Colombo	93 (1991) 597	Drumheller, J.E., see K. Ravindran	104-107 (1992) 833
Donzelli, O., see E. Colombo	104–107 (1992) 1857	Drumheller, J.E., see T.E. Grigereit	104–107 (1992)1981
Donzelli, O., G.B. Fratucello, F. Ron-		Drye, T.J. and J.W. Tucker, The life-	
coni, D. Fiorani and A.M. Testa,		time of excitations in a $S = 1$ Hei-	
Magnetic properties of Fe/Ni mul-	104 107 (1003) 1050	senberg antiferromagnet due to	104 107 (1002) 051
tilayers grown on mylar	104–107 (1992) 1859	Spin-phonon coupling	104–107 (1992) 951
Dorantes-Davila, J., see A. Vega	104–107 (1992)1687	Drzazga, Z., K. Białas-Borgieł and W. Borgieł, Effective magnetic aniso-	
D'Orazio, F., F. Giammaria and F. Lucari, Blocking process evidenced by		tropy constant for B-substituted	
magnetic circular dichroism on		RCo_5 (R = Y, Gd) compounds	101 (1991) 399
doped yttrium-iron garnets	104-107 (1992) 441	Drzazga, Z. and R. Szymczak, Aniso-	(,
Dorman, S.C., L.H. Bowen and S.B.	,	tropic superconductivity observed	
Weed, Magnetic separation of syn-		for Bi ₂ Sr ₂ CaCu ₂ O _x single crystals	
thetic goethites based on Al substi-		by torque magnetometry	104-107 (1992) 605
tution: ⁵⁷ Fe Mössbauer analysis	98 (1991) 28	Drzazga, Z., E. Popiel and A. Winiar-	
Dorman, V.L., V.L. Sobolev and A.B.		ska, Magnetic properties of Gd-	
Shevchenko, Dynamics of domain		$Co_{4-x}Fe_xB$ series studied by mag-	
wall containing a Bloch line	94 (1991) 293		

netostatic and Mössbauer effect		netic viscosity of Co-based amor-	
methods	104-107 (1992) 1437	phous alloys between 0.02 and 4.2 K	101 (1991) 89
Du Plessis, P. de V., and T. Germis-		Duro, R.J., see J. Rivas	101 (1991) 403
huyse, Electrical resistivity of some		Duro, R.J., see J. Rivas	101 (1991) 405
RCo ₃ compounds	104–107 (1992) 1349	Duša, O., see A. Košturiak	109 (1992) 27
Du Plessis, P. de V., Exchange magne-		Dutka, J., M. Kamiński and A.M. Oleś,	
tostriction in Ho-Tb	104-107 (1992) 1509	Metal-insulator transition in three-	104 107 (1002) 570
Du Plessis, P. de V., see A.M. Venter	104–107 (1992) 1517	band Hubbard model	104–107 (1992) 579
Du Tremolet de Lacheisserie, E., see F.	02 (1000) 207	Duval, H., see J.C. Malaurent	93 (1991) 164
Machizaud	92 (1990) 207	Ebert H & Buegg G Schütz D	
Dubenko, I.S., see R. Ballou	110 (1992) 209 92 (1990) 251	Ebert, H., S. Ruegg, G. Schütz, R. Wienke and W.B. Zeper, Magnetic	
Dubiel, S.M., see G. Le Caër Dubiel, S.M., Substitution- and strain-	92 (1790) 231	properties of Co/Pt-multilayers	93 (1991) 601
induced changes in spin-density		Ebert, H., see P.H. Dederichs	100 (1991) 241
waves of chromium	104-107 (1992) 1999	Ebert, H., B. Drittler and H. Akai,	(,
Duc, N.H., T.D. Hien, P.E. Brommer		Spin-polarized relativistic electronic	
and J.J.M. Franse, The magnetic		structure calculations for disordered	
behaviour of rare-earth-transition		alloys using the CPA: application to	
metal compounds	104-107 (1992) 1252	Fe_xCo_{1-x} and Co_xPt_{1-x}	104-107 (1992) 733
Duc, N.H., T.D. Hien and D. Givord,		Ebert, H., see G.Y. Guo	104-107 (1992) 1772
Magnetic coupling in the Gd-T in-		Ebert, H., see A. Burgstaller	109 (1992) 117
termetallics $(T = Fe, Co)$	104-107 (1992)1344	Ebihara, T., see I. Umehara	104-107 (1992) 1409
Ducouret-Cérèze, A., see A. Boussek-		Ebii, S., see A. Ito	104–107 (1992) 1635
sou	110 (1992) 295	Ebii, S., see H. Aruga Katori	104–107 (1992) 1639
Dudek, W., J. Gwiazda, E. Mariańska,		Eccleston, R.S. and S.B. Palmer, The	
R. Moskalewicz, J. Oleniacz and W.		magnetic structure of Gd-Lu in an	
Zych, Magnetic moment, Curie		applied magnetic field	104–107 (1992) 1527
temperature and crystallization		Eccleston, R.S. and S.B. Palmer, Ultra-	
temperature of amorphous alloys of	04 (4004) 040	sound investigation of the magnetic	
the type Fe-TM-B	94 (1991) 243	structure of Er in an applied mag-	101 107 (1000) 1700
Dufour, C., A. Bruson, G. Marchal, B.		netic field	104–107 (1992)1529
George and Ph. Mangin, Structural		Eckelt, T., Ch. Böttger and J. Hesse,	
and magnetic profiles in Fe/Si multilayers	93 (1991) 545	AC susceptibility in the reentrant	
Dufour, C., see K. Cherifi	93 (1991) 543	spin-glass system $(Fe_{0.65}Ni_{0.35})_{1-x}$ Mn _x	104 107 (1002) 1665
Dufour, C., see K. Cherifi	104–107 (1992) 1833	Eckert, D., see KH. Müller	104–107 (1992) 1665 101 (1991) 375
Dugautier, C., see A.T. Abdalian	104–107 (1992)1033	Eckert, D., see P. Nothnagel	101 (1991) 379
Duginov, V.N., see H. Maletta	104–107 (1992) 495	Eckert, D., see A. Handstein	101 (1991) 379
Duhaj, P., see L. Kraus	101 (1991) 1	Eckert, D., P. Nothnagel, KH. Müller	101 (1991) 302
Duhaj, P., see Z. Kaczkowski	101 (1991) 23	and A. Handstein, The influence of	
Dumpich, G., see R. Kordecki	93 (1991) 281	texture on the magnetization behav-	
Dumpich, G., see K. Sumiyama	96 (1991) 329	ior of sintered Nd-Fe-B magnets	101 (1991) 385
Dunlap, R.A., see M. Foldeaki	96 (1991) 29	Eckert, D., see L. Jahn	101 (1991) 389
Dunlap, R.A., see J.Y. Ping	103 (1992) 285	Eckert, D., see KH. Müller	104-107 (1992)1173
Dunlap, R.A., see V. Srinivas	104-107 (1992)2121	Eckert, J., see M. Fähnle	104-107 (1992) 195
Dunlop, J.B., see M. Ghafari	104-107 (1992) 1668	Edelman, I.S., T.V. Zarubina, S.A.	
Dunstetter, F., V. Plakhty and J.		Stepanov and T.A. Kim, Magnetic	
Schweizer, Magnetic correlations in		properties of ferrite microparticles	
γ-oxygen: A neutron polarisation		in borate glasses	110 (1992) 99
study	96 (1991) 282	Edelstein, A.S., see S.K. Malik	92 (1990) 80
Dupas, C., see F. Trigui	93 (1991) 421	Edge, A.V.J., see P.W. Thompson	104-107 (1992) 1503
Durczewski, K., see I.S. Donskaya	104–107 (1992) 883	Edwards, D.M. and J. Mathon, Oscilla-	
Durczewski, K., see A.E. Szukiel	104–107 (1992) 1189	tions in exchange coupling across a	
Durham, P.J., see P. Strange	104–107 (1992) 755	nonmagnetic metallic layer	93 (1991) 85
Durin, G., M. Bonaldi, M. Cerdonio,		Edwards, D.M., see J. d'Albuquerque e	
R. Tommasini and S. Vitale, Mag-		Castro	93 (1991) 295

Edwards, D.M. and W. von der Linden, The ferromagnetic phase of the two-dimensional Hubbard model Edwards, D.M., see J. Mathon Edwards, D.M., see M.S. Phan	104–107 (1992) 739 104–107 (1992) 1721 104–107 (1992) 1876	singlet-triplet transition found in CsNiCl ₃ ? Endo, K., see K. Ooiwa Endo, K., K. Ooiwa and A. Shinogi,	104–107 (1992) 809 104–107 (1992) 2011
Efthimiadis, K.G., K.G. Melidis and I.A. Tsoukalas, Magnetic properties of Ni ₃ Fe _c Al _{1-c} Eggenkamp, P.J.T., H.J.M. Swagten, T.	103 (1992) 30	Structural phase transitions and magnetism in $Ni_2Mn_{1-x}V_xGa$ and $(Co_{1-y}Ni_y)_2NbSn$ Endo, S., R. Tanaka, S. Nakamichi, F. Ono, H. Wada and M. Shiga, Pres-	104–107 (1992)2013
Story and W.J.M. de Jonge, A tran- sition between a ferromagnetic and a spin-glass state induced by carri- ers	104–107 (1992) 937	sure dependence of M_s - T curve in $GdMn_2$ Endoh, Y., see S. Itoh Endoh, Y., see K. Kakurai	104–107 (1992) 1441 103 (1992) 126 104–107 (1992) 857
Eggenkamp, P.J.T., see H.J.M. Swagten	104-107 (1992) 989	Endoh, Y., see T. Sato	104–107 (1992) 1625
Ehmann, A., see Th. Sinnemann	95 (1991) 175	Endoh, Y., see J. Suzuki	104-107 (1992) 1657
Ehmann, A., see Th. Sinnemann	98 (1991) 99	Endstra, T., G.J. Nieuwenhuys, A.A.	
Eichmann, A.R., D.C. Jiles and M.K. Devine, In situ determination of the magnetic properties of soft mag-		Menovsky and J.A. Mydosh, Magnetic ordering of UPt ₂ Ge ₂ Endstra, T., G.J. Nieuwenhuys, K.H.J.	108 (1992) 67
netic materials using an automated		Buschow and J.A. Mydosh, Electri-	
magnetic measuring system	104-107 (1992) 375	cal properties of U ₃ Ni ₃ (Sb _{1-x} Sn _x) ₄	108 (1992) 69
El Hafidi, M., see P. Pernot	104-107 (1992) 853	Engemann, J., see Y. Yuan	95 (1991) 58
El Hasab, A.M., see M.A. Ahmed	98 (1991) 33	Engemann, J., see H. Krause	95 (1991) 95
El Maziani, F., see P. Thuéry	109 (1992) 197	Engemann, J., see B.S. Han	104-107 (1992) 305
El Nimr, M.K., see M.A. Ahmed	98 (1991) 33	England, C.D., see B. Hillebrands	93 (1991) 211
Elbicki, J.M., see M.Q. Huang	102 (1991) 91	Englich, J., see H. Štěpánková	104-107 (1992) 409
El-Ghanem, H.M., see H. Abu-Safia	103 (1992) 19	Englich, J., see A. Campos	104-107 (1992) 431
El-Hilo, M., K. O'Grady, H. Pfeiffer		Entel, P., see M. Schröter	104–107 (1992) 747
and R.W. Chantrell, The TRM peak		Enzo, S., see C. Beatrice	93 (1991) 147
in a fine particle system	104–107 (1992) 1580	Epstein, A.J., see K.S. Narayan	110 (1992) L6
El-Hilo, M., K. O'Grady and R.W.		Erata, T., K. Mishima, E. Kita and A.	
Chantrell, The origin of non-linear		Tasaki, NMR studies on the surface	
ln(t) behaviour in the time depend-		magnetism of vanadium ultra fine	101 105 (1005) 1500
ence of magnetisation (Letter to the	400 (4000) 464	particles	104–107 (1992) 1589
Editor)	109 (1992)L164	Erhart, P., see A.I. Smirnov	92 (1990) 116
Elk, K., L. Jahn and R. Scholl, Charac-		Erhart, P., J.E. Drumheller, A.M. Por-	
teristics and angular dependence of	101 (1001) 207	tis, B. Senning, S. Mini, L. Fransioli,	
permanent magnetic coercivity	101 (1991) 387	E. Kaldis, S. Rusiecki and F. Waldner, Decay of magnetism in a high- T_c	
Elk, K. and L. Jahn, Angular dependence and competition of coercivity		superconductor measured indirectly	
mechanisms	102 (1991) 159	and interpreted with a glassy quan-	
Elk, K., see V. Christoph	104–107 (1992)1121	titative decay model	104-107 (1992) 487
Ellerbrock, E.D., see W.A.A. Macedo	93 (1991) 552	Eriksson, O., see P. Söderlind	104–107 (1992) 2037
Ellis, D.E., see D. Guenzburger	104-107 (1992) 2009	Erskine, J.L., see D.g. Li	99 (1991) 85
Elmehdi, H.M., J.H. Page and J.T.		Erwin, R.W., see J.R. Childress	104-107 (1992) 1585
Graham, Static and dynamic critical		Erwin, R.W., see M.B. Salamon	104-107 (1992) 1729
effects in the random-field system		Erwin, R.W., see F. Tsui	104-107 (1992) 1901
$Dy(As_xV_{1-x})O_4$	104-107 (1992) 193	Erwin, R.W., see R.S. Beach	104-107 (1992)1915
Emmen, J.H.P.M., S.K.J. Lenczowski, V.A.M. Brabers and W.J.M. de Jonge, Energy distribution of vortex		Escuer, A., R. Vicente and J. Ribas, Magnetic transition in ferromagnet- ically coupled dimer of Ni(II) with	
dynamics in $Bi_2CaSr_2Cu_2O_{8+\delta}$ as		Di-μ-azido bridge	110 (1992) 181
probed by magnetic susceptibility	104-107 (1992) 473	Esposito, F., see G. Kamieniarz	104–107 (1992) 865
Enderle, M., see W. Palme	104-107 (1992) 805	Esposito, U., see G. Kamieniarz	104-107 (1992) 865
Enderle, M., K. Kakurai, M. Steiner		Essaihi, A., see M.J. Besnus	104-107 (1992) 1387
and H. Weinfurter, Is Haldane's		Etienne, P., see F. Petroff	93 (1991) 95

Etienne, P., see A. Fert Etienne, P., see A. Barthélémy	104–107 (1992)1712 104–107 (1992)1816 110 (1992)L247	Farle, M., A. Berghaus, Y. Li and K. Baberschke, Hard axis magnetization of ultrathin Ni(111)/W(110) in	
Etienne, P., see L. Piraux Etourneau, J., see T. Berlureau	102 (1991) 166	UHV a new set-up for SMOKE	93 (1991) 215
Etourneau, J., see R.P. Pinto	104-107 (1992) 1235	Farle, M., see Y. Li	93 (1991) 345
Ettedgui, H., see M. Kuznietz	104-107 (1992) 13	Farrow, R.F.C., see C.J. Chien	93 (1991) 47
Evangelista, L.R., see C. Buzano	104-107 (1992) 231	Farrow, R.F.C., see C.J. Lin	93 (1991) 194
Evans, B.J., see G.K. Thompson	95 (1991)L142	Farrow, R.F.C., see C.H. Lee	93 (1991) 592
Evans, S.M.M., Metamagnetism in the		Farrow, R.F.C., see J.V. Harzer	104–107 (1992) 1863
heavy fermion compound CeRu ₂ Si ₂	108 (1992) 135	Farzetdinova, R.M., see V.L. Safonov	98 (1991)L235
Evetts, J.E., see R.J. Highmore	104–107 (1992)1777	Fau, C., see B.A. Lombos	93 (1991) 391
Evetts, J.E., see R.J. Highmore	104–107 (1992)1779	Fawcett, E., see A.V. Andrianov	97 (1991) 246
Eymery, J.P. and G. Laplanche, Struc-		Fawcett, E., see K. Mikke	104–107 (1992) 718
tural and magnetic study of bcc 304		Fawcett, E. and V.Yu. Galkin, Local	
stainless steel thin films elaborated	93 (1991) 179	impurity states in SDW Cr alloys with Fe, Co and Si	104-107 (1992) 759
by ion sputtering Eymery, J.P., see J.F. Dinhut	93 (1991) 252	Fawcett, E., see A.M. Venter	104–107 (1992) 733
Eymery, J.P. and R. Krishnan, On some	73 (1771) 232	Fawcett, E. and V.Yu. Galkin, Re-en-	104-107 (1772)1517
magnetic properties of 304 stainless		trant phase of the commensurate	
steel films	104-107 (1992) 1785	spin-density wave in $(Cr + x)$ at%	
Eymery, J.P., see R. Krishnan	104-107 (1992) 1893	$Fe)_{1-z}Mn_z$ ternary alloys (<i>Letter to</i>	
		the Editor)	109 (1992)L139
Fabová, T., see P. Sovák	98 (1991) 205	Fazleev, N.G., Multipolar interactions	
Fadley, C.S., see B. Sinković	92 (1991) 301	in rare-earth metals and alloys	104–107 (1992) 1525
Fagot, M., see J. Degauque	101 (1991) 114	Fazleev, N.G., G.I. Mironov and J.L.	
Fagot, M., see J. Bras	101 (1991) 369	Fry, Spin dynamic properties of the	
Fähnle, M., see T. Beuerle	94 (1991) L11	Kondo system	108 (1992) 123
Fähnle, M., see R. Reisser	97 (1991) 83	Fdez-Gubieda, M.L., J.M. Barandiarán	
Fähnle, M., T. Holey and J. Eckert,		and F. Plazaola, Magnetic and	
Monte Carlo renormalization group		Mössbauer studies on amorphous	104 107 (1000) 00
calculations of critical exponents in		$(Fe_xCo_{1-x})_{75}Si_{15}B_{10}$ alloys	104–107 (1992) 82
site-diluted 2D and 3D Ising systems	104–107 (1992) 195	Fedotova, V.V., see S.S. Karneeva	110 (1992) 327
Fähnle, M., P. Braun, T. Beuerle and	104-107 (1992) 193	Fegel, F., see J. Bansmann Feher, A., see R. Záboj	104–107 (1992) 1691 104–107 (1992) 953
K. Hummler, Ab-initio calculation		Felcher, G.P., see Y.Y. Huang	99 (1991) L31
of local magnetic moments in or-		Felner, I., U. Yaron, I. Nowik and E.R.)) (1))1) <u>L</u> J1
dered and disordered intermetallic		Bauminger, Superconductivity and	
compounds	104-107 (1992) 1931	magnetic order in La _{1+x} Ba _{2-x} Cu ₃	
Fähnle, M., see T. Beuerle	110 (1992) L29	O_z	104-107 (1992) 543
Fähnle, M., see R. Reisser	110 (1992) 32	Ferey, G., see M. Leblanc	92 (1991) 359
Fairbairn, W.M. and S.Y. Yip, RKKY-		Ferey, G., see P. Lacorre	92 (1991) 366
induced electron spin densities in	00 (1001) 100	Ferey, G., see J. Renaudin	92 (1991) 381
magnetically ordered superlattices	93 (1991) 407	Ferey, G., see P. Lacorre	94 (1991) 331
Fak, B., see H. Tietze-Jaensch	104–107 (1992) 897	Ferey, G., see P. Lacorre	94 (1991) 337
Fåk, B., see D.A. Tennant Falco, C.M., see B. Hillebrands	104–107 (1992)1079	Fernández Barquin, L., J. Rodríguez	
Falferi, P., see M. Cerdonio	93 (1991) 211 101 (1991) 92	Fernández, J.C. Gómez Sal, J. Gutiérrez and J.M. Barandiarán,	
Fan, Y.D., see Y. Wang	102 (1991) 121	Study of the low-temperature resis-	
Fang, RY., see CB. Peng	92 (1991) 353	tivity behavior in Co-Si-B metallic	
Fang, RY., DS. Dai, S. Zhang, P.	/= (1//1)	glasses: magnetic and neutron dif-	
Long, TJ. Ma, C. Dai and XX.		fraction characterization	101 (1991) 52
Zhang, Large magneto-optical ef-		Fernández Barquín, L., J.C. Gómez Sal	,=,
fect for MnBiRE thin films	104-107 (1992)1031	and J. Rodríguez Fernández, Elec-	
Fanjat, N. and J.L. Soubeyroux, Pow-		trical resistivity in Co-Si-B amor-	
der neutron diffraction study of		phous compounds: appraisal of the	
$Fe_2Na_3(PO_4)_3$ in the low tempera-	104 408 (4000) 000	structural and magnetic contribu-	
ture phase	104–107 (1992) 933	tions	104–107 (1992) 97

Fernández Barquín, L., see J.A. Blanco	108 (1992) 51	Fink, R., see J. Voigt	93 (1991) 341
Fernandez, M., see M.C. Contreras	93 (1991) 233	Fink-Finowicki, J., see A. Slawska-Wa-	
Fernandez-Baca, J.A., M.E. Hagen,		niewska	101 (1991) 40
R.M. Nicklow, Y. Tsunoda and S.M.		Fiorani, D., see F. Badia	93 (1991) 425
Hayden, Magnetic excitations in the	104 107 (1002) (00	Fiorani, D., L. Lanotte and F. Ronconi,	
itinerant antiferromagnet Mn ₉₀ Cu ₁₀	104–107 (1992) 699	Low temperature magnetic proper-	
Fernengel, W., B. Wall and W. Rode-		ties of Fe ₄₀ Ni ₄₀ P ₁₄ B ₆ amorphous	104 107 (1000) 141
wald, Measurement of the coercivity $_{\rm J}H_{\rm c}$ of RE-TM-magnets by the SPD		ribbons	104-107 (1992) 141
technique	101 (1991) 343	Fiorani, D., see E. Agostinelli Fiorani, D., see M. Nogues	104–107 (1992) 603 104–107 (1992) 1641
Ferraté, C., see L.L. Balcells	101 (1991) 343 109 (1992)L159	Fiorani, D., see O. Donzelli	104–107 (1992) 1859
Ferrater, C., see F. Badia	93 (1991) 429	Fiorillo, F., see M. Pasquale	104–107 (1992) 1337
Ferré, J., see D. Bertrand	104-107 (1992) 389	Fischer, B., J. Hoffmann, H.G. Kahle	104 107 (1772) 337
Ferré, J., see F. Pierre	104–107 (1992) 1033	and W. Paul, AC method for mea-	
Ferreira, J.M., see J. Albino Aguiar	104–107 (1992) 547	suring the magnetocaloric effect and	
Ferrer, S., see J.L. Martinez	93 (1991) 89	an application in a study on GdVO ₄	94 (1991) 79
Ferrier, R.P., see S. McVitie	104-107 (1992) 963	Fischer, G., see M.J. Besnus	104-107 (1992) 1387
Fert, A., see F. Petroff	93 (1991) 95	Fischer, K., see Z. Šimša	104-107 (1992) 403
Fert, A., see D.H. Mosca	93 (1991) 480	Fischer, K., see W. Andrä	104-107 (1992) 481
Fert, A., see D.H. Mosca	94 (1991) L1	Fischer, K.H., Tilt modulus and vor-	
Fert, A., A. Barthélémy, P. Etienne, S.		tices in layered high- T_c supercon-	
Lequien, R. Loloee, D.K. Lottis,		ductors	104-107 (1992) 493
D.H. Mosca, F. Petroff, W.P. Pratt		Fischer, P., see P. Schobinger-Papa-	
and P.A. Schroeder, Magnetic mul-		mantellos	97 (1991) 53
tilayers: oscillatory interlayer ex-		Fischer, P., see V. Sechovský	104–107 (1992) 11
change and giant magnetoresistance	104-107 (1992)1712	Fischer, P., see L. Keller	104-107 (1992)1201
Fert, A., see D. Lottis	104-107 (1992) 1811	Fischer, P., see A. Dönni	104-107 (1992)1204
Fert, A., see A. Barthélémy	104–107 (1992) 1816	Fischer, T.M., E. Frey and F. Schwabl,	
Fert, A., see L. Piraux	110 (1992)L247	Critical dynamics of dipolar antifer-	
Fessant, A., J. Gieraltowski, J. Loaëc		romagnets	104–107 (1992) 201
and H. Le Gall, Frequency spectra		Fish, G.E., see S.C. Yu	97 (1991) 286
of the complex permeability of thin	00 (1001) 010	Fishman, F., see D. Schwenk	93 (1991) 80
magnetic films	93 (1991) 242	Fisk, Z., see G. Aeppli	104–107 (1992) 507
Fessant, A., see A. Rakii	93 (1991) 247	Fisk, Z., see M. Tovar	104–107 (1992) 549
Fidler, J., see W. Coene	96 (1991) 189	Fisk, Z., see A. de Visser	108 (1992) 56
Figiel, H., N. Spridis, P.C. Riedi and R.		Fisk, Z., see A. Schenck	108 (1992) 97
Graham, Samarium NMR in the	101 (1991) 401	Fisk, Z., see J.M. Lawrence	108 (1992) 215 108 (1992) 217
Sm ₂ Co ₁₇ compound Figiel, H., Cz. Kapusta, N. Spiridis, G.	101 (1991) 401	Fisk, Z., see P.C. Canfield Fittipaldi, I.P., see E.F. Sarmento	104-107 (1992) 233
Stoch, P.C. Riedi and M. Rosen-		Fittipaldi, I.P. and D.F. De Albu-	104-107 (1992) 233
berg, NMR of samarium and neo-		querque, Effective-field renormal-	
dymium in intermetallic compounds		ization-group method for Ising sys-	
with iron and cobalt	104-107 (1992)1198	tems	104-107 (1992) 236
Figiel, H., see Cz. Kapusta	104–107 (1992)1331	Fittipaldi, I.P., see T. Kaneyoshi	104–107 (1992) 249
Filippi, J., B. Barbara, P. Mollard and	101 101 (1992) 1001	Fittipaldi, I.P., J. Ricardo de Souza and	101 101 (1771) 117
H. Itji, On the dynamical behaviour		R.J. Vasconcelos dos Santos, Phase	
of the random anisotropy systems		diagrams of a quenched decorated	
amorphous Dy _x Gd _{1-x} Ni	104-107 (1992) 165	Ising model with competing interac-	
Filippi, J., see V.S. Amaral	104-107 (1992) 2079	tions	104-107 (1992) 279
Filippov, B.N., see A.B. Borisov	110 (1992) 202	Fjellvåg, H., P. Karen, A. Kjekshus, A.	
Fillion, G., see J.L. Martínez	93 (1991) 89	Zięba, T. Chattopadhyay and C.	
Fillion, G., see J. Sandonís	104-107 (1992) 350	Vettier, Pressure induced transi-	
Fillion, G., see J. Beille	104-107 (1992) 532	tions between para-, heli- and ferro-	
Fillion, G., J.L. Mattei, P. Rochette		magnetic phases of Mn _{0.61} Cr _{0.39} As	
and P. Wolfers, Neutron study of		studied by neutron diffraction	92 (1990) 75
4C pyrrhotite	104-107 (1992) 1985	Fjellvåg, H., see A.F. Andresen	94 (1991) 347
Fillion, G., see J.L. Oddou	104-107 (1992) 1987	Fjellvåg, H., see L. Häggström	97 (1991) 251

Fjellvåg, H., see A. Zieba Flevaris, N.K., Th. Karakostas, J. Stoe- menos and K. Batas, Growth modes	104–107 (1992) 71	Fontaine, A., see R. Clarke Fontaine, A., see F. Baudelet Fontaine, A., see F. Baudelet	93 (1991) 53 93 (1991) 539 104–107 (1992)1418
and structural characterization in magnetic multilayers Flevaris, N.K. and R. Krishnan, Struc-	93 (1991) 39	Fontes, M.B., A.P. Guimarães, R.G. Graham and P.C. Riedi, Electric field gradient at the ⁵⁹ Co nucleus of	
tural and FMR studies in Pd-Ni multilayers	93 (1991) 439	ferromagnetic YCo ₃ Ford, J.C., see Y.D. Zhang	104–107 (1992)1315 100 (1991) 13
Flevaris, N.K., see S. Logothetidis	93 (1991) 444	Forgan, E.M., see D.McK. Paul	104-107 (1992) 591
Flevaris, N.K. and R. Krishnan, Modu- lation-induced effects in magnetic multilayers: perpendicular anisot- ropy, reversed hysteresis and mag-		Forgan, E.M., E.P. Gibbons, S.L. Lee, S. Zochowski, K.A. McEwen and W.G. Marshall, Field effects on the antiferromagnetic ordering of neo-	
netisation enhancement Flevaris, N.K. and R. Krishnan, Mag-	104–107 (1992) 1760	dymium Forgan, E.M., S.L. Lee, W.G. Marshall	104–107 (1992) 911
neto-optical property modifications in Pd-Ni multilayers	104–107 (1992)1763	and D. Fort, Moment directions in two antiferromagnetic 3-q phases of	
Floría, L.M., S. Aubry and P. Quémerais, Anisotropic long-range Ising		neodymium Forgan, E.M., Complex structures and	104–107 (1992) 913
model in a magnetic field Florczak, J.M. and E. Dan Dahlberg,	104–107 (1992) 199	simple ideas in modulated antiferromagnets	104–107 (1992)1485
Magnetization reversal in Fe/GaAs	(Forgan, E.M., S.L. Lee, W.G. Marshall	(,
(100) thin films Florczak, J.M., see Y. Chen	104–107 (1992) 399 104–107 (1992) 1907	and S. Zochowski, Magnetism in the Nd-La alloy system	104–107 (1992) 1519
Flores, J., see J.M. Riveiro	104–107 (1992) 152	Forgan, E.M., S.J. Shaikh, D. Fort, S.	101 107 (1772)1317
Flores, J., see J.M. Riveiro	104-107 (1992) 155	Zochowski and C. Vettier, Pressure	
Florescu, V., M.D. Serbanescu, R.		makes rare earths lighter: magnetic	
Manaila and W.A. Grant, Magnetic		ordering in Nd _{0.9} Ce _{0.1} under pres-	104 107 (1002) 1521
properties and structure of rare- earth-transition-metal thin films		sure Forker, M., see J. Pszczoła	104–107 (1992) 1521 92 (1990) 101
implanted with Ar ⁺ ions	92 (1990) 137	Forkl, A., M. Hirscher, T. Mizoguchi,	72 (1770) 101
Flouquet, J., see A. de Visser	108 (1992) 15	H. Kronmüller and HU. Haber-	
Flouquet, J., see A. de Visser	108 (1992) 56	meier, Magnetic properties of FeTb	
Flouquet, J., see J.L. Jacoud	108 (1992) 131	amorphous thin films	93 (1991) 261
Flouquet, J., see K. Behnia	108 (1992) 133	Forkl, A., see J. Pastushenkov	101 (1991) 363
Flouquet, J., see L. Taillefer Flynn, C.P., see M.B. Salamon	108 (1992) 138 104–107 (1992) 1729	Forkl, A., J. Pastushenkov, K. Maki and H. Kronmüller, Investigation of	
Flynn, C.P., see F. Tsui	104–107 (1992)1723	the angular dependence of critical	
Flynn, C.P., see R.S. Beach	104–107 (1992) 1915	fields in RE-Fe-B sintered mag-	
Fnidiki, A., see F. Pierre	104-107 (1992) 1033	nets	101 (1991) 367
Foldeaki, M., L. Koszegi and R.A.		Fort, D., see C.C. Tang	103 (1992) 86
Dunlap, Effects of particle size on		Fort, D., see E.M. Forgan	104–107 (1992) 913
the spin reorientation transition in $R_2Fe_{14}B$ (R = Nd, Er) hard mag-		Fort, D., see E.M. Forgan	104–107 (1992) 1521
nets	96 (1991) 29	Fort, D., see U. Steigenberger Fournes, L., see T. Berlureau	108 (1992) 163 102 (1991) 166
Földeáki, M., H. Ledbetter and P. Ug-	,	Fournier, T., see J. Muller	102 (1991) 305
gowitzer, Magnetic properties of		Fourquet, J.L., see Y. Calage	98 (1991) 79
Cr-Mn austenitic stainless steels	110 (1992) 185	Fowler, D., see P.C. Riedi	104-107 (1992) 503
Folkerts, W., Calculated magnetic phase diagrams and magnetoresis-		Fraas, K., see U. Ahlheim Fraas, K., U. Ahlheim, P.H.P. Rein-	108 (1992) 213
tance curves for an antiferromag- netically coupled multilayer system	04 (1001) 202	ders, C. Schank, R. Caspary, F.	
Folks, L., see R. Street	94 (1991) 302 104–107 (1992) 368	Steglich, A. Ochiai, T. Suzuki and T. Kasuya, Sm ₃ Se ₄ : a heavy-ferm-	
Folks, L., see R. Street	104–107 (1992) 371	ion system without charge carriers	108 (1992) 220
Fomicheva, L.N., see A.V. Tsvyash-		Fraga, G.L.F., D.E. Brandão and J.G.	100 (1774) 220
chenko	98 (1991) 285	Sereni, Specific heat of X ₂ MnSn	
Fontaine, A., see M. Maurer	93 (1991) 15	$(X = Co, Ni, Pd, Cu), X_2MnIn (X)$	

= Ni, Pd) and Ni ₂ MnSb Heusler	102 (1001) 100	Fries, T., see Th. Sinnemann	95 (1991) 175
compounds Frait, Z., see D. Fraitová	102 (1991) 199	Fries, T., see Th. Sinnemann	98 (1991) 99
Fraitová, D. and Z. Frait, Characteriza-	101 (1991) 29	Fröbel, P., H.C. Freyhardt and K.	
tion of amorphous and nanocrys-		Bärner, Hysteresis loop studies of melt-spun hardmagnetic materials	
talline ferromagnets by ferromag-		by Hall effect measurements	104-107 (1992)1155
netic resonance and antiresonance	101 (1991) 29	From, M., see P.P. Freitas	93 (1991) 485
Fraizzoli, S., see P. Monachesi	98 (1991) 130	Fruchart, D., see F.J. Lázaro	101 (1991) 372
Fraizzoli, S., see P. Monachesi	104–107 (1992) 1327	Fruchart, D., see J. Bartolomé	101 (1991) 411
Francesconi, M.G., see L. Albanese	104–107 (1992) 509	Fruchart, D., see O. Isnard	103 (1992) 157
Franse, J.J.M., see A. de Visser	100 (1991) 204	Fruchart, D., see J. Chaboy	104-107 (1992) 1171
Franse, J.J.M., see F.E. Kayzel	101 (1991) 424	Fruchart, D., see R. Zach	104–107 (1992) 1929
Franse, J.J.M., see E. Brück	104-107 (1992) 17	Fruchart, D., see M. Artigas	104-107 (1992) 1993
Franse, J.J.M., see N.P. Thuy	104-107 (1992) 489	Fruchart, D., see C. Rillo	104-107 (1992) 1995
Franse, J.J.M., see Z. Tarnawski	104-107 (1992) 613	Fruchart, D., see O. Isnard	104-107 (1992) 2003
Franse, J.J.M., see N.H. Duc	104-107 (1992) 1252	Fruchart, R., see R. Zach	104-107 (1992) 1929
Franse, J.J.M., see P.C.M. Gubbens	104-107 (1992) 1269	Fruchart, R., see M. Artigas	104-107 (1992) 1993
Franse, J.J.M., see N.H. Kim-Ngan	104-107 (1992)1298	Fruchart, R., see C. Rillo	104-107 (1992) 1995
Franse, J.J.M., see N.H. Luong	104-107 (1992)1301	Früchtl, H. and U. Krey, Itinerant mag-	
Franse, J.J.M., see A. Szewczyk	104-107 (1992)1319	netism of fcc-iron and disordered	
Franse, J.J.M., see R.J. Radwański	104-107 (1992)1321	iron-nickel-Invar alloys (Letter to	
Franse, J.J.M., see C. Marquina	104–107 (1992)1323	the Editor)	94 (1991) L20
Franse, J.J.M., see R. Verhoef	104–107 (1992)1325	Fry, J.L., see Y. Wang	93 (1991) 395
Franse, J.J.M., see R. Verhoef	104–107 (1992)1473	Fry, J.L., see N.G. Fazleev	108 (1992) 123
Franse, J.J.M., see A. de Visser	108 (1992) 15	Fu, C.L., see C. Li	94 (1991) 134
Franse, J.J.M., see A. de Visser	108 (1992) 56	Fuß, J.A., see P. Grünberg	93 (1991) 58
Franse, J.J.M., see A. de Visser	108 (1992) 61	Fuß, A., S. Demokritov, P. Grünberg	
Franse, J.J.M., see K. Bakker	108 (1992) 63	and W. Zinn, Short- and long pe-	
Franse, J.J.M., see K. Bakker	108 (1992) 65	riod oscillations in the exchange	
Franse, J.J.M., see F. Marabelli	108 (1992) 79	coupling of Fe across epitaxially	
Fransioli, L., see P. Erhart	104–107 (1992) 487	grown Al- and Au-interlayers (Let-	102 (1002)I 221
Franz, B., see S. Welzel-Gerth	101 (1991) 37 93 (1991) 425	ter to the Editor) Fuß, A., see U. Köbler	103 (1992)L221 103 (1992) 236
Fratucello, G., see F. Badia Fratucello, G.B., see E. Colombo	93 (1991) 597	Fuchs, D., see S. Logothetidis	93 (1991) 444
Fratucello, G.B., see E. Colombo	104–107 (1992) 1857	Fuchs, W., see A.K. Gangopadhyay	103 (1992) 267
Fratucello, G.B., see O. Donzelli	104–107 (1992) 1859	Fuertes, J.F., see G.T. Pérez	93 (1991) 155
Freeman, A.J., see C. Li	94 (1991) 134	Fuess, H., see R. Hock	104-107 (1992) 453
Freeman, A.J., see S.C. Hong	99 (1991) L45	Fuggle, J.C., see R.J.H. Kappert	100 (1991) 363
Freeman, A.J., see R.q. Wu	99 (1991) 71	Fujii, H., see Y. Makihara	96 (1991) 305
Freeman, A.J., see R.q. Wu	99 (1991) 81	Fujii, H., see L. Jirman	104–107 (1992) 19
Freeman, A.J. and RQ. Wu, Elec-		Fujii, H., see N. Iwata	104-107 (1992) 27
tronic structure theory of surface,		Fujii, H., see M. Kurisu	104-107 (1992) 29
interface and thin-film magnetism	100 (1991) 497	Fujii, H., S. Miyata and T. Takabatake,	
Freeman, A.J. and RQ. Wu, Mag-		Transition from non-magnetic semi-	
netism in man made materials	104-107 (1992) 1	conductor to ferromagnetic metal in	
Freeman, A.J., see S.C. Hong	104-107 (1992) 659	$U_3(Ni_{1-x}Cu_x)_3Sb_4$	104–107 (1992) 45
Freeman, A.J., see J.I. Lee	104-107 (1992) 1684	Fujii, H., see K. Kojima	104-107 (1992) 49
Freitas, P.P., M. From, L.V. Melo and		Fujii, H., see Y. Uwatoko	104–107 (1992) 643
T.S. Plaskett, Magnetoresistance		Fujii, H., see T. Shigeoka	104–107 (1992) 1229
enhancement in Gd-Y bilayers	93 (1991) 485	Fujii, H., see T. Suzuki	104–107 (1992)1293
Frey, E., see T.M. Fischer	104–107 (1992) 201	Fujii, H., see T. Fujita	108 (1992) 35
Frey, E. and F. Schwabl, Static		Fujii, H., see T. Takabatake	108 (1992) 155
crossover in uniaxial dipolar ferro-	104 105 (1000) 201	Fujii, T., M. Takano, R. Katano, Y.	
magnets	104–107 (1992) 204	Bando, Y. Isozumi and T. Okuda,	
Freyhardt, H.C., see P. Fröbel	104–107 (1992)1155	Conversion electron Mössbauer	
Friedel, F., see J. Wieting	101 (1991) 128	spectroscopy of a single crystalline	92 (1990) 261
Friedman, D.J., see B. Sinković	92 (1991) 301	Bi ₃ Fe ₅ O ₁₂ film	72 (1770) 201

	404 405 (1000) 451	Califor M. and A. Dodum Ellho	104-107 (1992) 269
Fujii, T., see K. Matsumoto	104–107 (1992) 451	Gabás, M., see A. Paduan-Filho	104-107 (1992) 209
Fujimaki, Y., see I. Umehara	104–107 (1992) 1407	Gabay, A.M., A.S. Lileev, S.A. Mel-	
Fujimori, H., see Y. Obi	93 (1991) 587	nikov and V.P. Menushenkov, Mag-	
Fujimori, H., see Y. Obi	104–107 (1992) 1747	netostatic interaction in nuclea-	07 (1001) 256
Fujimori, H., see K. Takanashi	104–107 (1992) 1749	tion-type magnets	97 (1991) 256
Fujimori, H., see K. Takanashi	104–107 (1992) 1751	Gabay, A.M., A.S. Lileev and V.P. Me-	
Fujimori, H., see S. Joo	104–107 (1992) 1753	nushenkov, Simulation of intergran-	102 (1002) 151
Fujimoto, T., see T. Mukai	95 (1991) 145	ular interaction in sintered magnets	103 (1992) 151
Fujimoto, T., see T. Mukai	103 (1992) 165	Gabay, A.M., A.S. Lileev and V.P.	
Fujino, M., see K. Yamagata	104–107 (1992) 849	Menushenkov, Simulation of inter-	
Fujino, M., N. Achiwa, N. Koyano, I.		granular interaction in sintered	100 (1002) 212
Shibuya, Ridwan and K. Yamagata,		magnets	109 (1992) 213
Structure of tetragonal M(HCOO) ₂	104 107 (1003) 051	Gabelko, I.L., R.Z. Levitin, A.S.	
$\cdot 2(NH_2)_2CO (M = Mn, Cd or Co)$	104–107 (1992) 851	Markosyan, V.I. Silant'ev and V.V.	
Fujisaki, H., see T. Suzuki	104–107 (1992)1293	Snegirey, Influence of the d-elec-	
Fujisawa, S., see T. Suzuki	104–107 (1992) 1293	tron concentration on the itinerant	
Fujita, T., see L. Jirman	104–107 (1992) 19	electron metamagnetism and ferro-	
Fujita, T., see M. Kurisu	104–107 (1992) 515	magnetism in $M(Co_{1-x}Al_x)_2$ sys-	
Fujita, T., see T. Suzuki	104–107 (1992)1293	tems (M = Y, Lu): study of com-	
Fujita, T., see J. Sakurai	104–107 (1992)1415	pounds with unvariable crystal cell	04 (1001) 207
Fujita, T., T. Suzuki, S. Nishigori, T.		parameter	94 (1991) 287
Takabatake, H. Fujii and J. Sakurai,		Gadet, V., see T. Takeuchi	104–107 (1992) 813
Unusual low-temperature proper-	109 (1002) 25	Gaïdukov, Yu.P., see L. Taillefer	108 (1992) 138
ties of Ce compounds	108 (1992) 35	Gaganov, I.A., see P.G. Akishin	110 (1992) 175
Fujiyara, H. see K. Hara	108 (1992) 155 92 (1990) 68	Gaidukov, Yu.P., see A.V. Andrianov Gajbhiye, N.S., see V.K. Sankara-	97 (1991) 246
Fujiwara, H., see K. Hara	94 (1991) 235	narayanan	02 (1000) 217
Fujiwara, H., see K. Itoh	102 (1991) 247		92 (1990) 217 109 (1992) 27
Fujiwara, H., see K. Hara Fujiwara, H., see K. Shimazaki	104–107 (1992) 1017	Gajdušek, J., see A. Košturiak Gal, J., see I. Yaar	104–107 (1992) 63
Fujiwara, H., see J. Sakurai	108 (1992) 143	Galéra, R.M., P. Morin, S. Kunii and	104-107 (1992) 03
Fujiwara, K., H. Nagai and A. Tsu-	100 (1772) 143	T. Kasuya, Magnetic properties and	
jimura, Magnetic properties of			104-107 (1992) 1336
$(La_{1-x}Nd_x)Co_5$ hydrides	104-107 (1992) 1231	phase diagrams in PrB ₆ and GdB ₆ Galez, P., see B. Gillon	104–107 (1992) 583
Fukada, A., see I. Umehara	104–107 (1992) 1407	Galez, P., see D. Petitgrand	104–107 (1992) 585
Fukamichi, K., see T. Goto	104–107 (1992) 135	Gali, S., see A. Rouco	104–107 (1992) 1645
Fukatsu, S., see H. Takahashi	93 (1991) 469	Galkin, V.Yu., see E. Fawcett	104–107 (1992) 759
Fukatsu, S., see H. Takahashi	104–107 (1992) 1831	Galkin, V.Yu., see E. Fawcett	109 (1992)L139
Fukuhara, T., S. Iwakawa and H. Sato,	10. 10. (17.12) 1001	Gallart, J.C., see J.J. Borrás-Almenar	104–107 (1992) 835
Transport and magnetic properties		Gallego, J.M., see J.J. De Miguel	93 (1991) 1
of a new valence fluctuating com-		Gallego, J.M., see J.L. Martínez	93 (1991) 89
pound SmRuSn ₃	104-107 (1992) 667	Galtier, M., see C. Chappert	93 (1991) 319
Fulde, P., see JI. Igarashi	104-107 (1992) 596	Gamari-Seale, E., see C. Routsi	98 (1991) 257
Funahashi, S., see J. Iida	104-107 (1992) 827	Gamari-Seale, E., see Ch.D. Routsi	102 (1991) 266
Furdyna, J.K., see P. Kłosowski	104-107 (1992) 1795	Gamari-Seale, E., see Ch.D. Routsi	102 (1991) 275
Furrer, A., see L. Keller	104-107 (1992) 1201	Gamari-Seale, E., see Ch. Routsi	110 (1992) 317
Furrer, A., see A. Dönni	104-107 (1992) 1204	Gamari-Seale, H., see W. Likodimos	104–107 (1992) 563
Furubayashi, T., see M. Albrecht	104-107 (1992) 1699	Gamari-Seale, H., see A. Koufoudakis	104–107 (1992) 568
Furuto, Y., see S. Nakagawa	104-107 (1992) 1801	Gamčík, F., see P. Sovák	98 (1991) 205
Furuto, Y., see S. Nakagawa	104-107 (1992) 2047	Gangopadhyay, A.K., K. Lettau, C.	70 (1771) 203
Fuss, A., see P. Grünberg	104-107 (1992) 1734	Lettau, J.S. Schilling, E. Schuberth,	
Futakata, T., M. Yamaguchi, I. Ya-		W. Fuchs, K. Andres, M. Damento	
mamoto, M.I. Bartashevich, T.		and K.A. Gschneidner Jr., Long-	
Goto, A. Ito and S. Morimoto,		range magnetic order in Ce(Cu _{1-x}	
Magnetic properties of the hydrides		$Ag_{r})_{6}$	103 (1992) 267
of YFe ₃ -related compounds	104-107 (1992) 729	Gannac, Y., see J. Degauque	101 (1991) 114
Futakata, T., see M. Yamaguchi	104-107 (1992) 731	Gao, R.w., H. Li, S.t. Jiang, L.m. Mei	, , , , , , , , , , , , , , , , , , , ,
Futamoto, M., see T. Takeuchi	104-107 (1992) 1803	and M.y. Qui, Investigations on	

	magnetization reversal processes in		Gavrin, A., J.H. Hsu, B.G. Alten, J.R.	
	oriented sintered Nd-Fe-B alloys	95 (1991) 205	Childress and A.C.L. Chien, Com-	
	Gaponov, A.I., see Yu.N. Mitzay	110 (1992) 80	peting magnetic interactions in	
(Garanin, D.A. and V.S. Lutovinov,		metastable Gd-Cr alloys	104-107 (1992) 1351
	Self-consistent fluctuation theory for		Gawalek, W., see W. Andrä	104-107 (1992) 481
	classical spin systems on 3D lattices	104-107 (1992) 291	Gawiec, P., see D.R. Grempel	104-107 (1992) 289
(García, L.M., see C. Piqué	104-107 (1992)1167	Gay, J.G. and R. Richter, Spin-orbit	
(García, N. and A. Hernando, Theory		induced orbital angular momentum	
	for coupling ferromagnets through		in monolayers (Invited paper)	93 (1991) 315
	paramagnetic layers: direct ex-		Gaydukova, I.Yu., see R. Ballou	104-107 (1992) 1465
	change coupling plus a magnetic		Gayle, F.W., see L.H. Bennett	104-107 (1992) 539
	pump mechanism (Letter to the Edi-		Gayoso, M., see J. Rivas	101 (1991) 405
	tor)	99 (1991) L12	Ge, Yp., see Zg. Zhao	98 (1991)L231
1	García, N. and A. Hernando, Free		Ge, YP., see ZG. Zhao	104-107 (1992) 1289
	electron polarization in a ferro-		Geerts, W.J.M.A., see T. Masuda	95 (1991) 123
	paramagnet thin bilayer (Letter to		Geerts, W.J.M.A., see J. Šimšová	101 (1991) 196
	the Editor)	99 (1991) L20	Geerts, W.J.M.A., J.C. Lodder and	
	García-Arribas, A., see P.T. Squire	104-107 (1992) 107	Th.J.A. Popma, Surface properties	
	García-Landa, B., see M.R. Ibarra	104-107 (1992) 1375	and stray fields of rf-sputtered Co-	
	García-Muñoz, J.L., J. Rodríguez-		Cr films	104-107 (1992) 971
	Carvajal, S.H. Kilcoyne, C.J. Board-		Gehring, G.A., see T. Xiang	104-107 (1992) 861
	man and R. Cywinski, Magnetic		Gehring, G.A. and L.E. Major, The	
	correlations in $YBa_2(Cu_{1-x}Fe_x)_3$		temperature dependence of the	
	O _{6+y}	104–107 (1992) 555	thermodynamic properties of ura-	
	García-Muñoz, J.L., J. Rodríguez-		nium compounds	108 (1992) 87
	Carvajal and X. Obradors, Mag-		Gehring, G.A. and R. Wojciechowski,	
	netism in the rare-earth cuprates		The temperature dependence of the	
	$R_2Cu_2O_5$ (R = Y, Ho, Er, Yb, Tm)	104–107 (1992) 617	elastic properties of heavy fermion	
	Garcia, J., see J. Blasco	104–107 (1992) 573	compounds	108 (1992) 89
	Garcia, J., see J. Chaboy	104–107 (1992) 661	Gehring, G.A., see T.M. Hong	108 (1992) 93
	Garcia, J., see J. Chaboy	104–107 (1992)1171	Gehring, P.M., see A. Del Moral	104–107 (1992) 243
	García, L.M., see F.J. Lázaro	101 (1991) 372	Geibel, C., see A. Krimmel	103 (1992) 73
	Garcia-Escorial, A., see F. Carmona	101 (1991) 119	Geibel, C., see A. Krimmel	104–107 (1992) 25
	Garrett, J.D., see W. Wei	108 (1992) 77	Geibel, C., see F. Steglich	108 (1992) 5
	Gasche, T., see S. Auluck	104–107 (1992) 35	Geibel, C., see S. Horn	108 (1992) 205
	Gasche, T., S. Auluck, M.S.S. Brooks		Geibel, C., C. Kämmerer, B. Seidel, C.D. Bredl, A. Grauel and F.	
	and B. Johansson, Theory of the		Steglich, Magnetic ordering in the	
	magnetism of ternary uranium com-	104–107 (1992) 37	heavy-fermion compounds CePtSi ₂	
	pounds Gasche, T., see M.S.S. Brooks	104–107 (1992) 1381	and CeNiGe ₂	108 (1992) 207
	Gasche, T., see M.S.S. Brooks	104–107 (1992)1496	Geibel, C., R. Köhler, A. Böhm, J.	100 (1772) 207
	Gatteschi, D. and R. Sessoli, Molecular	107 107 (1772)1470	Diehl, B. Seidel, C. Kämmerer, A.	
	based magnetic materials	104-107 (1992) 2092	Grauel, C.D. Bredl, S. Horn, G.	
	Gaulin, B.D., see T.E. Mason	104–107 (1992) 197	Weber and F. Steglich, Coherent	
	Gaulin, B.D., see Z. Tun	104–107 (1992) 1045	heavy Fermi-liquid behaviour in the	
	Gaulin, B.D., see W. Wei	108 (1992) 77	new compound U ₂ Pt ₁₅ Si ₇	108 (1992) 209
	Gautier, F. and D. Stoeffler, Electronic	200 (2772)	Geick, R., see D. Sieger	104-107 (1992) 895
	structure, magnetism and growth of		Geick, R., see H. Tietze-Jaensch	104–107 (1992) 897
	ultrathin films of transition metals	93 (1991) 10	Geick, R., see C. Brotzeller	104-107 (1992) 949
	Gautier, F., see D. Stoeffler	93 (1991) 386	Geick, R., see W. Schmidt	104-107 (1992) 1049
	Gautier, F., see A. Bieber	99 (1991) 293	Gemperle, R., see J. Šimšová	95 (1991) 85
	Gautier, F., see H. Ness	104–107 (1992)1697	Gemperle, R., see J. Šimšová	101 (1991) 196
	Gautier, F., see D. Stoeffler	104–107 (1992) 1819	Gemperle, R., see P. Novotný	102 (1991) 18
	Gavigan, J.P., see C. Lacroix	93 (1991) 413	Geoffroy, O. and J.L. Porteseil, Sand-	
	Gavoille, G., J. Hubsch and S. Koutani,	,,	pile simulation of Barkhausen noise	
	Random anisotropy in the Co ₂ TiO ₄		in soft magnetic materials	97 (1991) 198
	compound	102 (1991) 283		

Geoffroy, O. and J.L. Porteseil, On the		Giammaria, F., see F. D'Orazio	104-107 (1992) 441
fractal nature of Barkhausen noise		Gibbons, E.P., see E.M. Forgan	104–107 (1992) 911
in magetically soft materials	97 (1991) 205	Gibbs, D., see T. Chattopadhyay	104–107 (1992) 1213
Geoffroy, O. and J.L. Porteseil, Contri-		Gibbs, D., Resonant X-ray magnetic	104 107 (1002) 1400
bution to quantitative interpretation	104 107 (1002) 270	scattering in holmium	104–107 (1992) 1489 103 (1992) 97
of losses developed in soft materials	104–107 (1992) 379 93 (1991) 545	Gibbs, M.R.J., see A.P. Thomas Gibbs, M.R.J., see P.T. Squire	103 (1992) 97
George, B., see C. Dufour George, T.F., see T. Hai	97 (1991) 227	Gibbs, M.R.J., see P.T. Squire	104–107 (1992) 109
Georges, R., see J.J. Borrás-Almenar	104–107 (1992) 835	Gibbs, M.R.J., see Q.A. Pankhurst	104–107 (1992) 111
Georges, R., see J.J. Borras-Almenar	104–107 (1992) 955	Gibbs, M.R.J., I.E. Day, T.A. Lafford	
Georges, R., see A. le Lirzin	109 (1992) 47	and P.T. Squire, Domain wall mo-	
Georgiev, G., see J. Nikolov	101 (1991) 137	bility in amorphous wires	104-107 (1992) 327
Gerard, P. and R. Ballou, Anisotropy		Giebułtowicz, T.M., see P. Kłosowski	104-107 (1992) 1795
of the 3d-4f exchange interaction in		Gieraltowski, J., see A. Fessant	93 (1991) 242
R-Co intermetallics (R: rare earth)	104-107 (1992) 1463	Gieraltowski, J., see A. Rakii	93 (1991) 247
Gerber, A., see J. Beille	104–107 (1992) 532	Giessen, B.C., see D.P. Yang	109 (1992) 1
Gerber, R., see Z. Šimša	104-107 (1992) 403	Gignoux, D., see J.A. Blanco	97 (1991) 4
Gerber, R., see R. Atkinson	104–107 (1992)1005	Gignoux, D., D. Schmitt, A. Takeuchi	
Gerber, R., see H. Ugaki	104–107 (1992)1009	and F.Y. Zhang, Complex magnetic	
Geri, A., see L. De Rosa	101 (1991) 283	phase diagram in the hexagonal	07 (1001) 15
Gerling, R.W. and D.P. Landau, Linear		DyGa ₂ compound	97 (1991) 15
and non-linear excitations in the an-	104 107 (1002) 246	Gignoux, D., D. Schmitt, A. Takeuchi,	
tiferromagnetic xy chain	104–107 (1992) 246 104–107 (1992) 843	F.Y. Zhang, C. Rouchon and E. Roudat, Magnetic properties and	
Gerling, R.W., see D.P. Landau Gerling, R.W., see G. Kamieniarz	104–107 (1992) 865	structures of the hexagonal HoAlGa	
Gerling, R.W., see H. Grille	104–107 (1992) 1067	compound	98 (1991) 333
Germishuyse, T., see P. de V. du Plessis	104–107 (1992) 1349	Gignoux, D. and D. Schmitt, Rare earth	70 (1771) 333
Gerspach, A., see B. Lührmann	96 (1991) 237	intermetallics	100 (1991) 99
Gerth, H., see K. Ried	109 (1992) 275	Gignoux, D., P. Morin and D. Schmitt,	100 (1), 1)
Ges, A.P., see S.N. Barilo	102 (1991) 30	Multiple magnetic phase transitions	
Geshev, J., O. Popov, V. Masheva and		in the tetragonal GdPt ₂ Si ₂ and	
M. Mikhov, Thermomagnetic curves		GdAg ₂ compounds	102 (1991) 33
for a disordered system of single-		Gignoux, D., see A.R. Ball	104-107 (1992) 170
domain ferromagnetic particles with		Gignoux, D., see E. Bauer	104-107 (1992) 651
cubic anisotropy	92 (1990) 185	Gignoux, D., P. Morin, J. Voiron and	
Geshev, J. and M. Mikhov, Remanence		P. Burlet, Field-induced magnetic	
curves for a disordered system of		structures in the $Ce(Zn_{1-x}Cu_x)_2$	
three- and four-axial fine particles.	104 107 (1007) 1560	system $(x < 0.2)$	104–107 (1992) 1262
Henkel-type plots Getzlaff, M., see J. Bansmann	104–107 (1992) 1569	Gignoux, D., see P. Dalmas de Réotier	104–107 (1992) 1267
Getzlaff, M., J. Bansmann, C. Westphal	104–107 (1992) 1691	Gignoux, D., see J.A. Blanco	104–107 (1992)1273
and G. Schönhense, Exchange split-		Gignoux, D., see J.A. Blanco Gignoux, D., see J.A. Blanco	104–107 (1992) 1285
ting of adsorbate-induced bands on		Gignoux, D., see A.R. Ball	108 (1992) 51 109 (1992) 185
thin iron films	104-107 (1992) 1781	Gignoux, D., see A.R. Ball	110 (1992) 337
Gewinner, G., see C. Krembel	93 (1991) 529	Gignoux, D., see A.R. Ball	110 (1992) 337
Ghafari, M., R.K. Day, J.B. Dunlop)5 (1))1) 5 <u>2</u>)	Gillon, B., D. Petitgrand, P. Galez, J.C.	110 (1772) 543
and A.C. McGrath, Spin coupling in		Castaing and P. Schweiss, Magnetic	
amorphous Fe ₉₀ Sc ₁₀ alloy	104-107 (1992) 1668	susceptibility of neodymium in	
Ghani, A.A., A.A. Sattar and J. Pierre,		Nd ₂ CuO ₄ measured by polarised	
Composition dependence of magne-		neutron scattering	104-107 (1992) 583
tization in $Co_{1-x}Cd_xFe_2O_4$ ferrites	97 (1991) 141	Gillon, B., see O. Moze	104-107 (1992) 1394
Ghatak, S.K. and A. Mitra, A simple		Gilson, R., see M.D. Clarke	95 (1991) 17
fluxgate magnetometer using amor-		Gilson, R.G., see K. O'Grady	95 (1991) 341
phous alloys	103 (1992) 81	Giorgi, A., see P. Warren	104–107 (1992) 687
Ghatak, S.K., see A. Mitra	110 (1992) 135	Giri, A.K., see P. Brahma	102 (1991) 109
Ghosh, D.K., see M. Laad	104–107 (1992) 741	Giri, A.K., see P. Brahma	103 (1992) 174
Giacomini, H., see H.T. Diep	104–107 (1992) 184		

Giron, F., P. Boher, Ph. Houdy, F.		González, J.M., F. Cebollada, V.E.	
Pierre, P. Beauvillain, C. Chappert,		Martin, M. Leonato, D. Koeler and	
K. Le Dang and P. Veillet, En-		M. Seeger, Hysteretic behaviour of	101 (1001) 007
hanced differential magnetoresis-	104 105 (1000) 1005	rapidly solidified $Nd_{15-x}Dy_xFe_{76}B_9$	101 (1991) 397
tance of Cu/Co (100) multilayers	104–107 (1992) 1887	González, J., J.M. Blanco, P.G. Barbon	
Gitlits, M.V., see V.A. Virkovsky	95 (1991) 379	and K. Kułakowski, Thermal de-	
Givord, D., see B. Dieny	93 (1991) 503	pendence of the anisotropic contri-	
Givord, D., see J.M. Alameda	93 (1991) 509	bution to the stress derivative of the	
Giverd D. M.F. Pessignal D.W. Toy	104–107 (1992) 397	magnetostriction in $(Co_{0.95}Fe_{0.05})_{80}$	102 (1001) 62
Givord, D., M.F. Rossignol, D.W. Tay-		Si ₁₀ B ₁₀ amorphous alloy	102 (1991) 63
lor and A.E. Ray, Coercivity analysis in Sm(Co, Cu, Fe, Zr) ₇₋₈ mag-		González, J., see J.M. Blanco González, J., J.M. Blanco, M. Vázquez,	104–107 (1992) 137
nets	104-107 (1992)1126	J.M. Barandiarán and A. Hernando,	
Givord, D., Q. Lu, F.P. Missell, M.F.	104-107 (1992)1120	Kinetic magnetic relaxation in	
Rossignol, D.W. Taylor and V. Vil-		amorphous magnetostrictive wires	104-107 (1992) 139
las Boas, A direct study of the dipo-		Gonzalez, J., see J. Lamazares	104–107 (1992) 997
lar field in several RFeB systems	104-107 (1992)1129	Gonzalez, J.M., see F. Carmona	101 (1991) 119
Givord, D., see N.H. Duc	104–107 (1992) 1344	Gonzalez, J.M., see F. Cebollada	101 (1991) 199
Givord, D., see G. Peral	104–107 (1992) 1755	Gonzalez, J.M., see M.T. Clavaguera-	101 (1991) 199
Givord, D., see J.M. Alameda	104–107 (1992) 1813	Mora	104–107 (1992)1141
Gnidovec, D., see F. Vodopivec	97 (1991) 281	Gonzalez, J.M., F. Cebollada, V.E.	201 201 (2272) 2212
Gołab, M., see A.F. Andresen	95 (1991) 195	Martin, M. Leonato, A. Hernando,	
Göddenhenrich, T., see U. Hartmann	101 (1991) 263	E. Pulido and P. Crespo, Coercivity	
Godfrey, M.J., see J.M.F. Gunn	104-107 (1992) 465	of crystallized melt-spun Nd _{15-r}	
Godfrin, H., see D. Sieger	104-107 (1992) 895	$Dy_x Fe_{76}B_9$ (x = 3, 6, 9, 12, 15)	104-107 (1992)1179
Gogołowicz, M., see S. Juszczyk	92 (1991) 388	González-Calbet, J., see B. Martínez	104-107 (1992) 941
Gohuku, H., see H. Matsuda	110 (1992) 227	González-Calvet, J., see X. Batlle	104-107 (1992) 918
Gomes, A.A., see R.L. Sommer	97 (1991) 305	Gonzalez-Jimenez, F., see J. Lamazares	104-107 (1992) 997
Gomes, A.A., see R.L. Sommer	103 (1992) 25	Gorbacz, W.N., see A.A. Murakhowski	101 (1991) 131
Gómez Sal, J.C., see L. Fernández		Gorges, B., see P. Dalmas de Réotier	104–107 (1992)1267
Barquin	101 (1991) 52	Gorges, B., see A.R. Ball	109 (1992) 185
Gómez Sal, J.C., see L. Fernández		Görlitz, D., J. Kötzler and Th. Lange,	
Barquín	104–107 (1992) 97	Magnetization dynamics in the	
Gómez Sal, J.C., see J.A. Blanco	104–107 (1992) 1273	Heisenberg ferromagnets EuS and	
Gómez Sal, J.C., see J.A. Blanco	104–107 (1992) 1285	EuO below the Curie temperature	104–107 (1992) 339
Gómez Sal, J.C., see J.A. Blanco	108 (1992) 51	Gorman, G.L., see C.J. Lin	93 (1991) 194
Gomez-García, C.J., see J.J. Borrás-Al-	104 107 (1002) 925	Görnert, P., see Z. Simša	104–107 (1992) 403
menar	104–107 (1992) 835	Görnert, P., see W. Andrä	104–107 (1992) 481
Gómez-García, C.J., see J.J. Borras-Al-	104 107 (1002) 055	Göser, O., W. Paul and H.G. Kahle, Magnetic properties of CrSBr	92 (1990) 129
menar	104–107 (1992) 955 103 (1992) 117	Goshima, H., see J. Sakurai	104–107 (1992) 1415
Gómez-Polo, C., see A.M. Severino Gómez-Polo, C., see J.M. Blanco	103 (1992) 117	Goto, K., see Y. Takeno	93 (1991) 237
Gonçalves, J.R. and L.L. Gonçalves,	104-107 (1772) 137	Goto, M., see S. Ishio	104–107 (1992) 143
Mixed spins Ising model on the		Goto, M., see T. Kamimori	104–107 (1992) 1219
honeycomb lattice	104-107 (1992) 261	Goto, M., T. Sai, H. Tange and T.	10+ 10/ (1)/2/121/
Gonçalves, L.L., see J.R. Gonçalves	104–107 (1992) 261	Kamimori, Hysteresis loop of Fe and	
Gondō, Y., K. Aoyagi, T. Ishi and H.	10. 10. (22.2) 10.	Ni successively evaporated multi-	
Kogure and Y. Suezawa, Structure		layer films	104-107 (1992) 1789
and magnetic properties of self-ion-		Goto, M., see H. Tange	109 (1992) 169
implanted Fe and Ni films	93 (1991) 43	Goto, T., K. Kuroda, H. Komatsu and	
Gontarz, R. and T. Lucinski, On mag-		K. Fukamichi, Magnetic phase dia-	
netic anisotropy in sputtered Co-Pd		gram of amorphous Fe-rich Fe _{1-x}	
alloy films	101 (1991) 253	Lu _x alloys	104-107 (1992) 135
González, A.C., see R.E. Parra	104-107 (1992) 2017	Goto, T., see T. Futakata	104-107 (1992) 729
González, J., see M. Vázquez	96 (1991) 321	Goto, T., see M. Yamaguchi	104-107 (1992) 731
González, J., see J.M. Blanco	101 (1991) 35	Goto, T., see A. Ito	104–107 (1992)1635
González, J., see I. Ibarrondo	101 (1991) 83	Goto, T., see H. Aruga Katori	104–107 (1992) 1639

			104 107 (1002) 272
Goto, T., see A. Kashiwakura	104–107 (1992) 2049	Gregg, J.F., see S.J. Dawson	104–107 (1992) 373
Goto, T., H. Utsugi and A. Kashi-		Gregg, J.F. and J.S. Lord, Microwave	
wakura, Effect of atomic environ-		ultrasonic measurement of nuclear	104 107 (1002) 057
ment on ⁵⁷ Fe hyperfine structure in		spin diffusion	104–107 (1992) 957
Fe-Pt alloys	104–107 (1992) 2051	Gregory, C.I., D.B. Lambrick and N.R.	
Gouzerh, J., A.A. Stashkevich, N.G.		Bernhoeft, Magnetisation study of	104 107 (1003) (00
Kovshikov, V.V. Matyushev and		the magnetic phase diagram in MnSi	104–107 (1992) 689
J.M. Desvignes, Reflection of mag-		Greig, D., M.J. Hall, C. Hammond, B.J.	
netostatic waves from a laser-an-	101 (1001) 100	Hickey, H.P. Ho, M.A. Howson,	
nealed grating in a garnet film	101 (1991) 189	M.J. Walker, N. Wiser and D.G.	
Gradmann, U., Surface magnetism	100 (1991) 481	Wright, The giant magnetoresis-	
Gradmann, U., see M. Albrecht	104–107 (1992) 1699	tance of Co/Cu superlattices grown	110 (1002)1 220
Graf, H.A., see M. Winkelmann	104–107 (1992) 871	by MBE (Letter to the Editor)	110 (1992)L239
Graham, J.T., see H.M. Elmehdi	104–107 (1992) 193	Grempel, D.R. and P. Gawiec, Ground	
Graham, R., see H. Figiel	101 (1991) 401	state morphology and excitations of	104 107 (1002) 290
Graham, R.G., see P.C. Riedi	104–107 (1992) 503	a 2D random XY model	104–107 (1992) 289
Graham, R.G., J.S. Lord, P.C. Riedi,		Greneche, J.M., see M. Lahlou-Mimi	92 (1991) 375
Y. Yamada, H. Nakamura and K.		Greneche, J.M., see J. Renaudin	92 (1991) 381 101 (1991) 403
Yoshimura, Pressure dependence of	104 107 (1002) 641	Grenethe, J.M., see J. Rivas	104–107 (1992) 532
the NQR of YbInCu ₄	104–107 (1992) 641	Grenier J.C. see V. Carteaux	94 (1991) 127
Graham, R.G., see M.B. Fontes	104–107 (1992) 1315	Grenier, J.C., see V. Carteaux	92 (1990) 125
Graham, R.G., see Y. Yamada	104–107 (1992) 1317 104–107 (1992) 1333	Grešovnik, F., see F. Vodopivec Grešovnik, F., see F. Vodopivec	97 (1991) 281
Graham, R.G., see Cz. Kapusta Graham, R.G., see Y. Kasamatsu	104–107 (1992)1413	Grigereit, T.E., Y. Liu, P. Zhou, J.E.	97 (1991) 201
Graham, R.G., see J.G.M. Armitage	104–107 (1992) 1935	Drumheller, A. Bonomartini-Cor-	
Grahl, M. and J. Kötzler, Narrow cen-	104-107 (1772)1733	radi, M.R. Bond, H. Place and R.D.	
tral peak of the magnetization dy-		Willett, Magnetic properties of two	
namics at and below T_c in the sin-		new low-dimensional copper-halide	
glet-singlet ferromagnet LiTbF ₄	104-107 (1992) 219	systems	104–107 (1992) 831
Granberg, P., L. Lundgren and P.	101 107 (1772) 217	Grigereit, T.E., J.E. Drumheller, B.	10 / 10 / (1772) 051
Nordblad, Non-equilibrium relax-		Scott, G. Pon and R.D. Willett,	
ation in a Cu(Mn) spin glass	92 (1990) 228	Electronic control of exchange cou-	
Granberg, P., see J. Mattsson	104–107 (1992) 1619	pling in copper(II) halide dimers	104-107 (1992) 1981
Granberg, P., see J. Mattsson	104-107 (1992) 1621	Grille, H., G. Kamieniarz and R.W.	10. 10. (1., 2, 1., 0.1
Granberg, P., see J. Mattsson	104-107 (1992) 1623	Gerling, Spin-dynamics of the clas-	
Grandjean, F., see O.A. Pringle	104-107 (1992)1123	sical easy-plane Heisenberg chain	104-107 (1992) 1067
Grandjean, F., see D.E. Tharp	104-107 (1992) 1477	Grolier, V., see F. Pierre	104-107 (1992) 1033
Granovsky, A.B., see A.D. Arsenieva	99 (1991) 167	Groń, T., J. Krok-Kowalski, M. Kurza-	
Granovsky, A.B., see A.V. Vedyayev	99 (1991) 190	wa and J. Walczak, Electrical con-	
Grant, W.A., see V. Florescu	92 (1990) 137	ductivity in the antiferromagnetic	
Gratz, E., see E. Bauer	104-107 (1992) 651	compounds FeVO ₄ , FeVMoO ₇ and	
Gratz, E., R. Resel, E. Bauer, N. Pill-		$Fe_4V_2Mo_3O_{20}$	101 (1991) 148
mayer and N. Baranov, Transport		Gronert, H.W., see S. Welzel-Gerth	101 (1991) 37
properties in $Hf(Fe_xCo_{1-x})_2$ com-		Gropelli, S., see C. Beatrice	93 (1991) 147
pounds	104-107 (1992)1918	Gros, Y., see F. Hartmann-Boutron	104-107 (1992) 501
Gratz, E., see E. Bauer	108 (1992) 159	Gros, Y., F. Hartmann-Boutron, J.	
Grauel, A., see F. Steglich	108 (1992) 5	Odin, A. Berton, P. Strobel and C.	
Grauel, A., see C. Geibel	108 (1992) 207	Meyer, Study of the magnetic tran-	
Grauel, A., see C. Geibel	108 (1992) 209	sitions in Y ₂ BaCuO ₅ and Y ₂ Cu ₂ O ₅	
Gravereau, P., see T. Berlureau	102 (1991) 166	by specific heat and Mössbauer	
Grebenyuk, Yu.P., see P.A. Alekseev	110 (1992) 119	measurements	104–107 (1992) 621
Grebinnik, V.G., see H. Maletta	104–107 (1992) 495	Grössinger, R., see M. Katter	92 (1990) L14
Greeney, R.E., see C.P. Landee	104–107 (1992) 788	Grössinger, R., see X.C. Kou	95 (1991) 184
Greenough, R.D., A.G.I. Jenner, M.P.		Grössinger, R., see W. Coene	96 (1991) 189
Schulze and A.J. Wilkinson, The		Grössinger, R., see X.K. Sun	96 (1991) 197
properties and applications of mag-		Grössinger, R., M. Katter, G. Badurek	
netostrictive rare-earth compounds (<i>Invited paper</i>)	101 (1004) 77	and R. Krewenka, The construction	
(moneu puper)	101 (1991) 75		

of a highly sensitive pulsed-field		Jacobs and K.H.J. Buschow, 166Er	
magenetometer for measuring hard		and ⁵⁷ Fe Mössbauer effect in	
magnetic materials	101 (1991) 304	Er ₂ Fe ₁₇ IN _r	97 (1991) 69
Grössinger, R., see X.C. Kou	101 (1991) 349	Gubbens, P.C.M., K.H.J. Buschow, M.), (1),1), O)
Grössinger, R., see A. Handstein	101 (1991) 377	Diviš, J. Lange and M. Loewen-	
Grössinger, R., see C. Polak	104-107 (1992) 100	haupt, Influence of the magnetic	
Grössinger, R., see X.C. Kou	104-107 (1992) 1339	anisotropy on the relaxation behav-	
Grössinger, R., see X.C. Kou	104-107 (1992)1341	iour in DyCu ₂ and ErCu ₂	98 (1991) 141
Grössinger, R., see T.S. Zhao	104-107 (1992)1347	Gubbens, P.C.M., see A.A. Moolenaar	101 (1991) 395
Grössinger, R., see G. Wiesinger	104-107 (1992)1431	Gubbens, P.C.M., A.A. Moolenaar,	
Grover, A.K., see B.V.B. Sarkissian	104-107 (1992)1271	T.H. Jacobs and K.H.J. Buschow,	
Grübel, G., see K. Tajima	104–107 (1992) 177	$R_2 Fe_{17} C_x$ and $R_2 Fe_{17} N_x$ com-	
Grübel, G., see T. Chattopadhyay	104–107 (1992) 1213	pounds studied by means of ⁵⁷ Fe,	
Grünberg, P., J. Barnas, F. Saurenbach,		¹⁶⁶ Er and ¹⁶⁹ Tm Mössbauer spec-	
J.A. Fuß, A. Wolf and M. Vohl,		troscopy	104–107 (1992)1113
Layered magnetic structures: anti-		Gubbens, P.C.M., see P. Dalmas de	104 405 (4000) 4065
ferromagnetic type interlayer cou-		Réotier	104–107 (1992) 1267
pling and magnetoresistance due to antiparallel alignment (<i>Invited pa</i> -		Gubbens, P.C.M., P. Dalmas de	
per)	93 (1991) 58	Réotier, J.P. Sanchez, A. Yaouanc, C.E. Snel, R. Verhoef, F. Kayzel, J.	
Grünberg, P., see M. Vohl	93 (1991) 403	Song-Quan and J.J.M. Franse, Ef-	
Grünberg, P., see J. Barnaś	98 (1991) 57	fect of the Er ³⁺ crystal field on the	
Grünberg, P., see A. Fuß	103 (1992)L221	magnetic fluctuations in the para-	
Grünberg, P., S. Demokritov, A. Fuss,		magnetic phase of ErNi ₅	104-107 (1992) 1269
R. Schreiber, J.A. Wolf and S.T.		Gubbens, P.C.M., K.H.J. Buschow, M.	
Purcell, Interlayer exchange, mag-		Divis, M. Heidelman and M.	
netotransport and magnetic do-		Loewenhaupt, Crystal field and	
mains in Fe/Cr layered structures	104–107 (1992) 1734	magnetic relaxation in TmCu ₂ stud-	
Grünberger, W., B. Springmann, M.		ied by ¹⁶⁹ Tm Mössbauer spec-	
Brusberg, M. Schmidt and R.		troscopy	104–107 (1992)1283
Jahnke, Rubber bonded ferrite layer		Güdel, H.U., see L. Keller	104–107 (1992)1201
as a microwave resonant absorber in a frequency range from 3 up to 16		Guenzburger, D., see M. Del Castillo- Mussot	95 (1991) 154
GHz	101 (1991) 173	Guenzburger, D. and D.E. Ellis, Local)3 (1))1) 134
Grundy, P.J., see H. Matsuda	109 (1992) 133	magnetism of Fe impurities in non-	
Grundy, P.J., see H. Matsuda	110 (1992) 227	transition metal hosts	104-107 (1992) 2009
Grusková, A., see J. Sláma	101 (1991) 102	Guess, A.P., see S.S. Karneeva	110 (1992) 327
Grusková, A., J. Sláma, M. Michalíková,		Guidi, G., see L. Albanese	104-107 (1992) 509
J. Lipka, I. Tóth and P. Kaboš,		Guijarro, M., see J.M. Riveiro	104–107 (1992) 152
Preparation of substituted barium		Guillot, M., see D. Rodić	94 (1991) 260
ferrite powders	101 (1991) 227	Guillot, M., see A. Bousseksou	110 (1992) 295
Gschneidner Jr., K.A., see K. Ikeda	100 (1991) 292	Guillot, M., see J. Ostoréro	104–107 (1992) 425
Gschneidner Jr., K.A., see S. Tanoue	103 (1992) 129	Guillot, M., see O. Isnard	104-107 (1992) 2003
Gschneidner Jr., K.A., see A.K. Gan-	103 (1992) 267	Guimarães, A.P., see L. Iannarella Guimarães, A.P., see M.B. Fontes	102 (1991) 87 104–107 (1992) 1315
gopadhyay Goobhaidhar Ir K A saa S K Malik	103 (1992) 267	Guimarães, A.P. and K.M.B. Alves,	104-107 (1992)1313
Gschneidner Jr., K.A., see S.K. Malik Gu, Bx., see Bg. Shen	92 (1990) 53	High field magnetization of (R_x)	
Gu, B.X., H.R. Zhai and B.G. Shen,	72 (1770) 33	Y_{1-x}) Fe ₂ compounds	104-107 (1992)1460
Low temperature magnetic proper-		Guivarc'h, A., see S. Auffret	104-107 (1992)1209
ties, Curie temperature and crystal-		Gunn, J.M.F., M.J. Godfrey and B.D.	
lization temperature of amorphous		Simons, Holes in antiferromagnets:	
$Nd_x Fe_{81}B_{19-x} \ (0 \le x \le 19)$ alloys	97 (1991) 40	motion and effect on local magnetic	
Gu, B.X., see H.R. Zhai	104-107 (1992) 1015	structure	104-107 (1992) 465
Gu, B.X., see H. Wang	104-107 (1992) 1827	Gunnarsson, K., see A. Seidel	104–107 (1992) 1599
Guarisco, D., see F. Meier	93 (1991) 523	Gunnarsson, K., JO. Andersson, P.	
Gubbens, P.C.M., A.A. Moolenaar, G.J.		Svedlindh, P. Nordblad, L. Lund-	
Boender, A.M. van der Kraan, T.H.		gren, H. Aruga Katori and A. Ito,	

Equilibrium and nonequilibrium magnetic behaviour of a reentrant Ising spin glass Güntherodt, G., see B. Hillebrands Güntherodt, G., see P. Baumgart Güntherodt, G., see S. Patil	104–107 (1992)1607 93 (1991) 211 93 (1991) 225 104–107 (1992) 521	Gygax, F.N., see H. Maletta Gygax, F.N., see A. Schenck Gyorffy, B.L., see P. Strange Gyorffy, B.L., see M.B. Taylor Gyorgy, E.M., see S.K. Chen	104–107 (1992) 495 108 (1992) 97 104–107 (1992) 755 104–107 (1992) 877 110 (1992) 65
Güntherodt, G., see W. Weber Güntherodt, G., see J.V. Harzer Guo, G.Y., W.M. Temmerman and H. Ebert, An ab initio study of the magnetic anisotropy of Fe _n /Cu (Ag) _m multilayers	104–107 (1992) 1791 104–107 (1992) 1863 104–107 (1992) 1772	Habermeier, HU., see A. Forkl Habib, J.M., see L.H. Bennett Hadjipanayis, G., see K.N. Trohidou Hadjipanayis, G.C., Response comments to the article "Some com-	93 (1991) 261 104–107 (1992) 539 104–107 (1992)1587
Guo, Hq., see Bg. Shen Guo, Hq., see Bg. Shen	92 (1990) L30 96 (1991) 335	ments on magnetization reversal in uniaxial ferrite magnets" (Letter to	0.0000 7.40
Guo, Hq., Xd. Ma, Ly. Yang, Bg. Shen and Jg. Zhao, Structure, magnetic properties and stability of		the Editor) Hadjipanayis, G.C., see K.D. Aylesworth	92 (1990) L43 98 (1991) 65
the interfaces in Fe/Cu multilayer Guo, HQ., see LY. Yang	99 (1991) 199 104–107 (1992)1191	Hadjipanayis, G.C., see Y.Z. Wang Hadjipanayis, G.C., see L. Withanawa-	104–107 (1992)1132
Guo, HQ., see BG. Shen	104–107 (1992) 2021	sam	104–107 (1992)1137
Guo Mian and R.S. Indeck, An interaction matrix for the energy analysis of an <i>n</i> -layered magnetic thin-film system Guo, QC., see GH. Pan	96 (1991) 248 104–107 (1992) 981	Hadjipanayis, G.C., see L. Yiping Hadjoudj, S., S. Senoussi and I. Mirebeau, Study of domains in reentrants Fe–Zr by Lorentz transmission electron microscopy and neu-	104-107 (1992)1545
Gupta, H.O., see R. Krishnan	93 (1991) 174	tron depolarisation measurements	93 (1991) 136
Gupta, H.O., see L.J. Heyderman	96 (1991) 125	Haen, P., see F. Lapierre	108 (1992) 167
Gupta, H.O., see R. Zuberek	101 (1991) 219	Hafner, J., see I. Turek	109 (1992)L145
Gupta, L.C., see M. Huang	97 (1991) 297	Haga, Y., see Y. Okayama	108 (1992) 113
Guretskii, S.A., see S.N. Barilo	102 (1991) 30	Hagdorn, K., see Th. Brückel	104-107 (1992) 1629
Gurney, B.A., see B. Dieny	93 (1991) 101	Hagen, M.E., see J.A. Fernandez-Baca	104-107 (1992) 699
Guskos, N., see W. Likodimos	104-107 (1992) 563	Häggström, L., A. Seidel and H.	
Gusmão, M.A., see L.G. Brunet	108 (1992) 147	Fjellvåg, Mössbauer studies of ⁵⁷ Fe-	
Gutierrez, C.J., Z.Q. Qiu, M.D. Wiec-		doped CrAs	97 (1991) 251
zorek, H. Tang and J.C. Walker,		Häggström, L., A. Seidel and R. Berger,	
The observation of a 3-D to 2-D		A Mössbauer study of antiferromag-	
crossover in the magnetism of epi-		netic ordering in iron deficient	
taxial Fe(110)/Ag(111) multilayers	93 (1991) 326	$TlFe_{2-x}Se_2$	98 (1991) 37
Gutierrez, C.J., M.D. Wieczorek, Z.Q.		Häggström, L., see A. Seidel	104–107 (1992) 1599
Qiu, H. Tang and J.C. Walker, The		Hagiwara, M., see Y. Kimishima	104–107 (1992) 781
Mössbauer properties of epitaxial Fe-bcc Ni multilayers	93 (1991) 369	Hagiwara, M., K. Katsumata, J.P. Re-	
Gutierrez, C.J., M.D. Wieczorek, H.	73 (1771) 307	nard, I. Affleck and B.I. Halperin, Hyperfine structure due to the $S =$	
Tang, Z.Q. Qiu and J.C. Walker,		1/2 degrees of freedom in an $S = 1$	
Mössbauer studies of Fe(100)/		linear-chain antiferromagnet	104–107 (1992) 839
Ag(100) multilayers grown on		Hai, T., Z.Y. Li, D.L. Lin and T.F.	10 (10 / (1))2) 03)
NaCl(100) by molecular beam epi-		George, Critical behavior in mag-	
taxy	99 (1991) 215	netic superlattices	97 (1991) 227
Gutierrez, C.J., see J.C. Walker	104-107 (1992) 1703	Hajko, V., see A. Zentko	104-107 (1992) 581
Gutiérrez, J., see L. Fernández Barquin	101 (1991) 52	Hakenová, J., see M. Kučera	104-107 (1992) 439
Gutierrez, J., see P.T. Squire Guyot, M. and V. Cagan, The acoustic emission along the hysteresis loop	104–107 (1992) 107	Hakkens, F., see W. Coene Hakonen, P., O.V. Lounasmaa and A. Oja, Spontaneous nuclear magnetic	96 (1991) 189
of various ferro and ferrimagnets		ordering in copper and silver at	
(Invited paper)	101 (1991) 256	nano- and picokelvin temperatures	100 (1991) 394
Gwiazda, J., see W. Dudek	94 (1991) 243	Hakonen, P.J., K.K. Nummila, R.T.	
Gygax, F.N., see A. Kalk	102 (1991) 184	Vuorinen and S. Yin, Antiferromag-	

notic ordering in ellips at picelable			104 105 (1003)1135
netic ordering in silver at picokelvin	104 107 (1002) 002	Hanitsch, R., see K. Hameyer	104–107 (1992)1135
temperatures	104–107 (1992) 903	Hankiewicz, J.H., see A.A. Murakhow-	104 (1004) 104
Hall, I., see S.R. Brown	104–107 (1992) 921	ski	101 (1991) 131
Hall, M.J., see D. Greig	110 (1992)L239	Hankiewicz, J.H., Z. Pająk and A.A.	
Halperin, B.I., Quantum antiferromag-		Murakhowski, Nuclear magnetic	
nets in one and two dimensions	104–107 (1992) 761	resonance in Ba ₃ Co ₂ Fe ₂₄ O ₄₁ fer-	
Halperin, B.I., see M. Hagiwara	104–107 (1992) 839	rite	101 (1991) 134
Hamdani, F., see J.P. Lascaray	104–107 (1992) 995	Hanninger, A., see G. Schaudy	104–107 (1992) 477
Hamdaoui, N., see M.J. Besnus	104–107 (1992) 1385	Hanson, M., The frequency depend-	
Hamdaoui, N., see M.J. Besnus	104–107 (1992) 1387	ence of the complex susceptibility of	
Hameyer, K. and R. Hanitsch, Some		magnetic liquids	96 (1991) 105
aspects of the design of rotating ac-		Hanson, M. and C. Johansson, Interac-	
tuators	101 (1991) 286	tion effects in the dynamic response	
Hameyer, K. and R. Hanitsch, Opti-		of magnetic liquids	101 (1991) 45
mization of a rotating actuator with		Hara, K., K. Itoh, M. Kamiya, H. Fuji-	
permanent magnets	104-107 (1992)1135	wara, K. Okamoto and T. Hashi-	
Hamman, J., see A. Bousseksou	110 (1992) 295	moto, Measurement of magnetore-	
Hammann, J., see L. Leylekian	104-107 (1992) 775	sistance effect in nickel films de-	
Hammann, J., M. Ocio, E. Vincent, M.		posited obliquely by thermal evapo-	
Lederman and R. Orbach, Barrier		ration	92 (1990) 68
heights versus temperature in spin		Hara, K., see K. Itoh	94 (1991) 235
glasses	104-107 (1992) 1617	Hara, K., K. Itoh, M. Kamiya, K.	
Hammann, J., see P. Bellot	108 (1992) 141	Okamoto, T. Hashimoto and H. Fu-	
Hammond, C., see D. Greig	110 (1992)L239	jiwara, Magnetic anisotropy of	
Hamzić, A., see F. Petroff	93 (1991) 95	obliquely vapor-deposited Co-Ni	
Han, B.S., see X.F. Nie	95 (1991) 231	films	102 (1991) 247
Han, B.S., Behavior of vertical-Bloch-		Hara, M., see K. Kawasaki	104-107 (1992) 253
line chains of hard domains in gar-		Harada, M., see Y. Yamaguchi	103 (1992) 50
net bubble films	100 (1991) 455	Harada, T., T. Makabe, T. Kanomata	
Han, B.S., R. Dahlbeck, Y. Yuan and J.		and T. Kaneko, Transport proper-	
Engemann, On the mechanism of		ties of the intermetallic compounds	
the critical temperature for the		$Mn_3Ga_1 - xZnxC$	104-107 (1992)1955
break-down of VBL chains	104-107 (1992) 305	Hariharan, S., see M.K. Devine	104-107 (1992) 377
Han, B.S., see X.F. Nie	104-107 (1992) 307	Harima, H. and A. Yanase, Fermi sur-	
Han, Xf., Ts. Zhao and Hm. Jin,		faces of CeCu ₆ and CeCu ₂ Si ₂	108 (1992) 145
Crystalline electric field in Nd,		Harlan, E.W., W.R.A. Jarvis, R.V.	
Sm _{1-r} Co ₅ compounds	102 (1991) 151	Chamberlain and G.C. DeFotis,	
Handstein, A., see KH. Müller	101 (1991) 375	Critical behavior of the dilute ferro-	
Handstein, A., KH. Müller, R.		magnet $\operatorname{Fe}_{1-x}\operatorname{As}_{x}[S_{2}\operatorname{CN}(C_{2}H_{5})_{2}]_{2}$	
Grössinger, H.R. Kirchmayr and R.		Cl	104-107 (1992) 189
Krewenka, Influence of particle size		Harmon, B.N., XW. Wang and PA.	
on the properties of polymer bonded		Lindgård, Calculation of the Ruder-	
Nd-Fe-B magnets	101 (1991) 377	man-Kittel interaction and the nu-	
Handstein, A., see P. Nothnagel	101 (1991) 379	clear magnetic ordering in silver	104-107 (1992)2113
Handstein, A., KH. Müller, D. Eckert		Harris, I.R., see A.J. Twin	104-107 (1992) 611
and P. Nothnagel, The dip in the		Harris, I.R., see P.J. McGuiness	104-107 (1992)1169
magnetization curves of sintered		Harris, I.R., see D.G.R. Jones	104-107 (1992)1468
Nd-Fe-B magnets with different		Harrison, A., see T.E. Mason	104-107 (1992) 197
degrees of texture	101 (1991) 382	Harrison, A., S.J. Clarke, T.E. Mason	
Handstein, A., see D. Eckert	101 (1991) 385	and D. Visser, Dispersion of spin-	
Handstein, A., see KH. Müller	104-107 (1992)1173	waves in the $S = 1/2$ square Heis-	
Hanf, M.C., see C. Krembel	93 (1991) 529	enberg antiferromagnet Cu(DCO ₂) ₂	
Hanitsch, R., Design and performance		$4D_2O$	104-107 (1992) 557
of electromagnetic machines based		Harrison, W.A., see M. Albrecht	104-107 (1992) 1699
on Nd-Fe-B magnets (Invited pa-		Harrowfield, I., see J. Muller	102 (1991) 305
per)	101 (1991) 271	Hart, A., see B. Dean	104-107 (1992) 1547
Hanitsch, R., see K. Hameyer	101 (1991) 286	Hartmann, D., see W. Weber	104-107 (1992) 1791

Hartmann, O., see P. Dalmas de Réo-		Hausleitner, Ch., see I. Turek	109 (1992)L145
tier	104–107 (1992)1267	Havela, L., see V. Sechovský	104–107 (1992) 7
Hartmann, U., T. Göddenhenrich and		Havela, L., see V. Sechovský	104–107 (1992) 11
C. Heiden, Magnetic force mi-		Havela, L., see E. Brück	104–107 (1992) 17
croscopy: current status and future		Havela, L., see L. Jirman	104–107 (1992) 19
trends (Invited paper)	101 (1991) 263	Havela, L., see H. Maletta	104–107 (1992) 21
Hartmann-Boutron, F., Y. Gros, C.		Havela, L., V. Sechovský, J.R. Naegele,	
Meyer, P. Strobel and J.L. Tho-		T. Almeida, E.H. Brück, H. Nakotte	
lence, Mössbauer investigation with		and F.R. de Boer, 5f electron local-	
⁵⁷ Fe of the bilayer compounds La ₂		ization in UTX compounds	104–107 (1992) 23
SrCu ₂ O ₆ , La ₂ CaCu ₂ O ₆ and La _{1.6}		Hawick, K.A., W.C.K. Poon and G.J.	
Sr _{0.4} CaCu ₂ O ₆	104-107 (1992) 501	Ackland, Dynamics of bond-diluted	
Hartmann-Boutron, F., see Y. Gros	104-107 (1992) 621	Ising magnets	104-107 (1992) 423
Haruki, M. and P. Wachter, Magnetic-		Hawkins, C. and J.M. Williams, Möss-	
field-induced 'superdiamagnetism'		bauer studies of superparamag-	
in a one-dimensional Pt complex be-		netism in E. coli	104-107 (1992) 1549
low 200 K	104-107 (1992) 475	Hayakawa, M., see K. Hayashi	92 (1990) 284
Haruna, K., see L. Bang	104-107 (1992) 147	Hayakawa, M., see K. Hayashi	96 (1991) 230
Harzer, J.V., see B. Hillebrands	93 (1991) 211	Hayashi, K., M. Hayakawa and K. Aso,	(
Harzer, J.V., B. Hillebrands, R.L.	, (1,) = 11	Effects of Ru and Ti additions on	
Stamps, G. Güntherodt, D. Weller,		soft magnetic properties in FeGaSi	
Ch. Lee, R.F.C. Farrow and E.E.		and FeAlSi sputtered films	92 (1990) 284
Marinero, Characterization of large		Hayashi, K., M. Hayakawa, T. Okamoto	72 (1770) 201
magnetic anisotropies in (100)- and		and K. Aso, Comparison of soft	
(111)-oriented Co/Pt multilayers by		magnetic properties between single	
Brillouin light scattering	104-107 (1992) 1863	crystals and sputtered films in Fe-	
	104–107 (1992)1868	RuGaSi (Sofmax) alloys	96 (1991) 230
Harzer, J.V., see R.L. Stamps Hasebe, Y., see S. Ohta	104–107 (1992)1979	Hayashi, M., see T. Myojin	104–107 (1992) 1195
Hasegawa, A. and H. Yamagami, Elec-	104-107 (1992)1979		104-107 (1992)1193
		Hayashi, M., T. Myojin, Y. Kasamatsu,	
tronic structures of plutonium mo- nochalcogenides	104–107 (1992) 65	Y. Imaeda, T. Ushida, A. Tsujimura and T. Hihara, NMR study of	
Hasegawa, A., see Y. Onuki	108 (1992) 19	The state of the s	104 107 (1002) 1225
		$Gd_2(Co_{1-x}Fe_x)_{14}B$ compounds	104–107 (1992)1225
Hasegawa, A., see H. Yamagami Hasegawa, K., see S. Nakagawa	108 (1992) 153 104–107 (1992) 1899	Haycock, P.W., see C.C. Tang	103 (1992) 86
		Hayden, S.M., see G. Aeppli	104–107 (1992) 507
Hasegawa, M., see K. Nakamura Hasegawa, M., see S. Tsunashima	93 (1991) 462 93 (1991) 465	Hayden, S.M., see J.A. Fernandez-Baca	104–107 (1992) 699
	93 (1991) 403	Hayden, S.M., see A. Dönni	104–107 (1992) 1204
Hasegawa, N. and M. Saito, Structural		He, Y.b., see C.b. Peng	110 (1992) 113
and soft magnetic properties of		Heap, R.T., P.W. Mitchell and L.M.	
nanocrystalline (Fe,Co,Ni)-Ta-C	102 (1002) 274	Needham, Low energy spin wave	104 405 (1000) 545
films with high thermal stability	103 (1992) 274	excitations in Ni ₆₀ Fe ₄₀	104–107 (1992) 715
Hasegawa, R., Amorphous magnetic	100 (1001) 1	Heckmann, O., see F. Scheurer	93 (1991) 150
materials – a history	100 (1991) 1	Hefferman, S.J., J.N. Chapman and S.	
Hashimoto, M., see T. Katayama	104–107 (1992) 1002	McVitie, In-situ magnetising experi-	
Hashimoto, M., see T. Sugimoto	104–107 (1992) 1845	ments on small regularly shaped	
Hashimoto, S., see K. Inomata	110 (1992) 233	permalloy particles	95 (1991) 76
Hashimoto, T., see K. Hara	92 (1990) 68	Hefferman, S.J., see H.Y. Wong	104–107 (1992) 329
Hashimoto, T., see K. Itoh	94 (1991) 235	Heffner, R.H., Muon studies of heavy	
Hashimoto, T., see K. Hara	102 (1991) 247	fermions	108 (1992) 23
Hashimoto, T., see Y. Tazuke	104–107 (1992) 725	Heffner, R.H., see E.A. Knetsch	108 (1992) 73
Hasumi, Y., see Y. Yokoyama	104–107 (1992) 559	Heidelman, M., see P.C.M. Gubbens	104–107 (1992) 1283
Hathaway, K.B. and J.R. Cullen, A		Heiden, C., see U. Hartmann	101 (1991) 263
free-electron model for the ex-		Heiden, C., see M. Kemper	101 (1991) 299
change coupling of ferromagnets		Hein, M., H. Piel, M. Strupp, M.R.	
through paramagnetic metals	104–107 (1992) 1840	Trunin and A.M. Portis, Granular	
Hausch, G., High temperature specific		behaviour of electrophoretic YBa ₂	
heat of FeNi and FePt Invar alloys	92 (1990) 87	Cu_3O_{7-x} coatings	104-107 (1992) 529
Hauser, R., see E. Bauer	104–107 (1992) 651	Heine, V., see K.S. Chana	104-107 (1992) 743

Sirschner, The growth of metastable boc Cu(001) and lattice expanded Pd(001) and magnetic coupling in Fe/Cu/Fe and Fe/Pd/Fe trilayers 93 (1991) 75 Heinrich, B., see JA.C. Bland 93 (1991) 571 Heinrich, B., see J.A.C. Bland 93 (1991) 571 Heinrich, B., see J.A.C. Bland 104-107 (1992) 1897 Helinrich, B., see J.A.C. Bland 104-107 (1992) 1999 Helgesen, G. and A.T. Skjeltorp, Experimental investigation of the dynamics of microspheres in ferrofluid Helman, J.S., see M. Del Castillo-Mussof 95 (1991) 154 Hempel, K.A., see J. Schumacher 102 (1991) 314 Hempel, K.A., see C. Schumacher 104-107 (1992) 1577 Hendriksen, P.V., S. Linderoth and PA. Lindgård, Finite-size effects in the magnetic properties of ferromagnetic clusters 104-107 (1992) 1577 Hennion, B., see C. Bellouard 104-107 (1992) 1577 Hennion, B., see C. Bellouard 104-107 (1992) 1577 Hennion, M., see C. Bellouard 104-107 (1992) 1577 Henris, E.M., see J. Wieting 104-107 (1992) 157 Herrand, A., see M. García 104-107 (1992) 157 Herrs, G., see K.S. Narayan 104-107 (1992) 157 Herrs, G., see K. S. Narayan 104-107 (1992) 157 Herrando, A., see J. Meiting 104-107 (1992) 157 Herrando, A., see M. Blanco 104-107 (1992) 157 Herrando, A., see J. Meiting 104-107 (1992) 157 Herrando, A., see J. Meiting 104-107 (1992) 157 Herrando, A., see J. Meiting 104-107 (1992) 157 Herrando, A., see M. García 104-107 (1992) 157 Herrando, A., see J. Meiting 104-107 (1992)	Heinrich, B., Z. Celinski, K. Myrtle, J.F. Cochran, A.S. Arrott and J.		Hesske, R.R. and S. Roth, A method for short-time annealing of amor-	
Heinrich, B., see W.B. Muirs See A.S. Arrott Si (1991) S7			Hesske, R.R. and S. Roth, Short time	101 (1991) 55
Heinrich, B., see A.S. Arrott 93 (1991) 571 Hewson, A.C., see T.A. Costi Heinrich, B., see C. Celinski 99 (1991) 125 Heinrich, B., see A.S. Band 104-107 (1992)1909 125 Heinrich, B., see J.A.C. Bland 120 (1991) 125 125	Fe/Cu/Fe and Fe/Pd/Fe trilayers	93 (1991) 75		101 (1991) 57
Heinrich, B., see As. Arrott 93 (1991) 571 Hewson, A.C., see T.A. Costi Hyderman, L.J., H. Niedoba, H.O. Cupta and I.B. Puchalska, 360° and (Pwalls in multilayer Permaloly films Post of the properties of the magnetic properties of ferromagnetic clusters 104-107 (1992) 157 Hennion, B., see F. Schumacher 102 (1991) 314 Hemdriksen, P.V., S. Linderoth and PA. Lindgård, Finite-size effects in the magnetic properties of ferromagnetic clusters 104-107 (1992) 157 Hennion, B., see C. Bellouard 104-107 (1992) 157 Hennion, M., see L. Mirebau 104-107 (1992) 157 Hennion, M., see L. Mirebau 104-107 (1992) 157 Hennion, M., see S. Narayan 104-107 (1992) 158 Hicks, E.M., see J. Mirebau 104-107 (1992) 158 Hicks, E.M., see J. Mirebau 104-107 (1992) 159 Herbst, J.F. and J.J. Croat, Neodymum-iron-boron permanent magnets magnetic materials: magnetostriction and induced anisotropies (Invited paper) 104-107 (1992) 129 Hernando, A., see N. Garcia 104-107 (1992) 129 Hernando, A., see N. Garcia 104-107 (1992) 139 Hernando, A., see J.M. Barandiarian 104-107 (1992) 139 Hernando, A., see J. M. Barandiarian 104-107 (1992) 139 Hernando, A., see J. M. Barandiarian 104-107 (1992) 139 Hernando, A., see J. M. Barandiarian 104-107 (1992) 139 Hernando, A., see J. M. Barandiarian 104-107 (1992) 139 Hernando, A., see J. González 104-107 (1992) 139 Hernando, A., see J. M. Barandiarian 104-107 (1992) 139 Hernando, A., see J. González 104-107 (1992) 139 Hinara, T., see K. Kajima 104-107 (1992) 139 Hinara, T., see K. Kajima 104-107 (1992) 139 Hinara, T., see K. Kajima 104-107 (1992) 139 Hinara, T., see K. Kojima 104-107 (1992) 139 Hinara, T., see K. Hiraba 104-107 (1992) 139 Hinara, T., see K. Hiraba 104-107 (1992) 139 Hinara, T., see K. Hiraba 104-107 (1992) 130 Hinara, T., see K	Heinrich, B., see W.B. Muir	93 (1991) 229	Hetherington, M.G., see A.D. Beale	104-107 (1992) 365
Heinrich, B., see J.A.C. Bland 104-107 (1992)1837 104-107 (1992)1837 104-107 (1992)1837 104-107 (1992)1837 104-107 (1992)1939 125		93 (1991) 331	Hewat, A.W., see L. Keller	104-107 (1992) 1201
Heinrich, B., see Q.M. Zhong 104-107 (1992) 1837 104-107 (1992) 1909 149 125 149 149 145 149 145 149 149 145 149 145 149 149 149 145 149 149 149 145 149 1			Hewson, A.C., see T.A. Costi	108 (1992) 129
Helinrich, B., see J.A.C. Bland 104-107 (1992) 1909 194 194 195 (1991) 125 196 197 (1991) 25 197 (1991) 25 198 (1991) 134 198 (1992) 177 199 (1992) 1577 198 (1992) 157 199 (1992) 157 199 (1992) 157 199 (1992) 158 199 (1992) 159 199 (1992) 159 199 (1992) 159 199 (1992) 159 199 (1992) 159 199 (1992) 159 199 (1992) 159 199 (1992) 159 199 (1992) 159 199 (1992) 159 199 (1992) 159				
Helgesen, G. and A.T. Skjeltorp, Experimental investigation of the dynamics of microspheres in ferrofluid Helman, J.S., see M. Del Castillo-Mussot 97 (1991) 25 154 162 (1991) 314 164 Hempel, K.A., see F. Schumacher 102 (1991) 314 164 Hemfriksen, P.V., S. Linderoth and PA. Lindgård, Finite-size effects in the magnetic properties of ferromagnetic clusters 104-107 (1992) 1577 164 Hennion, B., see C. Bellouard 104-107 (1992) 1577 164 Hennion, M., see C. Bellouard 104-107 (1992) 1577 164 Hennion, M., see C. Bellouard 104-107 (1992) 1577 164 Hennion, M., see C. Bellouard 104-107 (1992) 1579 164 Henny, J.Y., see J.W. Boucherle 104-107 (1992) 1580 164 Herst, J.F. and J.J. Croat, dynium-iron-boron permanent magnets 104-107 (1992) 48 104-107 (1992) 48 104-107 (1992) 128 164 Hermando, A., see M. Vázquez 96 (1991) 32 164 Hernando, A., see M. Vázquez 96 (1991) 32 164 Hernando, A., see J.M. Blanco 101 (1991) 55 164 Hernando, A., see J.M. Blanco 101 (1991) 55 101 (1991) 55 101 (1991) 55 101 (1991) 56 101 (1991) 57 164 Hernando, A., see J.M. Blanco 101 (1991) 57 164 Hernando, A., see J.M. Blanco 101 (1991) 56 101 (1991) 57 164 Hernando, A., see J.M. Blanco 101 (1991) 56 101 (1991) 56 101 (1991) 56 101 (1991) 56 101 (1991) 56 101 (1991) 56 101 (1991) 57 104 (1992) 103 104 (1992) 103 104 (1992) 103 104 (1992) 104 104 (1992) 107 104 (1992)			Gupta and I.B. Puchalska, 360° and	
Hibst, H., see H.J. Richter 95 (1991) 118		104–107 (1992) 1909		
Helman, J.S., see M. Del Castillo-Mussot 95 (1991) 154				
Helman, J.S., see M. Del Castillo-Mussoft		05 (4004) 05		95 (1991) 118
Sof 95 (1991) 154 Hempel, K.A., see F. Schumacher 102 (1991) 314 Hempel, K.A., see F. Schumacher 102 (1991) 314 Hilksen, P.V., S. Linderoth and PA. Lindgård, Finite-size effects in the magnetic properties of ferromagnetic clusters 104-107 (1992) 1577 Hennion, B., see C. Bellouard 104-107 (1992) 1577 Hennion, M., see C. Bellouard 104-107 (1992) 1578 Hennion, M., see C. Bellouard 104-107 (1992) 1579 Hennion, M., see C. Bellouard 104-107 (1992) 1579 Henry, J.Y., see W.G. Clark 104-107 (1992) 1527 Henry, J.Y., see W.G. Clark 104-107 (1992) 1528 Herbst, J.F. and J.J. Croat, Neodymium-iron-borro permanent magnets 100 (1991) 578 Hergst, R., see W. Andrå 104-107 (1992) 481 Hermando, A., see M. Oarda 104-107 (1992) 481 Hermando, A., see M. Oarda 99 (1991) 122 Hernando, A., see M. García 99 (1991) 120 Hernando, A., see N. García 99 (1991) 120 Hernando, A., see N. García 99 (1991) 120 Hernando, A., see M. J. Barandiarán 104-107 (1992) 139 Hernando, A., see M. J. Barandiarán 104-107 (1992) 139 Hernando, A., see M. J. Bernal 104-107 (1992) 139 Hernando, A., see M. J. Bernal 104-107 (1992) 139 Hernando, A., see M. J. Bernal 104-107 (1992) 139 Hernando, A., see M. J. Bernal 104-107 (1992) 139 Hernando, A., see M. J. Bernal 104-107 (1992) 139 Hernando, A., see M. J. Bernal 104-107 (1992) 139 Hernando, A., see J.M. Gonzalez 104-107 (1992) 139 Hernando, A., see J.M. Gonzalez 104-107 (1992) 139 Hernando, A., see J.M. Gonzalez 104-107 (1992) 139 Hernando, A., see J. M. Gonzalez 104-107 (1992) 139 Hernando, A., see J. M. Gonzalez 104-107 (1992) 139 Hernando, A., see J. M. Gonzalez 104-107 (1992) 139 Hernando, A., see S. G. M. Gonzalez 104-107 (1992) 139 Hernando, A., see S. G. M. Gonzalez 104-107 (1992) 139 Hernando, A., see S. G. M. Gonzalez 104-107 (1992) 139 Hernando, A., see S. G. M. Gonzalez 104-107 (1992) 139 Hernan	_	97 (1991) 25		
Hempel, K.A., see F. Schumacher 102 (1991) 314 Hendriksen, P.V., S. Linderoth and P A. Lindgard, Finite-size effects in the magnetic properties of ferromagnetic clusters 104-107 (1992)1577 Hennion, B., see C. Bellouard 104-107 (1992) 1627 Hennion, B., see F. Hippert 108 (1992) 177 Hennion, M., see C. Bellouard 104-107 (1992) 1570 Hennion, M., see L. Mirebau 104-107 (1992) 1580 Herbst, J.F., and J.J. Croat, Neodymium-iron-boron permanent magnets 101 (1991) 128 Hergt, R., see W. Andrä 104-107 (1992) 1029 Hergt, R., see W. Andrä 104-107 (1992) 1029 Hergt, R., see T. Maurer 104-107 (1992) 1029 Hermsmeier, B.D., see C.H. Lee 93 (1991) 592 Hernando, A., see N. García 99 (1991) L20 Hernando, A., see J.M. Banaoliarían 104-107 (1992) 73 Hipamore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Magnetorestriction and induced anisotropies (Incited paper) 101 (1991) 63 Hibara, T., see K. Kojima 104-107 (1992) 177 Hipamore, R.J., w.C. Shih, R.E. Somekh and J.E. Evetts, Magnetorestriction and induced anisotropies (Incited paper) 101 (1991) 35 Hibara, T., see K. Kojima 104-107 (1992) 177 Hipamore, R.J., w.C. Shih, R.E. Somekh and J.E. Evetts, Magnetorestriction and induced anisotropies 104-107 (1992) 179 Hibara, T., see K. Kojima 104-107 (1992) 179 Hibara, T., see K. Hinrioka 104-107 (1992) 179 Hibara, T., see K. Hinrioka 104-107 (1992) 179 Hibara, T., see K. Hinrioka 104-107 (1992) 179 Hibara		95 (1991) 154		
Hendriksen, P.V., S. Linderoth and P A. Lindgård, Finite-size effects in the magnetic properties of ferromagnetic clusters 104-107 (1992)1577 Hennion, B., see C. Bellouard 104-107 (1992)1577 Hennion, B., see F. Hippert 108 (1992) 177 Hennion, M., see C. Bellouard 104-107 (1992) 157 Hennion, M., see C. Bellouard 104-107 (1992) 157 Hennion, M., see L. Mirebeau 104-107 (1992) 1627 Hennion, M., see L. Mirebeau 104-107 (1992) 1627 Hennion, M., see L. Mirebeau 104-107 (1992) 1627 Henny, J.Y., see W.G. Clark 104-107 (1992) 1627 Henry, J.Y., see J.X. Boucherle 104-107 (1992) 589 Herbst, E.M., see J. Wieting 101 (1991) 128 Herbst, J.F. and J.J. Croat, Neodymium-iron-boron permanent magnets 104-107 (1992) 481 Hergt, R., see W. Andrä 104-107 (1992) 481 Hergt, R., see W. Andrä 104-107 (1992) 481 Hermando, A., see M. Vázquez 96 (1991) 321 Hernando, A., see N. García 99 (1991) L12 Hernando, A., see N. García 99 (1991) L20 Hernando, A., see N. García 99 (1991) L20 Hernando, A., see J.M. Barandiarán 104-107 (1992) 177 Hernando, A., see J.M. Barandiarán 104-107 (1992) 177 Hernando, A., see M. Darandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177 Hernando, A., see M. J. Barandiarán 104-107 (1992) 177			00 20.	104-107 (1992) 1743
A. Lindgård, Finite-size effects in the magnetic properties of ferromagnetic clusters Hennion, B., see C. Bellouard Hennion, B., see C. Bellouard Hennion, M., see M. Dellouard Hennion, M., see W. Dellouard Hennion, M., see M. Dellouard Hennion, M., see M. Dellouard Hennion, M., see M. Dellouard Hennion, M., see N. Dellouard Herbst, J.Y., see K. Sugiyam Henny, J.Y		102 (1771) 511		
the magnetic properties of ferromagnetic tusters 104-107 (1992)1577 Hennion, B., see C. Bellouard 104-107 (1992)1627 Hennion, M., see C. Bellouard 104-107 (1992)157 Hennion, M., see C. Bellouard 104-107 (1992)1627 Hennion, M., see C. Bellouard 104-107 (1992)1629 Henny, J.Y., see W.G. Clark 104-107 (1992) 189 Herbst, E.M., see J. Wieting 101 (1991) 128 Herbst, J.F. and J.J. Croat, Neodymium-iron-boron permanet magnets 100 (1991) 57 Herg, R., see W. Andrä 104-107 (1992) 129 Herg, R., see W. Andrä 104-107 (1992) 129 Hermando, A., see N. García 104-107 (1992) 129 Hernando, A., see N. García 99 (1991) L12 Hernando, A., see N. García 99 (1991) L20 Hernando, A., see N. Blanco 101 (1991) 6 Hernando, A., see J. M. Barandiarán 104-107 (1992) 139 Hernando, A., see J. M. Barandiarán 104-107 (1992) 139 Hernando, A., see J. M. Barandiarán 104-107 (1992) 139 Hernando, A., see J. M. Barandiarán 104-107 (1992) 139 Hernando, A., see J. M. Barandiarán 104-107 (1992) 139 Hernando, A., see J. M. Barandiarán 104-107 (1992) 139 Hernando, A., see J. González 104-107 (1992) 139 Hernando, A., see J. M. Gonzalez 104-107 (1992) 139 Hernando, A., see S. Vieira 104-107				
Hennion, B., see C. Bellouard 104-107 (1992)1627 Hennion, B., see F. Hippert 108 (1992) 177 Hennion, M., see C. Bellouard 104-107 (1992) 517 Hennion, M., see C. Bellouard 104-107 (1992) 517 Hennion, M., see C. Bellouard 104-107 (1992) 1627 Hennion, M., see C. Bellouard 104-107 (1992) 1628 Henny, J.Y., see W.G. Clark 104-107 (1992) 589 Herbst, J.F. and J.J. Croat, Neodymium-iron-boron permanent magnets 100 (1991) 57 Hergt, R., see W. Andrä 104-107 (1992) 128 Hergt, R., see W. Andrä 104-107 (1992) 481 Hergt, R., see W. Andrä 104-107 (1992) 129 Hermando, A., see M. Vázquez 96 (1991) 321 Hernando, A., see N. García 99 (1991) L12 Hernando, A., see J.M. Barandiarán 104-107 (1992) 139 Hernando, A., see J. González 104-107 (1992) 139 Hihara, T., see K. Kojima 104-107 (1992) 197 Hihara, T., see K. Kojima 104-107 (1992) 192 Hernando, A., see J.M. Gonzalez 104-107 (1992) 129 Hihara, T., see K. Hiraoka 104-107 (1992) 192 Hernando, A., see S. Vieira 104-107 (1992) 129 Hihara, T., see K. Hiraoka 104-107 (1992) 193 Hernando, A., see S. Vieira 104-107 (1992) 129 Hihara, T., see K. Kijma 104-107 (1992) 193 Hihara, T., see K. Hiraoka 104-107 (1992) 193 Hihara, T., see K. Hiraoka 104-107 (1992) 194 Hihara, T., see K. Hiraoka 104-107 (1992) 194 Hihara, T., see K. Hiraoka 104-107 (1992) 194 Hihara, T				
Hennion, B., see C. Bellouard 104-107 (1992) 1677 Hennion, M., see C. Bellouard 104-107 (1992) 1517 Hindion, M., see C. Bellouard 104-107 (1992) 1500 Hennion, M., see C. Bellouard 104-107 (1992) 1620 Hinn, T.D., see N.P. Thuy 104-107 (1992) 1825 Hinn, T.D., see N.P. Thuy 104-107 (1992) 1825 Hinn, T.D., see N.H. Duc 104-107 (1992) 1230 Hinn, T.D., see N.H. Lim. Duc 104-107 (1992) 1230 Hinn, T.D., see N.H. Duc 104-107 (1992) 1330 Hinn, T.D., see N.H. Duc 104-		104-107 (1992) 1577		
Hennion, M., see C. Bellouard 104-107 (1992) 517 104-107 (1992) 1517 104-107 (1992) 1517 104-107 (1992) 1527 net 104-107 (1992) 1527 net 104-107 (1992) 1528 Henry, J.Y., see W.G. Clark 104-107 (1992) 589 Hidaka, Y., see K. Sugiyama 104-107 (1992) 489 Herbst, E.M., see J. Wieting 101 (1991) 128 Hien, T.D., see N.P. Thuy 104-107 (1992) 489 Hien, T.D., see N.H. Duc Hien, T.D., see N.H. Sum Hien, T.D., see N.H. Duc Hien, T.D., see N.H. Sum Hien, T.D., see N.H. Su	Hennion, B., see C. Bellouard	104-107 (1992) 1627		
Hennion, M., see I. Mirebeau 104-107 (1992) 1560 Hennion, M., see C. Bellouard 104-107 (1992) 1627 Henry, J.Y., see W.G. Clark 104-107 (1992) 589 Hidaka, Y., see K. Sugiyama 104-107 (1992) 1223 Henry, J.Y., see J.X. Boucherle 104-107 (1992) 630 Hien, N.T., see N.P. Thuy 104-107 (1992) 489 Herbst, E.M., see J. Wieting 101 (1991) 128 Hien, T.D., see N.P. Thuy 104-107 (1992) 489 Herbst, J.F. and J.J. Croat, Neodymium—iron—boron permanent magnets 100 (1991) 57 Hien, T.D., see N.H. Duc 104-107 (1992) 1259 Hien, T.D., see N.H. Duc Hien, T.D., s	Hennion, B., see F. Hippert	108 (1992) 177	Mn-Cu	104-107 (1992) 2077
Hennion, M., see C. Bellouard 104-107 (1992) 1627 net 104-107 (1992) 783 Henry, J.Y., see W.G. Clark 104-107 (1992) 589 Hidaka, Y., see K. Sugiyama 104-107 (1992) 1223 Hien, J.Y., see W.G. Clark 104-107 (1992) 630 Hien, M.T., see N.P. Thuy 104-107 (1992) 489 Herbst, J.F. and J.J. Croat, Neodymium-iron-boron permanent magnets 100 (1991) 57 Hien, T.D., see N.H. Duc 104-107 (1992) 1252 Hien, T.D., see N.H. Duc 104-107 (1992) 1253 Hien, T.D., see N.H. Duc 104-107 (1992) 1254 Highmore, R.J., M.G. Blamire, R.E. Sumeth and J.E. Evetts, Magnetoresistance of Cu-Ni multilayers 104-107 (1992) 1777 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104-107 (1992) 1779 Highmore, R.J., W.C. Shih, R.E. Highmore, R.J., W.C. Shih,	Hennion, M., see C. Bellouard	104-107 (1992) 517	Hida, K., Haldane gap in the spin-dou-	
Henry, J.Y., see W.G. Clark 104-107 (1992) 589 Hidaka, Y., see K. Sugiyama 104-107 (1992) 1223 Henry, J.Y., see J.X. Boucherle 104-107 (1992) 630 Hien, N.T., see N.P. Thuy 104-107 (1992) 489 Herbst, J.F. and J.J. Croat, Neodymium-iron-boron permanent magnets 100 (1991) 57 Heres, O., see K.S. Narayan 110 (1992) L6 Hergt, R., see W. Andrä 104-107 (1992) 481 Hergt, R., see W. Andrä 104-107 (1992) 1029 Herman, F., see T. Maurer 104-107 (1992) 1029 Hermando, A., see M. Vázquez 96 (1991) 321 Hernando, A., see N. García 99 (1991) L12 Hernando, A., see N. García 99 (1991) L20 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Magnetorstriction and induced anisotropies (Invited paper) 101 (1991) 6 Hernando, A., see J.M. Barandiarán 104-107 (1992) 173 Hernando, A., see J.M. Gonzalez 104-107 (1992) 1179 Hernando, A., see S. Vieira 110 (1992) 167 Hihara, T., see K. Kojima 104-107 (1992) 125 Hihara, T., see K. Hiraoka 104-107 (1	Hennion, M., see I. Mirebeau	104-107 (1992) 1560	ble chain Heisenberg antiferromag-	
Henry, J.Y., see J.X. Boucherle 104-107 (1992) 630 Hien, N.T., see N.P. Thuy 104-107 (1992) 489 Herbst, E.M., see J. Wieting 101 (1991) 128 Hien, T.D., see N.P. Thuy 104-107 (1992) 489 Herbst, J.F. and J.J. Croat, Neodymium-iron-boron permanent magnets 100 (1991) 57 Hien, T.D., see N.H. Duc 104-107 (1992) 1298 Highmore, R.J., M.G. Blamire, R.E. Somekh and J.E. Evetts, Magnetoresistance of Cu-Ni multilayers toresistance of Cu-Ni multilayers 104-107 (1992) 1779 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104-107 (1992) 1779 Highmore, R.J., w.e. K. Kojima 104-107 (1992) 1779 Highmore, R.J., w.e. K. Kojima 104-107 (1992) 1779 Hihara, T., see K. Kojima 104-107 (1992) 655 Hihara, T., see K. Kojima 104-107 (1992) 195 Hihara, T., see K. Hiraoka 104-107 (1992) 1195 Hihara, T., see K. Hiraoka 104-107 (1992) 125 Hihara, T., see		104–107 (1992) 1627	net	
Herbst, E.M., see J. Wieting 101 (1991) 128 Hien, T.D., see N.P. Thuy 104-107 (1992) 489 Herbst, J.F. and J.J. Croat, Neodymium-iron-boron permanent magnets 100 (1991) 57 Hien, T.D., see N.H. Duc 104-107 (1992) 1252 Hers, C., see K.S. Narayan 110 (1992) L6 Hien, T.D., see N.H. Duc 104-107 (1992) 1294 Hergt, R., see W. Andra 104-107 (1992) 1029 Herman, F., see T. Maurer 104-107 (1992) 1029 Hermsmeier, B.D., see C.H. Lee 93 (1991) 592 Hermando, A., see M. García 99 (1991) L12 Hernando, A., see N. García 99 (1991) L12 Hernando, A., see N. García 99 (1991) L20 Highmore, R.J., M.G. Blamire, R.E. Somekh and J.E. Evetts, Magnetoresistance of Cu-Mi multilayers 104-107 (1992) 1777 Higuchi, Y., see K. Yamagata 104-107 (1992) 1779 Highmore, R.J., w.c. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Highmore, R.J., w.c. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Highmore, R.J., w.c. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Highmore, R.J., w.c. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Highmore, R.J., w.c. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Highmore, R.J., w.c. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Highmore, R.J., w.c. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Highmore, R.J., w.c. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Highmore, R.J., see K. Kojima 104-107 (1992) 1779 Hibara, T., see K. Kojima 104-107 (1992) 49 Hibara, T., see K. Kojima 104-107 (1992) 49 Hibara, T., see K. Kojima 104-107 (1992) 1995 Hibara, T., see T. Myojin 104-107 (1992) 1195 Hibara, T., see T. Myojin 104-107 (1992) 1195 Hibara, T., see T. Myojin 104-107 (1992) 149 Hibar				
Herbst, J.F. and J.J. Croat, Neodymium-iron-boron permanent magnets magnets				
Hien, T.D., see N.H. Kim-Ngan 104-107 (1992)1298 Hien, T.D., see N.H. Duc 104-107 (1992)1344 Heres, O., see K.S. Narayan 104-107 (1992) 481 High, G.L., H.L. Alberts and P. Smit, Hergt, R., see W. Andrä 104-107 (1992) 481 High, G.L., H.L. Alberts and P. Smit, Hergt, R., see T. Maurer 104-107 (1992) 1092 Highmore, R.J., M.G. Blamire, R.E. Highmore, R.J., M.G. Blamire, R.E. Somekh and J.E. Evetts, Magnetoresistance of Cu-Ni multilayers 104-107 (1992) 1777 Hernando, A., see N. García 99 (1991) L12 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mison torsistance of Cu-Ni multilayers 104-107 (1992) 1779 Highwore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Mis		101 (1991) 128		
Magnets				
Heres, O., see K.S. Narayan		100 (1001) 57		
Hergt, R., see W. Andrä 104-107 (1992) 481 Herman, F., see T. Maurer 104-107 (1992) 1029 Hermsmeier, B.D., see C.H. Lee 93 (1991) 592 Hernando, A., see M. Vázquez 96 (1991) 321 Somekh and J.E. Evetts, Magnetoresistance of Cu-Ni multilayers 104-107 (1992) 1777				104-107 (1992)1344
Herman, F., see T. Maurer 104-107 (1992)1029 magnetism of Cr-Mo-Ru alloys Hermsmeier, B.D., see C.H. Lee 93 (1991) 592 Highmore, R.J., M.G. Blamire, R.E. Somekh and J.E. Evetts, Magneternando, A., see N. García 99 (1991) L12 Hernando, A., see N. García 99 (1991) L20 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104-107 (1992)1777 Hernando, A., see J.M. Barandiarán, Amorphous soft magnetic materials: magnetostriction and induced anisotropies Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104-107 (1992)1779 Highmore, R.J., week. Yamagata 104-107 (1992)1779 Highmore, R.J., week. Yamagata 104-107 (1992)1779 Highmore, R.J., week. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104-107 (1992)1779 Highmore, R.J., week. Yamagata 104-107 (1992)1779 Highmore, R.J., week. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104-107 (1992)1779 Highmore, R.J., week. Yamagata 104-107 (1992) 1779 Highmore, R.J., week. Yamagata 104-107 (1992) 1079 Highmore, R.J., week. Yeekstanding National Alloys Nationa				
Hermsmeier, B.D., see C.H. Lee 93 (1991) 592 Hernando, A., see M. Vázquez 96 (1991) 321 Hernando, A., see N. García 99 (1991) L12 Hernando, A., see N. García 99 (1991) L20 Hernando, A., see N. García 99 (1991) L20 Hernando, A., M. Vázquez, G. Rivero and J.M. Barandiarán, Amorphous soft magnetic materials: magnetostriction and induced anisotropies (Invited paper) 101 (1991) 6 Hernando, A., see J.M. Blanco 101 (1991) 35 Hernando, A., see J.M. Barandiarán 104–107 (1992) 73 Hernando, A., see J. González 104–107 (1992) 139 Hernando, A., see M.J. Bernal 104–107 (1992) 109 Hernando, A., see S. Vieira 110 (1992) 129 Hernando, A., see K. Ounadjela 104–107 (1992) 1896 Herzer, G., see C. Polak 104–107 (1992) 100 Highmore, R.J., M.G. Blamire, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 1779 Highmore, R.J., M.G. Blamire, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 1779 Highmore, R.J., M.G. Blamire, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 1779 Highmore, R.J., M.G. Blamire, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 1779 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 179 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 179 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 179 Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 179 Highmore, R.J., wec. Shih, Re. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 179 Highmore, R.J., wec. Shih, Re. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers 104–107 (1992) 179 Highmore, R.J., wec.				104-107 (1992) 2029
Hernando, A., see M. Vázquez 96 (1991) 321 Somekh and J.E. Evetts, Magnetoresistance of Cu–Ni multilayers 104-107 (1992)1777				101 107 (1772)2027
Hernando, A., see N. García 99 (1991) L12 toresistance of Cu-Ni multilayers 104-107 (1992)1777 Hernando, A., see N. García 99 (1991) L20 Highmore, R.J., W.C. Shih, R.E. 104-107 (1992)1777 Hernando, A., M. Vázquez, G. Rivero and J.M. Barandiarán, Amorphous soft magnetic materials: magnetostriction and induced anisotropies (Invited paper) 101 (1991) 6 Higuchi, Y., see K. Yamagata 104-107 (1992) 1779 Hernando, A., see J.M. Blanco 101 (1991) 6 Hihara, T., see Y. Makihara 96 (1991) 305 Hernando, A., see J.M. Barandiarán 104-107 (1992) 73 Hihara, T., see K. Kojima 104-107 (1992) 49 Hernando, A., see J. González 104-107 (1992) 139 Hihara, T., see K. Hiraoka 104-107 (1992) 653 Hernando, A., see M.J. Bernal 104-107 (1992) 1179 Hihara, T., see M. Hayashi 104-107 (1992) 1195 Hernando, A., see S. Vieira 110 (1992) 129 Hihara, T., see M. Hayashi 104-107 (1992) 1225 Hernando, A., see K. Ounadjela 104-107 (1992) 1896 Hihara, T., see Y. Kasamatsu 104-107 (1992) 1413 Herr, A., see K. Hinrichs 104-107 (1992) 1676 Hill, E.W., see W.W. Clegg 95 (1991) 49 Herzer, G., see C. Polak 104-107 (1992) 100 Hill, R.W., see B. Bleaney 104-107 (1992) 1245				
Hernando, A., see N. García Hernando, A., M. Vázquez, G. Rivero and J.M. Barandiarán, Amorphous soft magnetic materials: magnetostriction and induced anisotropies (Invited paper) Hernando, A., see J.M. Blanco Hernando, A., see J.M. Barandiarán Hernando, A., see J.González Hernando, A., see M.J. Bernal Hernando, A., see J.M. Gonzalez Highmore, R.J., W.C. Shih, R.E. Somekh and J.E. Evetts, Microstructure-property relations in Co-Pd multilayers Higuchi, Y., see K. Yamagata Hihara, T., see Y. Makihara 96 (1991) 305 Hihara, T., see K. Kojima 104-107 (1992) 49 Hihara, T., see K. Kojima 104-107 (1992) 653 Hernando, A., see J. González Hihara, T., see K. Hiraoka 104-107 (1992) 139 Hihara, T., see K. Hiraoka 104-107 (1992) 1195 Hernando, A., see J.M. Gonzalez 104-107 (1992) 1179 Hihara, T., see M. Hayashi Hihara, T., see M. Hayashi Hihara, T., see Y. Kasamatsu 104-107 (1992) 1225 Hihara, T., see Y. Kasamatsu Hihara, T., see Y. Kasamatsu 104-107 (1992) 1413 Herr, A., see K. Ounadjela Horz, K., see K. Hinrichs 104-107 (1992) 1676 Hill, E.W., see W.W. Clegg 95 (1991) 49 Herzer, G., see C. Polak Hill, R.W., see B. Bleaney 104-107 (1992) 1245				104-107 (1992) 1777
Hernando, A., M. Vázquez, G. Rivero and J.M. Barandiarán, Amorphous soft magnetic materials: magnetostriction and induced anisotropies (Invited paper)				
soft magnetic materials: magnetostriction and induced anisotropies (Invited paper) Co-Pd multilayers 104-107 (1992) 1779 Hernando, A., see J.M. Blanco 101 (1991) 6 Hihara, T., see Y. Makihara 96 (1991) 305 Hernando, A., see J.M. Barandiarán 104-107 (1992) 73 Hihara, T., see K. Kojima 104-107 (1992) 653 Hernando, A., see J. González 104-107 (1992) 139 Hihara, T., see K. Hiraoka 104-107 (1992) 655 Hernando, A., see M.J. Bernal 104-107 (1992) 1090 Hihara, T., see T. Myojin 104-107 (1992) 1195 Hernando, A., see J.M. Gonzalez 104-107 (1992) 1179 Hihara, T., see M. Hayashi 104-107 (1992) 1225 Hernando, A., see S. Vieira 110 (1992) 129 Hihara, T., see Y. Kasamatsu 104-107 (1992) 1413 Herr, A., see K. Ounadjela 104-107 (1992) 1896 Hildebrand, N., see F. Jurisch 101 (1991) 301 Herz, K., see K. Hinrichs 104-107 (1992) 1676 Hill, E.W., see W.W. Clegg 95 (1991) 49 Herzer, G., see C. Polak 104-107 (1992) 100 Hill, R.W., see B. Bleaney 104-107 (1992) 1245				
tostriction and induced anisotropies (Invited paper) 101 (1991) 6 Hihara, T., see K. Yamagata 96 (1991) 305 Hernando, A., see J.M. Blanco 101 (1991) 35 Hihara, T., see K. Kojima 104–107 (1992) 49 Hernando, A., see J.M. Barandiarán 104–107 (1992) 73 Hihara, T., see K. Kojima 104–107 (1992) 653 Hernando, A., see J. González 104–107 (1992) 139 Hihara, T., see K. Hiraoka 104–107 (1992) 655 Hernando, A., see M.J. Bernal 104–107 (1992) 1090 Hihara, T., see T. Myojin 104–107 (1992) 1195 Hernando, A., see J.M. Gonzalez 104–107 (1992) 1179 Hihara, T., see M. Hayashi 104–107 (1992) 1225 Hernando, A., see S. Vieira 110 (1992) 129 Hihara, T., see Y. Kasamatsu 104–107 (1992) 1413 Herr, A., see K. Ounadjela 104–107 (1992) 1896 Hildebrand, N., see F. Jurisch 101 (1991) 301 Herz, K., see K. Hinrichs 104–107 (1992) 100 Hill, E.W., see W.W. Clegg 95 (1991) 49 Herzer, G., see C. Polak 104–107 (1992) 100 Hill, R.W., see B. Bleaney 104–107 (1992) 1245	and J.M. Barandiarán, Amorphous		crostructure-property relations in	
(Invited paper)101 (1991)6Hihara, T., see Y. Makihara96 (1991)305Hernando, A., see J.M. Blanco101 (1991)35Hihara, T., see K. Kojima104-107 (1992)49Hernando, A., see J.M. Barandiarán104-107 (1992)73Hihara, T., see K. Kojima104-107 (1992)653Hernando, A., see J. González104-107 (1992)139Hihara, T., see K. Hiraoka104-107 (1992)655Hernando, A., see M.J. Bernal104-107 (1992)1090Hihara, T., see T. Myojin104-107 (1992)1195Hernando, A., see J.M. Gonzalez104-107 (1992)1179Hihara, T., see M. Hayashi104-107 (1992)1225Hernando, A., see S. Vieira110 (1992)129Hihara, T., see Y. Kasamatsu104-107 (1992)1413Herr, A., see K. Ounadjela104-107 (1992)1896Hildebrand, N., see F. Jurisch101 (1991)301Herz, K., see K. Hinrichs104-107 (1992)1676Hill, E.W., see W.W. Clegg95 (1991)49Herzer, G., see C. Polak104-107 (1992)100Hill, R.W., see B. Bleaney104-107 (1992)1245	soft magnetic materials: magne-		Co-Pd multilayers	
Hernando, A., see J.M. Blanco101 (1991)35Hihara, T., see K. Kojima104-107 (1992)49Hernando, A., see J.M. Barandiarán104-107 (1992)73Hihara, T., see K. Kojima104-107 (1992)653Hernando, A., see J. González104-107 (1992)139Hihara, T., see K. Hiraoka104-107 (1992)655Hernando, A., see M.J. Bernal104-107 (1992)1090Hihara, T., see T. Myojin104-107 (1992)1195Hernando, A., see J.M. Gonzalez104-107 (1992)1179Hihara, T., see M. Hayashi104-107 (1992)1225Hernando, A., see S. Vieira110 (1992)129Hihara, T., see Y. Kasamatsu104-107 (1992)1413Herr, A., see K. Ounadjela104-107 (1992)1896Hildebrand, N., see F. Jurisch101 (1991)301Herz, K., see K. Hinrichs104-107 (1992)1676Hill, E.W., see W.W. Clegg95 (1991)49Herzer, G., see C. Polak104-107 (1992)100Hill, R.W., see B. Bleaney104-107 (1992)1245	tostriction and induced anisotropies			
Hernando, A., see J.M. Barandiarán104-107 (1992)73Hihara, T., see K. Kojima104-107 (1992)653Hernando, A., see J. González104-107 (1992)139Hihara, T., see K. Hiraoka104-107 (1992)655Hernando, A., see M.J. Bernal104-107 (1992)1090Hihara, T., see T. Myojin104-107 (1992)1195Hernando, A., see J.M. Gonzalez104-107 (1992)1179Hihara, T., see M. Hayashi104-107 (1992)1225Hernando, A., see S. Vieira110 (1992) 129Hihara, T., see Y. Kasamatsu104-107 (1992)1413Herr, A., see K. Ounadjela104-107 (1992)1896Hildebrand, N., see F. Jurisch101 (1991)301Herz, K., see K. Hinrichs104-107 (1992)1676Hill, E.W., see W.W. Clegg95 (1991)49Herzer, G., see C. Polak104-107 (1992)100Hill, R.W., see B. Bleaney104-107 (1992)1245				
Hernando, A., see J. González 104-107 (1992) 139 Hihara, T., see K. Hiraoka 104-107 (1992) 655 Hernando, A., see M.J. Bernal 104-107 (1992) 1090 Hihara, T., see T. Myojin 104-107 (1992) 1195 Hernando, A., see J.M. Gonzalez 104-107 (1992) 1179 Hihara, T., see M. Hayashi 104-107 (1992) 1225 Hernando, A., see S. Vieira 110 (1992) 129 Hihara, T., see Y. Kasamatsu 104-107 (1992) 1413 Herr, A., see K. Ounadjela 104-107 (1992) 1896 Hildebrand, N., see F. Jurisch 101 (1991) 301 Herz, K., see K. Hinrichs 104-107 (1992) 1676 Hill, E.W., see W.W. Clegg 95 (1991) 49 Herzer, G., see C. Polak 104-107 (1992) 100 Hill, R.W., see B. Bleaney 104-107 (1992) 1245				
Hernando, A., see M.J. Bernal104-107 (1992)1090Hihara, T., see T. Myojin104-107 (1992)1195Hernando, A., see J.M. Gonzalez104-107 (1992)1179Hihara, T., see M. Hayashi104-107 (1992)1225Hernando, A., see S. Vieira110 (1992) 129Hihara, T., see Y. Kasamatsu104-107 (1992)1413Herr, A., see K. Ounadjela104-107 (1992)1896Hildebrand, N., see F. Jurisch101 (1991) 301Herz, K., see K. Hinrichs104-107 (1992)1676Hill, E.W., see W.W. Clegg95 (1991) 49Herzer, G., see C. Polak104-107 (1992) 100Hill, R.W., see B. Bleaney104-107 (1992)1245				
Hernando, A., see J.M. Gonzalez104-107 (1992)1179Hihara, T., see M. Hayashi104-107 (1992)1225Hernando, A., see S. Vieira110 (1992) 129Hihara, T., see Y. Kasamatsu104-107 (1992)1413Herr, A., see K. Ounadjela104-107 (1992)1896Hildebrand, N., see F. Jurisch101 (1991) 301Herz, K., see K. Hinrichs104-107 (1992)1676Hill, E.W., see W.W. Clegg95 (1991) 49Herzer, G., see C. Polak104-107 (1992) 100Hill, R.W., see B. Bleaney104-107 (1992)1245				
Hernando, A., see S. Vieira 110 (1992) 129 Hihara, T., see Y. Kasamatsu 104-107 (1992)1413 Herr, A., see K. Ounadjela 104-107 (1992)1896 Hildebrand, N., see F. Jurisch 101 (1991) 301 Herz, K., see K. Hinrichs 104-107 (1992)1676 Hill, E.W., see W.W. Clegg 95 (1991) 49 Herzer, G., see C. Polak 104-107 (1992) 100 Hill, R.W., see B. Bleaney 104-107 (1992)1245				
Herr, A., see K. Ounadjela 104-107 (1992)1896 Hildebrand, N., see F. Jurisch 101 (1991) 301 Herz, K., see K. Hinrichs 104-107 (1992)1676 Hill, E.W., see W.W. Clegg 95 (1991) 49 Herzer, G., see C. Polak 104-107 (1992) 100 Hill, R.W., see B. Bleaney 104-107 (1992)1245				
Herz, K., see K. Hinrichs 104-107 (1992) 1676 Hill, E.W., see W.W. Clegg 95 (1991) 49 Herzer, G., see C. Polak 104-107 (1992) 100 Hill, R.W., see B. Bleaney 104-107 (1992) 1245				
Herzer, G., see C. Polak 104-107 (1992) 100 Hill, R.W., see B. Bleaney 104-107 (1992) 1245				
Hesse, J., see T. Eckelt 104-107 (1992) 1665 Stamps, G. Güntherodt, C.D. Eng-				
Hesse, J., see A. Wulfes 104–107 (1992) 2069				

Hillebrands, B., see P. Listenbe 104-107 (1992) 1807 104-107 (1992) 1807 104-107 (1992) 1808 104-107 (1992) 1808 104-107 (1992) 1808 104-107 (1992) 1808 104-107 (1992) 1808 104-107 (1992) 1808 104-107 (1992) 1808 104-107 (1992) 1808 104-107 (1992) 1808 104-107 (1992) 1809 104-107	land and C.M. Falco, Evidence for collective exchange modes in Co/Pd multilayers observed by Brillouin light scattering	93 (1991) 211	Hock, B., see C. Brotzeller Hock, R., J. Baruchel, H. Fuess, B. Antonini and P. Paroli, The spin reorientation transition in erbium	104–107 (1992) 949
Hillebrands, B., see H. Litsehke 104-107 (1992) 1807 Hillebrands, B., see R.L. Stamps 104-107 (1992) 1868 Hillebrands, B., see V. Sechovský 104-107 (1992) 477 Hilscher, G., see V. Pelkov Hilscher, G., see N. Pillmayr 104-107 (1992) 309 Hillebrands, B., see N. P. Correlation between magnetic splitting and magnetic moment for 3d transition metals 102 (1991) 13 Hinrichs, K., K. Herr, K. Knorr, HI. May, J. Pohl and W. Prandl, Experimental evidence for a second transition due to Ising ions in amorphous Heisenberg spin glasses 104-107 (1992) 1676 104-107 (104 107 (1002) 453
Hillebrands, B., see JV. Harzer 104-107 (1992) 1868 Hock, S., see H.M. Mayer 104-107 (1992) 1788 Hogkes, J.A., and J.P. Sanchez, Sublative interactions in the "green phase" 'Ph.BaCuO ₂ 104-107 (1992) 178 Hogkes, J.A., see P. Bomville, P. Hodges, J.A., see P. Bomville 97 (1991) 178 Hischer, G., see V. Sethov 104-107 (1992) 479 Hischer, G., see V. Pethov 109 (1992) 309 Himpsel, F.J., Correlation between magnetic splitting and magnetic moment for 3d transition metals 102 (1991) 261 Honges, J.A., see P. Bellot 106 (1991) 319 Hinrichs, K., K. Herz, K. Knorr, HJ. 109 (1992) 178 Hirrichs, K., K. Herz, K. Knorr, HJ. 100 (1991) 178 Hodges, J.A., see P. Bellot 104-107 (1992) 187 Hodges, J.A., see P. Bellot 104-107 (1992) 188 Hodges, J.A., see P. Bellot 104-107 (1992) 188 Hodges, J.A., see P. Bellot 104-107 (1992) 189 Hodges, J.A., see P. Bellot 104-107 (199				
Hilebrands, B., see R.L. Stamps Hilscher, G., see V. Sechovský Hilscher, G., see G. Schaudy Hilscher, G., see G. Schaudy Hilscher, G., see N. Pillmayr Hilscher, G., see N. Pillmayr Hilscher, G., see N. Pillmayr Hilscher, G., see N. Petkov Hilscher, G., see N. Petkov Hilscher, G., see N. Petkov Hilscher, G., see V. Petkov Hilscher, G., see D. Petkov Hilscher, G., see V. Petkov Hilscher, G., see D. Petkov Hilscher, G., see V. Petkov Hilmes, W.A., s				
Hilscher, G., see V. Sechowsky 104-107 (1992) 477 Hilscher, G., see G. Schaudy 104-107 (1992) 477 Hilscher, G., see T. Hollubar 104-107 (1992) 881 Hilscher, G., see N. Pellmayr 104-107 (1992) 881 Holges, J.A., see Nomille, P. Imbert and G. J. Schanno, 170 Vp3 Mössbauer local probe measurements of Cu(2) correlations in YBa,Cu ₃ C ₈ C, Hilscher, S., see Y. De Zhang 100 (1991) 13 Holfstein, S. W.A., see Y. D. Zhang 100 (1991) 13 Holfstein, S. W.A., see Y. D. Zhang 100 (1991) 13 Holfstein, S. W.A., see D. P. Yang 100 (1991) 13 Holfstein, S. W.A., see D. P. Yang 109 (1992) 1 Holfstein, J. Schemann, J. See B. Fischer 95 (1991) 43 Holfstein, J. Schemann, J. Sche				101 107 (1992)1295
Hilscher, G., see G., Schaudy 104-107 (1992) 479 Hilscher, G., see N. Pillmayr 104-107 (1992) 481 Hilscher, G., see N. Pillmayr 104-107 (1992) 881 Hilscher, G., see N. Pillmayr 104-107 (1992) 309 Hodges, J.A., see P. Bonwille, P. Imbert and G. Jehanno, In Yba ₂ Cu ₃ O ₂ 104-107 (1992) 551 Hodges, J.A., see P. Bellot 104-107 (1992) 131 Horichs, K. K. Herz, K. Knorr, HJ. May, J. Pohl and W. Prandl, Experimental evidence for a second transition due to Ising ions in amorphous 104-107 (1992) 1235 Holfmann, H., see B. Fischer Hoffmann, H., see B. Fischer Hoffmann, M., O. von Geisau, S.A. Nikitow and J. Pelzl, 3D-imaging of magnetostatic modes using photomatory Holich and P. Lejay, Magnetic excitations in the antiferromagnetic Kondo compound CePd-51; Holey, T., see M. Fahnle Holden, T.M., see M. Kinke Holden, T.M., see H. Lin Holden, T.M., see H. Lin Holden, T.M., see H. Lin Holey, T., see G. Schaudy Holman, M.L.J. A.E. Holden, T. S. Schaudy, N. Pillmayr, G. Hilscher, M. Divis and V. Nekylard and Strage Centrol areas, effective masses and g-factors for the alkalimetals Holey, T., see G. Schaudy Holman, M., see W. Chang Ho				
Hischer, G., see N. Holbar Hischer, G., see N. Pellmay Hischer, G., see N. Petkov Himpsel, F.J., Correlation between magnetic splitting and magnetic mo- ment for 3d transition metals Hines, W.A., see Y.D. Zhang Hines, W.A., see Y.D. Zhang Hinrichs, K., K. Hetz, K. Knorr, HJ. May, J. Pohl and W. Prandl, Experi- mental evidence for a second transi- tion due to Ising ions in amorphous Heisenberg spin glasses Hippert, F., see L. Kandel Hippert, F., see V. Mankihara Hiraka, K. Electronic structure of spin density wave states in transition metals Hiraka, K., see S. Sato Hiraka, S., see S. Sato Hiraka, K., see S. Sato Hiraka, M., see S. Sato Hiraka, K., see				92 (1990) 201
Hilscher, G., see V. Petkov 109 (1992) 881 109 (1992) 309 Holdges, J.A., P. Bonville, P. Imbert 100 (1992) 309 Holdges, J.A., See P. Bellot 104 (1992) 551 108 (1992) 141 Hines, W.A., see Y.D. Zhang 100 (1991) 13 Hinrichs, K., K. Herz, K. Knorr, H.J. May, J. Pohl and W. Prandi, Experimental evidence for a second transition due to Ising ions in amorphous Heisenberg spin glasses 104-107 (1992) 2033 Hinrichs, K., K. Herz, K. Kandel Hippert, F., see L. Kandel Hippert, F., see K. Kidel Hippert				97 (1991) 178
Bimpsel, F.J., Correlation between magnetic splitting and magnetic ment for 3d transition metals lines, W.A., see Y.D. Zhang lines, W.A., see Y.P. Zhang lines, W.A., see Y.D. Zhang lines, W.A., se		104-107 (1992) 881	Hodges, J.A., P. Bonville, P. Imbert	
Managenetic splitting and magnetic moment for 3d transition metals 102 (1991) 261 Hodges, J.A., see P. Bellot 108 (1992) 131 Hoffmann, H., see M. Tewes 95 (1991) 43 Hoffmann, H., see M. Tewes 95 (1991) 43 Hoffmann, H., see B. Tewes 96 (1991) 79 Hoffmann, M., O. von Geisau, S.A. Nikitov and J. Pelzl, 3D-imaging of magnetostatic modes using photothermally modulated FMR-technique Hoffmann, M., o. von Geisau, S.A. Nikitov and J. Pelzl, 3D-imaging of magnetostatic modes using photothermally modulated FMR-technique Hoffmann, M., o. von Geisau, S.A. Nikitov and J. Pelzl, 3D-imaging of magnetostatic modes using photothermally modulated FMR-technique Hoffmann, M., o. von Geisau, S.A. Nikitov and J. Pelzl, 3D-imaging of magnetostatic modes using photothermally modulated FMR-technique Hoffmann, M., o. von Geisau, S.A. Nikitov and J. Pelzl, 3D-imaging of magnetostatic modes using photothermally modulated FMR-technique Hoffmann, M., see M. Winkelmann Hole, J., see B. Saje Hold-107 (1992) 203 Hold-107 (1992	Hilscher, G., see V. Petkov	109 (1992) 309		
Ment for 3d transition metals 102 (1991) 261 Hodges, J.A., see P. Bellot 108 (1992) 141 Hines, W.A., see Y.D. Zhang 109 (1992) 1 Hoffmann, H., see J. Zweck 104-107 (1992) 135 Hoffmann, H., see J. Zweck 104-107 (1992) 135 Hoffmann, J., see B. Fischer Hoffmann, J., see B. Fischer Hoffmann, J., o. von Geisau, S.A. Nikitov and J. Pelzl, 3D-imaging of magnetostatic modes using photohtermally modulated FMR-technique Hoggarth, C., see P. Cavallotti Hohlwein, D., see M. Winkelmann Hole, J., see B. Saie Holden, T.M., see M. Winkelmann Hole, J., see B. Seseničar 104-107 (1992) 135 Holden, T.M., see M. Winkelmann Hole, J., see B. Seseničar 104-107 (1992) 135 Holden, T.M., see M. Winkelmann Hole, J., see B. Seseničar 104-107 (1992) 135 Holden, T.M., see M. Winkelmann Hole, J., see M. Winkelmann Hole, J., see B. Seseničar 104-107 (1992) 135 Holden, T.M., see M. Winkelmann Hole, J., see B. Seseničar 104-107 (1992) 135 Holden, T.M., see M. Kilkke 104-107 (1992) 135 Holden, T.M., see M. Fähnle Holden, T.M., see M.				101 107 (1000) 551
Hines, W.A., see Y.D. Zhang 100 (1991) 13 Hoffmann, H., see M. Tewes 95 (1991) 43		100 (1001) 451	2 3 %	
Horiman, W.A., see D.P. Yang				
Horrichs, K., K. Herz, K. Knorr, HJ. May, J. Pohl and W. Prandl, Experimental evidence for a second transition due to Ising jons in amorphous Heisenberg spin glasses 104-107 (1992) 2033 Hippert, F., see L. Kandel Hippert, F., see L. Kandel Hippert, F., see L. Kandel Hippert, F., B. Hennion, JM. Mignot and P. Lejay, Magnetic excitations in the antiferromagnetic Kondo compound CePd ₂ Si ₂ 108 (1992) 177 Hirai, K., Electronic structure of spin density wave states in transition metals 104-107 (1992) 427 Hirai, M., see K. Sato 104-107 (1992) 494 Hirai, M., see K. Sato 104-107 (1992) 494 Hiraoka, K., y. Hukuda, K. Kojima and T. Hihara, ³¹ P NMR study of dense Kondo compound CeP Hiraoka, T., see T. Takeuchi 104-107 (1992) 155 Holbar, T., see T. Takeuchi 104-107 (1992) 1803 Hiraoyana, Y., see T. Takeuchi 104-107 (1992) 1803 Hiraoyana, Y., see I. Matsubara 104-107 (1992) 427 Histake, K., see I. Matsubara 104-107 (1992) 427 Histake, K., see I. Matsubara 104-107 (1992) 427 Higlem, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields 110 (1992) 275 Ho, H.P., see D. Greig 104-107 (1992) 275 Ho, K.P., see X. Yiking 94 (1991) 49 Hoare, A., see Th. Orth 101 (1991) 284 Hobbs, P.C., see K. P. Xing 94 (1991) 49 Horse, A., see Th. Orth 101 (1991) 625 Hobbs, P.C., see K. P. King 94 (1991) 49 Hobson, E., see M. Soinski 101 (1991) 625 Hobbs, P.C., see K. P. King 94 (1991) 49 Hobbs, P.C., see K. D. Gready 95 (1991) 341 Horse, E.F. King 94 (1991) 49 Hobbs, P.C., see K. D. Gready 95 (1991) 341 Horse, E.F. King 104-107 (1992) 655 Holbs, P.C., see K. D. Gready 95 (1991) 341 Hoffmann, M., D. von Geisau, S.A. Nikitwand J. Peta, J. D. Hoffmann, J., J. Pan, J. Pa				
Hoffmann, M., O. von Geisau, S.A. Nikitov and J. Pelz, 3D-imaging of magnetostatic modes using photothermally modulated FMR-technique 104-107 (1992)2033 Hippert, F., see L. Kandel 104-107 (1992)2033 Hippert, F., see L. Kandel 104-107 (1992)2033 Hippert, F., see L. Kandel 104-107 (1992)2033 Holker, F., B. Hennion, JM. Mignot and P. Lejay, Magnetic excitations in the antiferromagnetic Kondo compound CePd ₂ Si ₂ 108 (1992) 177 Hirai, K., Electronic structure of spin density wave states in transition metals 104-107 (1992) 749 Hirai, M., see K. Sato 104-107 (1992) 749 Hirai, M., see K. Sato 104-107 (1992) 749 Hirai, M., see K. Sato 104-107 (1992) 479 Hiraidak, K., see Y. Makihara 104-107 (1992) 155 Holkey, T., see M. Fähnle Hollenn, M.L.J., A.F.M. Arts and H.W. de Wijn, Dynamics of nonequilibrium large-wave-vector magnons in MnF ₂ 104-107 (1992) 157 Hollubar, T., see G. Schaudy, N. Pillmayr, G. Hischer, M. Divis and V. Nekvasil, Heat capacity of Sm ₂ CuO ₄ and Sm _{1,8} Ce _{0.15} CuO ₄ 104-107 (1992) 479 Hollubar, T., see N. Nawate Hollubar, T., see N. Schaudy, N. Pillmayr, G. Hischer, M. Divis and V. Nekvasil, Heat capacity of Sm ₂ CuO ₄ and Sm _{1,8} Ce _{0.15} CuO ₄ 104-107 (1992) 103 104-107 (1		109 (1992) 1		
Mikitow and J. Pelzl, 3D-imaging of magnetostatic modes using photothermally modulated FMR-technology photothermal modulated FMR-technology photothermal modulated FMR-technology photothermal photothermal modulated FMR-technology photothermal photothermal photothermal modulated FMR-te				74 (1771) 77
Heisenberg spin glasses 104-107 (1992)1676 104-107 (1992)2033 104-107 (1992)2033 104-107 (1992)2033 104-107 (1992)2033 104-107 (1992)2033 104-107 (1992)2033 104-107 (1992)2033 104-107 (1992)2033 104-107 (1992)2033 104-107 (1992)2034 104-107 (1992) 175 10				
Heisenberg spin glasses 104-107 (1992) 1676 104-107 (1992) 2033 nique 104-107 (1992) 2033 nique 104-107 (1992) 2134 Hoggarth, C., see P. Cavallotti 104-107 (1992) 2152 108 (1992) 177 Holke, J., see M. Winkelmann 104-107 (1992) 175 Holke, J., see S. Beseničar 104-107 (1992) 175 Holden, T.M., see K. Mikke 104-107 (1992) 175 Holden, T.M., see M. Fähnle				
Hippert, F., B. Hennion, JM. Mignot and P. Lejay, Magnetic excitations in the antiferromagnetic Kondo compound CePd ₂ Si ₂ 108 (1992) 177 Holc, J., see B. Saje 104 (1992) 197 Holc, J., see B. Saje 104 (1992) 197 Holc, J., see B. Saje 104 (1992) 197 Holden, T.M., see K. Mikke 104 (1992) 197 Holden, T.M., see M. Fähnle 104 (1992)	Heisenberg spin glasses	104-107 (1992) 1676		
And P. Lejay, Magnetic excitations in the antiferromagnetic Kondo compound CePd_Si2 108 (1992) 177 Holc, J., see B. Saje 104 -107 (1992) 178 Holden, T.M., see K. Mikke 104 -107 (1992) 178 Holden, T.M., see K. Mikke Holden, T.M., see K. Canse Holley, T., see G. Schaudy Holloy, T., see G. Schaudy Holloy, T., see G. Schaudy Holloyar, T., see G. Schaudy Holloyar, T., see G. Schaudy Holloyar, T., see N. Pillmayr Holden, T.M., see K. Mikke Holden, T.M., see K. C. Chang Holloyar, T., see G. Schaudy Holloyar, T., see G. Schaudy Holloyar, T., see N. Pillmayr Holloyar, T., see N. Pill	Hippert, F., see L. Kandel	104-107 (1992) 2033	nique	101 (1991) 140
in the antiferromagnetic Kondo compound CePd ₂ Si ₂ 108 (1992) 177 Hirai, K., Electronic structure of spin density wave states in transition metals 104–107 (1992) 749 Hirai, M., see K. Sato 104–107 (1992) 944 Hirai, M., see Y. Makihara 96 (1991) 305 Kondo compound CeP 104–107 (1992) 155 Hiraioka, T., see T. Takabatake 108 (1992) 155 Hirai, M., see T. Takabatake 104–107 (1992) 155 Hirai, M., see T. Takabatake 104–107 (1992) 655 Hirai, M., see T. Takabatake 108 (1992) 155 Hirai, M., see T. Takabatake 108 (1992) 155 Hirai, M., see T. Takabatake 104–107 (1992) 803 Hirai, M., see T. Takabatake 104–107 (1992) 1803 Hirai, M., see T. Takabatake 104–107 (1992) 1803 Hirai, M., see T. Takabatake 104–107 (1992) 855 Hirai, M., see T. Takabatake 104–107 (1992) 1803 Hirai, M., see T. Takabatake 104–107 (1992) 855 Hirai, M., see T. Takabatake 104–107 (1992) 855 Holden, T.M., see M. Fähnle 104–107 (1992) 195 Holden, T.M., see M. Fähnle 104–107 (1992) 195 Holden, T.M., see M. Fähnle 104–107 (1992) 151 Holden, T.M., see M. Fähnle 104–107 (1992) 195 Holden, T.M., see M. Fähnle 104–107 (1992) 195 Holden, T.M., see M. Fähnle 104–107 (1992) 151 Holden, T.M., see M. Fähnle 104–107 (1992) 195 Holden, T.M., see M. Fähnle 104–			Hoggarth, C., see P. Cavallotti	104-107 (1992) 1216
Compound CePd2Si2				
Hirai, K., Electronic structure of spin density wave states in transition metals Holden, T.M., see K. Mikke Holden, T.M., see H. Lin Holden, T.M., see M. Fähnle 104–107 (1992) 195 Hollen, T.M., see M. Fähnle Hollman, M.L.J., A.F.M. Arts and H.W. de Wijn, Dynamics of nonequilibrium large-wave-vector magnons in MnF2 Hollbar, T., see G. Schaudy Hollbar, T., see G. Schaudy Hollbar, T., see G. Schaudy Hollbar, T., see Bg. Schan Hollbar, T., see Bg. Schaudy Hollbar, T., see Bg. Schaudy Hollbar, T., see Bg. Schan		100 (1003) 177	and the state of t	
Holden, T.M., see H. Lin Holey, T., see M. Fähnle Hollman, M.L.J., A.F.M. Arts and H.W. de Wijn, Dynamics of nonequilibrium large-wave-vector magnons in MnF2 Hollubar, T., see G. Schaudy Hollubar, T., see		108 (1992) 177		
Mirals				
Hirai, M., see K. Sato Hiraoka, K., see Y. Makihara Hiraoka, K., Y. Hukuda, K. Kojima and T. Hihara, ³¹ P NMR study of dense Kondo compound CeP Hiraoka, T., see T. Takabatake Hirota, K., see T. Takabatake Hirota, K., see E.V. Sampathkumaran Hirscher, M., see A. Forkl Hisatake, K., see I. Matsubara Hitti, B., see A. Schenck Hjelm, A. and JL. Calais, Self-consistent band structure calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Ho, H.P., see D. Greig How. W., see F. Xing Hobby, P.C., see K. O'Grady Hobson, E., see M. Soinski Hollman, M.L.J., A.F.M. Arts and H.W. de Wijn, Dynamics of nonequilibrium large-wave-vector magnons in MnF2 Hollman, M.L.J., A.F.M. Arts and H.W. de Wijn, Dynamics of nonequilibrium large-wave-vector magnons in MnF2 Hollwar, T., see G. Schaudy Holubar, T., see G. Schaudy Holubar, T., see G. Schaudy Holubar, T., see N. Pillmayr G. Hischer, M. Divis and V. Nek-visil, Heat capacity of Sm ₂ CuO ₄ and Sm _{1,8} Ce _{0,15} CuO ₄ and Sm		104-107 (1992) 749		
Hiraoka, K., see Y. Makihara 96 (1991) 305 Hiraoka, K., Y. Hukuda, K. Kojima and T. Hihara, ^{31}P NMR study of dense Kondo compound CeP 104–107 (1992) 655 Hiraoka, T., see T. Takabatake 108 (1992) 155 Hirayama, Y., see T. Takabatake 108 (1992) 155 Hirayama, Y., see T. Takabatake 108 (1992) 1803 Hirtota, K., see E.V. Sampathkumaran 108 (1992) 85 Hischer, M., see I. Matsubara 104–107 (1992) 427 Histake, K., see I. Matsubara 104–107 (1992) 427 Histake, K., see I. Matsubara 104–107 (1992) 427 High, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields 104–107 (1992) 727 Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals 110 (1992) 275 Ho, H.P., see D. Greig 110 (1992) 275 Ho, KY., see XY. Xiong 94 (1991) 49 Hoare, A., see Th. Orth 101 (1991) 235 Hobby, P.C., see K. O'Grady Hobson, E., see M. Soinski 101 (1991) 62 Hiraoka, K., Y. Hukuda, K. Kojima and T. Hindra, S. Chandy 104–107 (1992) 103 Holubar, T., see G. Schaudy 104–107 (1992) 477 Holubar, T., see G. Schaudy, N. Pillmayr G. Hilscher, M. Divis and V. Nekvasil, Heat capacity of Sm_2 CuO ₄ and $Sm_{1.85}$ Ce _{0.15} CuO ₄ 104–107 (1992) 479 Holubar, T., see N. Pillmayr G. Hilscher, M. Divis and V. Nekvasil, Heat capacity of Sm_2 CuO ₄ and $Sm_{1.85}$ Ce _{0.15} CuO ₄ 104–107 (1992) 479 Holubar, T., see N. Pillmayr Holubar, T., see G. Schaudy Holubar, T., see G. Schaud				10 (10 / (1992) 198
T. Hihara, 31P NMR study of dense Kondo compound CeP				
Kondo compound CeP			rium large-wave-vector magnons in	
Hiraoka, T., see T. Takabatake Hirayama, Y., see T. Takeuchi Hirota, K., see E.V. Sampathkumaran Hirscher, M., see A. Forkl Hisatake, K., see I. Matsubara Hitti, B., see A. Schenck Hjelm, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Ho, KY., see XY. Xiong Holubar, T., G. Schaudy, N. Pillmayr, G. Hilscher, M. Divis and V. Nekvasil, Heat capacity of Sm ₂ CuO ₄ and Sm _{1.85} Ce _{0.15} CuO ₄ and Sm _{1.8}			MnF_2	104–107 (1992) 1063
Hirayama, Y., see T. Takeuchi Hirota, K., see E.V. Sampathkumaran Hirscher, M., see A. Forkl Hisatake, K., see I. Matsubara Hitti, B., see A. Schenck Hjelm, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Ho, KY., see D. Greig Ho, W.W., see F. Xing Hooby, P.C., see K. O'Grady Hords, S. cas F. Korrel 104–107 (1992) 1803 G. Hilscher, M. Divis and V. Nekvasil, Heat capacity of Sm ₂ CuO ₄ and Sm _{1.85} Ce _{0.15} CuO ₄ 104–107 (1992) 479 Holubar, T., see N. Pillmayr Homburg, H., see Bg. Shen 92 (1990) 53 Homma, M., see W.C. Chang Homma, M., see M. Pillmayr Homma, M., see W.C. Chang Homda, K., see T. Ikeda Homda, S., see M. Nawate Hong, S.C., J.I. Lee Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Homma, M., see V.C. Chang Homma, M., see W.C. Chang Homma, M., see V. J. Lee Homp, S.C., J.I. Lee, VR. Jang, B.I. Momanda, J.				104–107 (1992) 477
Hirota, K., see E.V. Sampathkumaran 108 (1992) 85 vasil, Heat capacity of Sm ₂ CuO ₄ 104-107 (1992) 479 Hisatake, K., see I. Matsubara 104-107 (1992) 427 Holubar, T., see N. Pillmayr 104-107 (1992) 881 Hitti, B., see A. Schenck 108 (1992) 97 Homburg, H., see Bg. Shen 92 (1990) 53 Hijelm, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields 104-107 (1992) 727 Homburg, H., see Bg. Shen 92 (1990) 53 Homma, M., see W.C. Chang 109 (1992) 103 Honda, K., see T. Ikeda 104-107 (1992) 1221 Honda, S., see M. Nawate Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) 99 (1991) L45 Ho, KY., see XY. Xiong 94 (1991) L29 Hong, S.C., J.I. Lee, YR. Jang, B.I. Hoare, A., see Th. Orth 101 (1991) 235 Hobby, P.C., see K. O'Grady 95 (1991) 341 Hong, S.C., see J.I. Lee Hong, T.M., Magnetic correlations in				
Hirscher, M., see A. Forkl 93 (1991) 261 and Sm _{1.85} Ce _{0.15} CuO ₄ 104–107 (1992) 479 Hisatake, K., see I. Matsubara 104–107 (1992) 427 Hitti, B., see A. Schenck 108 (1992) 97 Hjelm, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals 110 (1992) 275 Ho, H.P., see D. Greig 110 (1992) L239 Ho, KY., see XY. Xiong 94 (1991) L29 Hoare, A., see Th. Orth 101 (1991) 235 Hobby, P.C., see K. O'Grady Holdson, E., see M. Soinski 101 (1991) 62 Histake, K., see I. Matsubara 104–107 (1992) 479 Holubar, T., see N. Pillmayr 104–107 (1992) 881 Holubar, T., see N. Pillmayr 104–107 (1992) 881 Holubar, T., see N. Pillmayr 104–107 (1992) 881 Homma, M., see W.C. Chang 109 (1992) 103 Homma, M., see W.C. Chang 109 (1992) 103 Homda, K., see T. Ikeda 104–107 (1992) 1861 Honda, S., see M. Nawate 104–107 (1992) 1861 Honda, S., see M. Nawate 104–107 (1992) 1861 Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) 104–107 (1992) 1659 Honda, K., see T. Ikeda 104–107 (1992) 1861 Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium 104–107 (1992) 659 Honda, K., see T. Ikeda 104–107 (1992) 1861 Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium 104–107 (1992) 659 Honda, K., see T. Ikeda 104–107 (1992) 479 Honda, K., see M. Nawate 104–107 (1992) 1861 Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium 104–107 (1992) 659 Honda, K., see M. Nawate 109 (1992) 103 Honda, K., see M. Nawate				
Hisatake, K., see I. Matsubara Hitti, B., see A. Schenck Hjelm, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Ho, H.P., see D. Greig Ho, W.W., see T. Xing Holubar, T., see N. Pillmayr Homburg, H., see Bg. Shen 92 (1990) 53 Homma, M., see W.C. Chang Honda, K., see T. Ikeda 104–107 (1992) 1221 Honda, S., see M. Nawate Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) Fe(001) (Letter to the Editor) Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Hoosen, E., see M. Soinski Holubar, T., see N. Pillmayr 104–107 (1992) 881 Homma, M., see W.C. Chang 109 (1992) 103 Honda, K., see T. Ikeda 104–107 (1992) 1861 Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Hong, S.C., see J.I. Lee			2 7	104 107 (1000) 470
Hitti, B., see A. Schenck Hjelm, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Ho, H.P., see D. Greig Ho, W.W., see F. Xing Hothy, P.C., see K. O'Grady Hobburg, H., see Bg. Shen 92 (1990) 53 Homma, M., see W.C. Chang Honda, K., see T. Ikeda 104–107 (1992) 1221 Honda, S., see M. Nawate Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) Fe(001) (Letter to the Editor) Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Hoar, A., see Th. Orth Hobby, P.C., see K. O'Grady Hobson, E., see M. Soinski 101 (1991) 62 Homburg, H., see Bg. Shen 92 (1990) 53 Homma, M., see W.C. Chang 104–107 (1992) 1221 Honda, S., see M. Nawate Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) Fe(001) (Letter to the Editor) Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Hong, S.C., see J.I. Lee Hong, S.C., See J.I. Lee Hong, T.M., Magnetic correlations in				
Hjelm, A. and JL. Calais, Self-consistent band structure calculations including external magnetic fields Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Ho, H.P., see D. Greig Ho, W.W., see F. Xing Hoare, A., see T. Orth Homma, M., see W.C. Chang Honda, K., see T. Ikeda Honda, S., see M. Nawate Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) Fe(001) (Letter to the Editor) Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Hoare, A., see Th. Orth Hobby, P.C., see K. O'Grady Hobson, E., see M. Soinski Holl (1991) 62 Hong, T.M., Magnetic correlations in				
sistent band structure calculations including external magnetic fields Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Ho, H.P., see D. Greig Ho, W.W., see XY. Xiong Hoare, A., see Th. Orth Hoare, A., see Th. Orth Hobby, P.C., see K. O'Grady Honda, K., see T. Ikeda Honda, S., see M. Nawate Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) Fe(001) (Letter to the Editor) Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Hong, S.C., see J.I. Lee				
including external magnetic fields Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Ho, H.P., see D. Greig Ho, KY., see XY. Xiong Hoare, A., see Th. Orth Hoare, A., see Th. Orth Hobby, P.C., see K. O'Grady Hoson, E., see M. Nawate Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) Pop (1991) L45 Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Hong, S.C., see J.I. Lee Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium Hong, S.C., see J.I. Lee Hong, S.C., J.I. Lee, M. Nample instability at the surface of rare-earth metals: samarium Hong, S.C., See J.I. Lee Hong, S.C., J.I. Lee, M. Nample instability at the surface of rare-earth metals: samarium Hong, S.C., J.I. Lee, M. See M. Soinski Hong, S.C., J.I. Lee, M. Nample instability at the surface of rare-earth metals: samarium Hong, S.C., J.I. Lee, M. See M. Soinski Hong, S.C., J.I. Lee, M. Nample instability at the surface of rare-earth metals: samarium Hong, S.C., J.I. Lee, M. See M. Soinski Hong, S.C., J.I. Lee, M. See M. S	sistent band structure calculations			
Hjelm, A. and JL. Calais, Calculations of cyclotron orbit areas, effective masses and g-factors for the alkali metals Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) Ho, H.P., see D. Greig Ho, KY., see XY. Xiong Ho, W.W., see F. Xing Hoare, A., see Th. Orth Hoare, A., see Th. Orth Hobby, P.C., see K. O'Grady Hobson, E., see M. Soinski Hong, S.C., J.I. Lee and A.J. Freeman, Proximity effects of overlayers on surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) 99 (1991) L45 Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium 104–107 (1992) 659 Hong, S.C., see J.I. Lee Hong, T.M., Magnetic correlations in	0	104-107 (1992) 727		
masses and g-factors for the alkali surface magnetism: Al adsorbed on Fe(001) (Letter to the Editor) 99 (1991) L45 Ho, H.P., see D. Greig 110 (1992)L239 Hong, S.C., J.I. Lee, YR. Jang, B.I. 99 (1991) L45 Ho, KY., see XY. Xiong 94 (1991) L29 Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium 104-107 (1992) 659 Hoare, A., see Th. Orth 101 (1991) 235 metals: samarium 104-107 (1992) 659 Hobby, P.C., see K. O'Grady 95 (1991) 341 Hong, S.C., see J.I. Lee 104-107 (1992) 1684 Hobson, E., see M. Soinski 101 (1991) 62 Hong, T.M., Magnetic correlations in 104-107 (1992) 1684			Hong, S.C., J.I. Lee and A.J. Freeman,	
metals 110 (1992) 275 Fe(001) (Letter to the Editor) 99 (1991) L45 Ho, H.P., see D. Greig 110 (1992)L239 Hong, S.C., J.I. Lee, YR. Jang, B.I. 94 (1991) L29 Ho, KY., see XY. Xiong 94 (1991) L29 Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium 104-107 (1992) 659 Hoby, P.C., see K. O'Grady 95 (1991) 341 Hong, S.C., see J.I. Lee 104-107 (1992) 1684 Hobson, E., see M. Soinski 101 (1991) 62 Hong, T.M., Magnetic correlations in			Proximity effects of overlayers on	
Ho, H.P., see D. Greig 110 (1992)L239 Hong, S.C., J.I. Lee, YR. Jang, B.I. Ho, KY., see XY. Xiong 94 (1991) L29 Hoare, A., see Th. Orth Hobby, P.C., see K. O'Grady Hobby, P.C., see M. Soinski 101 (1991) 62 Hong, S.C., J.I. Lee, YR. Jang, B.I. Min and A.J. Freeman, Valence instability at the surface of rare-earth metals: samarium 104–107 (1992) 659 Hong, S.C., see J.I. Lee 104–107 (1992) 1684 Hong, T.M., Magnetic correlations in		440 (4000)		
Ho, KY., see XY. Xiong Ho, W.W., see F. Xing Hoare, A., see Th. Orth Hobby, P.C., see K. O'Grady Hobby, P.C., see M. Soinski Hobby, E.C., see M. Soinski Home, S.C., see J.I. Lee Hong, T.M., Magnetic correlations in				99 (1991) L45
Ho, W.W., see F. Xing 94 (1991) 49 stability at the surface of rare-earth Hoare, A., see Th. Orth 101 (1991) 235 Hobby, P.C., see K. O'Grady 95 (1991) 341 Hong, S.C., see J.I. Lee 104–107 (1992) 1684 Hobson, E., see M. Soinski 101 (1991) 62 Hong, T.M., Magnetic correlations in				
Hoare, A., see Th. Orth 101 (1991) 235 metals: samarium 104–107 (1992) 659 Hobby, P.C., see K. O'Grady 95 (1991) 341 Hong, S.C., see J.I. Lee 104–107 (1992) 1684 Hobson, E., see M. Soinski 101 (1991) 62 Hong, T.M., Magnetic correlations in	_			
Hobby, P.C., see K. O'Grady 95 (1991) 341 Hong, S.C., see J.I. Lee 104–107 (1992) 1684 Hobson, E., see M. Soinski 101 (1991) 62 Hong, T.M., Magnetic correlations in				104_107 (1002) 650
Hobson, E., see M. Soinski 101 (1991) 62 Hong, T.M., Magnetic correlations in				
Hook C and E.E. Voural 101 (1001) 404 Vr. 1 1 1 1				101 107 (1772)1004
100 (1772) 71	Hoch, S., see F.E. Kayzel	101 (1991) 424		108 (1992) 91

Hong, T.M. and G.A. Gehring, On the		in amorphous ribbons carrying an	
mean-field theory of antiferromag-		electric current	109 (1992) 191
netically ordered Kondo lattices	108 (1992) 93	Horvat, J., see S. Sabolek	110 (1992) L25
Hongu, H., see K. Sato	104-107 (1992) 1947	Horvat, J., E. Babić, K. Zadro and Ž.	
Hono, K., Y. Maeda, JL. Li and T.		Marohnić, Frequency and peak	
Sakurai, Direct evidence for compo-		magnetization dependence of the	
sitional fluctuation in sputtered		coercive field in Fe-Ni-B-Si amor-	
Co-Cr thin films (Letter to the Edi-		phous alloys	110 (1992) 215
tor)	110 (1992)L254	Horvatić, B., see V. Zlatić	104-107 (1992) 593
Honshima, M., see T. Minowa	97 (1991) 107	Horvatić, M., see W.G. Clark	104–107 (1992) 589
Hoon, S.R., G.R. Lawson, F. Thomp-	2, (22,2) 20,	Hoshi, K., see S. Murayama	104–107 (1992) 95
son, B. Dean and R.W. Chantrell,		Hosoito, N., see W. Kiauka	93 (1991) 494
Field dependent rf absorption spec-		Hosoya, S., see C. Brotzeller	104–107 (1992) 949
tra of particulate magnetic record-		Hou, C.K. and P.C. Wang, Effects of	104 107 (1772) 717
ing materials	104-107 (1992) 967	composition and process variables	
Hoon, S.R., see P.R. Bissell	104–107 (1992) 1551	on core loss and hardness of low	
Hoppe, J. and R. Tzscheutschler, A	101 107 (1772)1331	carbon electrical steels	92 (1990) 109
technology for the production of		Hou, C.K., C.T. Hu and S. Lee, The	72 (1770) 107
stratified magnetic bodies from		effect of phosphorus on the core	
amorphous magnetic materials	101 (1991) 81	loss of lamination steels	109 (1992) 7
Hori, H., see T. Takeuchi	104–107 (1992) 813	Houdy, Ph., see F. Pierre	93 (1991) 131
Hori, H., H. Mikami, M. Date, Y. Ajiro	104-107 (1772) 013	Houdy, Ph., see F. Pierre	104–107 (1992) 1033
and N. Mori, Phase transition in		Houdy, Ph., see F. Giron	104–107 (1992) 1887
$CsCoCl_3$ and $CsCo_{1-x}Mg_xCl_3$ in		Hoving, W., see S.t. Purcell	93 (1991) 25
magnetic fields	104-107 (1992) 815	Hoving, W., see F.J.A. den Broeder	93 (1991) 562
Hori, T., see H. Shiraishi	104–107 (1992) 2040	Howard, J.K., see P.I. Mayo	95 (1991) 109
Hori, T., H. Shiraishi, H. Kato, G. Kido	101 107 (1772)2010	Howson, M.A., see J. Horvat	109 (1992) 191
and Y. Nakagawa, Magnetic prop-		Howson, M.A., see D. Greig	110 (1992)L239
erties of $M_{7-x}Mn_xGe_6$ (M = Co,		Holyst, J.A., see H. Benner	104-107 (1992)1077
Fe)	104-107 (1992) 2043	Hołyst, J.A. and A. Sukiennicki, Chaotic	104 107 (1772)1077
Hori, T., Y. Yamaguchi and Y. Naka-	104 107 (1772)2043	dynamics of a damped classical spin	104-107 (1992)2111
gawa, Antiferromagnetic to ferro-		Hrabčák, M., see É. Kisdi-Koszó	92 (1990) 181
magnetic transition of hexagonal		Hsia, Y., see Z. Hu	104–107 (1992) 1583
$(Mn_{1-x}Fe_x)_3Ge$	104-107 (1992) 2045	Hsu, J.H., see A. Gavrin	104-107 (1992) 1351
Horn, S., A. Mehner, C. Kämmerer, B.	10+ 107 (1772)20+3	Hu, B., see W.z. Tang	94 (1991) 67
Seidel, C.D. Bredl, C. Geibel and F.		Hu, C.T., see C.K. Hou	109 (1992) 7
Steglich, Transition from heavy-		Hu, Z., J. Shen, Y. Chen, Y. Hsia and	10) (1))2)
fermion behaviour to magnetic or-		H. Zhai, The investigation of uni-	
dering in CePtSi _{1-x} Ge _x	108 (1992) 205	form spherical a-Ni ₈₅ P ₁₅ ultrafine	
Horn, S., see C. Geibel	108 (1992) 209	particles	104-107 (1992) 1583
Horvat, J. and E. Babić, Reduction of	100 (1772) 207	Huang, H.B., see H.R. Zhai	104–107 (1992) 1015
loss in Metglas ^R 2714 alloy (<i>Letter</i>		Huang, H.L., see Y.T. Huang	94 (1991) 197
to the Editor)	92 (1990) L25	Huang, M., E.M. Jackson, S.M. Bhagat,	21(222) 221
Horvat, J. and E. Babić, The variation)	L.C. Gupta, A.K. Rajarajan and R.	
of the domain wall pinning strength		Vijayaraghavan, Effective zero field	
with the depth within the Co ₇₄ Fe ₆		splitting in the ground doublet in	
B_{20} amorphous alloy (<i>Letter to the</i>		ErBa ₂ Cu ₃ O ₆	97 (1991) 297
Editor)	96 (1991) L13	Huang, M., see L.Y. Zhang	103 (1992) 245
Horvat, J., Reduction of loss using the	70 (1771) 1210	Huang, M.Q., Y. Zheng, K. Miller, J.M.	200 (2772) 210
pinning inhomogeneity in Co-based		Elbicki, S.G. Sankar, W.E. Wallace	
amorphous ribbons	101 (1991) 19	and R. Obermeyer, Magnetic prop-	
Horvat, J., E. Babić and G.J. Morgan,	(//1/ 1/	erties of $(Sm_{1-x}R_x)_2Fe_{17}N_y$ (R =	
Magnetization processes in amor-		Ce, Nd and mischmetal)	102 (1991) 91
phous ribbons influenced by electri-		Huang, M.Q., see A.E. Clark	104–107 (1992) 1433
cal current in the ribbon	104-107 (1992) 359	Huang, RW., see ZW. Zhang	92 (1990) 196
Horvat, J., G.J. Morgan and M.A.	(2772) 557	Huang, Y.R., see S.U. Jen	109 (1992) 91
Howson, Process of magnetization		, , , , , , , , , , , , , , , , , , , ,	
220 moon, 2 20000 of magnetication			

Huang, Y.T. and H.L. Huang, Charac-		Ibarra, M.R., L. Morellon, P.A. Algara-	
teristics of current film heads	94 (1991) 197	bel and O. Moze, A determination	
Huang, Y.Y., G.P. Felcher and S.S.P.		of the crystal electric field and ex-	
Parkin, Antiferromagnetic and fer-		change parameters of Pr ³⁺ and	104 107 (1002) 1140
romagnetic order in Co/Ru multi-	00 (1001) 7 31	Nd ³⁺ ions in RCo ₅ intermetallics	104–107 (1992)1149
layers (Letter to the Editor)	99 (1991) L31	Ibarra, M.R., L. Morellon, P.A. Algara-	
Huber, J.G., see L.E. De Long	99 (1991) 171	bel, C. Marquina, Z. Arnold and J.	
Hübner, R., H. Schewe, W. Zintl and		Kamarad, Pressure effects on the	
R. Röckelein, Read/write charac-		spin reorientation transitions in	104-107 (1992) 1371
teristics in a perpendicular record-	104 107 (1002) 065	rare-earth intermetallics	104-107 (1992) 1371
ing system	104–107 (1992) 965	Ibarra, M.R., C. Marquina, C. Ritter and A.S. Pavlovic, Structural and	
Hubsch, J., see G. Gavoille	102 (1991) 283 104–107 (1992) 1833	magnetic phase diagram of the se-	
Hubsch, J., see K. Cherifi	93 (1991) 53	ries $(Tb_xY_{1-x})Cu$	104–107 (1992)1373
Hui, H.D., see R. Clarke		Ibarra, M.R., B. García-Landa, C. Mar-	104-107 (1772)1373
Hukuda, Y., see K. Kojima	104–107 (1992) 49 104–107 (1992) 655	quina, O. Moze, K.H.J. Buschow,	
Hukuda, Y., see K. Hiraoka	93 (1991) 207	T.H. Jacobs and A. Murani, Neu-	
Hulliger, F., see H. Brändle Hulliger, F., see H. Aoki	97 (1991) 169	tron spectroscopy of R ₂ Zn ₁₇ com-	
Hulliger, F., see A. Dönni	104–107 (1992)1204	pounds	104-107 (1992)1375
Hummler, K., see M. Fähnle	104–107 (1992) 1931	Ibarra, M.R., see P.A. Algarabel	110 (1992) 323
Hundley, M.F., see G. Aeppli	104–107 (1992) 507	Ibarrondo, I., J. San Juán and J.	110 (1),2) 525
Hundley, M.F., see P.C. Canfield	108 (1992) 217	González, Study of the incidence of	
Hung, M.P., see S.W. Yung	98 (1991) 341	the last annealing on the magnetic	
Hunt, M., see K. Satoh	104–107 (1992) 39	characteristics of high silicon (6.0–	
Hunt, M., see K. Satoh	104-107 (1992) 1411	6.5%) crystalline ribbons directly	
Hunt, M., P. Meeson, PA. Probst, M.		obtained from the melted state by	
Springford and A. Wasserman, Evi-		rapid quenching	101 (1991) 83
dence for the Anderson lattice		Ichinose, K., F. Maruyama, M. Misawa,	
model from dHvA studies in CeCu6	108 (1992) 127	A. Tsujimura, H. Nagai and K. Ad-	
Hunter, G.J.A., see J.R. Brown	104-107 (1992) 207	achi, Spin reorientations in (Nd_{1-x})	
Hurdequint, H. and M. Malouche,		$R_x)_2 Co_{14} B$ compounds	104-107 (1992) 1159
FMR studies of Fe bilayers and		Ichinose, K., see F. Maruyama	104-107 (1992) 1165
multilayers (Ag/Fe) _n : evidence for		Ichinose, N. and A. Quema, Prepara-	
a dynamic intermagnetic layer cou-		tion and superconducting properties	
pling	93 (1991) 276	of the Cd-substituted Bi-Sr-Ca-	
Hurdequint, H., FMR studies of single		Cu-O system	104-107 (1992) 565
Fe layers sandwiched by Ag	93 (1991) 336	Ichiyanagi, Y., see Y. Kimishima	104-107 (1992) 781
Hurley, D.P.F., see J.M.D. Coey	98 (1991) 76	Ido, H., see M. Kido	104-107 (1992) 705
Hurley, D.P.F. and J.M.D. Coey, Struc-		Ido, H., K. Konno, T. Ito, S.F. Cheng,	
tural and magnetic properties of the		S.G. Sankar and W.E. Wallace,	
rare-earth iron nitride solution se-		Magnetic properties of RCo ₄ M (R	
ries $Y_2(Fe_{1-x}Co_x)_{17}N_{3-\delta}$	99 (1991) 229	= Y, Nd and Ho; $M = B$, Al and	
Hurley, D.P.F., see J.M.D. Coey	101 (1991) 310	Ga) II	104–107 (1992) 1361
Hurley, D.P.F., see J.M.D. Coey	104-107 (1992)1098	Ido, H., see K. Konno	104-107 (1992) 1369
Hutchings, C.W., see D.q. Li	99 (1991) 85	Ido, H. and T. Suzuki, Relation be-	
Hutflesz, G., see E. Bauer	108 (1992) 159	tween temperature dependences of	
Hwang, A.M.H., see Y.J. Bi	99 (1991) 159	magnetic and crystallographic prop-	
Hwang, A.M.H., see Y.J. Bi	104–107 (1992)1471	erties in MnAs _{0.75} P _{0.25}	104–107 (1992) 1939
Hwang, C., see D.q. Li	99 (1991) 85	Idzerda, Y.U., see L.H. Tjeng	109 (1992) 288
I II I AD COM		Idzikowski, B., see P. Czarnecki	101 (1991) 32
Iannarella, L., A.P. Guimarães and		Iga, F., Y. Nishihara, G. Kido and Y.	
X.A. da Silva, Effect of a distribu-		Takeda, Mössbauer effect and	
tion of exchange parameters within	100 (1001) 05	high-field magnetization of BaFe-	
a simple localized-itinerant model	102 (1991) 87	O _{3-y}	104–107 (1992) 1969
Ibarra, M.R., see P.A. Algarabel	101 (1991) 111	Iga, F., Y. Nishihara, T. Katayama, K.	
Ibarra, M.R., see A. del Moral	104–107 (1992)1051	Murata and Y. Takeda, Magnetic	

and transport properties of BaFe-		Imada, S. and T. Jo, Magnetic states of	
O _{3-v}	104-107 (1992)1973	cobalt oxide and ferrites and mag-	
Igarashi, JI. and P. Fulde, Spiral phase	-0. 20. (2),=/2/10	netic dichroism in 2p-3d X-ray ab-	
in doped antiferromagnets	104-107 (1992) 596	sorption spectroscopy	104-107 (1992) 2001
Igarashi, JI. and A. Watabe, Quantum	, , , , , , , , , , , , , , , , , , ,	Imaeda, Y., see T. Myojin	104–107 (1992)1195
fluctuation in a two-dimensional		Imaeda, Y., see M. Hayashi	104–107 (1992)1225
Heisenberg antiferromagnet at zero		Imbert, P., see P. Bonville	97 (1991) 178
temperature	104-107 (1992) 769	Imbert, P., see J.A. Hodges	104–107 (1992) 551
Iglesias, J.R., see J.J. Arenzon	104–107 (1992) 1652	Imbert, P., see P. Bellot	108 (1992) 141
Iglesias, J.R., see L.G. Brunet	108 (1992) 147	Inami, T., see S. Kawano	104–107 (1992) 791
Ignatchenko, V.A. and R.S. Iskhakov,	100 (1772) 117	Indeck, R.S., see Guo Mian	96 (1991) 248
Comments on the paper "depend-		Ings, J.B., see M. Pardavi-Horvath	104–107 (1992) 433
ence of the magnetization law on		Ino, H., see K. Yano	104–107 (1992) 131
structural disorder in amorphous		Inomata, K., S. Hashimoto and K. Yusu,	101 101 (1772) 101
ferromagnets" by E.M. Chudnovsky	92 (1990) 265	Magneto-optical properties of Pt/	
Ignatchenko, V.A. and E.Yu. Mironov,		Co multilayered films with modu-	
Magnetic structures with a finite		lated layer structure	110 (1992) 233
number of domain walls	94 (1991) 170	Inoue, J., Stability of the antiferromag-	110 (1332) 200
Ignatchenko, V.A., see I.V. Bogomaz	94 (1991) 179	netic structures in the intermetallic	
Ignatchenko, V.A. and E.Yu. Mironov,	(,	compounds	104-107 (1992) 757
Processes of magnetization of a fer-		Inoue, J., A. Oguri and S. Maekawa,	10 (10 / (17 / 2) / 75 /
romagnet with a finite number of		Magnetoresistance in metallic su-	
domain walls	103 (1992) 139	perlattices	104-107 (1992) 1883
Ignatenko, A.A., see S.N. Barilo	102 (1991) 30	Inoue, M., K. Sadahiro and H. Negishi,	10 (10 (17) 2) 1000
Ihara, K., see H. Sakakima	93 (1991) 349	Transport studies on relaxation be-	
Ihle, D. and N.M. Plakida, Electrical	, , , , , , , , , , , , , , , , , , , ,	havior in spin-glass phase of itiner-	
resistivity in the Emery model: T^2		ant magnetic intercalate Fe, TiS ₂	98 (1991) 60
versus T law in two dimensions	104-107 (1992) 511	Inoue, T., see H. Wada	104-107 (1992) 693
Iida, J., M. Tanaka and S. Funahashi,	(,	Iraldi, R., see J. Lamazares	104–107 (1992) 997
Magnetic property of single crystal		Irvine, J.T.S., see R. Valenzuela	104-107 (1992) 395
Lu ₂ Fe ₃ O ₇	104-107 (1992) 827	Isaacs, E.D., see W. Wei	108 (1992) 77
Iida, T., T. Saito, K. Shinagawa and T.		Ishi, T., see Y. Gondō	93 (1991) 43
Tsushima, Field-induced spin reori-		Ishibashi, H., see Y. Teraoka	104-107 (1992) 1701
entation in Nd ₂ Fe ₁₄ B and Er ₂ Fe ₁₄ B	104-107 (1992) 1363	Ishida, S. and K. Kitawatase, Electronic	ì
Iio, K., see T. Mitsui	104-107 (1992) 819	structures and magnetic properties	
Iio, K., see H. Tanaka	104-107 (1992) 829	of iron nitrides	104-107 (1992) 1933
Iio, K., see K. Kakurai	104-107 (1992) 857	Ishihara, A., see K. Nagata	104-107 (1992) 1571
Ikeda, H., see M. Motokawa	104-107 (1992) 947	Ishii, H. and K. Akai, Conduction elec-	
Ikeda, K., S.K. Dhar, M. Yoshizawa		trons accompanied by virtual excita-	
and K.A. Gschneidner Jr., Quench-		tion of crystal field states	104-107 (1992) 1457
ing of spin fluctuations by high mag-		Ishii, T., see K. Sugiyama	104-107 (1992) 1223
netic fields	100 (1991) 292	Ishii, Y., T. Okamoto and H. Nishina,	
Ikeda, S., see J. Sakurai	104-107 (1992) 1415	Particle length and orientation dis-	
Ikeda, T., N. Iwata, K. Honda and T.		tributions in magnetic recording	
Shigeoka, Magnetization and ani-		media	98 (1991) 210
sotropy in ErFe ₂	104-107 (1992) 1221	Ishikawa, M., see E.V. Sampathku-	
Ikeda, Y., see K. Iwauchi	96 (1991) 261	maran	108 (1992) 85
Iki, K., see G. Oomi	104-107 (1992) 2075	Ishikawa, Y., see K. Tenya	104-107 (1992) 485
Iki, K., G. Oomi, Y. Uwatoko, C.		Ishimoto, K., see S. Kawamata	104–107 (1992) 51
Sekine, T. Sakakibara and Y. Miy-		Ishimoto, K., see S. Kawamata	104–107 (1992) 53
ako, Anomalous thermal expansion		Ishio, S., see T. Miyazaki	98 (1991) L7
of $Ce(Ru_{1-x}Rh_x)_2Si_2$ under high		Ishio, S., see T. Miyazaki	103 (1992) 13
pressure	108 (1992) 100	Ishio, S., S. Negami, T. Obara, T.	
Il'Yashenko, E.I., I.N. Kondrat'yev and		Miyazaki, T. Kamimori, H. Tange	
G.N. Selin, The domain structure		and M. Goto, Magnetization and	
and hysteresis of Ni-Fe rectangular		magnetovolume effect of an amor-	
film elements with low induced ani-		phous $Gd_{80}Si_{12}B_8$ alloy	104–107 (1992) 143
sotropy	93 (1991) 143	Isikawa, Y., see M. Kasaya	104–107 (1992) 665

Isikawa, Y., see I.S. Oliveira Isikawa, Y., see K. Maezawa Isikawa, Y., see K. Sato Isikawa, Y., K. Mori, K. Kamigaki, T. Mizushima, K. Oyabe, S. Ueda and	104–107 (1992)1265 104–107 (1992)1365 104–107 (1992)1435	studies on the hydrogenation effect in ferromagnetic C15-type compounds $Y_{1-x}Zr_xFe_2$ Itoh, S., Y. Endoh, S. Taketomi and S. Chikazumi, Determination of intra-	104–107 (1992)1279
K. Sato, The dense Kondo effect in ternary intermetallic compounds Ce-Ni-Al Iskhakov, R.S., see V.A. Ignatchenko Isnard, O., see F.J. Lázaro Isnard, O., see J. Bartolomé Isnard, O., S. Miraglia, D. Fruchart and J. Deportes, Magnetization properties of RE ₂ Fe ₁₇ H _x compounds: RE	108 (1992) 157 92 (1990) 265 101 (1991) 372 101 (1991) 411	particle structure of magnetite particles in a solvent by contrast variation method using polarized neutrons Iudica, A., see P.L. Cavallotti Ivanov, B., see A. Maziewski Ivanov, B.A., see Yu.N. Mitzay Ivanov, C.I., N. Tyutyulkov and S. Karabunarliev, On the effective spin	103 (1992) 126 104–107 (1992) 905 104–107 (1992) 361 110 (1992) 80
= Nd, Ce, Ho Isnard, O., see J. Chaboy Isnard, O., C. Kolbeck, S. Miraglia, J.L. Soubeyroux, D. Fruchart, E. Tomey,	103 (1992) 157 104–107 (1992)1171	exchange in non-classical organic polymers Ivanov, M.A., V.M. Loktev and Yu.G. Pogorelov, On a theory of relax-	92 (1990) 171
C. Rillo and M. Guillot, Structural, χ_{ac} susceptibility and high magnetic field characterization of the new hard magnetic nitrides $R_2Fe_{17}N_x$	104–107 (1992) 2003	ation of spin excitations in magnets with long range impurity states Ivanov, P. and M. Mikhov, The transformation γ -Fe ₂ O ₃ - α -Fe ₂ O ₃ : ex-	99 (1991) 323
Isoda, M., Magnetic-metal to paramag- netic-insulator transition in modi- fied Anderson model Isoda, Y., see H. Aoki	104–107 (1992) 41 104–107 (1992)1905	periment and model Ivanov, V., see L. Vinokurova Ivanov, V., L. Vinokurova and A. Szytuła, Influence of external pressure	104–107 (1992) 417 99 (1991) 193
Isozumi, Y., see T. Fujii Itji, H., see J. Filippi Ito, A., see T. Futakata Ito, A., see A. Seidel	92 (1990) 261 104–107 (1992) 165 104–107 (1992) 729 104–107 (1992)1599	on magnetic phase transitions in NdRu ₂ Ge ₂ (Letter to the Editor) Ivison, P.K., see R.A. Cowley Iwakawa, S., see T. Fukuhara	110 (1992)L259 104–107 (1992) 159 104–107 (1992) 667
Ito, A., see K. Gunnarsson Ito, A., S. Ebii, H. ArugaKatori and T. Goto, Study of Ising system Fe _x Mn _{1-x} TiO ₃ with exchange frustra-	104–107 (1992)1607	Iwasaki, H., see S. Kawamata Iwasaki, H., see S. Kawamata Iwashita, K., see K. Segawa Iwata, N., M. Nishikawa and T. Shi-	104-107 (1992) 53 104-107 (1992) 55 104-107 (1992) 1233
tions by observing magnetization process Ito, A., H. Kawano, H. Yoshizawa and K. Motoya, Magnetic properties and	104–107 (1992)1635	geoka, Molecular field calculations of the magnetization process in CeBi Iwata, N., M. Ito, T. Kishino, H. Fujii,	99 (1991) 209
phase diagram of $Ni_x Mn_{1-x}TiO_3$ Ito, A., see H. Aruga Katori Ito, M., see N. Iwata	104–107 (1992) 1637 104–107 (1992) 1639 104–107 (1992) 27	T. Shigeoka, K. Sugiyama and A.M. Date, Model for the magnetic transition in UPdIn Iwata, N., see K. Takeda	104–107 (1992) 27 104–107 (1992) 901
Ito, N., see N. Kawashima Ito, S., see T. Sato Ito, T., see H. Ido Itoh, A., see K. Nakagawa	104–107 (1992) 1663 104–107 (1992) 1625 104–107 (1992) 1361 104–107 (1992) 1007	Iwata, N., see T. Ikeda Iwata, N., see T. Shigeoka Iwata, S., see G.Q. Di Iwata, Y., see K. Yamagata	104-107 (1992) 1221 104-107 (1992) 1229 104-107 (1992) 1023 104-107 (1992) 849
Itoh, A., see T. Sugimoto Itoh, K., see K. Hara Itoh, K., K. Hara, M. Kamiya, H. Fujiwara, K. Okamoto and T. Hashi-	104–107 (1992) 1845 92 (1990) 68	Iwauchi, K. and Y. Ikeda, Magnetic properties of $Ba_{1-x}Sr_xTi_{2-y}Sn_y$ - Fe_4O_{11} Iwazumi, T., see H. Maruyama	96 (1991) 261 104–107 (1992) 2055
moto, Magnetic analysis of colum- nar grain structure of obliquely de- posited cobalt films Itoh, K., Magnetic anisotropy in nickel	94 (1991) 235	Jaccard, D., see P. Bonville Jaccard, D., see R. Cibin Jaccard, D., see K. Behnia	97 (1991) 178 108 (1992) 107 108 (1992) 133
and cobalt films obliquely deposited by sputtering Itoh, K., see K. Hara Itoh, K. and K. Kanematsu, Mössbauer	95 (1991) 237 102 (1991) 247	Jaccarino, V., see H. Ohta Jackson, E.M., see M. Huang Jacobs, T.H., see K.H.J. Buschow Jacobs, T.H., see X.P. Zhong	104–107 (1992) 1741 97 (1991) 297 92 (1990) L35
		The state of the s	92 (1990) 46

Jacobs, T.H., see M.W. Dirken	94 (1991) L15	Jang, YR., see S.C. Hong	104–107 (1992) 659
Jacobs, T.H., see P.C.M. Gubbens	97 (1991) 69	Jankowska-Kisielinska, J., see K. Mikke	104–107 (1992) 718
Jacobs, T.H., see A.A. Moolenaar	101 (1991) 395	Jankowski, H., see L.J. Maksymowicz	93 (1991) 435
Jacobs, T.H., see P.C.M. Gubbens	104-107 (1992) 1113	Jankowski, H., see L.J. Maksymowicz	109 (1992) 341
Jacobs, T.H., K.H.J. Buschow, G.F.		Janse, E.W., see H.J.M. Swagten	104-107 (1992) 989
Zhou, J.P. Liu, X. Li and F.R. de		Jansen, A.G.M., see V.S. Amaral	104-107 (1992) 2079
Boer, Magnetic behaviour of Al		Japiassu, G.M., M.A. Continentino and	
and Mn substituted Gd ₂ Fe ₁₇ com-		A. Troper, Superconductivity in	
pounds	104-107 (1992) 1275	two-band systems: application to	
Jacobs, T.H., see A.V. Andreev	104–107 (1992)1305	transition metals and high $T_{\rm c}$ mate-	
Jacobs, T.H., see Cz. Kapusta	104–107 (1992)1331	rials	104-107 (1992) 1945
Jacobs, T.H., see Cz. Kapusta	104–107 (1992)1333	Jardim, R.F., see M.S. Torikachvili	104–107 (1992) 69
Jacobs, T.H., see M.R. Ibarra	104–107 (1992) 1375	Jarén, J., see S. Vieira	110 (1992) 129
Jacoud, J.L., L.P. Regnault, J.M.		Jarlborg, T., see J. Sjöström	98 (1991) 85
Mignod, J. Rossat-Mignod, J. Flou-		Jarlborg, T., see E.G. Moroni	104–107 (1992) 711
quet and P. Lejay, Inelastic neutron		Jaroszewicz, A. and A. Sukiennicki,	
scattering study of magnetic fluctua-		Three routes to chaos in a Heisen-	104 107 (1002) 967
tions in the heavy-fermion com-	108 (1992) 131	berg chain of spins	104–107 (1992) 867
pound Ce _{0.8} La _{0.2} Ru ₂ Si ₂ Jacquiod, C. and D. Autissier, Rare-	100 (1772) 131	Jarvis, W.R.A., see G.C. DeFotis Jarvis, W.R.A., see E.W. Harlan	104–107 (1992) 187 104–107 (1992) 189
earth substitutions in Z-type hexa-		Jarvis, W.R.A., see G.C. DeFotis	104–107 (1992) 1603
ferrites	104-107 (1992) 419	Jassim, I.K., KU. Neumann, D. Visser,	101 107 (1772)1003
Jadhav, S.R., see R.S. Patil	102 (1991) 51	P.J. Webster and K.R.A. Ziebeck,	
Jagannathan, A., The nature of middle-	, , , , , , , , , , , , , , , , , , , ,	Magneto-elastic distortions in Heus-	
range spin-spin interactions in		ler alloys	104-107 (1992) 2072
metallic alloys	104-107 (1992) 1673	Jaswal, S.S. and A.A. Kusov, Magnetic	
Jahn, L., see K. Elk	101 (1991) 387	anisotropy in R ₂ Fe ₁₄ B compounds	
Jahn, L., R. Scholl and D. Eckert, Vi-		(Letter to the Editor)	109 (1992)L151
brating sample vector magnetome-		Jay, J.P., see D. Muller	104–107 (1992) 1873
ter coils	101 (1991) 389	Jean, A., see B.A. Lombos	93 (1991) 391
Jahn, L., see K. Elk	102 (1991) 159	Jeandey, C., see J.L. Oddou	104–107 (1992) 1987
Jahn, L., see V. Christoph	104–107 (1992)1121	Jeberlaev, I., see J. Jalishev	102 (1991) 208
Jahnes, C.V., see B.C. Webb	104–107 (1992) 973	Jędryka, E., M. Wójcik and P. Panissod, Two magnetic states of Nd	
Jahnes, C.V., see M.A. Russak	104–107 (1992) 1847 104–107 (1992) 1851	in Nd ₂ (CoFe) ₁₄ B - ¹⁴⁵ Nd NMR	
Jahnes, C.V., see M.A. Russak Jahnke, H.G., G. Schmidt and H.	104-107 (1992)1031	study	104-107 (1992) 1405
Strese, Three-dimensional magnetic		Jehan, D.A., D.F. McMorrow, R.A.	101 107 (15)2/1105
head investigations	92 (1990) 271	Cowley and G.J. McIntyre, The	
Jahnke, R., see W. Grünberger	101 (1991) 173	magnetic structure of holmium in	
Jaimes, E., see J. Lamazares	104-107 (1992) 997	an applied magnetic field	104-107 (1992) 1523
Jaitner, H., see H. Tietze-Jaensch	104-107 (1992) 897	Jéhanno, G., see P. Bonville	97 (1991) 178
Jaitner, H., see C. Brotzeller	104-107 (1992) 949	Jéhanno, G., see J.A. Hodges	104-107 (1992) 551
Jakubovics, J.P., see M. Labrune	104-107 (1992) 343	Jéhanno, G., see P. Bellot	108 (1992) 141
Jakubovics, J.P., see A. Aharoni	104–107 (1992) 353	Jen, S.U., C.Y. Lee, Y.D. Yao and K.C.	
Jakubovics, J.P., see D.H.L. Ng	104–107 (1992) 355	Lee, Magnetic properties of ultra-	
Jakubovics, J.P., see A.D. Beale	104–107 (1992) 365	fine iron particles	96 (1991) 82
Jakubovics, J.P., see C.D. Meekison	104–107 (1992)1161	Jen, S.U., see S.J. Tzeng	104–107 (1992) 889
Jakusch, H., see Th. Orth	101 (1991) 235	Jen, S.U., Y.R. Huang and T.P. Chen,	
Jalishey, J., see S. Burmistrov	96 (1991) 349	Magnetic and electrical properties of Co-Ni-Pd alloys	109 (1992) 91
Jalishev, J., V. Pokazan'ev, I. Jeberlaev, K. Lukash and O. Troshin, Oscilla-		Jenkins, R.C.L., see J.R. Brown	109 (1992) 91
tion spectrum of straight 180° do-		Jenko, M., see F. Vodopivec	97 (1991) 281
main walls containing a vertical		Jenner, A.G.I., see R.D. Greenough	101 (1991) 75
Bloch line	102 (1991) 208	Jennett, N.M. and D.J. Dingley, Struc-	10
James, W.J., see D.E. Tharp	104–107 (1992)1477	ture and magnetism of Ni_n/Fe_n	
Jančárik, V., see J. Sláma	101 (1991) 102	multilayers	93 (1991) 472

Jones I and A.D. Maskintash Navel		Johnson, M.T., P.J. Van der Zaag, A.	
Jensen, J. and A.R. Mackintosh, Novel magnetic phases in holmium	104-107 (1992)1481	Noordermeer, E.G. Visser, P.T. Por	
Ji, S.Q., see F.E. Kayzel	101 (1991) 424	and M.Th. Rekveldt, Magnetic per-	
	102 (1991) 217	meability and intra-granular domain	
Ji, S.Q., see Jz. Liang		structure in polycrystalline ferrites	104-107 (1992) 421
Ji, S.Q., see N. Tang	104–107 (1992) 1086	Johnston, D.C., Normal state mag-	104-107 (1772) 421
Jia, Y.X., see T.W. Clinton	104–107 (1992) 625		
Jiang, S.t., see R.w. Gao	95 (1991) 205	netism of the high T_c cuprate super-	100 (1991) 218
Jiles, D.C., see A.R. Eichmann	104–107 (1992) 375	conductors	100 (1991) 210
Jiles, D.C., see M.K. Devine	104–107 (1992) 377	Jones, D.G.R., J.S. Abell and I.R. Har-	
Jiles, D.C., see D.A. Kaminski	104–107 (1992) 382	ris, Magnetic properties of giant	
Jiles, D.C., see L.B. Sipahi	104–107 (1992) 385	magnetostrictive Terfenol-D pro-	104 107 (1002) 1460
Jiles, D.C., see J.B. Thoelke	104–107 (1992) 1453	cessed by hydrogen decrepitation	104–107 (1992)1468
Jiles, D.C., see R. Chung	104–107 (1992)1455	Jones, D.L., see C.C. Tang	103 (1992) 86
Jimbo, M., E. Sobue, S. Tsunashima		Joo, S., Y. Obi, K. Takanashi and H.	
and S. Uchiyama, Soft magnetic		Fujimori, Anomalous low-angle X-	
properties of Fe/CoZr multilayer		ray diffraction in sputter-deposited	
films	104–107 (1992) 1829	Fe/Cr multilayers and its relation	
Jimenez, C., see M. Artigas	104–107 (1992)1993	to the giant magnetoresistance	104–107 (1992) 1753
Jin, Hm., see Xf. Han	102 (1991) 151	Jorat, L., see O. Derriche	102 (1991) 255
Jin, S., see S.K. Chen	110 (1992) 65	Joss, W., see H. Aoki	97 (1991) 169
Jirásková, Y., see O. Schneeweiss	103 (1992) 250	Joss, W., see W. Bauhofer	104–107 (1992) 1243
Jirman, L., V. Sechovský, L. Havela, W.		Jotania, R.B., see J. Nogués	99 (1991) 275
Ye, T. Takabatake, H. Fujii, T.		Joubert, J.C., see S. Ram	99 (1991) 133
Suzuki, T. Fujita, E. Brück and F.R.		Joubert, J.C., see J.L. Deschanvres	101 (1991) 224
De Boer, Magnetic and transport		Jove, J., see J.L. Dormann	104-107 (1992) 1567
properties of UNiGa	104-107 (1992) 19	Joven, E., see A. Del Moral	104-107 (1992) 243
Jirman, L., see H. Maletta	104-107 (1992) 21	Joyce, J.J., see J.M. Lawrence	108 (1992) 215
Jirsa, M., L. Půst and J. Kadlecová,		Joynt, R., The phase diagram of UPt ₃ :	
Flux creep in YBaCuO single crys-		a status report	108 (1992) 31
tal observed on hysteresis loops and		Judy, J.H., see T. Yeh	104-107 (1992) 1879
magnetic moment time relaxation	101 (1991) 105	Jung, H., see E. Tönsing	97 (1991) 316
Jo, T., see S. Imada	104-107 (1992) 2001	Jurczyk, M., G.K. Nicolaides and K.V.	
Jo, T., A. Yoshida and G.A. Sawatzky,		Rao, Spin re-orientations in Nd-	
Ground state of ferromagnetic		$(Fe,Co)_{10}V_2$ system (Letter to the	
nickel and magnetic circular dichro-		Editor)	94 (1991) L6
ism in 2p and 3p core X-ray absorp-		Jurczyk, M., G.K. Nicolaides and K.V.	, ,
tion spectroscopies	104-107 (1992) 2087	Rao, Magnetic phase transitions in	
Johansson, B., see S. Auluck	104-107 (1992) 35	some Nd-Fe-M-Co-B magnetic	
Johansson, B., see T. Gasche	104-107 (1992) 37	materials (M = V, Mo or Re)	104-107 (1992)1193
Johansson, B., see L. Severin	104-107 (1992) 745	Jurisch, F. and N. Hildebrand, The ani-	10. 10. (1//2/11/0
Johansson, B., see L. Nordström	104-107 (1992) 1378	someter – a sensitive measuring de-	
Johansson, B., see M.S.S. Brooks	104-107 (1992) 1381	vice for testing electrical steels	101 (1991) 301
Johansson, B., see J. Trygg	104-107 (1992) 1447	Juszczyk, S. and M. Gogołowicz, The	101 (1771) 501
Johansson, B., see M.S.S. Brooks	104-107 (1992) 1496	valence of Cu and Cr ions in	
Johansson, B., see L. Nordström	104–107 (1992) 1942	$Zn_{1-x}Cu_xCr_2Se_4$ spinel system	92 (1991) 388
Johansson, B., see P. Söderlind	104-107 (1992) 2037	Juszczyk, S., Pulsed fields for measure-	72 (1791) 300
Johansson, C., see M. Hanson	101 (1991) 45	ments of H_{c2} in high- T_{c} supercon-	
Johnson, A.D., see J.A.C. Bland	93 (1991) 331	ductors	101 (1001) 276
Johnson, A.D., see J.A.C. Bland	93 (1991) 513	ductors	101 (1991) 276
Johnson, A.D., see J.A.C. Bland	104–107 (1992)1798		
Johnson, C.E., see Q.A. Pankhurst	97 (1991) 126	Kaabouchi, M., see R. Krishnan	02 (1001) 171
Johnson, C.E., see S. Suharan	104–107 (1992) 879		93 (1991) 174
Johnson, C.E., see G.R. Thompson	104–107 (1992) 893	Kaabouchi, M., see R. Zuberek	101 (1991) 219
Johnson Jr., D.W., see S.K. Chen	110 (1992) 65	Kaabouchi, M., see R. Krishnan Kaboš, P., see A. Grusková	104–107 (1992) 1822
Johnson, M.T., see O.J. Wimmers			101 (1991) 227
Johnson, M.T., see P.J. van der Zaag		Kaczkowski, Z. and M. Müller, depend-	
	99 (1991) L1	ence of elasticity moduli on mag-	
Johnson, M.T., see E.G. Visser	101 (1991) 143	netic bias field of the Fe _{73.5} Cu ₁ Nb ₃	

Si _{16.5} B ₆ alloy before nanocrystal-		Kakehashi, Y., New magnetism in	
lization	101 (1991) 21	amorphous transition metals and al-	
Kaczkowski, Z. and P. Duhaj, Elasticity		loys	104-107 (1992) 2085
moduli dependences on magnetic		Kakuno, K. and H. Koga, Surface mode	
field for Fe _{80.2} Cr ₂ Si _{3.8} B ₁₄ metallic		magnetoelastic waves along the sur-	
glass	101 (1991) 23	face of iron-rich metal-metalloid	
Kaczkowski, Z., E. Kisdi-Koszó and L.		foils at X-band FMR	104-107 (1992) 1709
Potocký, Influence of the casting in		Kakurai, K., see H.M. Mayer	97 (1991) 210
magnetic field and of annealing his-		Kakurai, K., see M. Enderle	104-107 (1992) 809
tory on the magnetomechanical		Kakurai, K., K. Nakajima, Y. Endoh,	
coupling in the Fe ₇₉ Cr _{6.6} B _{14.4}		K. Iio, H. Tanaka and M. Steiner,	
metallic glass	101 (1991) 25	Magnetic correlations in the quasi	
Kaczkowski, Z., Influence of annealing		one-dimensional antiferromagnetic	
near the crystallization temperature		ABX ₃ systems	104-107 (1992) 857
on magnetomechanical coupling in		Kalantarian, V.P., see S.S. Karneeva	110 (1992) 327
Fe-Ni-B-P metallic glass	101 (1991) 27	Kaldis, E., see P. Erhart	104-107 (1992) 487
Kaczmarek, W.A., R. Bramley and A.		Kaldis, E., see J.C. Martinez	104-107 (1992) 601
Calka, Magnetic structure rear-		Kalikmanov, V.I., P.P.J.M. Schram and	
rangement induced by heat treat-		S.V. Zybin, Parametric resonance in	
ment of Ni ₇₃ Mn ₅ Si ₁₀ B ₁₂ glassy rib-		suspensions of superconducting par-	
bons	96 (1991) 341	ticles	110 (1992) 91
Kadam, S.M., see S.H. Patil	110 (1992) 147	Kalk, A., H. Pinkvos, Ch. Schwink, F.N.	
Kadlecová, J., see M. Jirsa	101 (1991) 105	Gygax and A. Schenck, Importance	
Kagalovsky, V.A., Non-uniform ferro-		of the structural state of CuMn and	
magnetic resonance in slabs with		AuMn for the spin freezing pro-	
surface roughness	109 (1992) 293	cess-susceptibility and µSR-studies	102 (1991) 184
Kagawa, M., see N. Sato	104-107 (1992) 31	Kallias, G., see M. Pissas	104-107 (1992) 571
Kagawa, M., see N. Sato	108 (1992) 115	Kalvius, G.M., see I. Yaar	104–107 (1992) 63
Kagayama, T., G. Oomi, H. Takahashi,		Kamarad, J., see M.R. Ibarra	104-107 (1992) 1371
N. Mori, Y. Onuki and T. Komat-		Kamata, N., see K. Yamada	104-107 (1992) 991
subara, Crossover from concen-		Kamberský, V., see J. Šimšová	101 (1991) 196
trated Kondo to intermediate va-		Kamberský, V., The Schäfer-Hubert	
lence state in CeInCu ₂	108 (1992) 103	magneto-optical effect and classical	
Kähkönen, OP., see M. Talvitie	102 (1991) 323	gyrotropy in light-wave equations	104-107 (1992) 311
Kahle, H.G., see O. Göser	92 (1990) 129	Kamberský, V., J.F. Cochran and J.M.	
Kahle, H.G., see B. Fischer	94 (1991) 79	Rudd, Anisotropic low-temperature	
Kahle, H.G. and W. Paul, A detailed		FMR linewidth in nickel and the	
investigation of the magnetic phases		theory of 'anomalous' damping	104-107 (1992) 2089
of Ho ₂ O ₂ SO ₄	104-107 (1992)1185	Kameda, M. and H. Miyajima, Thermal	
Kahle, H.G. and A.U. Müller, Investi-		fluctuation aftereffect in Nd-Fe-B	
gation of the divers structural and		melt-spun ribbons	104-107 (1992) 1115
magnetic low-temperature phases of		Kamieniarz, G., see R. Dekeyser	104-107 (1992) 273
TbPO ₄	104-107 (1992)1187	Kamieniarz, G., R.W. Gerling, L.S.	
Kahn, O., see E. Codjovi	104-107 (1992) 2103	Campana, A. Caramico D'Auria, F.	
Kahrizi, M., see M.O. Steinitz	104-107 (1992) 1531	Esposito and U. Esposito, Thermo-	
Kaiser, D.L., see L.H. Bennett	104-107 (1992) 539	dynamic properties of some $S = 1$	
Kakatkar, S.V., see R.S. Patil	102 (1991) 51	soliton-bearing and Haldane-like	
Kakehashi, Y., On the anomalous		systems	104-107 (1992) 865
forced volume magnetostriction of		Kamieniarz, G., see H. Grille	104-107 (1992) 1067
the re-entrant spin glasses in Fe-rich		Kamigaki, K., see Y. Isikawa	108 (1992) 157
amorphous alloys	103 (1992) 78	Kamimori, T., see S. Ishio	104-107 (1992) 143
Kakehashi, Y. and H. Tanaka, Geomet-		Kamimori, T., K. Takai and M. Goto,	
rical-mean model in amorphous		Variation of easy magnetization di-	
magnetic alloys	104-107 (1992) 91	rection in $Y_2 Fe_{17-y} Si_x C_\delta$	104-107 (1992) 1219
Kakehashi, Y., Monte-Carlo approach		Kamimori, T., see M. Goto	104-107 (1992) 1789
to the dynamical coherent-potential		Kamimori, T., see H. Tange	109 (1992) 169
approximation in metallic mag-		Kamimura, T., M. Sato, H. Takahashi,	
netism	104-107 (1992) 677	N. Mori, H. Yoshida and T. Kaneko,	

Pressure-induced phase transition in		Kaneyoshi, T., Magnetic properties of a	
Fe-Se and Fe-S systems with a		mixed spin Ising model with random	/
NiAs-type structure	104-107 (1992) 255	nearest-neighbor interactions	92 (1990) 59
Kamimura, T., see M. Sato	104-107 (1992) 1961	Kaneyoshi, T., Effects of applied field	
Kaminski, D.A., D.C. Jiles, S.B. Biner		on magnetic properties in the	/
and M.J. Sablik, Angular depend-		Blume-Emery-Griffiths model	95 (1991) 157
ence of the magnetic properties of		Kaneyoshi, T. and T. Aoyama, Effec-	
polycrystalline iron under the action		tive-field treatments of the spin- $\frac{1}{2}$	
of uniaxial stress	104–107 (1992) 382	Ising model with four-spin interac-	06 (4004) 67
Kamiński, M., see J. Dutka	104–107 (1992) 579	tions	96 (1991) 67
Kamiya, M., see K. Hara	92 (1990) 68	Kaneyoshi, T., Surface magnetic prop-	
Kamiya, M., see K. Itoh	94 (1991) 235	erties of an amorphous semi-infinite	00 (1001) 105
Kamiya, M., see K. Hara	102 (1991) 247	ferromagnet	98 (1991) 185
Kämmerer, C., see S. Horn	108 (1992) 205	Kaneyoshi, T. and J.C. Chen, Mean-	
Kämmerer, C., see C. Geibel	108 (1992) 207	field analysis of a ferrimagnetic	00 (1001) 201
Kämmerer, C., see C. Geibel	108 (1992) 209	mixed spin system	98 (1991) 201
Kammlott, G.W., see S.K. Chen	110 (1992) 65	Kaneyoshi, T., see E.F. Sarmento	104–107 (1992) 233
Kanashiro, T., see T. Ohno	104–107 (1992)2027	Kaneyoshi, T., I.P. Fittipaldi and E.F.	
Kanbe, S., see K. Zenmyo	104–107 (1992)1615	Sarmento, Magnetic properties of the BEG model	104-107 (1992) 249
Kandaurova, G.S., V.N. Maltsev and		Kanno, K., see Y. Takano	104–107 (1992) 1367
V.H. Osadchenko, An asymmetrical magneto-optic diffraction in aniso-		Kanomata, A.T., see M. Ohashi	104–107 (1992) 1307
tropic media	109 (1992) 332	Kanomata, T., see T. Kaneko	104–107 (1992) 1949
Kandel, L. and F. Hippert, Magnetic	107 (1772) 332	Kanomata, T., see T. Kaneko	104–107 (1992)1951
properties of icosahedral Al ₇₃ (Mn _x		Kanomata, T., see T. Harada	104–107 (1992)1955
$(\text{Fe}_{0.5}\text{Cr}_{0.5})_{1-x})_{21}\text{Si}_6$ and decagonal		Kanomata, T., T. Suzuki, H. Yoshida	10+ 107 (1772)1755
$Al_{80}(Mn_x(Fe_{0.5}Cr_{0.5})_{1-x})_{20}$ phases	104-107 (1992) 2033	and T. Kaneko, Pressure effect on	
Kaneko, K., see K. Yamagata	104–107 (1992) 803	the Curie temperature and thermal	
Kaneko, T., see T. Kamimura	104–107 (1992) 255	expansion of MnAlGe	104-107 (1992) 1957
Kaneko, T., see Y. Adachi	104-107 (1992) 887	Kanomata, T., see S. Ohta	104–107 (1992) 1979
Kaneko, T., see H. Yasui	104-107 (1992) 927	Kanomata, T., see H. Yoshida	104-107 (1992) 1983
Kaneko, T., see M. Ohashi	104-107 (1992) 1383	Kanomata, T., see S. Abe	104-107 (1992) 2059
Kaneko, T., see K. Yagasaki	104-107 (1992) 1389	Kanomata, T., see M. Matsumoto	104-107 (1992) 2061
Kaneko, T., see S. Abe	104-107 (1992) 1397	Kanomata, T., H. Yoshida, T. Kaneko	
Kaneko, T., S. Abe, S. Sakurada, H.		and Y. Nishihara, Pressure effect	
Yoshida, G. Kido and Y. Naka-		on the magnetic transition tempera-	
gawa, Field induced transitions in		tures of $Sc_{1-x}Ti_xFe_{1.95}$ ($x = 0.60$,	
intermetallic compounds ErAg and		0.70 and 0.85)	104-107 (1992) 2063
HoAg	104–107 (1992)1401	Kappert, R.J.H., H.R. Borsje and J.C.	
Kaneko, T., see S. Abe	104–107 (1992)1403	Fuggle, High energy spectroscopies	
Kaneko, T., H. Yasui, Y. Nakagawa		and magnetism	100 (1991) 363
and T. Kanomata, Field-induced		Kappler, J.P., see F. Baudelet	93 (1991) 539
magnetic transitions in intermetallic	101 10= (1000) 1010	Kappler, J.P., see F. Baudelet	104–107 (1992) 1418
compound MnRhAs	104–107 (1992) 1949	Kappler, J.P., see J.G. Sereni	108 (1992) 183
Kaneko, T., H. Yasui, T. Kanomata		Kappler, J.P., G. Schmerber, O.	
and T. Suzuki, Pressure effect on		Trovarelli and J.G. Sereni, Heavy	
the Curie temperature and ex-	104 107 (1002) 1051	fermion and intermediate valence	
change striction of LaMn ₂ Ge ₂	104–107 (1992)1951	behaviour in Ce ₂₄ Co ₁₁	108 (1992) 185
Kaneko, T., see T. Harada	104–107 (1992)1955	Kappler, J.P., see J.G. Sereni	109 (1992) 349
Kaneko, T., see T. Kanomata Kaneko, T., see S. Ohta	104–107 (1992)1957	Kaprzyk, S., see R. Zach	104–107 (1992)1929
Kaneko, T., see H. Yoshida	104–107 (1992)1979 104–107 (1992)1983	Kaprzyk, S., A.Z. Maksymowicz and K.	
Kaneko, T., see S. Abe	104–107 (1992) 1983	Zakrzewska, Calculations of elec-	
Kaneko, T., see M. Matsumoto	104–107 (1992) 2039	tron spin polarization in PdCo al-	104 107 (1000) 0010
Kaneko, T., see T. Kanomata	104–107 (1992) 2063	loys by KKR-CPA-LSD method Kaptanoglu, C., see Y. Öner	104–107 (1992) 2019
Kanematsu, K., see K. Itoh	104–107 (1992) 1279	Kapusta, Cz., see H. Figiel	109 (1992) 323
The state of the s	201 101 (1972)1219	rapusta, CL., Sec 11. Figici	104107 (1992)1198

Kapusta, Cz., M. Rosenberg, H. Figiel, T.H. Jacobs and K.H.J. Buschow,		Kato, H., see C. Brotzeller Kato, H., see D.W. Lim	104–107 (1992) 949 104–107 (1992) 1429
⁵⁷ Fe NMR study of Lu ₂ Fe ₁₇ A _x (A		Kato, H., see T. Hori	104–107 (1992) 2043
= N, C, H) compounds	104-107 (1992) 1331	Kato, K., see S. Takayama	94 (1991) 357
Kapusta, Cz., M. Rosenberg, R.G. Gra-	10+ 107 (1772)1331	Kato, T., see K. Maezawa	104–107 (1992) 1365
ham, P.C. Riedi, T.H. Jacobs and		Katori, M. and N. Konno, Phase transi-	104-107 (1772)1303
K.H.J. Buschow, NMR and magne-		tions in spin systems without de-	
tocrystalline anisotropy of Sm ₂ Fe ₁₇		tailed balance	104-107 (1992) 267
N_r compounds	104-107 (1992) 1333		
~ -		Katsumata, K., see T. Takeuchi	104–107 (1992) 813
Kapusta, S., see H. Maletta	104–107 (1992) 495	Katsumata, K., see M. Hagiwara	104–107 (1992) 839
Karabunarliev, S., see C.I. Ivanov	92 (1990) 171	Katsura, S., see M. Seino	104–107 (1992) 1661
Karakostas, Th., see N.K. Flevaris	93 (1991) 39	Katter, M., J. Wecker, L. Schultz and	
Karas, W., see J. Korecki	92 (1990) L11	R. Grössinger, Magnetocrystalline	
Karen, P., see H. Fjellvåg	92 (1990) 75	anisotropy of Sm ₂ Fe ₁₇ N ₂ (Letter to	00 (1000) 114
Karnaukhov, I.N., Solution of the two-		the Editor)	92 (1990) L14
dimensional Kondo problem for the	00 (1001) 050	Katter, M., see R. Grössinger	101 (1991) 304
Landau-leveled electrons	98 (1991) 250	Kauzlarich, S.M., see D.J. Webb	98 (1991) 71
Karneeva, S.S., V.P. Kalantarian, A.P.		Kawabuchi, S., see H. Tange	109 (1992) 169
Guess, V.V. Fedotova, R. Shimchak		Kawai, Y., V. Brabers and Z. Simša,	
and M.A. Shamsutdinov, Magnetic		Ultrasonic attenuation in titano-	
properties of TmFeO ₃ and Tm-		magnetite single crystals	104–107 (1992) 407
Ga _{0.13} Fe _{0.87} O ₃ orthoferrites	110 (1992) 327	Kawai, Y., see I. Matsubara	104–107 (1992) 427
Karpenko, B.V., see T.I. Arbuzova	95 (1991) 168	Kawakami, M. and S. Satohira, NMR	
Karpinski, J., see J.C. Martinez	104–107 (1992) 601	study of the intermetallic com-	
Kasamatsu, Y., see M. Hayashi	104–107 (1992)1225	pounds $RCo_{12}B_6$ (R = Ce, Pr, Gd)	104–107 (1992)1313
Kasamatsu, Y., K. Kojima, T. Hihara,		Kawamata, S., K. Ishimoto, Y. Yam-	
R.G. Graham and P.C. Riedi, Pres-		aguchi and T. Komatsubara, Mag-	
sure dependences of hyperfine fields		netic structure of UTGe (T: Ni, Pd,	
at impurities in ferromagnetic GdZn		Pt) single crystals	104–107 (1992) 51
host	104–107 (1992)1413	Kawamata, S., H. Iwasaki, N. Kobaya-	
Kasaya, M., T. Tani, K. Ohoyama, M.		shi, K. Ishimoto, Y. Yamaguchi and	
Kohgi and Y. Isikawa, Magnetic		T. Komatsubara, Electrical resistiv-	
properties of the dense Kondo com-		ity of UTGe (T: Ni, Pd, Pt) single	
pounds CePdSn and YbNiSn	104–107 (1992) 665	crystals	104–107 (1992) 53
Kasaya, M., see K. Segawa	104–107 (1992)1233	Kawamata, S., H. Iwasaki and N. Ko-	
Kasaya, M., see M. Kohgi	108 (1992) 187	bayashi, Specific heat of UTGe and	
Kashiwakura, A., S. Koyama and T.		ThTGe (T: Ni, Pd, Pt)	104–107 (1992) 55
Goto, Magnetic and electrical prop-		Kawamura, H., see M. Kikuchi	104–107 (1992) 227
erties of ferromagnetic $V(Ir_{1-x}Pt_x)_3$		Kawamura, R., see J. Sakurai	104–107 (1992)1415
alloys	104-107 (1992) 2049	Kawanabe, T., see S. Takayama	94 (1991) 357
Kashiwakura, A., see T. Goto	104-107 (1992) 2051	Kawanishi, K., see T. Sugimoto	104–107 (1992) 1845
Kasono, K. and I. Ono, A phase dia-		Kawano, H., see A. Ito	104–107 (1992) 1637
gram for the $S = 1$ BEG model	104–107 (1992) 282	Kawano, S., Y. Ajiro and T. Inami,	
Kasuya, T., see P. Morin	96 (1991) 145	Field-induced phase transition in an	
Kasuya, T., see J.A. Alonso	103 (1992) 179	XY triangular antiferromagnet Rb-	
Kasuya, T., see R.M. Galéra	104-107 (1992) 1336	MnBr ₃	104–107 (1992) 791
Kasuya, T., see U. Ahlheim	108 (1992) 213	Kawano, Y., see Y. Obi	93 (1991) 587
Kasuya, T., see K. Fraas	108 (1992) 220	Kawarabayashi, T. and M. Suzuki, Chi-	
Katano, R., see T. Fujii	92 (1990) 261	ral orders in the two-dimensional	
Katayama, T., T. Sugimoto, Y. Suzuki,		Heisenberg model	104–107 (1992) 929
M. Hashimoto, P. de Haan and J.C.		Kawarazaki, S., see Y. Miyako	108 (1992) 190
Lodder, Magneto-optical Kerr rota-		Kawasaki, K., M. Hara and R.A.	
tion spectra in ordered and disor-		Tahir-Kheli, Spin dynamics in di-	
dered phases of Fe-Pt alloy films	104-107 (1992) 1002	luted paramagnets with competing	
Katayama, T., see Y. Suzuki	104-107 (1992) 1843	interactions	104–107 (1992) 253
Katayama, T., see T. Sugimoto			
Katayama, 1., sec 1. Sugmoto	104-107 (1992) 1845	Kawasaki, T. and S. Miyashita, Size de-	
Katayama, T., see F. Iga	104–107 (1992)1845 104–107 (1992)1973	Kawasaki, T. and S. Miyashita, Size de- pendence of relaxation time in the fuzzy spin model	104–107 (1992)1595

Kawashima, N., N. Ito and M. Suzuki, Numerical studies on random spin systems in a magnetic field Kawata, H., see H. Maruyama Kayzel, F., see P.C.M. Gubbens Kayzel, F.E., R. Verhoef, S.Q. Ji, J.J.M. Franse, R.J. Radwański, S. Hoch and H. Kronmüller, High-field magnetic studies of pseudoternary Nd ₂ -	104–107 (1992)1663 104–107 (1992)2055 104–107 (1992)1269	Kiauka, W., W. Keune, T. Shinjo and N. Hosoito, Mössbauer investigation of the magnetic properties of amorphous FeZr-interface layers formed by solid state reaction Kichizhiev, A.N., see Yu.N. Mitzay Kido, G., see M. Kido Kido, G., see I. Mogi Kido, G., K. Komorita, Y. Nakagawa	93 (1991) 494 110 (1992) 80 104–107 (1992) 705 104–107 (1992) 1061
Fe ₁₄ B-based compounds Kayzel, F.E., see R.J. Radwański	101 (1991) 424 104–107 (1992) 1321	and T. Suzuki, De Haas-van Alphen effect and high-field magnetization	104–107 (1992)1239
Kayzel, F.E., see C. Marquina Kayzel, F.E., see O. Moze	104–107 (1992) 1323 104–107 (1992) 1394	in PrSb singlet-ground-state systems Kido, G., see K. Komorita	104–107 (1992) 1241
Kayzel, F.E., see A.R. Ball	110 (1992) 337	Kido, G., see T. Kaneko	104-107 (1992) 1401
Kazimirov, A.Yu., see P. Novák	101 (1991) 155	Kido, G., see D.W. Lim	104-107 (1992) 1429
Keavney, D.J., see H. Tang	104-107 (1992) 1705	Kido, G., see F. Iga	104–107 (1992) 1969
Keiter, H., see Q. Qin	108 (1992) 199	Kido, G., see T. Hori	104–107 (1992) 2043
Keith, V., see G.D. Khattak	94 (1991) 278	Kido, G., see T. Takabatake	108 (1992) 155
Keller, L., P. Fischer, A. Furrer, K.		Kido, M., H. Ido and G. Kido, Magnetic states of Co-, Fe- and Mn-	
Krämer, G. Meyer, H.U. Güdel and A.W. Hewat, Structure and mag-		atoms in some Heusler alloys	104–107 (1992) 705
netic ordering of the "free-electron"		Kikuchi, H., see M. Chiba	104–107 (1992) 807
rare-earth halides RE_2X_5 (RE =		Kikuchi, M. and Y. Okabe, Monte Carlo	
Ce, $Pr; X = Br, I)$	104-107 (1992)1201	renormalization group study of the	
Kelly, P.J., see G.H.O. Daalderop	104–107 (1992) 737	random three-state Potts model	104–107 (1992) 209
Kemmler-Sack, S., see Th. Sinnemann Kemmler-Sack, S., see Th. Sinnemann	95 (1991) 175 98 (1991) 99	Kikuchi, M. and H. Kawamura, Free- vortex formation of the plane rota-	
Kemper, M., U. Reisewitz and C. Hei-	70 (1771) 77	tor model	104–107 (1992) 227
den, Approach to intrinsic virgin		Kilcoyne, S.H., see R.I. Bewley	104-107 (1992) 133
magnetization curves of Nd-Fe-B		Kilcoyne, S.H., see J.L. García-Muñoz	104-107 (1992) 555
magnets using a feedback-con-		Kilcoyne, S.H., see S. Mondal	104–107 (1992) 1421
trolled VSM	101 (1991) 299	Kilcoyne, S.H., see C. Ritter	104–107 (1992) 1427
Kennedy, S.J., see S. Bocquet Kenning, G., see J. Mattsson	109 (1992) 260 104–107 (1992) 1621	Kilcoyne, S.H. and R. Cywinski, A μ -	
Kepa, H. and S. Bednarski, Magnetic	104-107 (1992)1021	SR study of magnetic order in $Y_6(Mn_{0.55}Fe_{0.45})_{23}$	104-107 (1992) 1959
moment distribution around V		Kim, A., see Y.Z. Wang	104-107 (1992)1132
atoms in $Fe_{3-x}V_xSi$ alloys	104-107 (1992) 2065	Kim, T.A., see I.S. Edelman	110 (1992) 99
Kerouad, M. and M. Saber, The appli-		Kim, Y.G., see JP. Yang	110 (1992)L261
cation of the finite cluster approxi-	02 (1000) 245	Kim, Y.P., see JP. Yang	110 (1992)L261
mation to the kinetic Ising model Kessel, A.R., see I.S. Donskaya	92 (1990) 245 104–107 (1992) 883	Kimishima, Y., M. Tsuchiya, K. Tomi- moto and J. Akimitsu, Phase transi-	
Ketterson, J.B., see J.E. Mattson	109 (1992) 179	tion in LiVO ₂	104–107 (1992) 779
Kettunen, P., see P. Ruuskanen	98 (1991) 349	Kimishima, Y., N. Miyata, N. Akutsu,	101 101 (17,2) 717
Keune, W., see W. Kiauka	93 (1991) 494	Y. Ichiyanagi and M. Hagiwara,	
Keune, W., see B. Scholz	93 (1991) 499	Magnetic study on the precipitate	
Keune, W., see W.A.A. Macedo Keune, W., see K. Sumiyama	93 (1991) 552	from the aqueous solutions of NiCl ₂	101 105 (1005) 501
Keune, W., see B. Scholz	96 (1991) 329 104–107 (1992) 1889	· 6H ₂ O and Na ₂ SiO ₃ · nH ₂ O	104–107 (1992) 781
Keune, W., see R.A. Brand	104–107 (1992) 1891	Kim-Ngan, N.H., Z. Tarnawski, N.P. Thuy, T.D. Hien, F.F. Bekker, P.E.	
Khan, M.A., see G.D. Khattak	94 (1991) 278	Brommer and J.J.M. Franse, Spe-	
Khanna, S.N., see S. Linderoth	104-107 (1992) 1574	cific heat of Nd _{1-x} Lu _x Mn ₂	104-107 (1992) 1298
Khattak, G.D., V. Keith, Ph. Martin,		Kimura, S., see E. Kita	104-107 (1992) 449
E.E. Khawaja and M.A. Khan, Magnetization studies of Ni-doped		Kindo, K., M. Date and T. Yosida,	
vanadium-phosphate glasses	94 (1991) 278	Electron spin resonance of elemen-	104 107 (1002) 014
Khawaja, E.E., see G.D. Khattak	94 (1991) 278	tary excitation in the Haldane gap Kindo, K., see A. Yamagishi	104–107 (1992) 811 108 (1992) 211
Khlopkin, M.N., see P.A. Alekseev	110 (1992) 119	Kioussis, N., see B.R. Cooper	108 (1992) 211
		*	

Kirchmayr, H.R., see X.K. Sun Kirchmayr, H.R., see A. Handstein	96 (1991) 197 101 (1991) 377	Klugmann, E. and H.J. Blythe, Atomic and magnetic ordering in CoPt al-	
Kirchmayr, H.R., see X.C. Kou	104-107 (1992) 1341	loys studied by magnetic and inter-	
Kirchmayr, H.R., see T.S. Zhao	104-107 (1992) 1347	nal friction measurements	101 (1991) 99
Kirchner, P.D., see C.H. Lee	93 (1991) 592	Klupsch, Th., see W. Andrä	104-107 (1992) 481
Kiriake, H., see M. Nawate	104-107 (1992) 1861	Knab, D. and C. Koenig, Ferrimagnetic	
Kirillov, B.F., see H. Maletta	104-107 (1992) 495	ordering in Fe_3/Ru_n superlattices?	93 (1991) 398
Kirilyuk, A.I., see S.O. Demokritov	102 (1991) 339	Knab, D. and C. Koenig, Importance of	
Kirilyuk, A.I., see S.O. Demokritov	104–107 (1992) 663	the exact atomic positions on the	
Kirschbaum, U., see B. Scholz	93 (1991) 499	magnetic properties of Fe_x/Ru_x su-	
Kirschner, J., see J.J. De Miguel	93 (1991) 1	perlattices	98 (1991) 10
Kirschner, J., see B. Heinrich	93 (1991) 75	Knetsch, E.A., A.A. Menovsky, J.J. Pe-	
Kirschner, J., see A. Cebollada	102 (1991) 25	tersen, G.J. Nieuwenhuys, J.A. My-	
Kisdi-Koszó, E., L. Potocký, M. Hrab-		dosh, P.J.C. Signore, S.E. Brown	
čák, L. Novák and A. Lovas, Rapid		and M.W. Meisel, Anisotropic su-	
annealing of metallic glasses under	00 (4000) 404	perconducting properties of URu ₂	400 (4000) =4
tension	92 (1990) 181	Si ₂	108 (1992) 71
Kisdi-Koszó, E., see Z. Kaczkowski	101 (1991) 25	Knetsch, E.A., J.A. Mydosh, P.J.C. Sig-	
Kishimoto, Y., see T. Ohno	104–107 (1992) 2027	nore, S.E. Brown, M.W. Meisel,	
Kishino, T., see N. Iwata	104–107 (1992) 27	R.H. Heffner and J.L. Smith, AC-	
Kisielewski, M., O. Lichtchenko and A.		susceptibility and penetration depth	100 (1002) 72
Maziewski, Self-biasing effect based	101 (1001) 212	studies of U _{1-x} Th _x Be ₁₃	108 (1992) 73
on mixed magnetic anisotropy idea	101 (1991) 213	Knetsch, E.A., J.A. Mydosh, T. Voren-	
Kisielewski, M., see A. Maziewski Kita, E., see K. Yano	104–107 (1992) 361	kamp and A.A. Menovsky, Temper- ature dependence of the lower criti-	
Kita, E., S. Takano, K. Kohn, K. Sira-	104–107 (1992) 131	cal field of UPt ₃ doped with boron	109 (1002) 75
tori, S. Kimura and A. Tasaki, On		Knobel, M., see S.P. Cruz Filho	108 (1992) 75 104–107 (1992) 105
the first order magnetoelectric ef-		Knoch, K.G., see P.J. McGuiness	104–107 (1992) 1169
fect of a high purity YIG (yttrium		Knorr, K., see K. Hinrichs	104–107 (1992)1676
iron garnet) single crystal	104-107 (1992) 449	Kobayashi, H., H. Onodera and H. Ya-	104-107 (1772)1070
Kita, E., see T. Erata	104–107 (1992) 1589	mamoto, ¹⁶¹ Dy Mössbauer study of	
Kitada, M. and N. Shimizu, Interdiffu-	101 107 (1772) 1007	DyMn ₂ Ge ₂ – the electronic ground	
sion of Nb/Permalloy bilayer thin		state of the Dy ion, and the mag-	
films and its applications to magne-		netic structure	109 (1992) 17
toresistive heads	98 (1991) 215	Kobayashi, H., see H. Onodera	109 (1992) 249
Kitai, T. and K. Oka, Magnetic proper-		Kobayashi, K. and Y. Uehara, Spacing	
ties of PrAg _x Cd _{1-x} compounds with		dependence of recording density in	
CsCl structure	104-107 (1992) 1357	perpendicular magnetic recording	104-107 (1992) 983
Kitai, T., see S. Abe	104-107 (1992) 1403	Kobayashi, KI., H. Morinaga, T.	
Kitakami, O., see A. Yoshihara	104-107 (1992) 1835	Araki, Y. Naka and T. Oomura,	
Kitawatase, K., see S. Ishida	104-107 (1992) 1933	Low-loss Ni-Zn-Cu ferrite for de-	
Kjekshus, A., see H. Fjellvåg	92 (1990) 75	flection yoke	104–107 (1992) 413
Kjekshus, A., see A.F. andresen	94 (1991) 347	Kobayashi, N., see S. Kawamata	104–107 (1992) 53
Kjekshus, A., see A. Zieba	104–107 (1992) 71	Kobayashi, N., see S. Kawamata	104–107 (1992) 55
Klaasse, J.C.P., see F.R. de Boer	104–107 (1992) 113	Kobayashi, S., see H. Tange	109 (1992) 169
Klabunde, K.J., see L. Yiping	104–107 (1992) 1545	Kobayashi, T., see H. Nakamura	97 (1991) 353
Klahn, S., see D. Raasch	93 (1991) 365	Köbler, U., K. Wagner, R. Wiechers,	
Klamut, J., see W. Prystasz	96 (1991) 275	A. Fuß and W. Zinn, Higher order	
Kleemann, W., see D. Bertrand	104–107 (1992) 389	interaction terms in coupled Fe/	400 (4000) 20 (
Kleinefeld, Th., see H. Litschke	104–107 (1992) 1807	Cr/Fe sandwich structures	103 (1992) 236
Klimek, L., see J. Pszczoła	92 (1990) 101	Kociński, J., The nonlinear optical sus-	
Klingelhöfer, P., L. Marosi and E.		ceptibility tensor $\{\chi_{ijk}\}$ in a diperi-	104 107 (1002) 1707
Schwab, Microstructure of γ-Fe ₂ O ₃		odic magnetic layer	104–107 (1992)1787
particles determined by X-ray line	101 (1001) 249	Koeler, D., see J.M. González	101 (1991) 397
broadening of orientated samples	101 (1991) 248	Koenig, C., see D. Knab	93 (1991) 398 98 (1991) 10
Klokholm, E., see M.A. Russak Klokholm, E., see M.A. Russak	104–107 (1992)1847	Koenig, C., see D. Knab	90 (1771) 10
	104-107 (1992) 1851		

Koestler, C., M. Chandramouli, G. Thomas and L. Schultz, Microstruc-		Komorita, K., see G. Kido Komorita, K., G. Kido, Y. Nakagawa, Y.S. Kwon and T. Suzuki, Magnetic	104–107 (1992)1239
ture of mechanically alloyed Nd ₁₆ -	110 (1992) 264	phase transition and Shubnikov-de	
Fe ₇₆ B ₈ -magnets	104–107 (1992) 1709	Haas effect of the Kondo system	
Koga, H., see K. Kakuno Kogure, H., see Y. Gondō	93 (1991) 43	CeAs in high magnetic fields	104-107 (1992) 1241
Kohara, T., K. Ueda, Y. Kohori and Y.)5 (1))1) 15	Konč, M., see P. Sovák	98 (1991) 205
Oda, NQR and NMR studies in su-		Konczos, G., see A. Sólyom	101 (1991) 109
perconducting $La_2CuO_{4+\delta}$	104-107 (1992) 523	Konczykowski, M., see D. Lottis	104-107 (1992) 1811
Kohara, T., K. Ueda, Y. Kohori, T.	201 (,	Kondo, O., see K. Sugiyama	104-107 (1992) 1223
Noji, Y. Kojke and Y. Saito, NQR		Kondrat'yev, I.N., see E.I. Il'Yashenko	93 (1991) 143
and NMR studies on Pb ₂ Sr ₂ Y _{0.5}		Kong, LS., see YC. Yang	104-107 (1992) 1353
$Ca_{0.5}Cu_3O_{8+\nu}$	104-107 (1992) 525	Konishi, K., see K. Okuda	104-107 (1992) 817
Kohashi, T., see R.J. Radwański	101 (1991) 392	Konishi, K., see K. Takeda	104-107 (1992) 901
Kohashi, T., see R.J. Radwański	104-107 (1992) 1139	Konn, A.M., see M. Le Floc'h	104-107 (1992) 1591
Kohgi, M., see M. Kasaya	104-107 (1992) 665	Konn-Martin, A.M., see M. Le Floc'h	104-107 (1992) 401
Kohgi, M., K. Ohoyama, T. Osakabe		Konno, K., see H. Ido	104-107 (1992) 1361
and M. Kasaya, Neutron scattering		Konno, K., H. Ido and K. Maki, Spin	
studies of CeTSn $(T = Ni, Pd)$	108 (1992) 187	reorientation in $(Pr_{1-x}Nd_x)Co_4Al$,	
Köhler, D. and H. Kronmüller, The		$Nd(Co_{4-x}Fe_x)Al$ and $(Nd_{1-x}Dy_x)$	
magnetic phase transition in Fe ₁₄		Co ₄ Al	104–107 (1992) 1369
Nd ₂ B single crystals	92 (1991) 344	Konno, N., see M. Katori	104–107 (1992) 267
Köhler, D., see K. Ried	109 (1992) 275	Konno, R. and T. Yanagisawa, The	
Köhler, R., see C. Geibel	108 (1992) 209	theory of magnetization process in	104 407 (1000) (40
Kohmoto, O., see L. Bang	104–107 (1992) 147	CeRu ₂ Si ₂	104–107 (1992) 649
Kohn, K., see E. Kita	104–107 (1992) 449	Koon, N.C., C.M. Williams and B.N.	
Kohnke, HJ., see JW. Schünemann	104–107 (1992) 923	Das, Giant magnetostriction materi-	100 (1001) 172
Kohori, Y., see T. Kohara	104-107 (1992) 523	als	100 (1991) 173
Kohori, Y., see T. Kohara Kohout, J., see H. Štěpánková	104–107 (1992) 525 104–107 (1992) 411	Koon, N.C., see S. Mørup	104–107 (1992) 1793
Koike, Y., see T. Kohara	104–107 (1992) 525	Kopcewicz, M., see E. Pilipczuk Koper, A., see A. Lehmann-Szwey-	102 (1991) 47
Koizumi, A., see H. Maruyama	104–107 (1992) 2055	kowska	104-107 (1992) 447
Kojima, K., Y. Hukuda, S. Miyata, T.	104-107 (1772) 2000	Kopinga, K., see T. Delica	104–107 (1992) 795
Takabatake, H. Fujii and T. Hihara,		Kopinga, K., see H.A.M. de Gronckel	104–107 (1992) 1809
NMR study of uranium ternary		Kordecki, R., R. Meckenstock, J. Pelzl,	101 107 (1772)1007
compound U ₃ Cu ₃ Sn ₄	104-107 (1992) 49	E. Becker, g. Dumpich and g. Suran,	
Kojima, K., H. Yabuta and T. Hihara,		Spin wave resonance in FeNi multi-	
Magnetic and NMR study of va-		layers	93 (1991) 281
lence phase transition in YbIn _{1-x}		Korecki, J. and W. Karas, Electric field	
$T_x Cu_4 (T = Ag \text{ and } Au)$	104-107 (1992) 653	gradients near the Fe(110) surface	
Kojima, K., see K. Hiraoka	104-107 (1992) 655	(Letter to the Editor)	92 (1990) L11
Kojima, K., see Y. Kasamatsu	104–107 (1992)1413	Korenari, T., see K. Motizuki	104-107 (1992) 1923
Kojima, N., see I. Mogi	104-107 (1992)1061	Kors, B.J., see A. de Visser	108 (1992) 61
Koláček, J., see Z. Simša	101 (1991) 233	Korznikova, G.F., see Kh.Ya. Mu-	
Koláček, J., see Z. Šimša	104–107 (1992) 403	lyukov	110 (1992) 73
Kolbeck, C., see O. Isnard	104–107 (1992) 2003	Kos, I., M. Miljak and V. Zlatić, Nor-	
Kolenda, M., A. Szytuła, J. Leciejewicz		mal-state susceptibility anisotropy of	
and C. Maletka, Magnetic proper-		metallic copper oxides	104–107 (1992) 575
ties of Mn ₆ Ni ₁₆ Si ₇ and Mn ₃ Cr ₃ -	06 (1001) 121	Koshizuka, N., see T. Machi	104–107 (1992) 635
Ni ₁₆ Si ₇	96 (1991) 121	Kosiński, R.A. and A. Sukiennicki,	
Kollár, P., see P. Sovák Komatsu, H., see T. Goto	98 (1991) 205	Chaotic motion of a domain wall	0.0 (1.0.0.1)
Komatsubara, T., see N. Sato	104–107 (1992) 135 104–107 (1992) 31	with vertical Bloch lines	93 (1991) 128
Komatsubara, T., see S. Kawamata	104–107 (1992) 31 104–107 (1992) 51	Kosiński, R.A. and A. Sukiennicki,	
Komatsubara, T., see S. Kawamata	104–107 (1992) 53	Chaotic motion of a domain wall in the time dependent drive fields	104 107 (1002) 324
Komatsubara, T., see T. Kagayama	108 (1992) 103	Kłosowski, P., T.M. Giebułtowicz, N.	104–107 (1992) 331
Komatsubara, T., see N. Sato	108 (1992) 115	Samarth, H. Luo, J.K. Furdyna and	
		Januarin, 11. Edo, J.K. Puruyna anu	

J.J. Rhyne, Magnetic critical phe-		Kowalczyk, A., see P. Stefański	101 (1991) 97
nomena in fcc antiferromagnets:		Kowalczyk, A., P. Stefański and A.	101 (1771) 77
role of strain and dimensionality	104-107 (1992) 1795	Wrzeciono, Ordering phenomena in	
Kossacki, P., see F.R. de Boer	101 (1991) 3	$(Nd_{1-x}Y_x)_2Fe_{14-y}Cr_yB$ alloys	101 (1991) 341
Kossacki, P., see T. Stobiecki	101 (1991) 211	Kowalczyk, A., see P. Stefański	104-107 (1992) 1227
Kossacki, P., see F.R. de Boer	104–107 (1992) 113	Koyama, S., see A. Kashiwakura	104–107 (1992) 2049
Kostikas, A., see M. Pissas	104–107 (1992) 571		104–107 (1992) 849
Kostikas, A., see X.C. Kou	104–107 (1992) 1341	Koyano, N., see K. Yamagata Koyano, N., see M. Fujino	104–107 (1992) 851
Kostikas, A., see K.N. Trohidou	104–107 (1992)1587		104-107 (1992) 631
Košturiak, A., see M. Zentková	102 (1991) L1	Kozłowski, A., G.A. Stewart, Z. Obusz- ko and J. Žukrowski, Magnetism in	
Košturiak, A., O. Duša and J. Gajdušek,	102 (1991) L1		92 (1990) 155
Influence of heat treatment and		Y ₆ Mn ₂₃ H _x	92 (1990) 133
coatings on time stability of coercive		Kraegermann, S., F. Stobiecki, T. Sto-	
force of the amorphous $Fe_{80.5}B_{12}$		biecki and K. Röll, Amorphization	
Si _{6.5} C ₁ alloys	109 (1992) 27	reactions in multilayered thin Fe/Zr films studied by magnetic, X-ray and	
Koszegi, L., see M. Foldeaki	96 (1991) 29	DSC measurements	101 (1991) 209
Kotsanidis, P., I. Semitelou, J.K. Yakin-	90 (1991) 29	Krämer, K., see L. Keller	104-107 (1992) 1201
thos and E. Roudaut, Sine modu-			104-107 (1992)1201
lated magnetic structure of HoNiGa	102 (1991) 67	Kraus, L., P. Duhaj and S. Bode, Creep-induced magnetic anisotropy	
Kotsanidis, P.A., see J.K. Yakinthos	102 (1991) 71	of amorphous $Fe_{80}B_{20-x}Si_x$ alloys	101 (1991) 1
Kötzler, J., see M. Grahl	104–107 (1992) 219	Krausch, G., see J. Voigt	93 (1991) 341
Kötzler, J., see D. Görlitz	104–107 (1992) 339	Krause, H., J. Theile, R. Dahlbeck and	73 (1771) 341
Kötzler, J., see M. Ziese	104–107 (1992) 537	J. Engemann, Wall and Bloch-line	
Kou, X.C. and R. Grössinger, Spin re-	104-107 (1992) 337	coercivity measurements in mag-	
orientation and FOMP transition in		netic garnet films	95 (1991) 95
$R_2T_{14}X$ compounds. Determination		Krauss, U., see S. Krompiewski	92 (1991)L295
of the FOMP transition tempera-		Krauss, U. and U. Krey, Local mag-	72 (1771)12273
ture by ac-initial susceptibility and		neto-volume effect in amorphous	
SPD technique measurements	95 (1991) 184	iron (Letter to the Editor)	98 (1991) L1
Kou, X.C., R. Grössinger, H. Müller	75 (1771) 104	Krauss, U., see U. Krey	103 (1992) 37
and K.H.J. Buschow, Anomalous 3d		Krebs, J.J., see C.M. Williams	110 (1992) 61
anisotropy of R ₂ Fe ₁₄ C and R ₂ Fe ₁₄		Kreines, N.M., see S.O. Demokritov	102 (1991) 339
B compounds	101 (1991) 349	Kreines, N.M., see S.O. Demokritov	104–107 (1992) 663
Kou, X.C., R. Grössinger and G.	101 (1771) 347	Krembel, C., M.C. Hanf, J.C. Pe-	10 (10 / (1772) 003
Wiesinger, A magnetic transition of		ruchetti, D. Bolmont and G. Gewin-	
R ₂ Co ₁₇ detected by measuring the		ner, Growth of an ordered Cr	
temperature dependence of the		monolayer on Ag(100): evidence of	
AC-susceptibility	104-107 (1992) 1339	two-dimensional antiferromag-	
Kou, X.C., C. Christides, R. Gröss-		netism	93 (1991) 529
inger, H.R. Kirchmayr and A.		Kremer, R.K., J.K. Cockcroft, Hj. Mat-	
Kostikas, Magnetic anisotropy and		tausch, N.P. Raju and A. Simon,	
magnetic transitions in RFe ₁₀ Mo ₂	104-107 (1992) 1341	Magnetic properties of the new rare	
Kou, X.C., see T.S. Zhao	104-107 (1992) 1347	earth carbide fluoride layered com-	
Kou, X.C., see G. Wiesinger	104-107 (1992) 1431	pound: Ho ₂ CF ₂	104-107 (1992) 959
Koufoudakis, A., see W. Likodimos	104-107 (1992) 563	Kremer, R.K., see W. Bauhofer	104-107 (1992) 1243
Koufoudakis, A., V. Psycharis, C. Mi-		Krewenka, R., see R. Grössinger	101 (1991) 304
tros, H. Gamari-Seale and D. Niar-		Krewenka, R., see A. Handstein	101 (1991) 377
chos, XRD and magnetic measure-		Krey, U., see S. Krompiewski	92 (1991)L295
ments on the series REBaSrCu ₃ O _v	104-107 (1992) 568	Krey, U., see J. Pirnay	93 (1991) 267
Koutani, S., see G. Gavoille	102 (1991) 283	Krey, U., see H. Früchtl	94 (1991) L20
Kouvel, J.S., see K.A. Ziq	98 (1991) 245	Krey, U., see U. Krauss	98 (1991) L1
Kováč, J., see M. Zentková	102 (1991) L1	Krey, U., U. Krauss and S. Krompiew-	
Kovalchuk, M.V., see P. Novák	101 (1991) 155	ski, Itinerant spin glass states and	
Kovshikov, N.G., see J. Gouzerh	101 (1991) 189	asperomagnetism of amorphous Fe	
Kowalczyk, A. and A. Szajek, Local en-		and iron-rich Fe/Zr alloys	103 (1992) 37
vironment effects in Y ₂ Fe ₁₄ B-based		Kriegelstein, H., see W. Palme	104-107 (1992) 805
compounds	97 (1991) 187	Krill, G., see F. Baudelet	93 (1991) 539

Steplich and G.J. McIntyre, Neutron offfraction experiments on UCu _{4+x} A _{8-n} (103 (1992) 73 (103 (1992) 73 (103 (1992) 73 (103 (1992) 73 (103 (1992) 74 (103 (1992) 74 (103 (1992) 75 (Krill, G., see F. Baudelet	104-107 (1992)1418	LMTO method (Letter to the Edi-	
Steglich and G.J. McIntyre, Neutron diffraction experiments on UCu ₄₊ , Al ₈₊ , Riffraction experiments on UCu ₄₊ , Al ₈₊ , A. Loidl, C. Geibel, F. Steglich and A.G.J. McIntyre, Magnetic order in UCu ₄₊ , Al ₈₊ , ancite order in UCu ₄₊ , Al ₈₊ , ancite order in UCu ₄₊ , Al ₈₊ , ancite order in UCu ₄₊ , Al ₈₊ , ancite order in UCu ₄₊ , Al ₈₊ , ancite order in UCu ₄₊ , Al ₈₊ , and M. Kashouchi, Magnetic and structural studies in sputtered Ni/C, Co/C and Fe/C multilayers (Al ₈₊) and Ph/R studies in amorphous Co ₂₀ Nb ₁₈₊ , M. Naili, M. Tessier, B. Ramamurthy Acharya, S. Prasad and N. Venkataramani, Magnetic and FMR studies in amorphous Co ₂₀ Nb ₁₈₊ , See R. Luberek Krishnan, R., see R. J. Teillet Krishnan, R., see M. K. Flevaris Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris Krishnan, R., see M. Elwaris Krishnan, R., see M. K. Flevaris Krishnan, R., see M. K. Flevaris Krishnan, R., see M. K. Flevaris Krishnan, R., see M. Elwaris Stribana, R. see J. P. Eprery Magnetic and CEMs studies in Fe/CoNb2r multilayers Krishnan, R., see M. Elwaris Stribana, R. see J. Feillet Krishnan, R., see M. Elwaris Stribana, R. see J. Feillet Krishnan, R., see M. Elwaris Stribana, R. see M. Elwaris Stribana,			tor)	92 (1991)L295
Krompiewski, S., see U. Krey 103 (1992) 73 75 75 75 75 75 75 75			Krompiewski, S., see J. Pirnay	93 (1991) 267
UCU _{4, A} _{1,}			Krompiewski, S., see U. Krey	103 (1992) 37
Krimmell, A., A. Loid, C. Geibel, F. Steglich and A.G.J. McInver, Magnetic order in $UCu_{4,1,2}Al_{8-2}$ $104-107 (1992)$ 25 $108 (1992)$ 5 $104-107 (1992)$ 25 $108 (1992)$ 5 $104-107 (1992)$ 25 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 27 $104-107 (1992)$ 27 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 27 $104-107 (1992)$ 27 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 27 $104-107 (1992)$ 28 $104-107 (1992)$ 29 $104-107 (1992)$ 29		103 (1992) 73		92 (1991) 344
Steglich and A.G.J. McIntyre, Magnetic order in UCu _{4-x} -Al _{6-x} 104-107 (1992) 25 Krommüller, H., see R. Reisser 97 (1991) 83 Krimmell, A., see F. Steglich 108 (1992) 5 Krommüller, H., see R. Reisser 98 (1991) 273 Krommüller, H., see R. Reisser 101 (1991) 363 Krommüller, H., see R. E. Kayzel 101 (1991) 363 Krommüller, H., see R. E. Kayzel 101 (1991) 424 Krommüller, H., see R. E. Kayzel 101 (1991) 424 Krommüller, H., see R. Reisser Krommüller, H., see R. E. Kayzel 101 (1991) 424 Krommüller, H., see R. Reisser Krommüller, H., see R. E. Kayzel 101 (1991) 424 Krommüller, H., see R. E. Kayzel 101 (1991) 424 Krommüller, H., see R. Reisser 49 (1991) 273 Krommüller, H., see R. Reisser 49 (1991) 274 Krommüller, H., see R. Reisser 49 (1991) 275 Krommüller, H	112			93 (1991) 261
Rommille, A., see F. Steglich 108 (1992) 25 Krommiller, H., see R. Reisser 98 (1991) 261 Krishnan, R., R. see S. Prassad 92 (1990) 92 Krommiller, H., see R. Reisser 98 (1991) 273 Krishnan, R., H.O. Gupta, C. Sella and M. Kaabouchi, Magnetic and structural studies in sputtered Ni/C, Co/C and Fe/C multilayers 93 (1991) 174 Krommiller, H., see R. A. Forkl 101 (1991) 367 Krommiller, H., see R. Reisser Krommiller, H., see R. A. Forkl 101 (1991) 367 Krommiller, H., see R. Forkl 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. Reisser Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. Reisser 401 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. Schmids 101 (1991) 367 Krommiller, H., see R. F. F. Schmids 104 (1991) 367 Krommiller, H., see R. F. Schmids 104 (1991) 367 Krommiller, H., see R. F. Schmids 104 (1991) 367 Krommiller, H., see R. F. Schmids 104 (1991) 367 Krommiller, H., see R. F. Schmids 104 (1991) 367 Krommiller, H., see R. F. Schmiller, H., see R. F. Schmids 104 (1991) 367 Krommiller, H., see R. F. Schmids 104 (1991) 367 Krommiller, H., see R. F. Sch				94 (1991) 220
Krishnan, R., see S. Prasad 92 (1990) 92 Kronmüller, H., see R. Reisser 98 (1991) 273 Krishnan, R., H.O. Gupta, C. Sella and M. Kaabouchi, Magnetic and structural studies in sputtered Ni/C, Co/C and Fe/C multilayers 93 (1991) 174 Kronmüller, H., see F.E. Kayzel 101 (1991) 367 Kronmüller, H., see R. Paistser 101 (1991) 367 Kronmüller, H., see R. Reisser Kronmüller, H., see R. Paistser 101 (1991) 367 Kronmüller, H., see R. Reisser Kronmüller, H., see R. Paistser 101 (1991) 367 Kronmüller, H., see R. Reisser 101 (1991) 367 Kronmüller, H., see F.E. Kayzel 101 (1991) 367 Kronmüller, H., see R. Paistser 101 (1991) 367 Kronmüller, H., see R. Reisser 101 (1992) 275 Kronmüller, H., see R. Paistser 101 (1991) 367 Kronmüller, H., see F.E. Kayzel 101 (1991) 367 Kronmüller, H., see R. Reisser 101 (1991) 367 Kronmüller, H., see F.E. Kayzel 101 (1991) 367 Kronmüller, H., see R. Reisser 101 (1991) 367 Kronmüller, H., see R. Reisser 101 (1991) 367 Kronmüller, H., see F.E. Kayzel 101 (1991) 367 Kronmüller, H., see R. Reisser 101 (1991) 367 Kronmüller, H.,		104-107 (1992) 25		97 (1991) 83
Krishnan, R., sec S, Prasad Krishnan, R., H.O. Gupta, C. Sella and M. Kaabouchi, Magnetic and structural studies in sputtered Ni/C, Co/C and Fe/C multilayers (Co/Can Magnetic and Final Magnetic and Final Magnetic and N. Venkataramani, Magnetic and N. Venkataramani, Magnetic and Final Magnetic and Final Magnetic and Magnetic and Magnetic and Final Magnetic and Magnetic and Final Magnetic and S. Visnovsky, Magnetic and Mossbauer studies in amorphous Pe-Er-B-Si allovs Krishnan, R., sec R. Zuberek (Krishnan, R., v. Cagan, M. Tessier and S. Visnovsky, Magnetic and magneto-order at studies in Fe/All Magnetic and Magnetic and Magnetic and Magnetic and magneto-order at studies in Fe/All Magnetic and magneto-order of cells and Fishnan, R., sec R. K. Riser (Later to the Editor) Krishnan, R., sec R. K. Nigam (Krishnan, R., sec R. K. Nigam Krishnan, R., sec R. K. Nigam Krishnan, R., sec R. K. Nigam Krishnan, R., sec M. K. Flevaris M. M. 104–107 (1992) 1757 (F. M. A. Sec M. Magnetic Properties of Ec/Algon multilayers Krishnan, R., Sec M. K. Flevaris Krishnan, R., sec M. Flevaris M. M. 104–107 (1992) 1757 (F. M. M.				98 (1991) 261
Krishnan, R., H.O. Gupta, C. Sella and M. Kaabouchi, Magnetic and structural studies in subtreated Ni/C, Co/C and Fe/C multilayers Krishnan, R., M. Naii, M. Tessier, Balk and surface anisotropy in ultrahydigvers Krishnan, R., see A. K. Nigam Krishnan, R., v. Cagan, M. Tessier and S. Visnowsky, Magnetic and magneto-optical studies in Fe/AIN multilayers Krishnan, R., see A. K. Nigam Krishnan, R., see A. K. Flevaris Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see A. K. Flevaris I04–107 (1992) 1785 Krishnan, R., see N. K. Flevaris I04–107 (1992) 1785 Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris I04–107 (1992) 1822 Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris I04–107 (1992) 1822 Krishnan, R., see N. K. Flevaris I04–107 (1992) 1822 Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris I04–107 (1992) 1822 Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris I04–107 (1992) 1822 Krishnan, R., see N. K. Flevaris I04–107 (1992) 1822 Krishnan, R., see N. K. Flevaris Krishnan, R., see N. K. Flevaris I04–107 (1992) 1822 Krishnan, R., see N. K. Flevaris I04–107 (1992) 1822 Krishnan, R., see N. K. Flevaris Krommüller, H., see R. F. K. Bied Krommüller, H., see R. F. K. Bied Krommüller				98 (1991) 273
M. Kaabouchi, Magnetic and structural studies in sputtered Ni/C, Co/C and Fe/C multilayers 93 (1991) 174 Kronmüller, H., see R. Fe. Kayed 101 (1991) 347 Kronmüller, H., see R. Reisser 104-107 (1992) 175 104-107 (1992) 175 Krishnan, R., see R. Zuberek 93 (1991) 449 Krishnan, R., see R. Zuberek 101 (1991) 219 155 Krishnan, R., see R. Zuberek 101 (1991) 219 155 Krishnan, R., see R. Zuberek 101 (1991) 219 155 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 101 (1991) 205 Krishnan, R., see R. K. Nigam 104-107 (1992) 175 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1763 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1765 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1765 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1765 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1822 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1825 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1825 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1825 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1825 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1825 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1825 Krishnan, R., see R. K. Flevaris 104-107 (1992) 1825 Krishnan, R., see R. K. Flevaris 104-		7-4(2770)		101 (1991) 363
Krommüller, H., see F.E. Kayzel 101 (1991) 142 Krommüller, H., see K. Ried 104-107 (1992) 1175 109 (1992) 275 104-107 (1992) 1175 104-107				
Cay/C and Fe/C multilayers 93 (1991) 174 Kronmüller, H., see H. F. Schmidts 104-107 (1992) 119 Kronmüller, H., see H. F. Schmidts 104-107 (1992) 1275 Kronmüller, H., see R. Reises 104-107 (1992) 1603 Krun, k., see R. Cale Sives 104-107 (1992) 1				
Krishnan, R., M. Naili, M. Tessier, B. Ramamurthy Acharya, S. Prasad and N. Venkataramani, Magnetic and magnetocatic and FMR studies in amorphous Co ₈₀ Nb ₁₆ Zr ₁₀ films 93 (1991) 439 Krishnan, R., see R. Zuberek 93 (1991) 439 Krishnan, R., see R. Zuberek 93 (1991) 439 Krishnan, R., see R. Zuberek 93 (1991) 219 Krishnan, R., see R. Zuberek 93 (1991) 219 Krishnan, R., see R. Zuberek 93 (1991) 219 Krishnan, R., see J. Teillet, High field magnetic and Mössbauer studies in amorphous Fe-Er-B-Si alloys 98 (1991) 155 Krishnan, R., v. Cagan, M. Tessier and S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers (101 (1991) 205 Krishnan, R., see A.K. Nigam Krishnan, R., see A.K. Nigam Krishnan, R., see A.K. Nigam Krishnan, R., see N.K. Flevaris (104-107 (1992) 157 Krishnan, R., see N.K. Flevaris (104-107 (1992) 1763 Krishnan, R., see J.P. Eymery (104-107 (1992) 1763 Krishnan, R., see N.K. Flevaris (104-107 (1		93 (1991) 174		
Ramamurthy Acharya, S. Prasad and N. Venkataramani, Magnetic and FMR studies in amorphous CogNb ₁₀ GZr ₁₀ films		70 (2772) 271		
And N. Venkataramani, Magnetic and FMR studies in amorphous CO ₉₉ Nb ₁₀ Zr ₁₀ films 93 (1991) 257 Krishnan, R., see R. Deberek 93 (1991) 439 Krishnan, R., see R. Zuberek 93 (1991) 439 Krishnan, R., see R. Zuberek 101 (1991) 219 Krishnan, R., see J. Teillet 101 (1991) 219 Krishnan, R., v. Cagan, M. Tessier and S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers 101 (1991) 297 Krishnan, R., see A.K. Nigam 102 (1991) 297 Krishnan, R., see A.K. Nigam 104 (1991) 297 Krishnan, R., see A.K. Nigam 104 (1991) 297 Krishnan, R., see A.K. Nigam 104 (1991) 297 Krishnan, R., see N.K. Flevaris 104 (1991) 297 Krishnan, R., see N.K. Flevaris 104 (1991) 215 Krishnan, R., see N.K. Flevaris 104 (1992) 1785 Krishnan, R., see J. P. Eymery 104 (1992) 1785 Krishnan, R., see J. P. Eymery 104 (1992) 1785 Kribhran, R., see J. See M. Studies in Fe/CoNbZr multilayers 104 (1992) 1822 Krishnan, R., and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers 104 (1992) 1822 Krishnan, R., see J. P. Eymery 104 (1992) 1822 Krishnan, R., see J. P. Eymery 104 (1992) 1822 Krishnan, R., see J. P. Eymery 104 (1992) 1822 Krishnan, R., see J. P. Eymery 104 (1992) 1822 Krishnan, R., see J. Gone 104 (1992) 1823 Kubo, Y., and S. Asano, Electronic states in RB ₆ (R = La, Ce, Pr and Nd) 104 (1992) 183 104 (107 (1992) 183 104 (107 (1992) 183 104 (107 (1992) 184 104 (107 (1992) 185 104 (107 (1				
Structure Str				
Krishnan, R., see N. K. Flevaris				
Krishnan, R., see R. Zuberek Krishnan, R., see J. Teillet Krishnan, R., watere R. Zuberek Krishnan, R., see J. Teillet Krishnan, R., see N. K. Flevaris Krishnan, R., see		93 (1991) 257		
Krishnan, R., see R. Žuberek Krishnan, R., see R. Žuberek Krishnan, R., H. Lassri Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see N.K. Flevaris Krishnan, R., see R. Sandan Nodal Tradition to the shape magnetostriction in band syst				101 (1771) =17
Krishnan, R., see R. Zuberek Krishnan, R., H. Lassri and J. Teillet High field magnetic and Mössbauer studies in amorphous Fe-Er-B-Si alloys Krishnan, R., see J. Teillet Krishnan, R., V. Cagan, M. Tessier and S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers Krishnan, R., see A.K. Nigam Krishnan, R., see A.K. Nigam Miltilayers Krishnan, R., see B. Lassri Krishnan, R., see B. Lassri Krishnan, R., see N.K. Flevaris Krishnan, R., see N.F. Pasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic properties of Fe/Ag Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Noblem A. A. Maksymowicz, The Coqblin-Schrieffer contribution to the shape magnetoclation in band systems (Letter to the Editor) Kuang, J.P., H.J. Cui, J.Y. Li, F.M. Yang, H. Nakotte, E. Brück and F.R. de Boer, Electronic properties of CeNiX compounds Kubb, J., see M. Uhl Kübler, J., see M. Uhl Kübler,				
Krishnan, R., H. Lassri and J. Teillet, High field magnetic and Mössbauer studies in amorphous Fe-Er-B-Si alloys Krishnan, R., See J. Teillet Krishnan, R., See J. Teillet S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers Krishnan, R., See A. K. Nigam Moritiayers Krishnan, R., M. Porte and M. Tessier, Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see N. K. Flevaris Krishnan, R., See J. Feymery Krishnan, R., See J. Teillet Kulakowski, K., see J. González Kulakowski, K., and A. Maksymowicz, The Coqblin-Schrieffer contribution to the shape magnetostriction in band systems (Letter to the Editor) Kuang, J.P., H.J. Cui, J.Y. Li, F.M. Yang, H. Nakotte, E. Brück and F.R. de Boer, Electronic properties of CeNiX compounds F.R. de Boer, Electronic properties of CeNiX compounds Kübler, J., see M. Uhl Wh. Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see M. Waltar Multilayers Kubo, T., see M. Chiba Kubo, H., see K. Zenmyo 104–107 (1992)1822 Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Moritian The Couplin-Schrieffer contribution to the shape magnetostriction in band systems (Letter to the Editory Kuba, J., See P. Novák Kübler, J., see M. Matar Nd) Kubota, H., see T. Maurer Kübler, J., see M. Chiba Kubo, T., see M. Chiba Kubo, T., see M. Chiba Kuboyama, T., see K. Tamanoi Kučera, M., Magneto-optics of Ce ³⁺ doped garne			e .	94 (1991) 247
High field magnetic and Mössbauer studies in amorphous Fe-Er-B-Si alloys		101 (1)/1/ 21/		
studies in amorphous Fe-Er-B-Si alloys Krishnan, R., see J. Teillet Krishnan, R., V. Cagan, M. Tessier and S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers Krishnan, R., See A.K. Nigam Krishnan, R., M. Porte and M. Tessier, Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see N. K. Flevaris Krishnan, R., see N. Elexris Krishnan, R., see N. Flevaris Krishnan, R., see N. Flevaris Krishnan, R., see N. Flevaris Bulk and Fe/Ag multilayers Krishnan, R., see N. Flevaris Krishnan, R., see N. Elexeris Krishnan, R., see N. Flevaris Bulk and Fe/Ag multilayers Krishnan, R., see N. Flevaris Krishnan, R., see N. Flevaris Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see N. Flevaris Krishnan, R., see N. Flevaris Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see N. Elexeris 104-107 (1992) 157 Krishnan, R., see N. Flevaris 104-107 (1992) 1763 Krishnan, R., see N. Elexeris 104-107 (1992) 1763 Krishnan, R., see N. Elexeris 104-107 (1992) 1763 Krishnan, R., see N. Elexeris 104-107 (1992) 1763 Krishnan, R., see N. Elevaris 104-107 (1992) 1763 Krishnan, R., see N. Elexeris 104-107 (1992) 1763 Krishnan, R., see N. Elevaris 104-107 (1992) 1763 Krishnan, R., see N. Elevaris 104-107 (1992) 1763 Kubo, H., see K. Zenmyo 104-107 (1992) 1893 Kuboyama, T., see K. Tamanoi Nd) 104-107 (1992) 1893 Kuboyama, T., see K. Tamanoi Nd) 104-107 (1992) 1893 Kuboyama, T., see K. Tamanoi Nd) 104-107 (1992) 1893 Kuboyama, T., see K. Tamanoi Nd) 104-107 (1992) 439 Kuboyama, T., see S.O. Demokritov Kudinov, V.I., see R. Calad 104-107 (1992) 1893				102 (1771) 00
Alloys Skishnan, R., see J. Teillet Skishnan, R., w. Cagan, M. Tessier and S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers 101 (1991) 205 Krishnan, R., see A.K. Nigam 102 (1991) 297 Krishnan, R., see A.K. Nigam 102 (1991) 297 Krishnan, R., see A.K. Nigam 103 (1992) 47 Krishnan, R., see H. Lassri 104-107 (1992) 1757 Krishnan, R., see N.K. Flevaris 104-107 (1992) 1763 Krishnan, R., see N.K. Flevaris 104-107 (1992) 1763 Krishnan, R., see N.K. Flevaris 104-107 (1992) 1763 Krishnan, R., see J.P. Eymery Krishnan, R., c. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers 104-107 (1992) 1822 Krishnan, R., and J.P. Eymery 104-107 (1992) 1822 Krishnan, R., see T. Maurer 104-107 (1992) 1825 Krishnan, R., see R. Tamanoi 104-107 (1992) 1825 Krishnan, R., see R. Tamanoi 104-107 (1992) 1825 Kubo, T., see M. Chiba Kubo, T., see				
Krishnan, R., see J. Teillet Krishnan, R., V. Cagan, M. Tessier and S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers Krishnan, R., see A.K. Nigam Krishnan, R., M. Porte and M. Tessier, Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see N.K. Flevaris Multilayers Krishnan, R., see N.K. Flevaris 104–107 (1992) 1750 Kuang, J.P., H.J. Cui, J.Y. Li, F.M. Yang, H. Nakotte, E. Brück and F.R. de Boer, Electronic properties of CeNiX compounds 104–107 (1992) 1475 Kübler, J., see M. Pénicaud Kübler, J., see M. Uhl Kübler, J., see M. Hein Kübler, J., see M. Hein Kübler, J., see M. Hein Kübler, J., see M. Chiba 104–107 (1992) 1620 Kübler, J., see M. Chiba 104–107 (1992) 1620 Kübler, J., see M. Edivation Kübler, J., see M.		98 (1991) 155		
Krishnan, R., V. Cagan, M. Tessier and S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers 101 (1991) 205 Krishnan, R., see A.K. Nigam 102 (1991) 297 Krishnan, R., see A.K. Nigam 102 (1991) 297 Krishnan, R., see A.K. Nigam 102 (1991) 297 Krishnan, R., see A.K. Nigam 103 (1992) 47 Krishnan, R., see N.K. Flevaris 104-107 (1992) 157 Krishnan, R., see N.K. Flevaris 104-107 (1992) 178 Krishnan, R., see N.K. Flevaris 104-107 (1992) 178 Krishnan, R., see N.K. Flevaris 104-107 (1992) 178 Krishnan, R., see J.P. Eymery 104-107 (1992) 178 Küber, J., see T. Maurer 104-107 (1992) 192 Krishnan, R., see J.P. Eymery 104-107 (1992) 182 Krishnan, R. and J.P. Eymery 104-107 (1992) 182 Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers 104-107 (1992) 183 Krok-Kowalski, J., see T. Groń 104-107 (1992) 184 Kuboyama, T., see K. Tamanoi 104-107 (1992) 182 Kuboyama, T., see K. Tamanoi 104-107 (1992) 182 Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG 104-107 (1992) 183 Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov 104-107 (1992) 183 Kuentzler, R., see F. Sapiña 104-107 (1992) 183 104-107 (1992) 183 Kuentzler, R., see F. Sapiña 104-107 (1992) 183 104-107 (1992) 183 104-107 (1992) 183 104-107 (1992) 183				
S. Visnovsky, Magnetic and magneto-optical studies in Fe/AlN multilayers Krishnan, R., see A.K. Nigam Krishnan, R., see A.K. Nigam Krishnan, R., M. Porte and M. Tessier, Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see H. Lassri Krishnan, R., see H. Lassri Krishnan, R., see N.K. Flevaris Krishnan, R., see N.K. Flevaris Krishnan, R., see N.K. Flevaris Krishnan, R., see J.P. Eymery Krishnan, R. and		101 (1)/1/ 13		110 (1992) I.11
neto-optical studies in Fe/AlN multilayers Krishnan, R., See A.K. Nigam Rrishnan, R., M. Porte and M. Tessier, Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see H. Lassri Krishnan, R., see N.K. Flevaris Krishnan, R., see N.K. Flevaris Krishnan, R., see N.K. Flevaris Krishnan, R., see J.P. Eymery Krishnan, R., c. C. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krow, Magnetic properties of Fe/Ag multilayers with interface roughness Nanghar (1991) 205 Krishnan, R., See A.K. Nigam 101 (1991) 297 Kub, J., see M. Pénicaud 103 (1992) 47 Kübler, J., see M. Sandratskii and M. Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see T. Maurer 104-107 (1992) 1763 Kübler, J., see T. Maurer 104-107 (1992) 1763 Kübler, J., see T. Maurer 104-107 (1992) 1763 Kübler, J., see T. Maurer 104-107 (1992) 1825 Kübler, J., see T. Maurer 104-107 (1992) 1825 Kübler, J., see M. Chiba 104-107 (1992) 1825 Kübler, J., see T. Maurer 104-107 (1992) 1825 Kübler, J., see K. Matar 104-107 (1992) 1825 Kübler, J., see K. Datar 104-107 (1992) 1825 Kübler, J., see K. Multer 104-107 (1992) 1825 Kübler, J., see K. Maurer 104-10				110 (1772) 1211
Multilayers 101 (1991) 205 F.R. de Boer, Electronic properties of CeNiX compounds 104-107 (1992) 1475				
Krishnan, R., see A.K. Nigam 102 (1991) 297 Strishnan, R., M. Porte and M. Tessier, Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers 103 (1992) 47 Kübler, J., see M. Pénicaud 103 (1992) 212 Kübler, J., see M. Uhl 103 (1992) 314 Kübler, J., L.M. Sandratskii and M. Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets 104-107 (1992) 1760 Krishnan, R., see N.K. Flevaris 104-107 (1992) 1765 Krishnan, R., see J.P. Eymery 104-107 (1992) 1785 Kübler, J., see T. Maurer 104-107 (1992) 1785 Kübler, J., see S. Matar 104-107 (1992) 1927 Krishnan, R., See J.P. Eymery 104-107 (1992) 1785 Kübler, J., see S. Matar 104-107 (1992) 1927 Kübler, J., see S. Matar 104-107 (1992) 1927 Kübler, J., see S. Matar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992) 1029 Kübler, J., see S. M. Attar 104-107 (1992)		101 (1991) 205		
Krishnan, R., M. Porte and M. Tessier, Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see H. Lassri I04–107 (1992) 157 Krishnan, R., see N.K. Flevaris I04–107 (1992) 1760 Krishnan, R., see N.K. Flevaris I04–107 (1992) 1763 Krishnan, R., see N.K. Flevaris I04–107 (1992) 1785 Krishnan, R., see J.P. Eymery I04–107 (1992) 1887 Krishnan, R., Surface anisotropy in amorphous Tb–Fe/Al ₂ O ₃ multilayers I04–107 (1992) 1893 Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Krishnan, R., see R. Clad Kub, J., see P. Novák I04 (1991) 155 Kübler, J., see M. Uhl Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets Wibler, J., see M. Chib Chek, E.La, Ce, Pr. M. Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see M. Chiba Uh–107 (1992) 1695 Kübler, J., see M. Chiba Uh–107 (1992) 1695 Kübler, J., see M. Chiba Uh–107 (1992) 1695 Kübler, J., see S. Matar Uh–107 (1992) 1695 Kübler, J., see S. Matar I04–107 (1992) 1893 Kuboyama, T., see K.				104_107 (1992)1475
Bulk and surface anisotropy in ultrahigh vacuum deposited Co/Ag and Fe/Ag multilayers Krishnan, R., see H. Lassri Krishnan, R., see N.K. Flevaris Krishnan, R., see J.P. Eymery Krishnan, R., see J.P. Eymery Krishnan, R., C. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kübler, J., see M. Uhl Kübler, J., L.M. Sandratskii and M. Kübler, J., L.M. Sandratskii and M. Kübler, J., L.M. Sandratskii and M. Uhl, Noncollinear spiral magnetic rorder in itinerant-electron magnets Kübler, J., L.M. Sandratskii and M. Uhl, Noncollinear spiral magnetic stile and M. Kübler, J., LM. Sandratskii and M. Uhl, Noncollinear spiral magnetic stile proferite in itinerant-electron magnets stile spiral magnetic stile proferite in itinerant-electron magnets stile between the stile proferite in itinerant-electron magnets stile between the stile proferite in itinerant-electron magnets stile broaden the stile proferite stile proferite stile proferite in itinerant-electron magnetic rese stile proferite stil		102 (1), 2)	-	
trahigh vacuum deposited Co/Ag and Fe/Ag multilayers Arishnan, R., see H. Lassri Krishnan, R., see N.K. Flevaris Krishnan, R., see J.P. Eymery Krishnan, R., C. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krosh-Kowalski, J., see T. Groń Krosmpiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kübler, J., see M. Uhl Kübler, J., L.M. Sandratskii and M. Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see T. Maurer Kübler, J., L.M. Sandratskii and M. Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., L.M. Sandratskii and M. Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see M. Uhl Kübler, J., L.M. Sandratskii and M. Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see T. Maurer Kübler, J., see M. Uhl Kübler, J., see M. Uhl Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see T. Maurer Kübler, J., see M. Uhl Vhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see T. Maurer 104–107 (1992) 1829 Kübler, J., see M. Uhl Vhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see M. Uhl Vhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J				
and Fe/Ag multilayers Krishnan, R., see H. Lassri Krishnan, R., see N.K. Flevaris Krishnan, R., see J.P. Eymery Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kübler, J., L.M. Sandratskii and M. Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets Kübler, J., see T. Maurer 104–107 (1992) 1892 Kübler, J., see T. Maurer 104–107 (1992) 1893 Kubo, T., see M. Chiba 104–107 (1992) 1893 Kuboyama, T., see K. Tamanoi Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG 104–107 (1992) 439 Kudinov, V.I., see S.O. Demokritov Kudinov, V.I.				
Krishnan, R., see H. Lassri 104–107 (1992) 157 Uhl, Noncollinear spiral magnetic order in itinerant-electron magnets 104–107 (1992) 695 Krishnan, R., see N.K. Flevaris 104–107 (1992) 1763 Kübler, J., see T. Maurer 104–107 (1992) 1029 Krishnan, R., see J.P. Eymery 104–107 (1992) 1785 Kübler, J., see S. Matar 104–107 (1992) 1927 Krishnan, R., c. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Kubo, H., see K. Zenmyo 104–107 (1992) 1615 Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers 104–107 (1992) 1893 Kubota, H., see T. Miyazaki 104–107 (1992) 1182 Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers 104–107 (1992) 1893 Kučera, M. and J. Hakenová, Strong 104–107 (1992) 439 Krok-Kowalski, J., see T. Groń 101 (1991) 148 Kudinov, V.I., see S.O. Demokritov 104–107 (1992) 1593 Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kuentzler, R., see R. Clad 104–107 (1992) 1593		103 (1992) 47		103 (1772) 314
Krishnan, R., see N.K. Flevaris Krishnan, R., see N.K. Flevaris Krishnan, R., see N.K. Flevaris Krishnan, R., see J.P. Eymery Krishnan, R., c. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness 104-107 (1992)1785 Kübler, J., see T. Maurer Kübler, J., see S. Matar Multilayers Kübler, J., see M. Chiba Kübler, J., see S. Matar Kübler, J., see S. Matar Kübler, J., see S. Matar Multilayers Kübler, J., see M. Chiba Kübler, J., see M. Chiba Kübler, J., see S. Matar Multilayers Kübler, J., see M. Chiba Kubo, T., see M. Chiba Nd Nd Nd Nd Nd Nd Nd Nd-107 (1992) 1822 Kubota, H., see T. Miyazaki Kubota, H., see T. Miyazaki Kubera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see R. Clad Nd				
Krishnan, R., see N.K. Flevaris 104–107 (1992)1763 Kübler, J., see T. Maurer 104–107 (1992)1029 Krishnan, R., see J.P. Eymery 104–107 (1992)1785 Kübler, J., see S. Matar 104–107 (1992)1927 Krishnan, R., C. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Kubo, T., see M. Chiba 104–107 (1992) 807 Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers 104–107 (1992) 1822 Kubota, H., see T. Miyazaki 103 (1992) 13 Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers 104–107 (1992) 1893 Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG 104–107 (1992) 439 Krok-Kowalski, J., see T. Groń 101 (1991) 148 Kudinov, V.I., see S.O. Demokritov 104–107 (1992) 837 Krogy, Magnetic properties of Fe/Ag multilayers with interface roughness Kuentzler, R., see F. Sapiña 104–107 (1992) 1593				104_107 (1002) 605
Krishnan, R., see J.P. Eymery Krishnan, R., C. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Krishnan, R., See J. Pr. Eymery Kubo, H., see S. Matar Kubo, H., see K. Zenmyo 104–107 (1992) 1803 Kubo, T., see M. Chiba 104–107 (1992) 1802 Kubo, Y. and S. Asano, Electronic states in RB ₆ (R = La, Ce, Pr and Nd) 104–107 (1992) 1182 Kubota, H., see T. Miyazaki Kuboyama, T., see K. Tamanoi 104–107 (1992) 445 Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña Kuentzler, R., see F. Sapiña Kubo, Y. and S. Asano, Electronic states in RB ₆ (R = La, Ce, Pr and Nd) Nd) 104–107 (1992) 1182 Kubota, H., see T. Miyazaki Kubota, H., see K. Tamanoi Nd				
Krishnan, R., C. Sella, M. Kaabouchi, B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krowpiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kubo, H., see K. Zenmyo Kubo, T., see M. Chiba 104–107 (1992) 1822 Kubo, Y. and S. Asano, Electronic states in RB ₆ (R = La, Ce, Pr and Nd) Kubota, H., see T. Miyazaki Kuboyama, T., see K. Tamanoi Ind4–107 (1992) 445 Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña Kuentzler, R., see R. Clad 104–107 (1992) 1593				
B.R. Acharya, S. Prasad and N. Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kubo, T., see M. Chiba Kubo, Y. and S. Asano, Electronic states in RB ₆ (R = La, Ce, Pr and Nd) Kubota, H., see T. Miyazaki Kuboyama, T., see K. Tamanoi 104–107 (1992) 445 Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see R. Clad 104–107 (1992) 807 Kubota, H., see T. Miyazaki 103 (1992) 13 Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see R. Clad		101 101 (1772)1103		
Venkatramani, Ferromagnetic resonance studies of exchange-coupled Fe/Ni multilayers Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kubo, Y. and S. Asano, Electronic states in RB ₆ (R = La, Ce, Pr and Nd) Nd) Kubota, H., see T. Miyazaki Kuboyama, T., see K. Tamanoi Kuboyama, T., see K. Tamanoi Kucera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña Kuentzler, R., see R. Clad 104-107 (1992) 1593				
nance studies of exchange-coupled Fe/Ni multilayers 104–107 (1992)1822 Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers 104–107 (1992)1893 Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers 109 (1992) 64 Krok-Kowalski, J., see T. Groń 101 (1991) 148 Krowpiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness 104–107 (1992) 1593 states in RB ₆ (R = La, Ce, Pr and Nd) 104–107 (1992) 1182 Kubota, H., see T. Miyazaki 103 (1992) 13 Kuboyama, T., see K. Tamanoi 104–107 (1992) 445 Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG 104–107 (1992) 439 Kudinov, V.I., see S.O. Demokritov 102 (1991) 339 Kuentzler, R., see F. Sapiña 104–107 (1992) 837 Kuentzler, R., see R. Clad 104–107 (1992) 1593				104-107 (1772) 007
Fe/Ni multilayers 104–107 (1992) 1822 Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers 104–107 (1992) 1893 Krishnan, R., Surface anisotropy in amorphous Tb–Fe/Al ₂ O ₃ multilayers 109 (1992) 64 Krok-Kowalski, J., see T. Groń 101 (1991) 148 Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness 104–107 (1992) 1822 Nd) Kubota, H., see T. Miyazaki 103 (1992) 13 Kuboyama, T., see K. Tamanoi 104–107 (1992) 445 Kučera, M., Magneto-optics of Ce ³⁺ doped garnets 101 (1991) 242 Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG 104–107 (1992) 439 Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña 104–107 (1992) 837 Kuentzler, R., see R. Clad 104–107 (1992) 1593				
Krishnan, R. and J.P. Eymery, Magnetic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kubota, H., see T. Miyazaki Kuboyama, T., see K. Tamanoi Kuboyama, T., see K. Tamanoi Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña Kuentzler, R., see F. Sapiña Kuentzler, R., see R. Clad 103 (1992) 13 104–107 (1992) 445 Kučera, M., Magneto-optics of Ce ³⁺ Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see R. Clad		104-107 (1992) 1822		104_107 (1002)1182
netic and CEMS studies in Fe/CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña Kuentzler, R., see R. Clad 104–107 (1992) 445 Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see R. Clad 104–107 (1992) 439 Kuentzler, R., see R. Clad				
CoNbZr multilayers Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers Krok-Kowalski, J., see T. Groń Krompiewski, S., U. Krauss and U. Krey, Magnetic properties of Fe/Ag multilayers with interface roughness 104–107 (1992) 1893 Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña Kuentzler, R., see F. Sapiña 104–107 (1992) 1893 Kučera, M., Magneto-optics of Ce ³⁺ doped garnets Kučera, M., Magneto-optics of Ce ³⁺ Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña 104–107 (1992) 837 Kuentzler, R., see R. Clad 104–107 (1992) 1593				
Krishnan, R., Surface anisotropy in amorphous Tb-Fe/Al ₂ O ₃ multilayers with interface roughness doped garnets Kučera, M. and J. Hakenová, Strong Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña Kuentzler, R., see F. Sapiña Kuentzler, R., see R. Clad 101 (1991) 242 Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG 104–107 (1992) 439 Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see R. Clad 104–107 (1992) 837 Kuentzler, R., see R. Clad	CoNbZr multilayers	104-107 (1992) 1893		101 107 (1992) 443
amorphous Tb-Fe/Al ₂ O ₃ multilayers with interface roughness Kučera, M. and J. Hakenová, Strong Faraday effect in Ce ³⁺ : YAG Faraday effect in Ce ³⁺ : Y		, ,		101 (1991) 242
ers 109 (1992) 64 Faraday effect in Ce ³⁺ : YAG 104–107 (1992) 439 Krok-Kowalski, J., see T. Groń 101 (1991) 148 Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña 104–107 (1992) 637 Kuentzler, R., see F. Sapiña Kuentzler, R., see R. Clad 104–107 (1992) 1593				101 (1771) 242
Krok-Kowalski, J., see T. Groń 101 (1991) 148 Kudinov, V.I., see S.O. Demokritov Kudinov, V.I., see F. Sapiña 104–107 (1992) 837 Kuentzler, R., see R. Clad 104–107 (1992) 1593		109 (1992) 64		104-107 (1992) 439
Krompiewski, S., U. Krauss and U. Krauss and U. Krauss and U. Krauss and U. Krauss and U. Krauss and U. Kudinov, V.I., see S.O. Demokritov Kuentzler, R., see F. Sapiña multilayers with interface roughness Kuentzler, R., see R. Clad 104–107 (1992) 837 Kuentzler, R., see R. Clad 104–107 (1992) 1593				
Krey, Magnetic properties of Fe/Ag Kuentzler, R., see F. Sapiña 104–107 (1992) 837 multilayers with interface roughness Kuentzler, R., see R. Clad 104–107 (1992) 1593		,		
multilayers with interface roughness Kuentzler, R., see R. Clad 104–107 (1992) 1593				
104 107 (1772) 1373				
	by a first-principles tight-binding		Kuentzler, R., R. Clad, G. Schmerber	201 (1774) 1373

and V Dassmann Can at the Fermi			
and Y. Dossmann, Gap at the Fermi		Laad, M. and D.K. Ghosh, Extended	104 107 (1000) 741
level and magnetism in RMSn		Hubbard model in 2 dimensions	104–107 (1992) 741
ternary compounds (R = Ti, Zr, Hf and M = Fe, Co, Ni)	104 107 (1002) 1076	Labarta, A., see F. Badia	93 (1991) 425
Kulich, N.V., see N.A. Belous	104–107 (1992) 1976	Labarta, A., see B. Martinez	104–107 (1992) 123
Kulik, T. and J. Lisiecki, Effect of the	110 (1992) 197	Labarta, A., see M.T. Causa	104–107 (1992) 1649
		Laborde, O., see J.C. Martinez	104–107 (1992) 601
quenching rate on the magnetic per-		Labro, M., see A. Mordijck	104–107 (1992) 2081
meability of annealed non-magneto-		Labrune, M. and J. Miltat, Numerical	104 107 (1000) 241
strictive Co-Fe-Mn-Mo-Si-B glass	100 (1002) 220	simulation of weak stripe domains	104–107 (1992) 241
Kulikowski, J., see A. Biénkowski	109 (1992) 228	Labrune, M., J. Miltat, J.P. Jakubovics,	
Kulkarni, R.G., see J. Nogués	101 (1991) 122	A.M. Thompson and J.N. Chap-	
Kumagai, K., T. Takatsuka and A. Ya-	99 (1991) 275	man, Wall structure in cobalt thin	104 107 (1002) 242
manaka, Hyperfine fields at the		films	104–107 (1992) 343 108 (1992) 56
Cu(1) and Cu(2) sites of antiferro-		Lacerda, A., see A. de Visser Lacerda, A., see P.C. Canfield	108 (1992) 56 108 (1992) 217
magnetic $YBa_2(Cu_{1-x}T_x)_3O_6$ and		Lachowicz, H.K., see A. Siemko	101 (1991) 16
RBa ₂ Cu ₃ O ₆	104-107 (1992) 577	Lachowicz, H.K., see A. Slawska-	101 (1771) 10
Kumar, R., see B.V.B. Sarkissian	104–107 (1992) 1271	Waniewska	101 (1991) 40
Kunii, S., see P. Morin	96 (1991) 145	Lachowicz, H.K., see A. Ślawska-	101 (1771) 40
Kunii, S., see K. Segawa	104–107 (1992)1233	Waniewska	104-107 (1992) 119
Kunii, S., see R.M. Galéra	104–107 (1992)1336	Lacorre, P., see M. Leblanc	92 (1991) 359
Kunii, S., see A. Tomita	108 (1992) 165	Lacorre, P., J. Pannetier, M. Leblanc	72 (1771) 557
Kunkel, H.P., see H. Ma	104–107 (1992) 89	and G. Ferey, Ordered magnetic	
Kunze, W. and H. Kuß, FEM for com-	101 101 (1772) 07	frustration. XIII. Monte Carlo sim-	
puter-aided design of electrical ma-		ulations of the magnetic behaviour	
chines and devices	101 (1991) 279	of $Fe_3F_8(H_2O)_2$	92 (1991) 366
Kuriplach, J., see P. Novák	104-107 (1992)1499	Lacorre, P., J. Pannetier and G. Ferey,	, í
Kurisu, M., T. Takabatake and H. Fujii,		Ordered magnetic frustration. XIV.	
Structural and magnetic phase tran-		The magnetic structure of the te-	
sitions in UPd ₂ In under pressure -		tragonal bronze KMnFeF ₆	94 (1991) 331
strong depression of magnetism with		Lacorre, P., M. Leblanc, J. Pannetier	
pressure?	104-107 (1992) 29	and G. Ferey, Ordered magnetic	
Kurisu, M., S. Matsuda, T. Suzuki and		frustration. XV. Re-examination of	
T. Fujita, Superconductivity in La ₂		the magnetic structure of α -KCrF ₄	94 (1991) 337
CuO ₄ under pressure: two step su-		Lacour, C., see H. Stroumbos	104-107 (1992) 633
perconducting transition and de-		Lacroix, C. and J.P. Gavigan, Interlayer	
crease in $T_{\rm c}$ with pressure	104–107 (1992) 515	coupling in magnetic multilayers:	
Kuriyama, H., see M. Mekata	104–107 (1992) 825	analogy to superexchange processes	
Kuriyama, H., see M. Mekata	104–107 (1992) 859	in insulators	93 (1991) 413
Kuroda, K., see T. Goto	104–107 (1992) 135	Lacroix, C., Magnetic properties of the	
Kuromoto, T.Y., see D.J. Webb	98 (1991) 71	Kondo lattice	100 (1991) 90
Kürsch, R., see E. Scheer	104–107 (1992) 175	Lacroix, C., see M.D. Nunez-Regueiro	104–107 (1992) 285
Kurzawa, M., see T. Groń	101 (1991) 148	Lacroix, C. and C. Pinettes, Itinerant	
Kusov, A.A., see S.S. Jaswal	109 (1992)L151	antiferromagnetism in a frustrated	40: 40% (4000) 754
Kusuda, T., see M. Nawate	104–107 (1992) 1861	lattice P. Paller	104–107 (1992) 751
Kuwai, T., see T. Miyadai	104–107 (1992) 47	Lacroix, C., see R. Ballou	104–107 (1992) 753
Kuwai, T., see Y. Miyako	108 (1992) 190	Lacroix, C., see G. Ortiz	108 (1992) 179
Kuzmenko, V.V., see V.V. Rossikhin	104-107 (1992) 2127	Lafford, T.A., see M.R.J. Gibbs	104–107 (1992) 327
Kuzminski, M., see P.T. Squire	104–107 (1992) 109	Lagunas, A.R., see M.C. Contreras	93 (1991) 233
Kuznietz, M., H. Pinto and M. Mela-		Lähderanta, E., see R. Laiho	104–107 (1992) 491
mud, Note on the magnetism of		Lähderanta, E., R. Laiho, A. Lashkul,	
UCo ₂ Ge ₂	96 (1991) 245	V. Zahvalinski, S.B. Roy and A.D. Caplin, Spin-glass like behaviour of	
Kuznietz, M., H. Pinto, H. Ettedgui and M. Melamud, Magnetic order-		$(Zn_{1-x}Mn_x)_3As_2$	104-107 (1992) 1605
ing in the solid solutions UCoNiSi ₂		Lahlou-Mimi, M., M. Leblanc and J.M.	101 101 (1772)1003
and UNiCuSi ₂	104-107 (1992) 13	Greneche, Structural and magnetic	
Kvardakov, V.V., see J. Sandonís	104–107 (1992) 350	aspects of a mixed fluoride series:	
Kwon, Y.S., see K. Komorita	104–107 (1992) 1241	Fe _{1-x} Ga _x F ₃ $(0 \le x \le 1)$	92 (1991) 375
Kwon, Y.S., see Y. Okayama	108 (1992) 113	1-x-x-3 (5 (5)	(27, 27, 373
zz. on, z.o., oce z. omajama			

Lahlou-Mimi, M., see J. Renaudin Lai, W.y., see Z.q. Li Lai, WY., see QQ. Zheng Lai, WY., see Z. Zeng	92 (1991) 381 98 (1991) 47 104–107 (1992)1019 104–107 (1992)1157	Laplanche, G., see J.P. Eymery Lara, G.A. and G.G. Cabrera, A mean field approach for an extended Hubbard model with correlated	93 (1991) 179
Laiho, R., V. Zakosarenko and E. Lähderanta, Influence of light on the magnetic moment of ceramic high- T_c superconductors and		hopping: interplay of antiferromagnetism and superconductivity Larica, C., E.M. Baggio-Saitovitch, S.K. Xia, Vapor quenched Ag _{1-x} Fe _x al-	104–107 (1992) 499
SQUIDs	104-107 (1992) 491	loys: in situ Mössbauer studies	110 (1992) 106
Laiho, R., see E. Lähderanta	104-107 (1992) 1605	Laridjani, M., see F. Machizaud	92 (1990) 207
Laligant, Y., see V. Carteaux	94 (1991) 127	Larrea, A., J. Bartolomé, A. Morales, J.	
Laloee, R., see D.H. Mosca	93 (1991) 480	Morales and G. Waysand, Magnetic	
Laloee, R., see D.H. Mosca	94 (1991) L1	phase diagram of colloidal super-	
Lamarche, G., see J. Lamazares	104-107 (1992) 997	conducting microspheres of tin	104-107 (1992) 229
Lamazares, J., F. Gonzalez-Jimenez, E.		Lascaray, J.P., F. Hamdani, D. Coquil-	
Jaimes, L. D'Onofrio, R. Iraldi, G.		lat and A.K. Bhattacharjee, Car-	
Sanchez-Porras, M. Quintero, J.		rier-ion exchange interaction in di-	
Gonzalez, J.C. Woolley and G.		luted magnetic semiconductors	104–107 (1992) 995
Lamarche, Magnetic, transport, X-		Lashkul, A., see E. Lähderanta	104–107 (1992) 1605
ray diffraction and Mössbauer mea-		Lassri, H., see R. Krishnan	98 (1991) 155
surements on CuFeSe ₂	104–107 (1992) 997	Lassri, H., see J. Teillet	101 (1991) 43
Lambert, P.M., Structural and mag-		Lassri, H. and R. Krishnan, Random	
netic properties of lithium-inter-		anisotropy studies in amorphous	
calated cobalt bulk-doped γ-Fe ₂ O ₃	97 (1991) 329	Fe-Er-B-Si alloys	104–107 (1992) 157
Lambert, S.E., see C. Schoenenberger	93 (1991) 123	Lataifeh, M., see C. Carboni	104–107 (1992) 1513
Lambert-Andron, B., see J. Pierre	104–107 (1992) 1207	Łątka, K., see J.P. Sanchez	99 (1991) 95
Lambrick, D.B., see C.I. Gregory	104–107 (1992) 689	Latuszkiewicz, J., see K. Szymański	99 (1991) 222
Lambrick, D.B., see P.R. Bissell	104–107 (1992) 1551	Laughlin, D.E., see Y. Shen	94 (1991) 57
Lamelas, F.J., see R. Clarke	93 (1991) 53	Lauter, H.J., see J.A.C. Bland	93 (1991) 331
Landau, D.P., see R.W. Gerling Landau, D.P. and K. Binder, Monte	104–107 (1992) 246	Lauter, H.J., see J.A.C. Bland Lauter, H.J., see J.A.C. Bland	93 (1991) 513
Carlo simulation of phase transi-		Lauter, H.J., see J.A.C. Bland Lauter, H.J., see J.A.C. Bland	104–107 (1992) 1798 104–107 (1992) 1909
tions in thin Ising films	104-107 (1992) 841	Lavrinenko, N.M., see I.M. Vitebskii	97 (1991) 263
Landau, D.P. and R.W. Gerling, Criti-	104 107 (1772) 041	Lawrence, J.M., A.J. Arko, J.J. Joyce,	97 (1991) 203
cal dynamics in the two-dimensional		P.C. Canfield, Z. Fisk, J.D. Thomp-	
XY-model	104-107 (1992) 843	son and R.J. Bartlett, Photoemis-	
Landee, C.P. and R.E. Greeney, Two		sion in YbCu ₂ Si ₂ : problems with	
new insulating ferromagnets CHA2		the Kondo impurity model	108 (1992) 215
CuBr ₄ and CPA ₂ CuCl ₄	104-107 (1992) 788	Lawson, A.C., see R.A. Robinson	98 (1991) 147
Lander, G.H. and G. Aeppli, Neutron		Lawson, A.C., see H. Maletta	104-107 (1992) 21
scattering studies of magnetic prop-		Lawson, G.R., see S.R. Hoon	104-107 (1992) 967
erties of actinide systems	100 (1991) 151	Layadi, A. and J.O. Artman, Ferromag-	
Lang, M., see E. Scheer	104-107 (1992) 175	netic resonance in a coupled two-	
Lang, M., see F. Steglich	108 (1992) 5	layer system	92 (1990) 143
Lange, J., see P.C.M. Gubbens	98 (1991) 141	Lázaro, F.J., L.M. García, F. Luis, C.	
Lange, Th., see D. Görlitz	104–107 (1992) 339	Rillo, J. Bartolomé, D. Fruchart, O.	
Langlet, M., see J.L. Deschanvres	101 (1991) 224	Isnard, S. Miraglia, S. Obbade and	
Lanotte, L. and P. Matteazzi, Magnetic behaviour of $Fe_{1-x}Cu_x$ powders af-		K.H.J. Buschow, Systematic mag- netic ac susceptibility study of	
ter milling	101 (1991) 178	$(RE)_2 Fe_{14} BH_x$ and $(RE)_2 Fe_{14} CH_x$	101 (1991) 372
Lanotte, L., see D. Fiorani	104–107 (1992) 141	Lázaro, F.J., see C. Piqué	104–107 (1992)1167
Lanotte, L. and C. Luponio, Magne-		Lázaro, F.J., see F. Palacio	104–107 (1992)2101
tomechanical coupling and struc-		Lazukov, V.N., see P.A. Alekseev	110 (1992) 119
ture of $Co_{1-x}P_x$ alloys obtained by	104 107 (1002) 2003	Le Breton, J.M. and J. Teillet, Möss-	
electrochemical deposition Lapierre, F. and P. Haen, Resistivity	104–107 (1992)2006	bauer and X-ray study of NdFeB	
anisotropy in CeRu ₂ Si ₂	108 (1992) 167	type permanent magnets oxidation:	101 (1001) 01=
amount of in corragory	100 (1992) 107	effect of A1 and Nb addition	101 (1991) 347

Le Caër, G. and S.M. Dubiel, Influence		Kirchner and C.J. Chien, Molecular	
of spin-density-wave parameters on		beam epitaxial growth and magnetic	
¹¹⁹ Sn-site Mössbauer spectra of		properties of Co-Pt superlattices	
chromium: theoretical calculations	92 (1990) 251	oriented along the [001], [110] and	
Le Corre, A., see S. Auffret	104–107 (1992)1209	[111] axes of Pt	93 (1991) 592
Le Dang, K., see C. Chappert	93 (1991) 319	Lee, Ch., see J.V. Harzer	104-107 (1992) 1863
Le Dang, K., see F. Giron	104–107 (1992) 1887	Lee, C.Y., see S.U. Jen	96 (1991) 82
Le Floc'h, C., see M. Le Floc'h	104-107 (1992)1591	Lee, J.I., see S.C. Hong	99 (1991) L45
Le Floc'h, M., A.M. Konn-Martin, P.		Lee, J.I., see S.C. Hong	104-107 (1992) 659
Talbot and J.L. Mattei, Effect of		Lee, J.I., S.C. Hong and A.J. Freeman,	
perpendicular continuous field on		Effects of band hybridization on in-	
initial susceptibility of soft ferrimag-		terface magnetism: Ni overlayers on	
netic materials	104-107 (1992) 401	Fe(001)	104-107 (1992) 1684
Le Floc'h, M., A.M. Konn, Ph. Talbot,		Lee, JW., see M.A. Russak	104-107 (1992) 1851
J.L. Mattei, G. Menexiadis, C. Le		Lee, K.C., see S.U. Jen	96 (1991) 82
Floc'h and C. Bayle, Susceptibility		Lee, K.M., see M.J. O'Shea	99 (1991) 103
measurement in diluted magnetic		Lee, P.A. and N.R. Armstrong, Oxide	
media	104-107 (1992) 1591	formation on rare earth/transition	
Le Gall, H., see A. Fessant	93 (1991) 242	metal and bimetallic transition	
Le Gall, H., see A. Rakii	93 (1991) 247	metal thin films: modeling the effect	
Le Lirzin, A., J. Darriet, R. Georges		of fourth element modifiers on O ₂	
and J.L. Soubeyroux, On the quasi-		and H ₂ O surface chemistries	93 (1991) 159
1D magnetic behavior of Ba ₂ MnCo-		Lee, S., see C.K. Hou	109 (1992) 7
Al_2F_{14} , $Ba_2MnCuAl_2F_{14}$ and re-		Lee, S.L., see D.McK. Paul	104-107 (1992) 591
lated compounds	109 (1992) 47	Lee, S.L., see E.M. Forgan	104-107 (1992) 911
Le, L.P., see B.J. Sternlieb	104-107 (1992) 801	Lee, S.L., see E.M. Forgan	104-107 (1992) 913
Le Van Mao, R., see B.A. Lombos	93 (1991) 391	Lee, S.L., see E.M. Forgan	104-107 (1992) 1519
Le, Zq., see Gq. Liu	96 (1991) 155	Lee, W.Y., see C.J. Yang	96 (1991) 60
Leask, M.J.M., see B. Bleaney	104-107 (1992) 1245	Lees, J.S., see J.S. Thorp	97 (1991) 112
Lebech, B. and J. Wolny, Commen-		Lefez, V., see H. Vincent	101 (1991) 170
surate-incommensurate magnetic		Legoll, P., see J.L. Paillaud	96 (1991) 41
phase transitions in dhcp Nd metal	104-107 (1992) 1501	Lehmann-Szweykowska, A., A. Koper,	
Leblanc, M., G. Ferey, P. Lacorre and		R. Wojciechowski and T. Tomalak,	
J. Pannetier, Ordered magnetic		Theory of magnetic behaviour in	
frustration. XII. The magnetic		calcium-doped yttrium iron garnet	104-107 (1992) 447
structures of $Fe_3F_8(H_2O)_2$ at 40 and		Leite, M.M., A.M. Nemirovsky and	
2 K	92 (1991) 359	M.D. Coutinho-Filho, Specific heat	
Leblanc, M., see P. Lacorre	92 (1991) 366	critical amplitudes and the ap-	
Leblanc, M., see M. Lahlou-Mimi	92 (1991) 375	proach to bulk criticality in parallel	
Leblanc, M., see P. Lacorre	94 (1991) 337	plate geometries	104–107 (1992) 181
Leblanc, M., see J. Ostoréro	104–107 (1992) 425	Leitenbauer, G., see G. Schaudy	104–107 (1992) 477
Leccabue, F., see L. Peraldo Bicelli	94 (1991) 267	Lejay, P., see J.L. Jacoud	108 (1992) 131
Leccabue, F., see O. Popov	99 (1991) 119	Lejay, P., see F. Hippert	108 (1992) 177
Leciejewicz, J., see W. Bażela	96 (1991) 114	Lejay, P., see P. Burlet	108 (1992) 202
Leciejewicz, J., see M. Kolenda	96 (1991) 121	Lelievre, E., see M.D. Nunez-Regueiro	104–107 (1992) 285
Leciejewicz, J., A. Szytuła and A. Zyg-		Lemaire, H., see Ph. Tenaud	101 (1991) 328
munt, Magnetic properties of UCuSi		Lemarchand, D., see N. Amri	101 (1991) 352
and UCuGe by neutron diffraction	97 (1991) 219	Lemarchand, D., see J. Delamare	104–107 (1992)1092
Leciejewicz, J., see W. Bażela	109 (1992) 305	Lemarquand, G., see C. Blache	104–107 (1992)1106
Ledbetter, H., see M. Földeáki	110 (1992) 185	Lemarquand, G., see V. Lemarquand	104–107 (1992)1109
Lederman, D., see H. Ohta	104–107 (1992) 1741	Lemarquand, G., see C. Blache	104–107 (1992)1111
Lederman, M., see J. Hammann	104–107 (1992) 1617	Lemarquand, V. and G. Lemarquand,	
Lee, C.H., see C.J. Chien	93 (1991) 47	New structure of magnetic torque	101 100 1:22
Lee, C.H., see C.J. Lin	93 (1991) 194	sensor	104–107 (1992)1109
Lee, C.H., R.F.C. Farrow, B.D. Herms-		Lenczowski, S.K.J., see J.H.P.M. Em-	404 408 (1000)
meier, R.F. Marks, W.R. Bennett,		men	104–107 (1992) 473
C.J. Lin, E.E. Marinero, P.D.		Leonato, M., see J.M. González	101 (1991) 397

		. (=)	
Leonato, M., see J.M. Gonzalez	104–107 (1992)1179		101 105 (1000) 1111
Leonowicz, M., see A. Manaf	101 (1991) 360		104-107 (1992)1444
Leonowicz, M., see A. Manaf	104–107 (1992) 1145		
Leonowicz, M., see J.J. Wysłocki	104–107 (1992)1163		
Leontiev, P.I., see S.A. Nikitin	92 (1991) 405		
Lequien, S., see F. Petroff	93 (1991) 95		109 (1992) 113
Lequien, S., see A. Fert	104-107 (1992) 1712		
Lequien, S., see A. Barthélémy	104-107 (1992) 1816		
Lera, F., R. Navarro, C. Rillo, L.A.		parameter A_{20} in NdFe ₁₁ TiN _{1-δ}	
Angurel, A. Badía and J. Bartolomé,		compounds (Letter to the Editor)	109 (1992)L153
Critical state models for inter and		Li, HS., see J.M. Cadogan	110 (1992) L15
intragranular flux pinning in HTS		Li, HS., see J.M. Cadogan	110 (1992) L20
ceramics: universal scaling laws	104-107 (1992) 615	Li, JL., see K. Hono	110 (1992)L254
Lera, F., see M. Artigas	104-107 (1992) 1993	Li, J.N., see Z. Tarnawski	104–107 (1992) 613
Leschhorn, H. and T. Nattermann,		Li, J.Y., see R.J. Radwański	101 (1991) 392
Manifolds in random magnets	104-107 (1992) 163	Li, J.Y., see R.J. Radwański	104–107 (1992)1139
Leschhorn, H., Moving interfaces in		Li, J.Y., see J.P. Kuang	104–107 (1992)1475
random Ising magnets	104-107 (1992) 309	Li, M.S., L.Q. Nguyen, A.V. Vedyaev	
Leschke, H., see T. Delica	104-107 (1992) 795	and H. Zung, Magnetic properties	
Lettau, C., see A.K. Gangopadhyay	103 (1992) 263	of frustrated Ising ferrimagnets	96 (1991) 175
Lettau, K., see A.K. Gangopadhyay	103 (1992) 26	Li, Q.A., see N. Tang	104-107 (1992)1086
Levitin, R.Z., see I.L. Gabelko	94 (1991) 28	Li, W.Z., see Y. Wang	102 (1991) 121
Levitin, R.Z., see R. Ballou	110 (1992) 209	Li, X., see T.H. Jacobs	104-107 (1992)1275
Levy, J.C.S., see D. Mercier	93 (1991) 55	7 Li, X., see G.F. Zhou	109 (1992) 265
Levy, P.M. and S.F. Zhang, Theory of		Li, Y., see M. Farie	93 (1991) 215
magnetoresistance in magnetic su-		Li, Y., M. Farle and K. Baberschke,	
perlattices (Invited paper)	93 (1991) 6'	Ferromagnetic resonance in ultra-	
Levy, P.M., see Y. Wang	93 (1991) 395	thin Ni(111)/W(110)	93 (1991) 345
Lewis, B.A., see A.D. Beale	104-107 (1992) 365	Li, Y.P., see HS. Li	104-107 (1992)1444
Leylekian, L., Y.M. Tsipenyuk, M. Ocio		Li, Z.q., H.l. Luo, W.y. Lai, Z. Zeng	
and J. Hammann, Thermodynamic		and Q.q. Zheng, Cluster studies on	
magnetic fluctuations in the 2D fer-		the electronic and magnetic proper-	
romagnet (CH ₃ NH ₃) ₂ CuCl ₄ near		ties of MnBi and MnBiAl	98 (1991) 47
the transition temperature	104-107 (1992) 775	Li, ZQ., see QQ. Zheng	104-107 (1992) 1019
Leylekian, L., see P. Bellot	108 (1992) 14:	l Li, Zy., see Yq. Ma	96 (1991) 315
Lezhnenko, I.V., see N.A. Belous	110 (1992) 19	7 Li, Z.Y., see T. Hai	97 (1991) 227
Li, C., A.J. Freeman and C.L. Fu, Elec-		Li, Z.Y., see S. Skanthakumar	104-107 (1992) 519
tronic structure and magnetic prop-		Liang, Jz., Mj. Yu, N. Tang, Y.L.	
erties of the hcp Co(0001) surface	94 (1991) 134	, , , , , , , , , , , , , , , , , , , ,	
Li, C., see R.q. Wu	99 (1991) 7	Mössbauer study of $(Sm_{1-x}Nd_x)_{2}$	
Li, D.q., C.W. Hutchings, P.A. Dow-		Fe_{17} and $(\operatorname{Sm}_{1-x}\operatorname{Nd}_x)_2\operatorname{Fe}_{17}\operatorname{N}_y$	
ben, C. Hwang, RT. Wu, M. Onel-		compounds	102 (1991) 217
lion, A.B. Andrews and J.L. Ersk-		Liang, JZ., see BG. Shen	104-107 (1992) 1088
ine, Angle-resolved photoemission		Liao, L.X., see X. Chen	109 (1992) 271
evidence for a Gd(0001) surface		Licci, F., see L. Albanese	104-107 (1992) 509
state	99 (1991) 85	Lichtchenko, O., see M. Kisielewski	101 (1991) 213
Li, H., see R.w. Gao	95 (1991) 203	Liehr, M., see K. Boockmann	101 (1991) 345
Li, Hs. and W. Tang, New results in		Lienard, A., see M.C. Contreras	93 (1991) 233
the calculation of the spin reorien-		Likodimos, W., N. Guskos, C.A. Lon-	
tation and magnetic structure for		dos, S.M. Paraskevas, A. Koufou-	
$R_2T_{14}B$	97 (1991) 3		
Li, HS. and J.M. Cadogan, Exchange		and A.D. Niarchos, EPR spectrum	
and crystal field interactions in		of Tm ²⁺ ions in the tetragonal	
$Sm_2Fe_{17}N_{3-\delta}$	103 (1992) 53		
Li, HS., Y.P. Li and J.M.D. Coey,		pound	104-107 (1992) 563
Theoretical evaluation of R-T and		Lileev, A.S., see A.M. Gabay	97 (1991) 256
R-R exchange coefficients in rare-		Lileev, A.S., see A.M. Gabay	103 (1992) 151

Lileev, A.S., see A.M. Gabay Lim, D.W., H. Kato, M. Yamada, G.	109 (1992) 213	erties of ultrathin epitaxial films of iron (Invited paper)	93 (1991) 307
Kido and Y. Nakagawa, Spin reorientation and first-order magnetiza-		Liu, Gq., Zq. Yu and Zq. Le, Faraday effect and the effective field	
tion processes in $(Er_{1-x}Tb_x)_2Fe_{14}B$	104–107 (1992) 1429	theory in solid materials	96 (1991) 155
Lim, S.P., see B.R. Cooper Lin, C.J., see C.J. Chien	108 (1992) 10 93 (1991) 47	Liu, J., H. Luo and J. Wan, Magnetic	
Lin, C.J., G.L. Gorman, C.H. Lee,	93 (1991) 47	properties and electron microscopy analysis of Nb-containing (NdDy)-	
R.F.C. Farrow, E.E. Marinero, H.V.		FeB sintered magnets	103 (1992) 65
Do, H. Notarys and C.J. Chien,		Liu, J.F. and H.L. Luo, On the coercive	
Magnetic and structural properties		force and effective activation vol-	
of Co/Pt multilayers (Invited pa-		ume in magnetic materials	94 (1991) 43
per)	93 (1991) 194	Liu, J.F., see Jz. Liang	102 (1991) 217
Lin, C.J., see C.H. Lee Lin, C.L., see T. Yuen	93 (1991) 592 109 (1992) 98	Liu, J.P., F.R. De Boer and K.H.J.	
Lin, D.L., see T. Hai	97 (1991) 227	Buschow, Magnetic coupling in the rare-earth compounds RFe ₂ and	
Lin, H., M.F. Collins, T.M. Holden and) ((1)) 1) LL	RFe ₃	98 (1991) 291
W. Wei, Magnetic structure of er-		Liu, J.P., see T.H. Jacobs	104–107 (1992)1275
bium in a field	104107 (1992) 1511	Liu, J.Z., see T.W. Clinton	104-107 (1992) 625
Linares, J., see A. Bousseksou	104-107 (1992) 225	Liu, W., see Zg. Zhao	96 (1991) 211
Linares, J., see A. Bousseksou	110 (1992) 295	Liu, W., see Zg. Zhao	97 (1991) 79
Linderoth, S., Annealing studies of ul-		Liu, W., see Q. Wang	109 (1992) 59
trafine amorphous Fe-B alloy parti-	104 107 (1002) 120	Liu, Y., see T.E. Grigereit	104–107 (1992) 831
cles	104–107 (1992) 128	Liu, Y.H., see X.D. Ma	95 (1991) 199
Linderoth, S., Temperature depend- ence of the magnetic hyperfine field		Liu, Y.H., see H.R. Zhai Liu, Y.H., see H. Wang	104–107 (1992) 1825 104–107 (1992) 1827
of chemically prepared amorphous		Liu, Y.L., see Jz. Liang	102 (1991) 217
Fe-B alloy particles	104-107 (1992) 167	Liu, Y.L., see N. Tang	104–107 (1992) 1086
Linderoth, S. and S.N. Khanna, Super-		Liu, ZX., see CB. Peng	92 (1991) 353
paramagnetic behaviour of ferro-		Loaëc, J., see A. Fessant	93 (1991) 242
magnetic transition metal clusters	104-107 (1992) 1574	Loaëc, L., see A. Rakii	93 (1991) 247
Linderoth, S., see P.V. Hendriksen	104–107 (1992) 1577	Lockwood, D.J., M.G. Cottam and J.H.	
Lindgård, P.A., see H.M. Mayer	97 (1991) 210	Baskey, One- and two-magnon exci-	
Lindgård, P.A., see H.M. Mayer	104–107 (1992) 1295	tations in NiO	104–107 (1992) 1053
Lindgård, PA., see P.V. Hendriksen	104–107 (1992) 1577	Lodder, J.C., see J. Simšová	95 (1991) 85 95 (1991) 123
Lindgård, PA., Vibrationally reduced magnetic interactions in Cu and the		Lodder, J.C., see T. Masuda Lodder, J.C., see J. Šimšová	101 (1991) 196
magnetic ordering in a magnetic		Lodder, J.C., see W.J.M.A. Geerts	104–107 (1992) 971
field	104-107 (1992)2109	Lodder, J.C., see T. Katayama	104–107 (1992) 1002
Lindgård, PA., see B.N. Harmon	104-107 (1992)2113	Loewenhaupt, M., see P.C.M. Gubbens	98 (1991) 141
Lindroos, V., see M. Talvitie	102 (1991) 323	Loewenhaupt, M., see P.C.M. Gubbens	104-107 (1992) 1283
Lipka, J., see A. Grusková	101 (1991) 227	Logothetidis, S., S. Boultadakis, N.K.	
Lipowski, A., Coherent anomaly meth-		Flevaris and D. Fuchs, Optical	
od with modified Bethe approxima-	0.6 (4004) .0.6	properties of Pd-Ni multilayers by	02 (1001) 444
tion	96 (1991) 267	spectroscopic ellipsometry	93 (1991) 444
Lippelt, E., see A. Schenck	108 (1992) 97	Loidl, A., see A. Krimmel	103 (1992) 73 104–107 (1992) 25
Lisiecki, J., see T. Kulik Lisovsky, Yu.A., see P.V. Zhorin	109 (1992) 228 109 (1992) 375	Loidl, A., see A. Krimmel Loidl, A., see F. Steglich	108 (1992) 5
Litschke, H., M. Schilberg, Th. Kleine-	107 (1772) 373	Loison, D. and H.T. Diep, Elementary	100 (1))2)
feld and B. Hillebrands, Spinwave		excitations and magnetic properties	
dynamics in Fe-Ni double layers		of Heisenberg stacked antiferro-	
and multilayers	104-107 (1992) 1807	magnetic triangular thin film	104-107 (1992) 1689
Liu, B., W.W. Clegg and C.D. Wright,		Loktev, V.M., see M.A. Ivanov	99 (1991) 323
The effect of bulk hysteresis loop		Loloee, R., see J. Mattsson	104–107 (1992) 1619
on the recording performance of	101 (1001) 015	Loloee, R., see J. Mattsson	104–107 (1992) 1623
magneto-optic films	101 (1991) 245	Lologe, R., see A. Fert	104–107 (1992)1712 110 (1992)L247
Liu, C. and S.D. Bader, Magnetic prop-		Loloee, R., see L. Piraux	110 (1992)L24/

Lombos, B.A., M. Averous, C. Fau, R.		Luchini, M.U., see K.S. Chana	104-107 (1992) 743
Le Van Mao, P. Silvestre and A.		Lucinski, T., see R. Gontarz	101 (1991) 253
Jean, Three dimensional superlat-		Luckscheiter, B., see J. Voigt	93 (1991) 341
tice in $Pb_{1-x}Gd_x$ Te (Wigner's crys-		Lugert, G., see P. Bruno	93 (1991) 605
tallization)	93 (1991) 391	Luginets, A.M., see S.N. Barilo	102 (1991) 30
Londos, C.A., see W. Likodimos	104-107 (1992) 563	Lugovoi, A.A. and E.A. Turov, Joint	
Long, G.J., see O.A. Pringle	104-107 (1992) 1123	antiferromagneto-acoustical reso-	
Long, G.J., see D.E. Tharp	104-107 (1992) 1477	nances in thin films (Letter to the	
Long, P., see RY. Fang	104-107 (1992) 1031	Editor)	92 (1991)L291
Lopes, C.O., M.A. Sens and J.R.		Lührmann, B., M. Ye, H. Dötsch and	
Teodósio, Secondary recrystalliza-		A. Gerspach, Nonlinearities in the	
tion and magnetic properties of an		ferrimagnetic resonance in epitaxial	
Fe-50Ni-1.26Mn alloy	94 (1991) 53	garnet films	96 (1991) 237
López, E., see C. Morón	101 (1991) 59	Luis, F., see F.J. Lázaro	101 (1991) 372
López, E., see P. Sánchez	104-107 (1992) 145	Luis, F., see J. Bartolomé	101 (1991) 411
Lopez, E., see M. Maicas	104-107 (1992) 319	Luis, F., B. Maté, C. Piqué, R. Burriel,	
Lopez, V.M., see M.S. Torikachvili	104-107 (1992) 69	J. Bartolomé and K.H.J. Buschow,	
López-Quintela, M.A., see J. Rivas	101 (1991) 403	A thermodynamic study of the R ₂	
Lord, J.S., see S.J. Dawson	104-107 (1992) 373	$Fe_{14}X$; $X = B$, C at the Curie tem-	
Lord, J.S., see P.C. Riedi	104-107 (1992) 503	perature	101 (1991) 414
Lord, J.S., see R.G. Graham	104-107 (1992) 641	Lukash, K., see J. Jalishev	102 (1991) 208
Lord, J.S., see J.F. Gregg	104-107 (1992) 957	Luke, G.M., see B.J. Sternlieb	104-107 (1992) 801
Lord, J.S., see J.G.M. Armitage	104-107 (1992) 1935	Lundgren, L., see P. Granberg	92 (1990) 228
Lottis, D., F. Petroff, A. Fert and M.	, ,	Lundgren, L., see K. Gunnarsson	104-107 (1992) 1607
Konczykowski, Local Hall probe		Lundgren, L., see J. Mattsson	104-107 (1992)1619
magnetometry: application to mag-		Lundgren, L., see J. Mattsson	104-107 (1992)1621
netic multilayers	104-107 (1992) 1811	Lundgren, L., see J. Mattsson	104-107 (1992)1623
Lottis, D.K., see A. Fert	104-107 (1992) 1712	Luo, H., see J. Liu	103 (1992) 65
Lounasmaa, O.V., see P. Hakonen	100 (1991) 394	Luo, H., see P. Kłosowski	104-107 (1992)1795
Lourens, J.A.J. and G.H. Wostenholm,	(, ,	Luo, H.L., see J.F. Liu	94 (1991) 43
Note on mixed magnetic states and		Luo, H.L., see Z.q. Li	98 (1991) 47
critical behaviour in Cr-Si alloys	96 (1991) 301	Luo, H.L., see W.H. Qiao	110 (1992) 170
Lourens, J.A.J., H.L. Alberts and S.		Luong, N.H., N.P. Thuy and J.J.M.	, ,
Arajs, Thermal expansion and ve-		Franse, Spin reorientation in	
locity of sound of Gd-Sm alloys		$Nd_{1-x}Y_xFe_{11}Ti$	104-107 (1992) 1301
through the magnetic transition		Luponio, C., see L. Lanotte	104-107 (1992) 2006
temperatures	104-107 (1992) 1535	Lütgemeier, H., see H. Štěpánková	104-107 (1992) 409
Lousa, A., see F. Badia	93 (1991) 429	Lütgemeier, H., see A. Campos	104-107 (1992) 431
Lovas, A., see É. Kisdi-Koszó	92 (1990) 181	Lüthi, B., see W. Palme	104-107 (1992) 805
Lovas, A., see G. Vértesy	102 (1991) 135	Lüthi, B., see P. Thalmeier	108 (1992) 109
Lovas, A., see A. Burgstaller	109 (1992) 117	Lutovinov, V.S., see D.A. Garanin	104-107 (1992) 291
Löw, J., see H. Benner	104-107 (1992) 1077	Lutz, M., see F. Meier	93 (1991) 523
Lu, M., see H.R. Zhai	104-107 (1992) 1015	Lyakhimets, S., see A. Maziewski	104–107 (1992) 361
Lu, M., see H.R. Zhai	104-107 (1992) 1027	Lyberatos, A., see P.R. Bissell	95 (1991) 27
Lu, M., see H.R. Zhai	104-107 (1992) 1825	Lykov, V.V., see M.V. Chetkin	103 (1992) 325
Lu, M., see H. Wang	104-107 (1992) 1827	Lynn, H.D., see M.L. Spano	104–107 (1992) 1537
Lu, Q., see D. Givord	104-107 (1992)1129	Lynn, J.W., see S.C. Yu	97 (1991) 286
Lu, Y., see N. Tang	104-107 (1992) 1086	Lynn, J.W., see S. Skanthakumar	104–107 (1992) 519
Lubecka, M., L.J. Maksymowicz, R.		Lynn, J.W., see T.W. Clinton	104–107 (1992) 625
Żuberek and W. Powroźnik, Semi-		Lynn, J.W., see H. Zhang	104–107 (1992) 821
conductor magnetic thin films of		Lyra, M.L. and S.B. Cavalcanti, Hole-	101 107 (1772) 021
$Cd_{1-x}In_xCr_2Se_4$ and $CdCr_{2x}$		hole correlations induced by mag-	
$\operatorname{In}_{2-2x}\operatorname{Se}_4$	93 (1991) 432	netic frustration	104-107 (1992) 587
Lucari, F., see F. D'Orazio	104-107 (1992) 441	•	201 (1772) 301
Lucente, S., see D. Ajò	104-107 (1992) 1997	Ma, H., Z. Wang, H.P. Kunkel, G.	
Lucenti, M., see G. Turilli	97 (1991) 338	Williams, D.H. Ryan and J.O.	
Lucenti, M., see G. Turilli	104-107 (1992) 1143	Ström-Olsen, Effects of hydrogen on	
		and the second s	

the magnetic properties of amor-		K. Sato, De Haas-van Alphen ef-	
phous Fe ₉₀ Sc ₁₀	104-107 (1992) 89	fect and magnetoresistance in PrNi	
Ma, TJ., see RY. Fang	104-107 (1992) 1031	and NdNi	104-107 (1992) 1365
Ma, X.D., Y.H. Liu and L.M. Mei,		Maffi, S., see L. Peraldo Bicelli	94 (1991) 267
Conversion electron Mössbauer		Mager, S., see J. Wieting	101 (1991) 128
spectroscopy study of composition-		Mahmood, S., see A.S. Saleh	99 (1991) 152
ally modulated FeSi/Si amorphous		Maicas, M., E. Lopez, C. Aroca, P.	
films	95 (1991) 199	Sanchez and M.C. Sanchez, Interac-	
Ma, Xd., see Hq. Guo	99 (1991) 199	tion between a Bloch domain wall	
Ma, X.D., see H. Wang	104-107 (1992) 1827	and a pinning plane	104-107 (1992) 319
Ma, Yq. and Zy. Li, Instability in the		Mailfert, A., see T. Barradi	104-107 (1992) 387
quantum Sherrington-Kirkpatrick		Maj, W., see A. Wawro	109 (1992) 13
Ising spin glass with a transverse		Major, L.E., see G.A. Gehring	108 (1992) 87
and a trimodal random longitudinal		Makabe, T., see T. Harada	104–107 (1992) 1955
field	96 (1991) 315	Maki, K., see A. Forkl	101 (1991) 367
Macchietto, R., see M. Cerdonio	101 (1991) 92	Maki, K., see K. Konno	104–107 (1992) 1369
Macedo, W.A.A., W. Keune and E.D.		Maki, K., see K. Behnia	108 (1992) 133
Ellerbrock, Magnetic properties of		Makihara, Y., H. Fujii, K. Hiraoka, H.	
ultrathin epitaxial fcc-Fe(001) films		Nagata and T. Hihara, Magnetic	
on Cu(001) and Cu ₃ Au(001)	93 (1991) 552	phase transitions in the $Gd(Mn_{1-x})$	
Macêdo, A.M.S., C.A. Macêdo and		$Co_x)_2$ system	96 (1991) 305
M.D. Coutinho-Filho, Ferromag-		Mäkinen, S., see M. Talvitie	102 (1991) 323
netism in fcc Hubbard clusters	104–107 (1992) 679	Maksymowicz, A., see K. Kułakowski	110 (1992) L11
Macêdo, C.A., see A.M.S. Macêdo	104–107 (1992) 679	Maksymowicz, A.Z., see L.J. Maksy-	
Machado da Silva, J.M., see J.B.		mowicz	93 (1991) 435
Oliveira	104–107 (1992)1152	Maksymowicz, A.Z., J.S.S. Whiting,	
Machado, F.L.A., see E. Montarroyos	104–107 (1992) 149	M.L. Watson and A. Chambers,	
Machado, F.L.A., see F.C. Montenegro	104–107 (1992) 277	Ferromagnetic resonance in cou-	
Machado, F.L.A., see D.P. Yang	109 (1992) 1	pled permalloy double films sepa-	0.4 (4.004) 4.00
Machi, T., I. Tomeno, T. Miyatake, K.		rated by a Cu interlayer	94 (1991) 109
Tai, N. Koshizuka, S. Tanaka and		Maksymowicz, A.Z., see S. Kaprzyk	104–107 (1992) 2019
H. Yasuoka, NQR in $Y_{1-x}Ca_xBa_2$	104 107 (1002) 625	Maksymowicz, L.J., see M. Lubecka	93 (1991) 432
Cu_4O_8 ($x = 0, 0.075$)	104–107 (1992) 635	Maksymowicz, L.J., H. Jankowski, A.Z.	
Machizaud, F., M. Laridjani and E. du Tremolet de Lacheisserie, Correla-		Maksymowicz, Coupling interaction in FeBSi/Si and FeBSi/Pt multi-	
tion between structural and magne-		layered structure	93 (1991) 435
toelastic properties in sputtered		Maksymowicz, L.J., see J. Nowak	94 (1991) 251
Ni-rich $Ni_{100-x}Y_x$ alloys	92 (1990) 207	Maksymowicz, L.J. and H. Jankowski,) + (1))1) <i>L</i> 31
Machizaud, F., see M. Naili	104–107 (1992) 1769	FMR experiment in multilayer	
Maciejewski, W., Spin wave resonance	104 107 (1772)1707	structure of FeBSi/Pd	109 (1992) 341
approach to the Kirkendall effect in		Malaman, B., see G. Venturini	94 (1991) 35
magnetic multilayer films	101 (1991) 187	Malaman, B., G. Venturini, A. Blaise,	(2,
Mackintosh, A.R., see J. Jensen	104–107 (1992)1481	G. Amoretti and J.P. Sanchez, Mag-	
Macko, P., see A. Bobák	109 (1992) 172	netic properties of $PrFe_2X_2$ (X = Si,	
Madai, E. and A. Tolke, The field of		Ge) intermetallics	104-107 (1992) 1359
rigid magnetized bars – a complex		Malaurent, J.C., H. Duval and P. Dhez,	
calculation	101 (1991) 293	The determination of the period of	
Madar, R., see J. Pierre	104-107 (1992) 1207	magnetic multilayers by the X-ray	
Madeiro de Melo, L.R., see J. Albino		energy dispersive diffraction method	93 (1991) 164
Aguiar	104-107 (1992) 547	Maletka, C., see M. Kolenda	96 (1991) 121
Madsen, M.B., see F. Bødker	104-107 (1992) 1695	Maletka, K., see W. Bažela	109 (1992) 305
Maeda, H., see I. Nakai	104-107 (1992) 121	Maletta, H., R.A. Robinson, A.C. Law-	
Maeda, K., see I. Matsubara	104-107 (1992) 427	son, V. Sechovský, L. Havela, L.	
Maeda, Y., see K. Hono	110 (1992)L254	Jirman, M. Divis, E. Brück, F.R. De	
Maekawa, S., see J. Inoue	104-107 (1992) 1883	Boer, A.V. Andreev, K.H.J. Bu-	
Maeta, H., see L. Bang	104-107 (1992) 147	schow and P. Burlet, On the mag-	
Maezawa, K., T. Kato, Y. Isikawa and		netic structure of UNiGa	104–107 (1992) 21

Maletta, H., M. Weber, A. Amato, J. Bock, V.N. Duginov, V.G. Grebinnik, F.N. Gygax, S. Kapusta, B.F. Kirillov, V.G. Olshevsky, A.V. Pirogov, Y.Yu. Pomjakushin, A.N. Pomomarev, E. Preisler, A. Schenck, V.G. Storchak and V.A. Zhukov,		Marchal, G., see C. Dufour Marchal, G., see K. Cherifi Marchal, G., see K. Cherifi Marchukov, P.Ju., see A.M. Balbashov Mariańska, E., see W. Dudek Marinero, E.E., see C.J. Chien Marinero, E.E., see C.J. Lin Marinero, E.E., see C.H. Lee	93 (1991) 545 93 (1991) 609 104–107 (1992) 1833 104–107 (1992) 1037 94 (1991) 243 93 (1991) 47 93 (1991) 194 93 (1991) 592
Charge transfer and carrier density in Bi-2212 high- T_c superconductors Malik, S.K., R. Vijayaraghavan, D.T. Adroja, B.D. Padalia and A.S. Edelstein, Structural and magnetic studies on RInPt ₄ (R = La-Tm) com-	104–107 (1992) 495	Marinero, E.E., see C.H. Lee Marinero, E.E., see J.V. Harzer Marinšek, F., see F. Vodopivec Markin, P.E., see P. Svoboda Marko, P., see A. Sólyom	93 (1991) 392 104–107 (1992) 1863 92 (1990) 125 97 (1991) 281 104–107 (1992) 1329 101 (1991) 109
pounds	92 (1990) 80	Markosyan, A.S., see I.L. Gabelko	94 (1991) 287
Malik, S.K., see D.T. Adroja	100 (1991) 126	Markosyan, A.S., see R. Ballou	104-107 (1992) 935
Malik, S.K. and D.T. Adroja, Magnetic	200 (2172) 220	Markosyan, A.S., see R. Ballou	104-107 (1992) 1465
behaviour of RPdSb (R = rare		Markosyan, A.S., see R. Ballou	110 (1992) 209
earth) compounds	102 (1991) 42	Marks, R.F., see C.H. Lee	93 (1991) 592
Malik, S.K., see G. Balakrishnan	104–107 (1992) 469	Marlière, C., see C. Chappert	93 (1991) 319
Malik, S.K., J. Tang and K.A.	10, 10, (1,,=, ,0,	Marín, P., see A.M. Severino	103 (1992) 117
Gschneidner Jr., Crystalline electric		Maro, T., see A. Yoshihara	104–107 (1992) 1835
field effects in CeCd ₁₁ and PrCd ₁₁	109 (1992) 316	Maronnić, Ž., see K. Zadro	104–107 (1992) 271
Malkawi, A., see A.S. Saleh	99 (1991) 152	Marohnić, Ž., see J. Horvat	110 (1992) 215
Malouche, M., see H. Hurdequint	93 (1991) 276	Marosi, L., see P. Klingelhöfer	101 (1991) 248
Maltsev, V.N., see G.S. Kandaurova	109 (1992) 332	Marquina, C., see P.A. Algarabel	101 (1991) 111
Malyugin, D.V., On the theory of		Marquina, C., see A. del Moral	104–107 (1992) 1051
Wiedemann effects	97 (1991) 193	Marquina, C., F.E. Kayzel, T.H. Ahn,	ì
Manaf, A., R.A. Buckley, H.A. Davies		R.J. Radwański and J.J.M. Franse,	
and M. Leonowicz, Enhanced mag-		3d-4f exchange interactions in R ₂	
netic properties in rapidly solidified		Ni ₁₇	104-107 (1992) 1323
Nd-Fe-B based alloys	101 (1991) 360	Marquina, C., see M.R. Ibarra	104-107 (1992) 1371
Manaf, A., H.A. Davies, R.A. Buckley		Marquina, C., see M.R. Ibarra	104-107 (1992) 1373
and M. Leonowicz, Correlation be-		Marquina, C., see M.R. Ibarra	104-107 (1992) 1375
tween magnetic properties and mi-		Marquina, C., see R. Verhoef	104-107 (1992) 1473
crostructure of a rapidly solidified		Marshall, W.G., A.P. Murani and K.A.	
Fe-Nd-B-Si hard magnetic alloy	104-107 (1992)1145	McEwen, 5f-electron spin dynamics	
Manaila, R., see V. Florescu	92 (1990) 137	in $U(Sn_{3-x}In_x)$	104-107 (1992) 67
Mandal, K., see A. Mitra	110 (1992) 135	Marshall, W.G., see E.M. Forgan	104-107 (1992) 911
Mangin, Ph., see C. Dufour	93 (1991) 545	Marshall, W.G., see E.M. Forgan	104-107 (1992) 913
Mangin, Ph., see K. Cherifi	93 (1991) 609	Marshall, W.G., see E.M. Forgan	104–107 (1992) 1519
Mangin, Ph., see K. Cherifi	104–107 (1992) 1833	Martin, A., see F. Carmona	101 (1991) 119
Manh, D.H., see R. Szymczak	104–107 (1992) 321	Martin, Ph., see G.D. Khattak	94 (1991) 278
Manninen, M., see M. Talvitie	102 (1991) 323	Martin, V.E., see F. Carmona	101 (1991) 119
Manns, V., see K. Sumiyama	96 (1991) 329	Martin, V.E., see J.M. González	101 (1991) 397
Mano, H., Critical properties of diluted		Martin, V.E., see J.M. Gonzalez	104-107 (1992)1179
Ising ferromagnets	104–107 (1992) 259	Martinek, G., see H.F. Schmidts	104–107 (1992)1119
Marabelli, F., P. Wachter, A. de Visser		Martínez, B., see F. Badia	93 (1991) 425
and J.J.M. Franse, Optical study of		Martínez, B., see F. Badia	93 (1991) 429
heavy-fermion behavior in $U(Pt_{1-x},$	100 (1000) #0	Martinez, B., see J. Tejada	101 (1991) 181
$Pd_x)_3$	108 (1992) 79	Martinez, B., A. Labarta, F. Badia and	
Marcelli, A., see J. Chaboy	104–107 (1992) 661	J. Tejada, Random anisotropy in-	
Marcelli, A., see J. Chaboy	104–107 (1992)1171	duced by structural disorder	104–107 (1992) 123
Marcelli, R., P. De Gasperis, M.C.		Martínez, B., see X. Batlle	104–107 (1992) 918
Martucci, G. Petrocco, M. Rossi, L.		Martínez, B., X. Obradors, E.J. Ansal-	
Scopa, N. Sparvieri, A. Vannucci and M. Varasi, Growth by rf sput-		do, C. Niedermayer, D.R. Noakes,	
tering and characterization of mag-		M.J. Sayagués, M. Vallet and J.	
netic garnet films	104 107 (1002) 426	González-Calbet, μ^+ SR study of	104 407 (1000)
notic garnet minis	104–107 (1992) 436	magnetic order in La ₂ NiO _{4+δ}	104–107 (1992) 941

Martinez, B., see A. Rouco	104–107 (1992)1645	tional integral approach to quantum	
Martinez, J., see R.A. Cowley	104–107 (1992) 159	tional integral approach to quantum spin systems	104-107 (1992) 855
Martinez, J.C., J.J. Prejean, O. Laborde,	101 101 (1)/2) 13)	Matar, S., P. Mohn, G. Demazeau and	104-107 (1772) 033
J. Karpinski and E. Kaldis, Aniso-		K. Schwarz, The electronic and	
tropy of the superconducting prop-		magnetic properties of NiFe ₃ N	101 (1991) 251
erties of Y ₂ Ba ₄ Cu ₈ O ₁₆	104-107 (1992) 601	Matar, S., see B. Siberchicot	101 (1991) 419
Martínez, J.L., A. Cebollada, J.M. Gal-		Matar, S., P. Mohn and J. Kübler, Mag-	
lego, J.J. de Miguel, C. Ocal, R.		netovolume effects in PtFe ₃ N	104–107 (1992) 1927
Miranda, S. Ferrer, G. Fillion and		Matar, S.F., B. Siberchicot, G. De-	
J.P. Rebouillat Neutron-diffration		mazeau and S. Berthon, Coercive	
study on the field dependent mag- netic ordering in Co-Cu supperlat-		field enhancement of rare-earth- coated Fe ₄ N nitride particles	104 107 (1002) 1552
tices	93 (1991) 89	Matar, S.F., see J.G.M. Armitage	104–107 (1992) 1553 104–107 (1992) 1935
Martinez, J.L., see J. Beille	104–107 (1992) 532	Maté, B., see F. Luis	101 (1991) 414
Martinez, J.L., see U. Steigenberger	108 (1992) 163	Matheny, A., see M.B. Salamon	104–107 (1992) 1729
Martucci, M.C., see R. Marcelli	104-107 (1992) 436	Matheny, A., see R.S. Beach	104-107 (1992) 1915
Maruno, S., see I. Sakamoto	108 (1992) 125	Matho, K., Luttinger and Hubbard sum	
Marusi, G., see P.A. Algarabel	101 (1991) 111	rules: are they compatible?	108 (1992) 170
Marusi, G., L. Pareti and M. Solzi,		Matho, K., Kondo effect versus axial	
Magnetic properties of some rhom-	101 (1001) 000	crystal field in a resonance model	108 (1992) 173
bohedral RE-Co compounds	101 (1991) 333	Mathon, J., see D.M. Edwards	93 (1991) 85
Maruyama, F., see K. Ichinose Maruyama, F., K. Ichinose, M. Misawa,	104–107 (1992) 1159	Mathon, J., see J. d'Albuquerque e Castro	93 (1991) 295
A. Tsujimura, H. Nagai and K. Ad-		Mathon, J., Theory of magnetic multi-	93 (1991) 293
achi, NMR study of $Y_2(Co_{1-x})$		layers. Exchange interactions and	
Fe_x) ₁₄ B compounds	104-107 (1992)1165	transport properties	100 (1991) 527
Maruyama, H., see I. Nakai	104-107 (1992) 2053	Mathon, J., D.M. Edwards, R.B. Muniz	
Maruyama, H., A. Koizumi, H. Ya-		and M.S. Phan, Theory of oscilla-	
mazaki, T. Iwazumi and H. Kawata,		tory exchange coupling in magnetic	
Magnetic X-ray absorption mea-		multilayers	104-107 (1992) 1721
surements at the Pt L _{2,3} - and Fe		Mathon, J., see M.S. Phan	104–107 (1992)1876
K-edge in ordered and disordered	104 107 (1002) 2055	Matlak, M. and M. Pietruszka, Mag-	
Fe-Pt alloys Mary, Y., see J. Renaudin	104–107 (1992) 2055 92 (1991) 381	netic and transport properties of the extended s-f model	110 (1992) 287
Maryško, M., see P. Novák	101 (1991) 155	Matsubara, I., K. Hisatake, K. Maeda,	110 (1772) 207
Maryško, M., Influence of GGG sub-	101 (1771) 100	Y. Kawai and K. Uematsu, Photoin-	
strate on FMR and magnetostatic		duced disaccommodation of mag-	
wave propagation	101 (1991) 159	netic permeability in single crys-	
Maryško, M., P. Novák, J. Pačes and		talline yttrium iron garnet	104-107 (1992) 427
V.V. Volkov, Low temperature		Matsuda, A., see K. Sugiyama	104–107 (1992)1223
magnetic properties of calcium	104 407 (1000) 400	Matsuda, H., O. Takano and P.J.	
doped YIG	104–107 (1992) 429	Grundy, The influence of underlay-	
Marysko, M., see A. Campos Masheva, V., see J. Geshev	104–107 (1992) 431 92 (1990) 185	ers on the magneto-optic properties of electrolessly deposited CoNiRe-	
Maskar, P.K., see R.S. Patil	102 (1991) 51	WP films	109 (1992) 133
Masoli, F., see G. Bottoni	104–107 (1992) 961	Matsuda, H., O. Takano, H. Gohuku	107 (1772) 100
Masoli, F., see G. Bottoni	104–107 (1992) 975	and P.J. Grundy, The effect of sub-	
Mason, T.E., Y.S. Yang, M.F. Collins,		strate preparation processing on the	
B.D. Gaulin, K.N. Clausen and A.		magnetic properties of electrolessly	
Harrison, Tetracritical dynamics of		coated rigid disks using glass sub-	
CsMnBr ₃	104-107 (1992) 197	strates	110 (1992) 227
Mason, T.E., see A. Harrison	104-107 (1992) 557	Matsuda, S., see M. Kurisu	104–107 (1992) 515
Mason, T.E., see W. Wei	108 (1992) 77	Matsukura E see V Tazuke	93 (1991) 374
Masuda, T., W.J.M.A. Geerts and J.C. Lodder, Surface chemical state of		Matsukura, F., see Y. Tazuke Matsumoto, K., S. Sasaki, Y. Asahara,	104–107 (1992) 1659
sputtered Co-Cr films	95 (1991) 123	K. Yamaguchi and T. Fujii, Highly	
Mata, G.J. and G.B. Arnold, A func-	, , , , , , , , , , , , , , , , , , , ,	bismuth substituted yttrium iron	
,			

garnet single crystal films prepared by sol-gel method Matsumoto, K. and Y. Akutsu, Distri- butions of magnetization in the two-dimensional random Ising model	104–107 (1992) 451 104–107 (1992) 1655	Maurer, T., J. Sticht, P.M. Oppeneer, F. Herman and J. Kübler, Theory of the magneto-optical Kerr effect of Fe, Ni and some Fe-based alloys May, HJ., see K. Hinrichs Mayer, H.M., M. Steiner, N. Stüßer, H.	104–107 (1992) 1029 104–107 (1992) 1676
Matsumoto, M., see S. Abe Matsumoto, M., S. Abe, H. Yoshida, S. Mori, T. Kanomata and T. Kaneko, Pressure effect on the Néel temper- ature and exchange striction of the	104–107 (1992)2059	Weinfurter, K. Kakurai, B. Dorner, P.A. Lindgård, K.N. Clausen, S. Hock and W. Rodewald, Inelastic neutron scattering measurements on Nd ₂ Fe ₁₄ B single crystals	97 (1991) 210
ordered alloy Au ₅ Mn ₂ Matsumoto, N., see L. Bang Matsumoto, T., T. Shimizu, Y. Yamada and K. Yoshimura, Pressure effects on the Yb valence state in YbIn _{1-x}	104–107 (1992) 2061 104–107 (1992) 147	Mayer, H.M., M. Steiner, N. Stüßer, H. Weinfurter, B. Dorner, P.A. Lindgård, K.N. Clausen, S. Hock and R. Verhoef, Inelastic neutron scattering measurements on Nd ₂ Fe ₁₄ B and	
$Ag_x Cu_4 (x = 0 - 0.2)$	104–107 (1992) 647	Y ₂ Fe ₁₄ B single crystals	104–107 (1992)1295
Matsuoka, H., see M. Doyama	93 (1991) 374	Mayer-von Kürthy, G., see Th. Sinne-	05 (1001) 175
Mattausch, Hj., see R.K. Kremer Mattausch, Hj., see W. Bauhofer Matteazzi, P., see L. Lanotte	104–107 (1992) 959 104–107 (1992) 1243 101 (1991) 178	mann Mayo, P.I., K. O'Grady, R.W. Chan- trell, J.A. Cambridge, I.L. Sanders,	95 (1991) 175
Mattei, J.L., see M. Le Floc'h	104–107 (1992) 401	T. Yogi and J.K. Howard, Magnetic	
Mattei, J.L., see M. Le Floc'h Mattei, J.L., see G. Fillion	104–107 (1992) 1591 104–107 (1992) 1985	measurement of interaction effects in CoNiCr and CoPtCr thin film	
Mattei, J.L., see J.L. Oddou	104–107 (1992)1987	media	95 (1991) 109
Mattenberger, K., O. Vogt, J. Rebizant,	701 701 ()	Maziewski, A., see M. Kisielewski	101 (1991) 213
J.C. Spirlet, F. Bourdarot, P. Burlet,		Maziewski, A., B. Ivanov, M. Kisielew-	
J. Rossat-Mignod, M.N. Bouillet, A.		ski and S. Lyakhimets, A new look	
Blaise and J.P. Sanchez, Magnetic		on magnetic aftereffect	104–107 (1992) 361
properties of single crystalline Np-	104 107 (1000) 40	McAloon, K.T., see G.J. Tomka	104–107 (1992) 1147
As-NpSe mixed compounds	104–107 (1992) 43 102 (1991) L5	McCallum, R.W., see S. Tanoue	103 (1992) 129
Mattson, J.E., see M.J. Conover Mattson, J.E., S.D. Bader, M.B. Brod-	102 (1991) L3	McCammon, C.A., Magnetic properties of Fe _x O ($x > 0.95$): Variation of	
sky and J.B. Ketterson, Enhanced		Néel temperature	104–107 (1992) 1937
magnetoresistance below the spin-		McCausland, M.A.H., see C. Carboni	104-107 (1992) 1513
flip transition of Cr(001) thin films	109 (1992) 179	McCormick, P.G., see R. Street	104-107 (1992) 368
Mattsson, J., P. Granberg, P. Nordblad,		McCormick, P.G., see R. Street	104-107 (1992) 371
L. Lundgren, R. Stubi, J. Bass, R.		McEwen, K.A., see W.G. Marshall	104–107 (1992) 67
Loloee and J.A. Cowen, Multilay-		McEwen, K.A., see E.M. Forgan	104–107 (1992) 911
ered spin glass films – sensitive probes of RKKY	104-107 (1992)1619	McEwen, K.A., see S.W. Zochowski McEwen, K.A., see N. Patrikios	104–107 (1992) 1515 108 (1992) 95
Mattsson, J., P. Granberg, L. Lund-	104-107 (1992)1019	McEwen, K.A., see U. Steigenberger	108 (1992) 163
gren, P. Nordblad, G. Kenning and		McGrath, A.C., see M. Ghafari	104–107 (1992) 1668
J.A. Cowen, Nonlinear susceptibil-		McGuiness, P.J., X.J. Zhang, K.G.	
ity of 2D spin glass films	104-107 (1992) 1621	Knoch, X.J. Yin, M.J. Wyborn and	
Mattsson, J., P. Granberg, P. Nordblad,		I.R. Harris, HDDR hot-pressed	
L. Lundgren, R. Loloee, R. Stubi, J.		magnets: magnetic properties and	101 107 (1000)
Bass and J.A. Cowen, Aging in a two-dimensional CuMn spin glass	104-107 (1992)1623	microstructure	104–107 (1992) 1169
Matyushev, V.V., see J. Gouzerh	101 (1991) 189	McGuire, T.R., see F. Mehran McIntyre, A.G.J., see A. Krimmel	104–107 (1992) 637 104–107 (1992) 25
Maurer, M., M. Piecuch, M.F. Ravet,	101 (1771) 107	McIntyre, G.J., see A. Krimmel	103 (1992) 73
JC. Ousset, J.P. Sánchez, Ch.		McIntyre, G.J., see M.P. Nutley	104-107 (1992) 623
Aron, J. Dekoster, D. Raoux, A. De		McIntyre, G.J., see D.A. Jehan	104-107 (1992) 1523
Andres, M. De Santis, A. Fontaine,		McKenna, T.J., S.J. Campbell, D.H.	
F. Baudelet, J.L. Rouvière and B.		Chaplin and G.V.H. Wilson, Time	
Dieny, Magnetism and structure in hexagonal Fe/Ru superlattices with		dependent effects in the ferromag-	104 107 (1000) 1507
short periodicity	93 (1991) 15	netic susceptibility of Tb McMichael, R.D., see L.H. Bennett	104–107 (1992) 1505 104–107 (1992) 1094
*	(1))1) 13		107-107 (1772)1094

McMorrow, D.F., see D.A. Tennant	104–107 (1992)1079	Mekata, M., S. Onoe, H. Kuriyama,	
McMorrow, D.F., see D.A. Jehan	104–107 (1992) 1523	B.J. Sternlieb, Y. Uemura and K.	
McVitie, S., see S.J. Hefferman	95 (1991) 76	Nagamine, μ SR study of hexagonal	
McVitie, S., see J. Zweck	104–107 (1992) 315	ABX_3	104–107 (1992) 825
McVitie, S., see H.Y. Wong	104–107 (1992) 329	Mekata, M., H. Kuriyama, Y. Ajiro, S.	
McVitie, S. and R.P. Ferrier, Model		Mitsuda and H. Yoshizawa, First-	
stray field calculations of a longitu-		order magnetic transition in CoI ₂	104–107 (1992) 859
dinal recording medium	104–107 (1992) 963	Melamud, M., see M. Kuznietz	96 (1991) 245
Meagher, A., see S. Mørup	104–107 (1992) 1563	Melamud, M., see M. Kuznietz	104–107 (1992) 13
Meckenstock, R., see R. Kordecki	93 (1991) 281	Melegari, G., see E. Rastelli	104–107 (1992) 173
Medeiros, D. and G.G. Cabrera, Nu-		Melidis, K.G., see K.G. Efthimiadis	103 (1992) 30
merical study of antiferromagnetic		Melnikov, S.A., see A.M. Gabay	97 (1991) 256
Heisenberg chains for spin $S = 1/2$,	104 107 (1002) 700	Melo, L.V., see P.P. Freitas	93 (1991) 485
using the Lanczos method Meekison, C.D., J.P. Jakubovics, J.M.D.	104–107 (1992) 799	Mendrela, E.A. and E.M. Mendrela,	04 (1001) 101
Coey and J. Ding, A TEM investiga-		Magnetic separator for chimney dust	94 (1991) 191
tion of microstructure and domain		Mendrela, E.M., see E.A. Mendrela Menexiadis, G., see M. Le Floc'h	94 (1991) 191
configurations in melt-spun Sm-		Menken, M.J.V., see Z. Tarnawski	104–107 (1992) 1591 104–107 (1992) 613
Fe ₁₁ Ti	104-107 (1992)1161	Menovsky, A., see F.F. van Zijl	104–107 (1992) 535
Meerschaut, A., see O. Peña	104-107 (1992)1249	Menovsky, A.A., see S.A.M. Mentink	104–107 (1992) 333
Meeson, P., see K. Satoh	104–107 (1992) 39	Menovsky, A.A., see E. Brück	104–107 (1992) 17
Meeson, P., see K. Satoh	104–107 (1992) 1411	Menovsky, A.A., see Z. Tarnawski	104–107 (1992) 613
Meeson, P., see M. Hunt	108 (1992) 127	Menovsky, A.A., see J. Schoenes	108 (1992) 40
Mégy, R., see C. Chappert	93 (1991) 319	Menovsky, A.A., see K. Bakker	108 (1992) 63
Mehandjiev, D.R. and I.D. Dragieva,		Menovsky, A.A., see T. Endstra	108 (1992) 67
Effect of the globule size on the		Menovsky, A.A., see E.A. Knetsch	108 (1992) 71
interglobular space formation in		Menovsky, A.A., see E.A. Knetsch	108 (1992) 75
ferromagnetic chain powders	101 (1991) 167	Mentink, S.A.M., G.J. Nieuwenhuys,	
Mehner, A., see S. Horn	108 (1992) 205	C.E. Snel, A.A. Menovsky and J.A.	
Mehran, F., T.R. McGuire, J.F. Bring-		Mydosh, Anisotropic magnetic and	
ley and B.A. Scott, High-tempera-		transport properties of URu ₄ B ₄	104–107 (1992) 15
ture magnetic order in dilute Cu ²⁺		Mentink, S.A.M., G.J. Nieuwenhuys	
ions in LaCuO _{3-δ}	104–107 (1992) 637	and J.A. Mydosh, Crystal structure	
Mei, L.M., see X.D. Ma	95 (1991) 199	and magnetic properties of U-Os	
Mei, L.m., see R.w. Gao	95 (1991) 205	intermetallic compounds	104–107 (1992) 697
Mei, L.M., see H.R. Zhai	104–107 (1992) 1825	Menushenkov, V.P., see A.M. Gabay	97 (1991) 256
Mei, L.M., see H. Wang	104–107 (1992)1827	Menushenkov, V.P., see A.M. Gabay	103 (1992) 151
Mei, L.M., Y.L. Zhang, S.Y. Bi and		Menushenkov, V.P., see A.M. Gabay	109 (1992) 213
J.M. Ning, Structure and property		Mercier, D. and J.C.s. Levy, Spin wave	02 (1001) 557
of Fe film implanted by multi-en-	104 107 (1002) 1002	propagation in magnetic sandwiches	93 (1991) 557
ergy B ⁺ ions	104–107 (1992) 1903	Mertens, B.M., see H.A.M. de Gron-	104 107 (1002) 1900
Meier, F., A. Vaterlaus, M. Aeschli-		ckel	104–107 (1992) 1809 104–107 (1992) 766
mann, M. Lutz, D. Guarisco, F. Mi-		Mertens, F.G., see A.R. Völkel Methfessel, S., see Bg. Shen	92 (1990) 53
lani and H.C. Siegmann, Time-re-		Metin, S., see B. Dieny	93 (1991) 101
solved photoemission spectroscopy on ferromagnetic surfaces and thin		Metoki, N., see Ch. Morawe	102 (1991) 223
films (Invited paper)	93 (1991) 523	Meyer, A., see M.J. Besnus	104–107 (1992) 1385
Meier, F., see A. Vaterlaus	104–107 (1992) 1693	Meyer, A., see M.J. Besnus	104–107 (1992) 1387
Meier, P.F., see H.R. Moser	104–107 (1992)2129	Meyer, C., see F. Hartmann-Boutron	104–107 (1992) 501
Meigs, G., see P. Rudolf	109 (1992) 109	Meyer, C., see Y. Gros	104–107 (1992) 621
Meisel, M.W., see E.A. Knetsch	108 (1992) 71	Meyer, G., see L. Keller	104-107 (1992) 1201
Meisel, M.W., see E.A. Knetsch	108 (1992) 73	Meyer, P., see D. Bertrand	104-107 (1992) 389
Mekata, M., see B.J. Sternlieb	104-107 (1992) 801	Miao, Y.Z., see H.R. Zhai	104-107 (1992) 1015
Mekata, M., N. Yaguchi, T. Takagi, S.		Miao, Y.Z., see H.R. Zhai	104-107 (1992) 1027
Mitsuda and H. Yoshizawa, Mag-		Mibu, K., see B. Scholz	93 (1991) 499
netic ordering in delafossite CuFe-		Michalíková, M., see A. Grusková	101 (1991) 227
O_2	104-107 (1992) 823	Michihiro, Y., see T. Ohno	104-107 (1992) 2027

			102 (1001) 25
Middleton, B.K., see J.J. Miles	95 (1991) 99	Miranda, R., see A. Cebollada	102 (1991) 25
Mielnicki, J., T. Balcerzak and G. Wia-		Mirebeau, I., see S. Hadjoudj	93 (1991) 136
trowski, The comparison of two		Mirebeau, I., see R. Caudron	104–107 (1992) 287
methods of disordered Ising ferro-		Mirebeau, I., see C. Bellouard	104–107 (1992) 517
magnet description	94 (1991) 74	Mirebeau, I., C. Bellouard, M. Hen-	
Miglierini, M., see I. Škorvánek	96 (1991) 162	nion, J.L. Dormann, C. Djega-Mari-	
Mignod, J.M., see J.L. Jacoud	108 (1992) 131	adassou and M. Tessier, Small angle	
Mignot, JM., see F. Hippert	108 (1992) 177	neutron scattering in a superpara-	104 107 (1002) 15(0
Migschitz, M., see R. Clad	104–107 (1992) 1593	magnet	104–107 (1992) 1560
Mihalisin, T., see S. Rahman	97 (1991) 223	Mirebeau, I., see C. Bellouard	104–107 (1992) 1627
Mikami, H., see H. Hori	104–107 (1992) 815	Mironov, E.Yu., see V.A. Ignatchenko	94 (1991) 170
Mikeska, H., see T. Delica	104–107 (1992) 795	Mironov, E.Yu., see V.A. Ignatchenko	103 (1992) 139
Mikeska, HJ., see J. Behre	104–107 (1992) 863	Mironov, G.I., see N.G. Fazleev	108 (1992) 123
Mikhov, M., see J. Geshev	92 (1990) 185	Misawa, M., see K. Ichinose	104–107 (1992)1159
Mikhov, M., see O. Popov	96 (1991) L23	Misawa, M., see F. Maruyama	104–107 (1992)1165
Mikhov, M., see O. Popov	99 (1991) 119	Misawa, S., Proposal for detecting ther-	
Mikhov, M., see P. Ivanov	104–107 (1992) 417	mally induced ferromagnetism in Ir	104–107 (1992) 707
Mikhov, M., see J. Geshev	104–107 (1992) 1569	Misawa, S., Fermi liquid description for	
Mikke, K., J. Jankowska-Kisielinska,		itinerant electron metamagnetism	104–107 (1992) 709
T.M. Holden and E. Fawcett, Mag-		Mishima, K., see T. Erata	104–107 (1992) 1589
netic excitations in a single-domain		Missell, F.P., see A.M. Severino	96 (1991) 167
FCT γ -Mn(10%Fe, 3%Cu) alloy	104-107 (1992) 718	Missell, F.P., see D. Givord	104–107 (1992)1129
Milani, F., see F. Meier	93 (1991) 523	Mitani, S., see M. Doyama	93 (1991) 374
Miles, J.J. and B.K. Middleton, A hier-		Mitani, Y., see Y. Obi	104–107 (1992) 1747
archical micromagnetic model of		Mitchell, P.W., see R.T. Heap	104–107 (1992) 715
longitudinal thin film recording me-		Miteva, S.I., see T.C. Nurgaliev	101 (1991) 193
dia	95 (1991) 99	Mitra, A., see S.K. Ghatak	103 (1992) 81
Miljak, M., see I. Kos	104–107 (1992) 575	Mitra, A., K. Mandal and S.K. Ghatak,	
Miller, J.S., see K.S. Narayan	110 (1992) L6	DC magnetic properties of as-	
Miller, K., see M.Q. Huang	102 (1991) 91	quenched and flash-annealed amor-	
Mills, D.L., The ferromagnetism of ul-		phous Fe-Si-B wires	110 (1992) 135
trathin films; from two to three di-		Mitros, C., see W. Likodimos	104–107 (1992) 563
mensions	100 (1991) 515	Mitros, C., see A. Koufoudakis	104-107 (1992) 568
Miltat, J., see L. Zimmermann	94 (1991) 207	Mitros, C., see M. Pissas	104–107 (1992) 571
Miltat, J., see M. Labrune	104-107 (1992) 241	Mitsuda, S., see M. Mekata	104-107 (1992) 823
Miltat, J., see A. Thiaville	104–107 (1992) 335	Mitsuda, S., see M. Mekata	104-107 (1992) 859
Miltat, J., see M. Labrune	104-107 (1992) 343	Mitsudo, S., see M. Mino	104-107 (1992) 1055
Min, B.I., see S.C. Hong	104–107 (1992) 659	Mitsudo, S., M. Mino and H. Yamaza-	
Mini, S., see P. Erhart	104-107 (1992) 487	ki, Period-doubling cascade and	
Mino, M., S. Mitsudo and H. Yamaza-		chaos in YIG at the first-order Suhl	
ki, Quasiperiodic and chaotic oscil-		instability	104-107 (1992) 1057
lations of magnon systems driven by		Mitsudo, S., see H. Yamazaki	104-107 (1992) 1059
modulated pumping field	104-107 (1992) 1055	Mitsui, T., K. Abe and K. Iio, Thermal	
Mino, M., see S. Mitsudo	104-107 (1992) 1057	expansion measurements in CsNiBr ₃	
Mino, M., see H. Yamazaki	104-107 (1992) 1059	by a new rotating-mirror method	104-107 (1992) 819
Minowa, T., M. Shimao and M. Hon-		Mittag, M., see Th. Sinnemann	95 (1991) 175
shima, Microstructure of Nd-rich		Mitzay, Yu.N., B.A. Ivanov, A.N.	
phase in Nd-Fe-B magnet contain-		Kichizhiev and A.I. Gaponov, Kinks	
ing oxygen and carbon impurities	97 (1991) 107	in highly-anisotropic magnets.	
Mirabal-García, M., see F.H. Salas	103 (1992) 231	Ground state and spectrum of exci-	
Miraglia, S., see F.J. Lázaro	101 (1991) 372	tations	110 (1992) 80
Miraglia, S., see J. Bartolomé	101 (1991) 411	Miu, L., see V. Dolocan	104-107 (1992) 609
Miraglia, S., see O. Isnard	103 (1992) 157	Miura, T., see I. Sakamoto	108 (1992) 125
Miraglia, S., see J. Chaboy	104-107 (1992)1171	Miyadai, T., H. Mori, T. Oguchi, Y.	
Miraglia, S., see O. Isnard	104-107 (1992) 2003	Tazuke, H. Amitsuka, T. Kuwai and	
Miranda, R., see J.J. De Miguel	93 (1991) 1	Y. Miyako, Magnetic and electrical	
Miranda, R., see J.L. Martínez	93 (1991) 89	properties of the U-Si system (part	
		II)	104-107 (1992) 47

Miyadai, T., see Y. Tazuke Miyadai, T., see Y. Tazuke Miyadai, T., M. Saitoh and Y. Tazuke, Metal-insulator transition in Ni- S _{2-x} Se _x system - volume effect Miyajima, H., see K. Tenya Miyajima, H., see M. Kameda Miyajima, H., T. Yamamoto and Y. Otani, Degree of alignment and angular dependences of coercivity for	104–107 (1992) 725 104–107 (1992)1659 104–107 (1992)1953 104–107 (1992) 485 104–107 (1992)1115	fect in the magneto-absorption spectra of CsFeCl ₃ ·2H ₂ O Mohanty, O.N., see S. Prakash Narayan Mohn, P., see S. Matar Mohn, P. and K. Schwarz, Spin fluctuations in the strongly enhanced Pauli paramagnets YCo ₂ and Pd Mohn, P., see S. Matar Mokrani, A., H. Dreysse and C. Demangeat, Effect of self-consistency	104–107 (1992) 1061 96 (1991) 137 101 (1991) 251 104–107 (1992) 685 104–107 (1992) 1927
$Nd_{15}Fe_{77}B_8$ and $Pr_{15}Fe_{77}B_8$ magnets	104-107 (1992)1117	in the magnetism of iron in reduced geometry	93 (1991) 299
Miyajima, H. and S. Yuasa, Structural	101 107 (1772)1117	Mokrani, A., see S. Bouarab	102 (1991)L233
phase transition and magnetic prop-		Mokrani, A., see A. Vega	104–107 (1992) 1687
erties of FeRh _{1-x} Co _x alloys	104-107 (1992) 2025	Mokrani, A., see S. Bouarab	104-107 (1992) 1765
Miyako, Y., see T. Miyadai	104-107 (1992) 47	Moldenhauer, S., see J. Wieting	101 (1991) 128
Miyako, Y., see H. Amitsuka	104–107 (1992) 60	Molinié, P., see C. Payen	104-107 (1992) 797
Miyako, Y., see K. Iki	108 (1992) 100	Mollard, P., see J. Filippi	104-107 (1992) 165
Miyako, Y., T. Kuwai, T. Taniguchi, S.		Mollard, P., see Ph. Tailhades	104–107 (1992) 969
Kawarazaki, H. Amitsuka, C.C.		Mollard, P., see Ch. Sarda	109 (1992) 127
Paulsen and T. Sakakibara, The study of f-electron states in U		Monachesi, P., S. Fraizzoli and E.G.	
$(Ru_{1-x}Rh_x)_2Si_2$ and $U_{1-x}La_xRu_2$		Moroni, Electronic structure calculations for CeAg	98 (1991) 130
$\operatorname{Si}_2(0 \le x \le 1)$ compounds	108 (1992) 190	Monachesi, P., see A. Continenza	104–107 (1992) 1308
Miyako, Y., see T. Sakakibara	108 (1992) 193	Monachesi, P., L.C. Andreani and S.	10 / 10 / (1) 2/1000
Miyamoto, T., see I. Sakamoto	108 (1992) 125	Fraizzoli, Anderson hybridisation in	
Miyashita, S., see J. Behre	104-107 (1992) 863	CeAg	104-107 (1992) 1327
Miyashita, S., see T. Kawasaki	104–107 (1992) 1595	Mondal, S., S.H. Kilcoyne, R. Cywinski,	
Miyata, N., see Y. Kimishima	104–107 (1992) 781	B.D. Rainford and C. Ritter, Sup-	
Miyata, S., see H. Fujii	104–107 (1992) 45	pression of local moment formation	104 107 (1002) 1421
Miyata, S., see K. Kojima	104–107 (1992) 49	in Ce doped YMn ₂	104–107 (1992) 1421
Miyatake, T., see T. Machi Miyazaki, M., see S. Takayama	104–107 (1992) 635 94 (1991) 357	Mondal, S., see C. Ritter Monin, J., see O. Derriche	104–107 (1992) 1427 102 (1991) 255
Miyazaki, T. and M. Oikawa, Magne-	74 (1771) 337	Monod, P., see H. Stroumbos	104–107 (1992) 633
toresistance of Ni-Fe-Co ternary		Montarroyos, E., J.R.L. de Almeida,	10. 10/(1//2) 033
alloy films	97 (1991) 171	F.L.A. Machado and S.M. Rezende,	
Miyazaki, T., T. Yaoi and S. Ishio,		Field induced transition in the	
Large magnetoresistance effect in		amorphous ferromagnet Co _{70.4}	
82Ni-Fe/Al-Al ₂ O ₃ /Co magnetic		$Fe_{4.6}Si_{15}B_{10}$	104–107 (1992) 149
tunneling junction (Letter to the Ed-	00 (4004) 7 77	Montarroyos, E., see F.C. Montenegro	104–107 (1992) 277
itor)	98 (1991) L7	Montenegro, F.C., J.C.O. de Jesus,	
Miyazaki, T., see XB. Yang Miyazaki, T., H. Kubota and S. Ishio,	102 (1991) 139	F.L.A. Machado, E. Montarroyos and S.M. Rezende, Critical and	
Magnetic properties and giant mag-		equilibrium phase boundaries in	
netoresistance in Fe/Cr multilayer		$Mn_{0.5}Zn_{0.5}F_2$	104-107 (1992) 277
films	103 (1992) 13	Moog, E.R., see M.E. Brubaker	103 (1992) L7
Miyazaki, T., see S. Ishio	104-107 (1992) 143	Mook, H., see G. Aeppli	104-107 (1992) 507
Mizoguchi, T., see A. Forkl	93 (1991) 261	Mook, H.A., see D.McK. Paul	104-107 (1992) 591
Mizuno, K., see T. Ohno	104–107 (1992) 2027	Mook, H.A., see A.T. Boothroyd	104–107 (1992) 713
Mizushima, K., see A. Yoshihara	104–107 (1992) 1835	Moolenaar, A.A., see P.C.M. Gubbens	97 (1991) 69
Mizushima, T., see Y. Isikawa	108 (1992) 157 104–107 (1992)1047	Moolenaar, A.A., P.C.M. Gubbens, G.J. Boender, T.H. Jacobs and K.H.J.	
Moch, P., see A.T. Abdalian Moes, H., The air gap between tape	104-107 (1772)1047	Buschow, Magnetic properties of	
and drum in a video recorder	95 (1991) 1	Er ₂ -Fe ₁₇ C and Er ₂ Fe ₁₇ N _{2.7} studied	
Mogi, I., M. Takeda, G. Kido, Y.		with ⁵⁷ Fe and ¹⁶⁶ Er Mössbauer	
Nakawaga, H. Okada and N. Ko-		spectroscopy	101 (1991) 395
jima, Magnetic Franck-Condon ef-		Moolenaar, A.A., see P.C.M. Gubbens	104–107 (1992)1113

Moon, R.M. and R.M. Nicklow, Neutron scattering of lanthanide mate-		Morris, D.E., see H. Zhang Mosca, D.H., A. Barthélémy, F. Petroff,	104–107 (1992) 821
rials	100 (1991) 139	A. Fert, P.A. Schroeder, W.P. Pratt	
Morales, A., see A. Larrea	104-107 (1992) 229	Jr., R. Laloee and R. Cabanel,	
Morales, J., see A. Larrea	104-107 (1992) 229	Magnetoresistance of Co-based	
Morawe, Ch., A. Stierle, N. Metoki, K.		multilayered structures	93 (1991) 480
Bröhl and H. Zabel, Optimization		Mosca, D.H., F. Petroff, A. Fert, P.A.	
of sputtered Co films	102 (1991) 223	Schroeder, W.P. Pratt Jr. and R.	
Mordijck, A., I. Deckers and M. Labro,		Laloee, Oscillatory interlayer cou-	
Transition in the overcompensated		pling and giant magnetoresistance	
multi-channel Kondo alloy Au-V:		in Co/Cu multilayers (Letter to the	
susceptibility and resistivity data	104-107 (1992) 2081	Editor) ,	94 (1991) L1
Moreira, J.M., see V.S. Amaral	104–107 (1992) 2079	Mosca, D.H., see A. Fert	104–107 (1992)1712
Morellon, L., see M.R. Ibarra	104–107 (1992)1149	Moser, H.R., P.F. Meier, M. Warden	
Morellon, L., see M.R. Ibarra	104–107 (1992) 1371	and F. Waldner, Hyperchaos in an-	
Morgan, G.J., see J. Horvat	104–107 (1992) 359	tiferromagnetic resonance	104–107 (1992)2129
Morgan, G.J., see J. Horvat	109 (1992) 191	Mosiniewicz-Szablewska, E. and H.	
Mori, H., see T. Miyadai	104–107 (1992) 47	Szymczak, Photoinduced changes in	
Mori, K., see K. Sato	104–107 (1992) 1435	the ferromagnetic resonance of	
Mori, K., see Y. Isikawa	108 (1992) 157	CdCr ₂ Se ₄ single crystals	104–107 (1992) 986
Mori, N., see T. Kamimura	104–107 (1992) 255	Moskalewicz, R., see W. Dudek	94 (1991) 243
Mori, N., see H. Hori	104–107 (1992) 815	Motizuki, K., N. Suzuki and S. Tomis-	
Mori, N., see T. Kagayama	108 (1992) 103	hima, Itinerant magnetism of Mn-	
Mōri, N., see Y. Okayama	108 (1992) 113	intercalated compounds of 2H-type	
Mori, S., see S. Abe	104–107 (1992) 2059	TaS ₂	104–107 (1992) 681
Mori, S., see M. Matsumoto	104–107 (1992) 2061	Motizuki, K., T. Korenari and M. Shi-	
Morimoto, S., see T. Futakata	104–107 (1992) 729	rai, Electronic band structures and	
Morimoto, T., see M. Chiba	104–107 (1992) 807	magnetism of intermetallic Cu ₂ Sb-	
Morin, P., S. Kunii and T. Kasuya,		type manganese compounds MnAl-	
Quadrupolar properties and mag-		Ge and MnGaGe	104–107 (1992) 1923
netic phase diagrams in PrB ₆ hexa-	06 (1001) 145	Motokawa, M., see H. Dohnomae	93 (1991) 477
boride compound	96 (1991) 145	Motokawa, M., see H. Ohta	104–107 (1992) 777
Morin, P., see D. Gignoux	102 (1991) 33	Motokawa, M., see K. Yamagata	104–107 (1992) 803
Morin, P., see D. Gignoux	104–107 (1992) 1262	Motokawa, M., H. Ohta, K. Yoshida	
Morin, P., see R.M. Galéra	104–107 (1992) 1336	and H. Ikeda, EPR of Co ²⁺ in	
Morin, P., see K. Yagasaki	104–107 (1992) 1389	Rb ₂ MgF ₄ and anomalous g-values	104 107 (1000) 017
Morinaga, H., see KI. Kobayashi	104–107 (1992) 413	of pair and trimer spin systems	104–107 (1992) 947
Morishita, T., see R. Zuberek Moritani, I., see T. Shinjo	93 (1991) 449 93 (1991) 35	Motokawa, M., see H. Nojiri	104–107 (1992) 1311
Moriya, T., Theory of itinerant electron	93 (1991) 33	Movement J. B. Bashavat D. Chal	104–107 (1992)1637
magnetism	100 (1991) 261	Mouchot, J., B. Bechevet, D. Chal-	
Moriya, T., Y. Takahashi and K. Ueda,	100 (1991) 201	leton, M.F. Armand, B. Rolland, B.	
Antiferromagnetic spin fluctuations		Valon and J.B. Albertini, Thermo- magnetic recording in ferrimagnetic	
and superconductivity in high- T_c ox-		garnets	101 (1991) 239
ides	104-107 (1992) 456	Moze, O., see M.R. Ibarra	104–107 (1992)1149
Morkowski, J.A. and P. Wosicki, The-	101 107 (1772) 430	Moze, O., see M.R. Ibarra	104–107 (1992)1149
ory of magnetic and thermal prop-		Moze, O., R. Caciuffo, K.H.J. Buschow	104-107 (1992)1373
erties of the weak itinerant ferro-		and G. Amoretti, Crystal electric	
magnet Ni ₃ Al	104-107 (1992) 673	field in RENi ₁₀ Si ₂ intermetallics	104-107 (1992) 1391
Moron, M.C., see Y. Calage		Moze, O., R. Caciuffo, B. Gillon and	104-107 (1772)1391
	98 (1991) 79		
Moron, C., M.C. Sanchez, E. Lopez, P.	98 (1991) 79		
Morón, C., M.C. Sánchez, E. López, P. Sánchez and C. Aroca, Effect of	98 (1991) 79	F.E. Kayzel, Magnetization density	104-107 (1992) 1394
	98 (1991) 79	F.E. Kayzel, Magnetization density in Er ₂ Co ₁₇	104–107 (1992)1394 104–107 (1992)1695
Sánchez and C. Aroca, Effect of	98 (1991) 79 101 (1991) 59	F.E. Kayzel, Magnetization density in Er ₂ Co ₁₇ Mørup, S., see F. Bødker	104–107 (1992)1394 104–107 (1992)1695
Sánchez and C. Aroca, Effect of high-current flash annealing on amorphous samples Moroni, E.G., see P. Monachesi		F.E. Kayzel, Magnetization density in Er ₂ Co ₁₇ Mørup, S., see F. Bødker Mørup, S., G. Christiansen and N.C.	
Sánchez and C. Aroca, Effect of high-current flash annealing on amorphous samples	101 (1991) 59	F.E. Kayzel, Magnetization density in Er ₂ Co ₁₇ Mørup, S., see F. Bødker Mørup, S., G. Christiansen and N.C. Koon, Magnetic relaxation effects	104–107 (1992) 1695
Sánchez and C. Aroca, Effect of high-current flash annealing on amorphous samples Moroni, E.G., see P. Monachesi	101 (1991) 59	F.E. Kayzel, Magnetization density in Er ₂ Co ₁₇ Mørup, S., see F. Bødker Mørup, S., G. Christiansen and N.C.	
Sánchez and C. Aroca, Effect of high-current flash annealing on amorphous samples Moroni, E.G., see P. Monachesi Moroni, E.G. and T. Jarlborg, Mag-	101 (1991) 59	F.E. Kayzel, Magnetization density in Er ₂ Co ₁₇ Mørup, S., see F. Bødker Mørup, S., G. Christiansen and N.C. Koon, Magnetic relaxation effects in Fe/Ag(100) multilayers	104–107 (1992) 1695

properties of amorphous (Fe _r -		Müller, R., Preparation of W-type hex-	
$Ni_{1-x})_{66}B_{34}$ particles	104-107 (1992)1563	aferrite particles by the glass crystal-	
Mucha, J.M., L. Vatskichev and M.		lization method	101 (1991) 230
Vatskicheva, The rotational hystere-		Müller, R., H. Pfeiffer and W. Schüp-	
sis losses in thin films with unidirec-	400 (4000) 004	pel, Variation of the magnetic prop-	
tional magnetic anisotropy	109 (1992) 301	erties of barium ferrite powders by	
Muir, W.B., J.F. Cochran, J.M. Rudd,		heat treatment	101 (1991) 237
B. Heinrich and Z. Celinski, Observation of the exchange-couled		Mulyukov, Kh.Ya., G.F. Korznikova,	
modes in Fe(001)/Pd/Fe(001) ul-		M.B. Sagdatkireyeva, V.N. Timo- feyev and R.Z. Valiev, The study of	
trathin trilayers	93 (1991) 229	domain structure of submicron	
Mukai, T. and T. Fujimoto, Heat-treat-	22 (1771) 227	grained cobalt and its changes dur-	
ment induced anisotropy in Nd-		ing heating	110 (1992) 73
Fe-B magnets prepared from melt-		Munekata, H., see S. von Molnár	93 (1991) 356
spun ribbons	95 (1991) 145	Muniz, R.B., see J. d'Albuquerque e	
Mukai, T. and T. Fujimoto, Kerr mi-		Castro	93 (1991) 295
croscopy observation of nitrogen-		Muniz, R.B., see J. Mathon	104–107 (1992)1721
ated Sm ₂ Fe ₁₇ intermetallic com-	/	Muniz, R.B., see M.S. Phan	104–107 (1992) 1876
pounds	103 (1992) 165	Münster, E., Calculation of the mag-	
Müller, A.U., see H.G. Kahle	104–107 (1992)1187	netic properties of oblique-inci-	02 (1000) 270
Muller, D., see A. Dinia Muller, D., K. Ounadjela, P. Ven-	104–107 (1992)1871	dence thin films Mura, P., see D. Ajò	92 (1990) 279 104–107 (1992)1997
negues, V. Pierron-Bohnes, A.		Murakhowski, A.A., W.N. Gorbacz and	104-107 (1992)1997
Arbaoui, J.P. Jay, A. Dinia and		J.H. Hankiewicz, Spin reorientation	
P. Panissod, Growth of Co/Ru		in Co _{1.5} Ni _{0.5} Sr–W hexagonal ferrite	101 (1991) 131
strained superlattices	104-107 (1992) 1873	Murakhowski, A.A., see J.H. Han-	
Mulier, D., see K. Ounadjela	104-107 (1992) 1896	kiewicz	101 (1991) 134
Müller, D., JW. Schünemann and K.		Murani, A., see M.R. Ibarra	104–107 (1992) 1375
Bärner, Hall effect and resistivity of		Murani, A.P., see W.G. Marshall	104–107 (1992) 67
amorphous $(Fe_{1-x}V_x)_{75}P_{15}C_{10}$ al-	440 (4000) 444	Murani, A.P., see J. Pierre	104–107 (1992) 1207
loys	110 (1992) 161	Murata, K., see F. Iga	104–107 (1992) 1973
Müller, H., see X.C. Kou Muller, J., A. Collomb, T. Fournier, I.	101 (1991) 349	Murayama, S., K. Yamada, K. Hoshi and Y. Obi, Electrical resistivity of	
Harrowfield and D. Samaras, Com-		amorphous $Hf_{1-x}Ta_xFe_2$ alloys	104–107 (1992) 95
position and structure of some		Murayama, S., see Y. Tazuke	104–107 (1992) 725
$[Ba_{1-p}Sr_p]$ -ZnFe ₆ O ₁₁ Y-type hexag-		Murphy, H.M., K.U. Neumann, D.	
onal ferrites	102 (1991) 305	Visser and K.R.A. Ziebeck, Crystal-	
Muller, J. and A. Collomb, A new rep-		lographic structure and magnetic	
resentation of the bipyramidal site		ground state of CeSi _x	104–107 (1992) 657
in the SrFe ₁₂ O ₁₉ M-type hexagonal	,	Murthy, V.R.K., see R. Raman	102 (1991) 181
ferrite between 4.6 and 295 K	103 (1992) 194	Mutka, H., see C. Payen	104–107 (1992) 797
Müller, KH., see M. Wolf	101 (1991) 117	Myalikguliev, G.M., see A.D. Arsenieva	99 (1991) 167
Müller, KH., see V. Christoph	101 (1991) 323	Mydlarz, T., see W. Suski Mydosh, J.A., see S.A.M. Mentink	95 (1991)L133 104–107 (1992) 15
Müller, KH., D. Eckert and A. Hand- stein, Diminution of permanent		Mydosh, J.A., see S.A.M. Mentink Mydosh, J.A., see S.A.M. Mentink	104–107 (1992) 697
magnet properties of polymer		Mydosh, J.A., see T. Endstra	108 (1992) 67
bonded Nd ₄ Fe ₇₇ B ₁₉ magnets	101 (1991) 375	Mydosh, J.A., see T. Endstra	108 (1992) 69
Müller, KH., see A. Handstein	101 (1991) 377	Mydosh, J.A., see E.A. Knetsch	108 (1992) 71
Müller, KH., see P. Nothnagel	101 (1991) 379	Mydosh, J.A., see E.A. Knetsch	108 (1992) 73
Müller, KH., see A. Handstein	101 (1991) 382	Mydosh, J.A., see E.A. Knetsch	108 (1992) 75
Müller, KH., see D. Eckert	101 (1991) 385	Myojin, T., M. Hayashi, T. Ohno, Y.	
Müller, KH., see V. Christoph	104–107 (1992)1121	Imaeda, T. Ushida, A. Tsujimura	
Müller, KH., D. Eckert, A. Handstein		and T. Hihara, NMR investigation	
and P. Nothnagel, Deviations from		of the cobalt hyperfine field in	104 107 (1002) 1105
Wohlfarth's remanence relationship	104–107 (1992)1173	$(Y_{1-x}Gd_x)_2Co_{14}B$ compounds Myojin, T., see M. Hayashi	104–107 (1992)1195 104–107 (1992)1225
in NdFeB magnets Müller, M., see Z. Kaczkowski	104–107 (1992)1173	Myojin, T., see M. Hayasii Myojin, T., see T. Ohno	104–107 (1992) 2027
Willier, W., See Z. MacZrowski	101 (1971) 21	Myrtle, K., see B. Heinrich	93 (1991) 75

Nadimi, S., see B. Dieny	93 (1991) 101	films for M-O recording prepared	104 107 (1002) 1007
Naegele, J.R., see L. Havela	104–107 (1992) 23	by pyrolysis	104–107 (1992) 1007
Nagaev, E.L. and A.I. Podel'shchikov,		Nakagawa, S., Y. Furuto and M. Naoe,	
Self-trapped states of electrons in		Ta and W additions to Co ₈₃ Cr ₁₇	
antiferromagnetic semiconductors		thin films deposited on Co ₇₉ Cr ₂₁	101 108 (1008) 1001
and in a-Si with dangling bonds	104–107 (1992) 999	underlayer	104–107 (1992) 1801
Nagaev, E.L., Self-trapped states of		Nakagawa, S., K. Hasegawa and M.	
charge carriers in magnetic semi-		Naoe, Magnetism and structure of	
conductors (Review paper)	110 (1992) 39	iron nitride thin films deposited by	
Nagai, H., see K. Ichinose	104–107 (1992)1159	a facing-targets type of ion source	104–107 (1992) 1899
Nagai, H., see F. Maruyama	104-107 (1992)1165	Nakagawa, S., Y. Furuto and M. Naoe,	
Nagai, H., see K. Fujiwara	104-107 (1992)1231	Structural and magnetic characteris-	
Nagai, H., see H. Yoshie	104-107 (1992)1449	tics of Co-Cr films sputtered in a	
Nagai, H., see Y. Amako	104–107 (1992) 1451	mixture of Ar and CH ₄ gas	104–107 (1992) 2047
Nagai, N., see I. Umehara	104–107 (1992)1407	Nakagawa, T., see M. Yuzuri	104–107 (1992) 885
Nagai, N., see I. Umehara	104-107 (1992)1409	Nakagawa, Y., see G. Kido	104–107 (1992) 1239
Nagai, N., see K. Satoh	104–107 (1992)1411	Nakagawa, Y., see K. Komorita	104–107 (1992) 1241
Nagamine, K., see M. Mekata	104–107 (1992) 825	Nakagawa, Y., see T. Kaneko	104–107 (1992) 1401
Nagamine, K., see H. Nojiri	104–107 (1992)1311	Nakagawa, Y., see S. Abe	104–107 (1992) 1403
Nagamine, L.C.C.M. and H.R. Rechen-		Nakagawa, Y., see D.W. Lim	104–107 (1992) 1429
berg, Spin reorientation transition		Nakagawa, Y., see T. Kaneko	104–107 (1992) 1949
in mixed (Dy, Gd)Fe ₁₁ Ti alloys	104–107 (1992) 1277	Nakagawa, Y., see T. Hori	104–107 (1992) 2043
Nagarajan, R., see P.L. Paulose	104–107 (1992) 87	Nakagawa, Y., see T. Hori	104–107 (1992) 2045
Nagarajan, V., see P.L. Paulose	104–107 (1992) 87	Nakai, I. and H. Maeda, Fluctuations	
Nagasawa, M., see T. Suzuki	104–107 (1992) 1293	of the exchange interaction in amor-	104 107 (1002) 121
Nagasawa, M., see T. Takabatake	108 (1992) 155	phous Gd ₅₂ Y ₁₆ Cu ₃₂	104–107 (1992) 121
Nagata, H., see Y. Makihara	96 (1991) 305	Nakai, I. and H. Maruyama, Field de-	
Nagata, K., see H. Tanaka	104–107 (1992) 829	pendence of the magnetisation of	101 105 (1000) 0050
Nagata, K. and A. Ishihara, ESR of	104 107 (1002) 1571	Fe-Ni Invars	104-107 (1992) 2053
ultrafine magnetic particles	104–107 (1992) 1571	Nakajima, K., see K. Kakurai	104–107 (1992) 857
		Malanaiahi Cana CEnda	104 107 (1000) 1441
Nagler, S.E., D.A. Tennant, R.A. Cow-		Nakamichi, S., see S. Endo	104–107 (1992)1441
ley, S.K. Satija, T.G. Perring, A.D.		Nakamura, H. and T. Kobayashi, Ef-	104–107 (1992)1441
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scat-		Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~	104–107 (1992)1441
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations		Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-	
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferro-	104 107 (1002) 947	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers	97 (1991) 353
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain	104-107 (1992) 847	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham	97 (1991) 353 104–107 (1992) 641
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant	104-107 (1992) 1079	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang	97 (1991) 353
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan	104–107 (1992)1079 93 (1991) 257	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M.	97 (1991) 353 104–107 (1992) 641
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek	104-107 (1992) 1079	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Per-	97 (1991) 353 104–107 (1992) 641
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud,	104–107 (1992)1079 93 (1991) 257	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of	97 (1991) 353 104–107 (1992) 641 109 (1992) 103
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic	104–107 (1992)1079 93 (1991) 257	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co–M (M	104-107 (1992) 1079 93 (1991) 257 104-107 (1992) 117	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films	104–107 (1992) 1079 93 (1991) 257 104–107 (1992) 117 104–107 (1992) 1769	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin	104–107 (1992) 1079 93 (1991) 257 104–107 (1992) 117 104–107 (1992) 1769 102 (1991) 331	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab	104–107 (1992) 1079 93 (1991) 257 104–107 (1992) 117 104–107 (1992) 1769 102 (1991) 331 102 (1991)L233	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see H. Yoshie	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992)1449
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab	104–107 (1992) 1079 93 (1991) 257 104–107 (1992) 117 104–107 (1992) 1769 102 (1991) 331	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see H. Yoshie Nakashima, K., see K. Naito	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992)1449 104–107 (1992)1025
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a $S = 1/2$ Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co–M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima	104–107 (1992) 1079 93 (1991) 257 104–107 (1992) 117 104–107 (1992) 1769 102 (1991) 331 102 (1991)L233	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Naito Nakatani, K., see E. Codjovi	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992)1449 104–107 (1992)1025 104–107 (1992)2103
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima and Y. Namba, Structure and stabil-	104–107 (1992) 1079 93 (1991) 257 104–107 (1992) 117 104–107 (1992) 1769 102 (1991) 331 102 (1991)L233	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Naito Nakatani, K., see E. Codjovi Nakatani, S., see J. Sakurai	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992)149 104–107 (1992)1025 104–107 (1992)2103 108 (1992) 143
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima and Y. Namba, Structure and stability of magneto-optical recording bits	104–107 (1992) 1079 93 (1991) 257 104–107 (1992) 117 104–107 (1992) 1769 102 (1991) 331 102 (1991)L233	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, V., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Naito Nakatani, K., see E. Codjovi Nakatani, S., see J. Sakurai Nakawaga, Y., see I. Mogi	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992)1449 104–107 (1992)1025 104–107 (1992)2103 108 (1992) 143 104–107 (1992)1061
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Žuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima and Y. Namba, Structure and stability of magneto-optical recording bits in rf-magnetron-sputtered DyFeCo	104–107 (1992) 1079 93 (1991) 257 104–107 (1992) 117 104–107 (1992) 1769 102 (1991) 331 102 (1991)L233 104–107 (1992) 1765	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Naito Nakashima, K., see E. Codjovi Nakatani, K., see J. Sakurai Nakawaga, Y., see I. Mogi Nakayma, N., see T. Shinjo	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992) 1049 104–107 (1992) 1025 104–107 (1992) 103 108 (1992) 143 104–107 (1992) 1061 93 (1991) 35
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima and Y. Namba, Structure and stability of magneto-optical recording bits in rf-magnetron-sputtered DyFeCo Films	104-107 (1992) 1079 93 (1991) 257 104-107 (1992) 117 104-107 (1992) 1769 102 (1991) 331 102 (1991)L233 104-107 (1992) 1765	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Naito Nakashima, K., see E. Codjovi Nakatani, K., see J. Sakurai Nakawaga, Y., see I. Mogi Nakayma, N., see T. Shinjo Nakotte, H., see L. Havela	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992) 1025 104–107 (1992) 103 108 (1992) 143 104–107 (1992) 1061 93 (1991) 35 104–107 (1992) 23
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Žuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima and Y. Namba, Structure and stability of magneto-optical recording bits in rf-magnetron-sputtered DyFeCo Films Naka, Y., see KI. Kobayashi	104-107 (1992) 1079 93 (1991) 257 104-107 (1992) 117 104-107 (1992) 1769 102 (1991) 331 102 (1991)L233 104-107 (1992) 1765 104-107 (1992) 1025 104-107 (1992) 413	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Naito Nakashima, K., see E. Codjovi Nakatani, K., see J. Sakurai Nakawaga, Y., see I. Mogi Nakayma, N., see T. Shinjo Nakotte, H., see L. Havela Nakotte, H., see F.R. de Boer	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992) 1025 104–107 (1992) 103 108 (1992) 143 104–107 (1992) 1061 93 (1991) 35 104–107 (1992) 23 104–107 (1992) 113
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima and Y. Namba, Structure and stability of magneto-optical recording bits in rf-magnetron-sputtered DyFeCo Films Naka, Y., see KI. Kobayashi Nakabayashi, R., see Y. Tazuke	104-107 (1992) 1079 93 (1991) 257 104-107 (1992) 117 104-107 (1992) 1769 102 (1991) 331 102 (1991)L233 104-107 (1992) 1765	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Naito Nakashima, K., see E. Codjovi Nakatani, K., see J. Sakurai Nakawaga, Y., see I. Mogi Nakayma, N., see T. Shinjo Nakotte, H., see L. Havela Nakotte, H., see F.R. de Boer Nakotte, H., see A. Szewczyk	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992) 1025 104–107 (1992) 103 108 (1992) 143 104–107 (1992) 1061 93 (1991) 35 104–107 (1992) 23 104–107 (1992) 113 104–107 (1992) 113 104–107 (1992) 1319
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Żuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima and Y. Namba, Structure and stability of magneto-optical recording bits in rf-magnetron-sputtered DyFeCo Films Naka, Y., see KI. Kobayashi Nakabayashi, R., see Y. Tazuke Nakagawa, K., K. Odagawa and A. Itoh,	104-107 (1992) 1079 93 (1991) 257 104-107 (1992) 117 104-107 (1992) 1769 102 (1991) 331 102 (1991)L233 104-107 (1992) 1765 104-107 (1992) 1025 104-107 (1992) 413	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakashima, K., see E. Codjovi Nakatani, K., see E. Codjovi Nakatani, S., see J. Sakurai Nakawaga, Y., see I. Mogi Nakayma, N., see T. Shinjo Nakotte, H., see L. Havela Nakotte, H., see F.R. de Boer Nakotte, H., see A. Szewczyk Nakotte, H., see J.P. Kuang	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992) 1025 104–107 (1992) 103 108 (1992) 143 104–107 (1992) 1061 93 (1991) 35 104–107 (1992) 23 104–107 (1992) 113 104–107 (1992) 113 104–107 (1992) 1319 104–107 (1992) 1475
ley, S.K. Satija, T.G. Perring, A.D. Taylor and M. Arai, Neutron scattering study of quantum excitations in a S = 1/2 Heisenberg antiferromagnetic chain Nagler, S.E., see D.A. Tennant Naili, M., see R. Krishnan Naili, M., see R. Zuberek Naili, M., G. Suran and F. Machizaud, The origin of the induced magnetic anisotropy in amorphous Co-M (M = Zr, Nb, Ti, Pt) thin films Naish, V.E., see Yu.G. Raydugin Nait-Laziz, H., see S. Bouarab Nait-Laziz, H., see S. Bouarab Naito, K., T. Numata, K. Nakashima and Y. Namba, Structure and stability of magneto-optical recording bits in rf-magnetron-sputtered DyFeCo Films Naka, Y., see KI. Kobayashi Nakabayashi, R., see Y. Tazuke	104-107 (1992) 1079 93 (1991) 257 104-107 (1992) 117 104-107 (1992) 1769 102 (1991) 331 102 (1991)L233 104-107 (1992) 1765 104-107 (1992) 1025 104-107 (1992) 413	Nakamura, H. and T. Kobayashi, Effects of additional elements (IVa ~ VIa) on thermal stability of Fe-C/Ni-Fe multilayers Nakamura, H., see R.G. Graham Nakamura, H., see W.C. Chang Nakamura, K., S. Tsunashima, M. Hasegawa and S. Uchiyama, Perpendicular magnetic anisotropy of PdCo alloy in multilayered structure Nakamura, K., see S. Tsunashima Nakamura, O., see U. Ahlheim Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Sumiyama Nakamura, Y., see K. Naito Nakashima, K., see E. Codjovi Nakatani, K., see J. Sakurai Nakawaga, Y., see I. Mogi Nakayma, N., see T. Shinjo Nakotte, H., see L. Havela Nakotte, H., see F.R. de Boer Nakotte, H., see A. Szewczyk	97 (1991) 353 104–107 (1992) 641 109 (1992) 103 93 (1991) 462 93 (1991) 465 108 (1992) 213 96 (1991) 329 104–107 (1992) 1025 104–107 (1992) 103 108 (1992) 143 104–107 (1992) 1061 93 (1991) 35 104–107 (1992) 23 104–107 (1992) 113 104–107 (1992) 113 104–107 (1992) 1319

Naoe, M., see K. Song	104-107 (1992) 1855	Nicoara, G., see M. Nogues	104–107 (1992)1643
Naoe, M., see S. Nakagawa	104–107 (1992) 1899	Nicolaides, G.K., see M. Jurczyk	94 (1991) L6
Naoe, M., see S. Nakagawa	104–107 (1992) 2047	Nicolaides, G.K., see M. Jurczyk	104–107 (1992)1193
Narayan, K.S., O. Heres, A.J. Epstein	104 107 (1772)2047	Nicolaides, G.K., see H.U. Åström	104–107 (1992)1193
and J.S. Miller, Anomalous meta-		Nie, X.F., G.D. Tang, X.D. Niu and	104-107 (1992)1307
magnetic behavior in molecular			
decamethylmanganocenium 2,3-di-		B.S. Han, Classification of hard do-	95 (1991) 231
chloro-5,6-dicyanobenzoquinoneide		mains in garnet bubble films	93 (1991) 231
[MnCp* ₂][DDQ] (Letter to the Edi-		Nie, X.F., G.D. Tang and B.S. Han,	
tor)	110 (1992) L6	Self-shrink of the first kind of	
Nasser, J., see A. Bousseksou	110 (1992) 295	dumbbell domains in garnet bubble films	104 107 (1002) 207
Nattermann, T., Theory of random	110 (1992) 293	Niedermayer, C., see B. Martínez	104–107 (1992) 307
magnets – random field and related		Niedoba, H., see L.J. Heyderman	104–107 (1992) 941 96 (1991) 125
systems	104–107 (1992) 77	Nielsen, M., see A.G. Schins	104–107 (1992) 931
Nattermann, T., see H. Leschhorn	104–107 (1992) 161	Niemantsverdriet, J.W., see F. Bødker	104–107 (1992) 1695
Naumov, S.V., see T.I. Arbuzova	95 (1991) 168	Nieuwenhuys, G.J., see S.A.M. Men-	104-107 (1992)1093
Navarro, R., see F. Lera	104–107 (1992) 615	tink	104-107 (1992) 15
Nawate, M., H. Kiriake, K. Doi, S.	104-107 (1772) 013	Nieuwenhuys, G.J., see S.A.M. Mentink	104–107 (1992) 697
Honda and T. Kusuda, Room tem-		Nieuwenhuys, G.J., see T. Endstra	108 (1992) 67
perature spin flopping in Gd/Fe		Nieuwenhuys, G.J., see T. Endstra	108 (1992) 69
multilayers	104-107 (1992) 1861	Nieuwenhuys, G.J., see E.A. Knetsch	108 (1992) 71
Ndjaka, J.M., see J.M. Alameda	104-107 (1992) 1813	Nigam, A.K., see S. Prasad	92 (1990) 92
Ndjaka, J.M.B., see B. Dieny	93 (1991) 503	Nigam, A.K., see S. Radha	110 (1992) 103
Ndjaka, J.M.B., see J.M. Alameda	93 (1991) 509	Nigam, A.K., N. Sharma, S. Prasad, G.	110 (1772) 103
Ndjaka, J.M.B., see G. Peral	104–107 (1992) 1755	Chandra, S.N. Shringi, R. Krishnan	
Nedkov, I. and A. Petkov, LiNb-sub-	101 101 (1772)1100	and P. Rougier, Effect of Mn and	
stituted M-type structure Ba hexa-		Ni on the electrical resistivity of	
ferrites	101 (1991) 165	amorphous $Fe_{(80-x-y)}Ni_yMn_xB_{12}$	
Needham, L.M., see R.T. Heap	104–107 (1992) 715	Si_8 alloys	102 (1991) 297
Negami, S., see S. Ishio	104-107 (1992) 143	Nikitin, S.A., A.M. Tishin, R.V. Bez-	(, ,
Negishi, H., see M. Inoue	98 (1991) 60	dushnyi, Yu.I. Spichkin and S.V.	
Nekvasil, V., see T. Holubar	104-107 (1992) 479	Red'ko, Effect of uniform pressure	
Nemirovsky, A.M., see M.M. Leite	104-107 (1992) 181	on magnetization and magnetic	
Ness, H., D. Stoeffler and F. Gautier,		phase diagram of terbium single	
Electronic structure and magnetic		crystal	92 (1991) 397
order on and near pyramidal sup-		Nikitin, S.A., A.M. Tishin and P.I.	
ported tips	104-107 (1992) 1697	Leontiev, Magnetocaloric effect and	
Nesterov, Yu.A., see S.A. Nikitin	96 (1991) 26	pressure influence on dysprosium	
Neto, J.M., see P.H. Domingues	96 (1991) 101	single crystal magnetization in the	
Netzelmann, U., see Th. Orth	101 (1991) 235	range of magnetic phase transition	92 (1991) 405
Neumann, HG., see H. Nörenberg	95 (1991) 215	Nikitin, S.A., A.M. Tishin, S.F. Sav-	
Neumann, K.U., see H.M. Murphy	104-107 (1992) 657	chenkova, Yu.I. Spichkin, O.D.	
Neumann, KU., see I.K. Jassim	104-107 (1992) 2072	Chistykov, S.V. Red'ko and Yu.A.	
Neumann, KU., see P.J. Brown	104-107 (1992) 2083	Nesterov, Magnetic part of specific	
Neumann, O., see C. Brotzeller	104-107 (1992) 949	heat in high-purity Dy single crystal	96 (1991) 26
Newman, D.M., see G.S. Bains	104-107 (1992) 1011	Nikitov, S.A., see M. Hoffmann	101 (1991) 140
Newman, R., see R. Street	104–107 (1992) 371	Nikolaev, I.V., see A.M. Balbashov	104–107 (1992) 1037
Ng, D.H.L., J.P. Jakubovics, C.B. Scru-		Nikolov, J., I. Dragieva, G. Georgiev	
by and G.A.D. Briggs, Effect of		and D. Angelov, Monocrystal Mn-	
stress on magneto-acoustic emission		Zn ferrite and its application in	404 (4004) 405
from mild steel and nickel	104–107 (1992) 355	magnetic heads	101 (1991) 137
Nguyen, L.Q., see M.S. Li	96 (1991) 175	Nikulov, I.G., see P.V. Zhorin	109 (1992) 375
Niarchos, A.D., see W. Likodimos	104–107 (1992) 563	Nikumbh, A.K., P.L. Sayanekar and	
Niarchos, D., see A. Koufoudakis	104-107 (1992) 568	M.G. Chaskar, Magnetic and elec-	
Niarchos, D., see M. Pissas	104–107 (1992) 571	trical properties of γ -Fe ₂ O ₃ pre-	
Nicklow, R.M., see R.M. Moon	100 (1991) 139	pared from ferrous malonate dihy-	07 (1001) 110
Nicklow, R.M., see J.A. Fernandez-	104 107 (1002) (00	drate	97 (1991) 119
Baca	104–107 (1992) 699		

Ning, J.M., see L.M. Mei Ning, Ts., see Bg. Shen	104–107 (1992) 1903 96 (1991) 335	Nordblad, P., see J. Mattsson Nordblad, P., see J. Mattsson Nordström, L., M.S.S. Brooks and B.	104–107 (1992)1621 104–107 (1992)1623
Nishi, K., see K. Sumiyama Nishi, K., see K. Sumiyama	96 (1991) 329 102 (1991) 56	Johansson, Theory of the mag-	
Nishigori, S., see J. Sakurai	104–107 (1992) 1415	netism of R-Co intermetallic com-	104 107 (1000) 1270
Nishigori, S., see T. Fujita	108 (1992) 35	pounds	104–107 (1992) 1378
Nishihara, Y., see A. Pösinger	98 (1991) 19	Nordström, L., see M.S.S. Brooks	104–107 (1992) 1381
Nishihara, Y., see T. Sugimoto	104–107 (1992) 1845	Nordström, L., see M.S.S. Brooks	104–107 (1992)1496
Nishihara, Y., see F. Iga	104–107 (1992) 1969	Nordström, L., M.S.S. Brooks and B.	
Nishihara, Y., see F. Iga	104–107 (1992) 1973	Johansson, Ab initio calculation of	
Nishihara, Y., see T. Kanomata	104–107 (1992) 2063	the orbital magnetism and the mag- netocrystalline anisotropy energy in	
Nishikawa, M., see N. Iwata	99 (1991) 209	YCo ₅	104-107 (1992) 1942
Nishimura, K., see I.S. Oliveira Nishina, H., see Y. Ishii	104–107 (1992)1265 98 (1991) 210	Nörenberg, H. and HG. Neumann,	104-107 (1772)1742
Nishiyama, K., see H. Nojiri	104–107 (1992)1311	Structure and magnetic properties	
Niu, X.D., see X.F. Nie	95 (1991) 231	of Cr/CoX (X = Cr , Ni) thin films	95 (1991) 215
Nizioł, S., see R. Zach	104–107 (1992) 1929	Notarys, H., see C.J. Lin	93 (1991) 194
Noakes, D.R., see B. Martínez	104–107 (1992) 941	Nothnagel, P., KH. Müller, D. Eckert	
Nobili, L., see P.L. Cavallotti	104 -107 (1992) 905	and A. Handstein, The influence of	
Noguchi, S. and K. Okuda, Magnetism	101 101 (1) 100	particle size on the coercivity of sin-	
of ternary compounds U-T-Ga (T		tered NdFeB magnets	101 (1991) 379
= transition elements)	104-107 (1992) 57	Nothnagel, P., see A. Handstein	101 (1991) 382
Noguchi, S., see K. Okuda	104-107 (1992) 817	Nothnagel, P., see D. Eckert	101 (1991) 385
Nogués, J., T. Puig, R.B. Jotania, R.V.		Nothnagel, P., see KH. Müller	104-107 (1992) 1173
Upadhyay, R.G. Kulkarni and K.V.		Nouet, J., see A.T. Abdalian	104-107 (1992) 1047
Rao, Magnetic properties of Zn-		Novák, L., see É. Kisdi-Koszó	92 (1990) 181
substituted Co-Ge-Fe-O ferrites		Novák, P., J. Kub, M. Maryško, A.Yu.	
near the dilution limit	99 (1991) 275	Kazimirov, A.N. Sosphenov and	
Nogues, M., see J.L. Dormann	104–107 (1992) 239	M.V. Kovalchuk, Site preferences in	
Nogues, M., J.L. Dormann, J. Teillet		Bi:YIG film determined by the X-	
and G. Villers, Randomly canted		ray standing wave method	101 (1991) 155
structures in the ferrite Zn_xMg_{1-x}		Novák, P., see H. Štěpánková	104–107 (1992) 409
Fe ₂ O ₄	104–107 (1992) 415	Novák, P., see M. Maryško	104–107 (1992) 429
Nogues, M., D. Fiorani, J. Tejada, J.L.		Novak, P., see A. Campos	104–107 (1992) 431
Dormann, S. Sayouri, A.M. Testa		Novák, P. and J. Kuriplach, Calculation	
and E. Agostinelli, Disordered mag-		of crystal-field parameters in rare-	104 107 (1002) 1400
netic properties in the system	104-107 (1992) 1641	earth metals	104–107 (1992)1499
$Zn_xCd_{1-x}Cr_2S_4$ Nogues, M., M. Seqqat, F. Bourree-	104-107 (1992)1041	Novotný, P. and R. Gemperle, Double- jump magnetization reversal process	
Vigneron, J.L. Dormann and G.		in the domain walls of garnet films	102 (1991) 18
Nicoara, Local distribution effects		Nowak, J., J. Wenda and L.J. Maksy-	102 (1991) 10
on disordered magnetic properties	104-107 (1992) 1643	mowicz, Domain structure of Fe-	
Nohara, M., see T. Suzuki	104-107 (1992) 1293	BSi/Si bilayers	94 (1991) 251
Nohara, M., see T. Takabatake	108 (1992) 155	Nowak, J. and J. Raułuszkiewicz, Spin	71(17)1) 231
Noji, T., see T. Kohara	104-107 (1992) 525	dependent electron tunneling be-	
Nojiri, H., see K. Yamagata	104-107 (1992) 803	tween ferromagnetic films	109 (1992) 79
Nojiri, H., M. Motokawa, K. Nishi-		Nowak, U., see K.D. Usadel	104-107 (1992) 179
yama, K. Nagamine and T. Shi-		Nowik, I., see I. Felner	104-107 (1992) 543
geoka, μ SR study of PrCo ₂ Si ₂ in		Noyel, G., see O. Derriche	102 (1991) 255
pulsed high magnetic field	104–107 (1992) 1311	Nozières, J.P., see J.M. Alameda	104-107 (1992) 1813
Nomoto, T., see K. Tamanoi	104–107 (1992) 445	Numata, T., see K. Naito	104-107 (1992) 1025
Nomura, T., see Y. Amako	104–107 (1992) 1451	Nummila, K.K., see P.J. Hakonen	104–107 (1992) 903
Noordermeer, A., see P.J. van der Zaag	99 (1991) L1	Nunez, E., see P.H. Domingues	96 (1991) 101
Noordermeer, A., see M.T. Johnson	104–107 (1992) 421	Nunez-Regueiro, M.D., C. Lacroix, R.	
Nordblad, P., see P. Granberg	92 (1990) 228	Ballou and E. Lelievre, $S = 1$ Ising	
Nordblad, P., see K. Gunnarsson Nordblad, P., see J. Mattsson	104–107 (1992) 1607 104–107 (1992) 1619	model on a triangular lattice	104–107 (1992) 285
1 tordorad, 1 ., see 3. Wattsson	104-107 (1772)1019	Nunez Regueiro, M.D., see R. Ballou	104–107 (1992) 753

Nurgaliev, T.C. and S.I. Miteva, The		O'Grady, K., see P.I. Mayo	95 (1991) 109
properties of magnetoacoustic waves		O'Grady, K., R.G. Gilson and P.C.	
in tangentially magnetized sandwich		Hobby, Magnetic pigment disper-	
structure	101 (1991) 193	sions (A tutorial review)	95 (1991) 341
Nutley, M.P., A.T. Boothroyd and G.J.		O'Grady, K., see M. El-Hilo	104–107 (1992) 1580
McIntyre, Magnetisation density in		O'Grady, K., see M. El-Hilo	109 (1992)L164
PrBa ₂ Cu ₃ O ₇ by polarised-neutron diffraction	104 107 (1002) 622	Oguchi, T., see T. Miyadai	104–107 (1992) 47
diffaction	104–107 (1992) 623	Oguri, A., see J. Inoue	104–107 (1992) 1883
Obara, H., see Y. Yokoyama	104-107 (1992) 559	Oguro, I., see Y. Amako	104–107 (1992) 1451
Obara, T., see S. Ishio	104-107 (1992) 143	Oguro, I., see I. Sakamoto	108 (1992) 125
Obbade, S., see F.J. Lázaro	101 (1991) 372	O'Handley, R.C. and SW. Sun,	
Obbade, S., see J. Bartolomé	101 (1991) 411	Strained layers and magnetoelastic coupling	104 107 (1002) 1717
Obermeyer, R., see M.Q. Huang	102 (1991) 91	Ohashi, M., Y. Yamaguchi and A.T.	104–107 (1992)1717
Obi, Y., Y. Kawano, Y. Tange and H.		Kanomata, Neutron diffraction	
Fujimori, Magnetic anisotropy of		studies of the ferrimagnetic–antifer-	
Fe/Mo and Fe/Pd artificial super-		romagnetic phase transition in	
lattices	93 (1991) 587	cobalt modified Mn ₂ Sb	104-107 (1992) 925
Obi, Y., see S. Murayama	104–107 (1992) 95	Ohashi, M., see H. Yasui	104–107 (1992) 927
Obi, Y., K. Takanashi, Y. Mitani, N.		Ohashi, M., S. Sakurada, T. Kaneko, S.	10+ 10/ (1)/2/ /2/
Tsuda and H. Fujimori, Advanced		Abe, H. Yoshida and Y. Yam-	
experimental study on giant magne-		aguchi, Magnetic structure of the	
toresistance of Fe/Cr superlattices	104 105 (1002) 1545	intermetallic compound TbAu ₂ Si ₂	104-107 (1992) 1383
by rf-sputtering	104–107 (1992) 1747	Ohashi, M., see S. Abe	104-107 (1992) 1403
Obi, Y., see S. Joo	104–107 (1992) 1753	Ohashi, M., see H. Onodera	109 (1992) 249
Obradors, X., see M. Tovar Obradors, X., see J.L. García-Muñoz	104–107 (1992) 549 104–107 (1992) 617	Ohmura, N., see T. Saito	104-107 (1992) 163
Obradors, X., see X. Battle	104–107 (1992) 918	Ohno, H., see S. von Molnár	93 (1991) 356
Obradors, X., see A. Battle Obradors, X., see B. Martínez	104–107 (1992) 941	Ohno, K., see H.O. Carmesin	104-107 (1992) 264
Obradors, X., see A. Rouco	104–107 (1992) 1645	Ohno, K. and Y. Okabe, Effect of ran-	
Obradors, X., see M.T. Causa	104–107 (1992)1649	domness on surface critical phe-	
Obuszko, Z., see A. Kozłowski	92 (1990) 155	nomena by means of the $4-d$ ex-	
Ocal, C., see J.L. Martínez	93 (1991) 89	pansion	104–107 (1992) 275
Ochiai, A., see K. Fraas	108 (1992) 220	Ohno, T., see T. Myojin	104–107 (1992) 1195
Ocio, M., see L. Leylekian	104–107 (1992) 775	Ohno, T., Y. Kishimoto, T. Kanashiro,	
Ocio, M., see J. Hammann	104-107 (1992) 1617	Y. Michihiro, Y. Yamada, K.	
O'Connor, D. and C.R. Stephens, A		Mizuno, T. Myojin and A. Tsu-	
new approach to the critical behav-		jimura, ²⁷ Al spin-lattice relaxation	
iour of systems exhibiting a dimen-		and ultrasonic attenuation in Ti _{0.85}	404 405 (4000) 2005
sional crossover	104-107 (1992) 294	Al _{0.15}	104–107 (1992) 2027
O'Connor, D. and C.R. Stephens, A		Ohnuki, S., see K. Shimazaki	104–107 (1992) 1017
new scaling formulation for finite		Ohoyama, K., see M. Kasaya	104–107 (1992) 665
size ferromagnets	104-107 (1992) 300	Ohoyama, K., see M. Kohgi	108 (1992) 187
Oda, Y., see T. Kohara	104-107 (1992) 523	Ohta, H., see M. Motokawa	104–107 (1992) 947
Odagawa, K., see K. Nakagawa	104-107 (1992) 1007	Ohta, H., D. Donnelly and M. Mo-	
Oddou, J.L., C. Jeandey, J.L. Mattei		tokawa, FIR measurements of Cs- FeCl ₃ in magnetic field	104-107 (1992) 777
and G. Fillion, Mössbauer study of		Ohta, H., C.A. Ramos, D. Lederman	104-107 (1772) 777
the low-temperature transition in		and V. Jaccarino, Optical phonon	
pyrrhotite	104–107 (1992) 1987	studies of FeF ₂ epitaxial thin films	104-107 (1992)1741
Odier, P., see H. Stroumbos	104–107 (1992) 633	Ohta, N., see K. Shimazaki	104–107 (1992) 1017
Odin, J., see Y. Gros	104–107 (1992) 621	Ohta, S., Y. Hasebe, T. Kanomata and	
Oepen, H.P., Magnetic domain struc-		T. Kaneko, Thermal expansion and	
ture in ultrathin cobalt cobalt films	02 (1001) 116	magnetic properties of $Mn_{2-x}Zn_x$	
(Invited paper)	93 (1991) 116	Sb	104-107 (1992) 1979
Oesterreicher, H., M. Smith and D.		Oikawa, M., see T. Miyazaki	97 (1991) 171
Taylor, Magnetism of Fe clusters in	104-107 (1992) 497	Oja, A., see P. Hakonen	100 (1991) 394
$YBa_2(Cu_{1-x}Fe_x)_3O_y$	101 101 (1772) 471		

Oja, A.S. and H.E. Viertiö, Nuclear magnetic ordering in copper: the spin structure in the high-field phase at $B \parallel [111]$ Oja, A.S., see H.E. Viertiö Oka, K., see T. Kitai Okabe, Y., see M. Kikuchi Okabe, Y., see K. Ohno	104-107 (1992) 908 104-107 (1992) 915 104-107 (1992) 1357 104-107 (1992) 209 104-107 (1992) 275	Ono, I., see K. Kasono Ono, M., see R.J. Radwański Ono, M., see R.J. Radwański Onodera, H., see H. Kobayashi Onodera, H., M. Ohashi, H. Yamauchi, Y. Yamaguchi and H. Kobayashi, Magnetic phases in DyMn ₂ Si ₂ compound studied by ¹⁶¹ Dy Mössbauer	104-107 (1992) 282 101 (1991) 392 104-107 (1992)1139 109 (1992) 17
	104–107 (1992) 273	spectroscopy	109 (1992) 249
Okada, H., see I. Mogi		Onoe, S., see M. Mekata	104–107 (1992) 825
Okada, M., see W.C. Chang Okamoto, K., see K. Hara	109 (1992) 103 92 (1990) 68	Onuki, Y., see K. Satoh	104–107 (1992) 39
Okamoto, K., see K. Itala Okamoto, K., see K. Itoh	94 (1991) 235	Onuki, Y., see I. Umehara	104–107 (1992) 1407
Okamoto, K., see K. Hara	102 (1991) 247	Onuki, Y., see I. Umehara	104-107 (1992) 1409
Okamoto, T., see K. Hayashi	96 (1991) 230	Onuki, Y., see K. Satoh	104-107 (1992)1411
Okamoto, T., see Y. Ishii	98 (1991) 210	Onuki, Y. and A. Hasegawa, Fermi sur-	
Okayama, Y., H. Takahashi, N. Mori,		faces and cyclotron masses in the	
Y.S. Kwon, Y. Haga and T. Suzuki,		cerium and uranium heavy fermion	
Pressure induced electrical and		compounds	108 (1992) 19
magnetic properties in Ce-mono-		Onuki, Y., see T. Kagayama	108 (1992) 103
pnictides; CeX ($X = P$, As , Sb and	100 (1000) 112	Onuki, Y., see A. Yamagishi	108 (1992) 211
Bi)	108 (1992) 113 104–107 (1992) 57	Onyszkiewicz, Z. and A. Wierzbicki, Spatial distribution of Gaussian	
Okuda, K., see S. Noguchi Okuda, K., S. Noguchi, K. Konishi, H.	104-107 (1992) 37	fluctuations of the molecular field	
Deguchi and K. Takeda, Magnetism		in Ising ultra-thin films	99 (1991) 253
of one-dimensional copper oxides		Ooiwa, K., K. Endo and A. Shinogi, A	
related to HTSC	104-107 (1992) 817	structural phase transition and mag-	
Okuda, T., see T. Fujii	92 (1990) 261	netic properties in a Heusler alloy	
Okuda, T., see K. Ando	104–107 (1992) 993	Ni ₂ MnGa	104–107 (1992)2011
Okuyama, T., see H. Yamamoto	99 (1991) 243	Ooiwa, K., see K. Endo	104–107 (1992) 2013
Oleniacz, J., see W. Dudek	94 (1991) 243	Oomi, G., see Y. Uwatoko	104–107 (1992) 643
Oleś, A., see G. André	109 (1992) 34 104–107 (1992) 579	Oomi, G., see Y. Uwatoko	104–107 (1992) 645
Oles, A.M., see J. Dutka Oliveira, I.S., K. Nishimura, Y. Isikawa	104-107 (1992) 379	Oomi, G., see K. Iki Oomi, G., K. Iki, K. Shibata and Y.	108 (1992) 100
and N.J. Stone, Hyperfine interac-		Aya, Anomalous pressure and con-	
tion at the R site in RNi com-		centration dependence of the mar-	
pounds (R = La, Ce, Pr, Nd)	104-107 (1992) 1265	tensitic transformation temperature	
Oliveira, J.B., M. Alegria Feio, J.M.		of $\operatorname{Fe}_{72}(\operatorname{Pt}_{1-x}\operatorname{Ni}_x)_{28}$ alloys	104-107 (1992) 2075
Machado da Silva and M.A. Sá,		Oomi, G., see T. Kagayama	108 (1992) 103
Thermomagnetic behaviour of	404 405 (4000) 4450	Oomi, G., see Y. Uwatoko	108 (1992) 105
quenched ribbons of Nd ₁₆ Fe ₇₆ B ₈	104–107 (1992)1152	Oomura, T., see KI. Kobayashi	104–107 (1992) 413
Oliveira, Jr., N.F., see A. Zieba Olshevsky, V.G., see H. Maletta	104–107 (1992) 71 104–107 (1992) 495	Oppeneer, P.M., see T. Maurer Orbach, R., see J. Hammann	104–107 (1992) 1029
Onellion, M., see D.q. Li	99 (1991) 85	Orth, Th., U. Netzelmann, B. Dean, A.	104–107 (1992) 1617
Öner, Y., B. Aktas, F. Apaydin and C.	,, (1,,1,	Hoare, O. von Geisau, J. Pelzl, R.W.	
Kaptanoglu, Field-induced aniso-		Chantrell, R. Veitch and H. Jakusch,	
tropy in the NiMn system with Pt		Ferromagnetic resonance investiga-	
impurities	109 (1992) 323	tions of particulate magnetic record-	
Onnerud, P., Y. Andersson and R.		ing tapes	101 (1991) 235
Tellgren, Neutron powder diffrac-		Ortiz, G., M.D.N. Regueiro, C. Lacroix	
tion study on the magnetic phase of FeCoAs	104-107 (1992) 1989	and B. Coqblin, Self-consistent method for the two-impurity Ander-	
Ono, F., see L. Bang	104–107 (1992) 147	son model	100 (1002) 170
Ono, F., see S. Endo	104–107 (1992) 1441	Osadchenko, V.H., see G.S. Kandau-	108 (1992) 179
Ono, I. and A. Yamagata, Interface		rova	109 (1992) 332
profile of Kosterlitz-Thouless phase		Osakabe, T., see M. Kohgi	108 (1992) 187
of 3-state antiferromagnetic Potts	404 408 (4000)	Osano, K., see H. Sakakima	93 (1991) 349
model	104–107 (1992) 257	Oseroff, S.B., see M. Tovar	104–107 (1992) 549

O'Shea, M.J. and K.M. Lee, Anisotropy and double (reentrant) transitions in rare-earth-transition metal alloys Ossi, P.M., see P.L. Cavallotti Ostoréro, J., M. Guillot, M. Leblanc	99 (1991) 103 104–107 (1992) 905	Paduan-Filho, A., see M.S. Torikachvili Paduan-Filho, A., C.C. Becerra, C. Westphal, M. Gabás and F. Palacio, Anomalous field dependent phenomena at the spin-flop transition in K_2 Fe($Cl_{1-x}Br_x$) ₅ · H_2O solid so-	
and D. Rouet, Faraday rotation of pure and substituted cobalt ferrite		lutions Page III and IIM Elmohdi	104–107 (1992) 269
single crystals	104-107 (1992) 425	Page, J.H., see H.M. Elmehdi Paik, C.R., see W.C. Chang	104–107 (1992) 193 109 (1992) 103
Osuch, K., On the low-temperature	101 101 (1772) 423	Paillaud, J.L., P. Legoll and M. Drillon,	109 (1992) 103
magnetic ordering in ErBa ₂ Cu ₃ O ₇	104-107 (1992) 553	Magnetic properties of the quasi-1D	
Otani, T., see S. Tsunashima	104-107 (1992) 1021	compounds $M_2Cu_2O_5$ with $M = Y$,	
Otani, Y., see J.M.D. Coey	98 (1991) 76	In, Sc or a rare earth	96 (1991) 41
Otani, Y., see H. Miyajima	104–107 (1992)1117	Paixao, J.A., see J.G. Booth	104–107 (1992) 735
Otani, Y., see H. Sun	104–107 (1992)1439	Pająk, Z., see J.H. Hankiewicz	101 (1991) 134
Oti, J., see M. Pardavi-Horvath	104–107 (1992) 313	Palacio, F., see Y. Calage	98 (1991) 79
Ott, H.R., Heavy electrons, a lasting	100 (1002) 1	Palacio, F., see A. Paduan-Filho	104–107 (1992) 269
ource of puzzles Ott, H.R., see A. Schenck	108 (1992) 1 108 (1992) 97	Palacio, F., C. Castro, F.J. Lázaro and	
Otten, B., see J. Šimšová	101 (1991) 196	J. Reyes, Spin-glass behavior in some Schiff-base Co-containing	
Otto, T., T. Stobiecki, F. Stobiecki and	101 (1771) 170	magnetic polymers	104-107 (1992)2101
K. Röll, The influence of grain		Palewski, T., The UAs-ThSe solid so-	101 107 (1772) 2101
boundary diffusion on the amor-		lutions in high magnetic fields	92 (1990) 162
phization of multilayered Fe/Zr		Palme, W., O. Born, H. Kriegelstein, B.	
films	101 (1991) 207	Lüthi, A. Chennaoui, M. Enderle	
Ouahmane, H., see G. Suran	104–107 (1992) 125	and M. Steiner, Magnetic resonan-	101 10= (100=) 00=
Oudet, X., Paramagnetism: An alterna-		ces in low-dimensional spin systems	104–107 (1992) 805
tive view. I: The theoretical approach	98 (1991) 298	Palmer, S.B., see J. Sandonís	104–107 (1992) 345
proach Oudet, X., Paramagnetism: An alterna-	90 (1991) 290	Palmer, S.B., see R.S. Eccleston Palmer, S.B., see R.S. Eccleston	104–107 (1992) 1527 104–107 (1992) 1529
tive view. II: The Curie constant	98 (1991) 307	Pan, C.Y., Monte Carlo simulation for	104-107 (1772)1327
Oudet, X., Paramagnetism in 3d com-	,	the quantum q -state Potts model	104-107 (1992) 773
pounds	104-107 (1992) 1991	Pan, C.Y., see QQ. Zheng	104-107 (1992) 1019
Ouladdiaf, B., see R. Ballou	104-107 (1992) 935	Pan, C.Y., see Z. Zeng	104-107 (1992) 1157
Ouladdiaf, B., see R. Ballou	104–107 (1992) 1465	Pan, GH., QT. Wang and QC. Guo,	
Ounadjela, K., see D. Stoeffler	93 (1991) 386	Crystalline NdFe perpendicular	
Ounadjela, K., see A. Dinia	104–107 (1992) 1871	magnetization film	104–107 (1992) 981
Ounadjela, K., see D. Muller	104–107 (1992)1873	Pan, Q., see YC. Yang	104–107 (1992)1353
Ounadjela, K., A. Arbaoui, A. Herr, R. Poinsot, A. Dinia, D. Muller and P.		Pancorbo, M., see F. Cebollada Panissod, P., see E. Jędryka	101 (1991) 199 104–107 (1992) 1405
Panissod, Interlayer exchange cou-		Panissod, P., see A. Dinia	104–107 (1992) 1871
pling in Co/Ru superlattices	104-107 (1992)1896	Panissod, P., see D. Muller	104–107 (1992) 1873
Ousset, JC., see M. Maurer	93 (1991) 15	Panissod, P., see K. Ounadjela	104-107 (1992) 1896
Ousset, JC., see JF. Bobo	93 (1991) 452	Pankhurst, Q.A., C.E. Johnson and	
Ouvrard, G., see V. Carteaux	94 (1991) 127	B.M. Wanklyn, A Mössbauer study	
Oxborrow, C.A., see F. Bødker	104–107 (1992) 1695	of paramagnetic Na ₂ MgFeF ₇	97 (1991) 126
Oyabe, K., see Y. Isikawa	108 (1992) 157	Pankhurst, Q.A., see R.J. Pollard	99 (1991) L39
Ozasa, S., see H. Yoshie	104–107 (1992)1449	Pankhurst, Q.A., Measurement of mag-	
Ozhogin, V.I. and V.L. Preobrazhen- skii, Nonlinear dynamics of coupled		netic anisotropy in ferrimagnetic powders by applied field Mössbauer	
systems near magnetic phase transi-		spectroscopy	101 (1991) 291
tions of the "order-order" type	100 (1991) 544	Pankhurst, Q.A., M.R.J. Gibbs and A.P.	101 (1))1/
.,,,,		Thomas, Moment distribution in Fe ₇₈ B ₁₃ Si ₉ ribbons by Mössbauer	
Pačes, J., see M. Maryško	104-107 (1992) 429	spectroscopy	104-107 (1992) 111
Paches, J., see A.M. Balbashov	104-107 (1992)1037	Pankhurst, Q.A., see S. Suharan	104-107 (1992) 879
Padalia, B.D., see S.K. Malik	92 (1990) 80	Pankhurst, Q.A., see G.R. Thompson	104–107 (1992) 893
Padiou, J., see H. Schmitt	104–107 (1992) 1247	Pankhurst, Q.A., see R.J. Pollard	104–107 (1992) 1557

Pannetier I see D Lacorre	94 (1991) 331	Patil, S.I., see S.H. Patil	110 (1992) 147
Pannetier, J., see P. Lacorre Pannetier, J., see P. Lacorre	94 (1991) 337	Patrikios, N., M. de Podesta, S.B. Roy	110 (1772) 117
Pannetier, J., see M. Leblanc	92 (1991) 359	and K.A. McEwen, Microcalori-	
Pannetier, J., see P. Lacorre	92 (1991) 366	meter measurements of the heat ca-	
Paoluzi, A. and G. Turilli, Some com-	72 (1771) 300	pacity of U _{1-x} La _x Ru ₂ Si ₂	108 (1992) 95
ments on magnetization reversal in		Pattalwar, S.M., see S.K. Dhar	104-107 (1992)1303
uniaxial ferrite magnets (Letter to		Paul, D.McK., see G. Balakrishnan	104-107 (1992) 469
the Editor)	92 (1990) L39	Paul, D.McK., E.M. Forgan, R. Cubitt,	
Paoluzi, A., see G. Turilli	97 (1991) 338	S.L. Lee, H.A. Mook and P. Tim-	
Paoluzi, A., see G. Turilli	104-107 (1992)1143	mins, Neutron scattering from the	
Papakonstantinou, P., see R. Atkinson	104-107 (1992) 1005	flux lattice in high temperature su-	
Papoular, R., see J.X. Boucherle	104-107 (1992) 630	perconductors	104-107 (1992) 591
Paraskevas, S.M., see W. Likodimos	104-107 (1992) 563	Paul, D.McK., see P. Warren	104-107 (1992) 687
Pardavi-Horvath, M., see E. Della Torre	104-107 (1992) 303	Paul, D.McK., see A.T. Boothroyd	104-107 (1992) 713
Pardavi-Horvath, M., J. Oti, G. Vertesy,		Paul, D.McK., see S.R. Culverhouse	108 (1992) 121
L.H. Bennett and L.J. Swartzendru-		Paul, W., see O. Göser	92 (1990) 129
ber, A Preisach model study of de-		Paul, W., see B. Fischer	94 (1991) 79
magnetized states	104-107 (1992) 313	Paul, W., see H.G. Kahle	104-107 (1992)1185
Pardavi-Horvath, M., P.E. Wigen, R.E.		Paulose, P.L., V. Nagarajan, R. Nagara-	
Bornfreund, R.F. Belt and J.B. Ings,		jan and R. Vijayaraghavan, Mag-	
Asymmetric switching in high coer-		netic behaviour of melt spun Fe-	
civity garnet films	104-107 (1992) 433	RuB, Fe ₈₀ Ru ₁₀ B ₁₀ alloys	104–107 (1992) 87
Pareti, L., see P.A. Algarabel	101 (1991) 111	Paulose, P.L., see S. Patil	104–107 (1992) 521
Pareti, L., see G. Marusi	101 (1991) 333	Paulsen, C.C., see H. Amitsuka	104–107 (1992) 60
Pareti, L., see G. Turilli	104–107 (1992)1143	Paulsen, C.C., see Y. Miyako	108 (1992) 190
Paris, C., see L. Albanese	104–107 (1992) 509	Pavão, A.C., see J. Albino Aguiar	104–107 (1992) 547
Parker, D.A., see B. Dean	104–107 (1992) 1547	Pavlovic, A.S., see M.R. Ibarra	104–107 (1992) 1373
Parker, M.R., see J.O. Artman	104–107 (1992) 977	Pavlovic, A.S., Some magnetic proper-	
Parkin, S.S.P., see B. Dieny	93 (1991) 101	ties of σ -phase CrMn ₃	104–107 (1992) 2035
Parkin, S.S.P., see Y.Y. Huang	99 (1991) L31	Pawłowska, G., see S. Szymura	94 (1991) 113
Parlinski, K., see J. Sandonís	104–107 (1992) 345	Pawłowska, G., see H. Bala	103 (1992) 58
Paroli, P., see R. Hock	104–107 (1992) 453	Payen, C., H. Mutka, J.L. Soubeyroux,	
Parra, R.E. and A.C. González, Atomic		P. Molinié and P. Colombet, Static	
short range order and antiferromag-	104 107 (1002) 2017	and dynamic properties of the	
netism in Mn alloys	104–107 (1992)2017	quasi-1D Heisenberg antiferromag-	
Pasquale, M., F. Fiorillo and G. Ber-		nets $AgVP_2S_6$ (S = 1) and $AgCrP_2S_6$	104 107 (1000) 707
totti, Hysteresis loop properties of nonoriented Fe–Si alloys	104-107 (1992) 337	(S=3/2)	104–107 (1992) 797
Pastushenkov, J., A. Forkl and H.	104-107 (1992) 337	Payer, K., see E. Bauer Pearce, A., see J. Sandonís	104–107 (1992) 651
Kronmüller, Magnetic domain		Pearce, A., see J. Sandonis	104–107 (1992) 345
structure of sintered Fe-Nd-B type		Pechennikov, A.V., see A.D. Arsenieva	104–107 (1992) 347
permanent magnets and magneto-		Pecheur, P., see M.O. Selme	99 (1991) 167 93 (1991) 285
static grain interaction	101 (1991) 363	Pecheur, P., see M.O. Selme	109 (1992) 39
Pastushenkov, J., see A. Forkl	101 (1991) 367	Pędziwiatr, A.T., see J.J. Bara	99 (1991) 204
Patil, R.S., P.K. Maskar, S.V. Kakatkar,	101 (1771) 507	Pei, Yu, see E. Codjovi	104–107 (1992) 2103
S.R. Jadhav, S.A. Patil and S.R.		Pelissier, S., R. Saldanha, JP. Yonnet	104-107 (1992)2103
Sawant, Magnetic properties of		and JL. Coulomb, Optimization of	
$\text{Li}_{0.5}\text{Zr}_x\text{Zn}_x\text{Fe}_{2.5-2x}\text{O}_4$	102 (1991) 51	a linear permanent magnet actuator	101 (1991) 335
Patil, S., P.L. Paulose, C. Quitmann		Pelzl, J., see R. Kordecki	93 (1991) 281
and G. Güntherodt, Enhanced flux		Pelzl, J., see M. Hoffmann	101 (1991) 140
line pinning in Pb doped Bi ₂ Sr ₂ Ca-		Pelzl, J., see Th. Orth	101 (1991) 235
$Cu_2O_{8+\nu}$	104-107 (1992) 521	Peña, O., see H. Schmitt	104–107 (1992) 1247
Patil, S.A., see R.S. Patil	102 (1991) 51	Peña, O., A. Meerschaut and P. Rabu,	(2772) 2211
Patil, S.H., S.I. Patil, S.M. Kadam and		Magnetic properties of the misfit	
B.K. Chougule, Magnetization and		layer compound (CeS) _{1.15} NbS ₂	104-107 (1992) 1249
structural studies of Cu_xMg_{1-x}		Penfold, J., see J.A.C. Bland	93 (1991) 513
Fe ₂ O ₄ ferrite system	110 (1992) 147		

Peng. CB. DS. Dai, RY. Fang and CX. Liu, Low temperature magnetic excitations in amorphous light rare-earth-transition-metal thin films				
netic excitations in amorphous light rare-earth transition-metal thin films	Peng, CB., DS. Dai, RY. Fang and		Petkov, A., see I. Nedkov	101 (1991) 165
Peng. Cb., D. S. Dai and Y. D. He, The magnitude of structural disorder and the funstration of magnetic organization group and the structure and magnetic coupling of evaporated electronic band structure and magnetic organization group analysis Peng. J. L., see S. Eskanthakumar D. H. D. H. D. Sommers and J. Kübler, Calculated electronic band structure and magnetic moments of ferrites electronic band structure and magnetic moments of ferrites (1942) 103 (1992) 212 (1942) 103 (1992) 212 (1942) 103 (1942) 103 (1942) 112 (1942) 103 (1942) 112 (1942) 103 (1942) 112 (1942) 103 (1942) 112 (1942) 103 (1942) 113 (1942) 114 (194	ZX. Liu, Low temperature mag-		Petkov, V., A. Apostolov, G. Hilscher	
Ferrograph Section S	netic excitations in amorphous light		and H. Sassik, Correlation between	
Peng. Cb., Ds. Dai and Y.b. He, The magnetic anisotropy and interlayer magnetic coupling of evaporated Ag/Ni multilayers 110 (1992) 113 113 114 115 (1992) 113 115 116 (1992) 115 117	rare-earth-transition-metal thin		the magnitude of structural disorder	
magnetic coupling of evaporated Ag/Ni multilayers Peng, J.L., see S. Skanthakumar Pénicaud, M., B. Siberchicot, C.B. Sommers and J. Kübler, Calculated electronic band structure and magnetic mements of ferrites Pénisard, G., see F. Piere Pepperhoff, W., see W.M. Xu Peral, G., J.M.B. Nójaka, D. Given, M. S. V. Peral, G., J. Arenzon Pepperhoff, W., see W.M. Xu Peral, G., J.M.B. Nójaka, D. Given, M. S. V. Peral, G., J. K. S. Maffi, F. Leccabue, A. Deriu and G. Calestani, Electrochemical and magnetostructural aspects of lithium instrution in BaFe ₁₂ O ₁₉ Perenboom, J.A.A.J., see E. Brück Pérez, G.T. J.F. Fuertes, J.M. Almoda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe, Sh.1., Z/Si multilayers Pérez, Conde, J. and P. Pictur, The two-dimensional Hubbard model: a renormalization group analysis Perlov, C.M., see C. Della Torre Perlov, C.M., see C. Della Torre Perlov, C.P., see S. E. Nagler Perlov, C.M., see C. Della Torre Perlov, C.P., see S. E. Nagler Perlov, C.M., see C. Della Torre Perlov, C.P., see S. E. Nagler Perlov, C.M., see C. Della Torre Perlov, C.P., see S. E.	films	92 (1991) 353	and the frustration of magnetic or-	
Magnetic coupling of evaporated Ag-/Ni multilayers 110 (1992) 113 Peng, J.L., see S. Skanthakumar Penicaud, M., B. Siber-thoft, C.B. Sommers and J. Kübler, Calculated electronic band structure and magnetic moments of ferrites 103 (1992) 212 Penisard, G., see F. Brere 104-107 (1992) 1032 Pennar, T.J.P., see J.J. Aroznon Penperhoft, W., see W.M. Xu Perral, G. J. M.B. Nójaka, D. Givord and J.L. Vicent, Hall effect in R-Co amorphous flims and R-Co/R'-Co/R-Co sandwiches (R, R' = Y, Nd, Gd) Perton, E., See S.E. Nagler Perton, E., See E. Beitick Perton, E., See E. Beitick Perception, S. M. A.J., see B. Beitick Perception, S. M. A.J., see B. Beitick Perception, S. M. S. M. A.J., see B. Beitick Perception, S. M. S. M. A.J., see B. Beitick Perception, S. M. S.	Peng, C.b., D.s. Dai and Y.b. He, The			109 (1992) 309
Peng, J.L., see S. Skanthakumar 110 (1992) 131 140-107 (1992) 519 519 510	The state of the s		Petrillo, C., F. Sacchetti and M. Scafi,	
Peficial Al, M., B. Siberchicot, C.B. Sommers and J. Kübler, Calculated electronic band structure and magnetic moments of ferrites plenna, T.J.P., see J. J. Arenzon perman, T.J.P., see J. J. Arenzon perman, T.J.P., see J. J. Arenzon and J.L. Vicent, Hall effect in R-Co amorphous films and R-Cc/g/r-Co/R-Co sandwiches (R, R = Y, M.) Gd) Peraldo Bicelli, L., S. Maffi, F. Leccabue, A. Deriu and G. Calestani, Electrochemical and magnetostructural aspects of lithium insertion in BaFe _{12O} peremboom, J.A.A.J., see E. Brück permotements of the magnetic phases in amorphous Feze, Gr., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J. F. Fuertes, J.M. Almeda and E.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J. F. Fuertes, J.M. Almeda and E.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J. F. Fuertes, J.M. Almeda and E.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J. F. Fuertes, J.M. Almeda and E.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J. F. Fuertes, J. M. Almeda and E.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J. F. Fuertes, J. M. Almeda and E.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J. F. Fuertes, J. S. H. L. Fuertes, J. S. H. L. Fuertes, J. M. Almeda and E.H. Salas, Evidence of different magnetic phases in amorphous Feze, Gr., J. F. Fuertes, J. S. H. L. Fuertes, J. S. L. Fuertes, J. S. L. Fuertes, J. S. H. L. Fuertes, J. S. L. Fuertes, J.	magnetic coupling of evaporated		Antiferromagnetic alignment of Mn	
Petrocaud, M., B. Siberchicot, C.B. Sommers and J. Kübher, Calculated electronic band structure and magnetic moments of ferrites 103 (1992) 212 104-107 (1992) 1033 104-107 (1992) 1035 104-107 (1992) 1025 104-		110 (1992) 113	in ferromagnetic MnNi _{3.5} alloy:	
Sommers and J. Kübler, Calculated electronic band structure and magnetic moments of ferrites 103 (1992) 212 103 (1992) 1212 103 (1992) 1212 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 104 (1972) 1052 105 (1		104–107 (1992) 519	state of order dependence	104–107 (1992) 2015
Selectronic band structure and magnetic ments of ferrites 103 (1992) 212 Pénissard, G., see F. Pierre 104-107 (1992) 1033 Perlon, T.J.P., see J. A. A. Ferr, P. Etienne, S. Lequien and G. Perporchoff, W., see W. M. Xu Peral, G., J.M.B. Ndjaka, D. Givord and J.L. Vicent, Hall effect in R-Co amorphous films and R-Co/R'-Co/R-Co sandwiches (R, R' = Y, Nd, Gd) Peraldo Bicelli, L., S. Maffi, F. Leccabue, A. Deriu and G. Calestani, Electrochemical and magnetostructural aspects of lithium insertion in BaFe ₁₇ O ₁₉ Perenboom, J.A.A.J., see E. Brück Pérez, F., see M. Tovar Pérez, C.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe, Si ₁₁ -y, Si multilayers Pérez, Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Perlow, C.M., see E. Della Torre Pernet, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Peruchetti, J.C., see C. Krembel Peruchetti, J.C., see C. Krembel Peruchetti, J.C., see C. Rembel Peruchetti, J.C., see C. Remb				104–107 (1992) 436
Retic moments of ferrites			Petroff, F., A. Barthélémy, A. Hamzić,	
Pénissard, G., see F. Pierre 104-107 (1992)1035 Fe/Cr superlattices 93 (1991) 480 Pepperhofff, W., see W.M. Xu 104-107 (1992)2023 Petroff, F., see D.H. Mosca 93 (1991) 480 Perporhoff, W., see W.M. Xu Petroff, F., see D.H. Mosca 94 (1991) L1 Percor, C., RCo sandwiches (R., R., P., P., Nd, Gd) Petroff, F., see D.H. Mosca 94 (1991) L1 Peraldo Bicelli, L., S. Maffi, F. Leccabue, A. Deriu and G. Calestani, Electrochemical and magnetostructural aspects of lithium insertion in BaFe ₁₂ , O ₁₀ 104-107 (1992) 175 Pfeilter, W., see R. Bi-Hilo 104-107 (1992) 251 Péreze, G.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe, Si, -, Si multilayers 93 (1991) 155 Piccuch, M., see JP. Yang 104-107 (1992) 251 Pérez, Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis 93 (1991) 155 Piecuch, M., see M. Ziese 104-107 (1992) 251 Perning, T.G., see A. Bentite and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ 104-107 (1992) 185 Piecuch, M., see M. Riem 93 (1991) 109 Petroff, F., see D.H. Mosca 94 (1991) 267 Pretroff, F., see D.H. Houdy, F.W.A. Dirne and M. El-Haffid, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Pret	——————————————————————————————————————			
Pennal, T.J.P., see J.J. Arenzon 104-107 (1992)1052 Petroff, F., see D.H. Mosca 93 (1991) 480 Petroff, F., see D.H. Mosca 94 (1991) L1 Petroff, F., see D.H. Mosca 104-107 (1992) 1580 Petroff, F., see D.H. Mosca 104-107 (1992) 159 Petroff, F., see J.F. Bobo 104-107 (1992) 159 Petroff, F., see J.Hathon 104-107 (1992) 159 Petroff, F., see J. Mathon 104-107 (1992) 159 Petroff, F., see J. Matho			· · · · · · · · · · · · · · · · · · ·	
Petroff, F., see D.H. Mosca 94 (1991) L1				
Petrof, F., see A. Fert 104-107 (1992)1712				
Petroff, F., sec D. Lottis 104-107 (1992)1811		104-107 (1992)2023		
Pfeiffer, H., see M. Biller 101 (1991) 237				
Co/R-Co sandwiches (R, R' = Y, Nd, Gd)	•			
Peraldo Bicelli, L., S. Maffi, F. Leccabue, A. Deriu and G. Calestani, Electrochemical and magnetostructural aspects of lithium insertion in BaFe ₁₂ O ₁₉ 94 (1991) 267 Perenboom, J.A.A.J., see E. Brück Pérez, F., see M. Tovar 94 (1992) 179 Pérez, G.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe, Si _{1-x} /Si multilayers Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Perlov, C.M., see E. Ballel Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Haffidi, Structure and magnetic properties of a stage-1 bi-intercalated graphic compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Perring, T.G., see A.T. Boothroyd Persen, J.J., see E.A. Knetsch Persen, J.J., see E.A. Knetsch Petersen, J.J., see E.A. Knetsch Petersen, J.J., see E.A. Knetsch Petersen, J.J., see B. Gillon Petigrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-				
Péraldo Bicelli, L., S. Maffi, F. Leccabue, A. Deriu and G. Calestani, Electrochemical and magnetostructural aspects of lithium insertion in BaFe ₁₂ O ₁₉		104 107 (1000) 1755		
bue, A. Deriu and G. Calestani, Electrochemical and magnetostructural aspects of lithium insertion in BaFe ₁₂ O ₁₉ 94 (1991) 267 Perenboom, J.A.A.J., see E. Brück 94 (1991) 267 Pérez, F., see M. Tovar 104–107 (1992) 17 Pérez, F., see M. Tovar 104–107 (1992) 549 Pérez, G.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe _x Si _{1-x} /Si multilayers 93 (1991) 155 Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Perlov, C.M., see E. Della Torre 104–107 (1992) 251 Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt 104–107 (1992) 187 Perring, T.G., see S.E. Nagler 104–107 (1992) 214 Perring, T.G., see S.E. Nagler 104–107 (1992) 179 Peschany, S.E., see N.A. Usov 110 (1992) L1 Peteks, B., see M.A. Russak 104–107 (1992) 187 Peterson, D.T., see B. Dieny 104–107 (1992) 188 Petigrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-		104-107 (1992)1755		
Electrochemical and magnetostructural aspects of lithium insertion in BaFe ₁₂ O ₁₉ 94 (1991) 267 Perenboom, J.A.A.J., see E. Brück 104–107 (1992) 17 Pérez, F., see M. Tovar 104–107 (1992) 549 Pérez, G.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe, Sil. – x/Si multilayers 93 (1991) 155 Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Pertey, M., see E. Della Torre 104–107 (1992) 251 Perhot, C.M., see E. Della Torre 104–107 (1992) 303 Perhot, C.M., see E. Della Torre 104–107 (1992) 918 Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler 104–107 (1992) 847 Perrings, T.G., see C. Krembel 98 (1991) 529 Perschamy, S.E., see N.A. Usov 110 (1992) 117 Peterson, D.T., see B. Dieny 104–107 (1992) 1887 Petigrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-				
tural aspects of lithium insertion in BaFe 12O 19 Perenbom, J.A.A.J., see E. Brück 104-107 (1992) 17 Pérez, F., see M. Tovar 104-107 (1992) 549 Pérez, G.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe, Si _{1-x} /Si multilayers 93 (1991) 155 Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt 104-107 (1992) 1247 Perring, T.G., see A.T. Boothroyd Perring, T.G., see A.F. Boothroyd Perring, T.G., see C. Krembel Pertest, J., see E.A. Knetsch 108 (1992) 71 Peterson, D.T., see B. Dieny Petigrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-				
BaFe 2O 19 267 Perenboom, J.A.A.J., see E. Brück 104-107 (1992) 17 Ferze, F., see M. Tovar 104-107 (1992) 549 Pérze, G.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe, Sil -x / Si multilayers 93 (1991) 155 Pérzez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis 104-107 (1992) 251 Pernot, P., V. Polo, R. Nangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Perring, T.G., see S.E. Nagler 104-107 (1992) 1847 Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov 110 (1992) L1 Peterson, D.T., see B. Dieny Petigrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-				104-107 (1992)1721
Perenboom, J.A.A.J., see E. Brück Pérez, F., see M. Tovar Pérez, F., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe, si1_x/Si multilayers Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Peroc, C.M., see E. Della Torre Pernet, M., see X. Battle Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perring, T.G., see A.T. Boothroyd Perring, T.G., see A.T. Boothroyd Perring, T.G., see A.T. Boothroyd Perring, T.G., see A.R. Nagler Perschetti, J.C., see C. Krembel Peschamy, S.E., see N.A. Usov Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petigrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- waves in magnetic overlayers and sandwiches 104–107 (1992) 549 Sandwiches 110 (1992) L261 Piecuch, M., see JP. Yang 110 (1992) L261 Piecuch, M., see M. Hein 104–107 (1992) 537 Piecuch, M., see M. Enabote 104–107 (1992) 537 Piecuch, M., see M. Hein 104–107 (1992) 537 Piecuch, M.		04 (1001) 267		
Pérez, F., see M. Tovar Pérez, G.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe_xSi_{1-x}/Si multilayers 93 (1991) 155 Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Perlov, C.M., see E. Della Torre Pernet, M., see E. Della Torre Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl $_3$ and CoCl $_2$ Perring, T.G., see A.T. Boothroyd Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler Perchetti, J.C., see C. Krembel Peschany, S.E., see M.A. Russak 104–107 (1992) 1847 Petersen, J.J., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., see B. Gillon Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd $_2$ CuO $_4$ investigated by neu-				
Pérez, G.T., J.F. Fuertes, J.M. Almeda and F.H. Salas, Evidence of different magnetic phases in amorphous Fe _x Si _{1-x} /Si multilayers 93 (1991) 155 Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis 104–107 (1992) 251 Perloy, C.M., see E. Della Torre 104–107 (1992) 303 Pernet, M., see K. Baudelet 93 (1991) 609 Pieuch, M., see F. Baudelet 93 (1991) 539 Pieuch, M., see K. Cherifi 93 (1991) 609 Piel, H., see M. Hein 104–107 (1992) 529 Pieper, M., see M. Ziese 104–107 (1992) 529 Pierce, D.T., see M.R. Scheinfein 93 (1991) 109 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ 104–107 (1992) 853 Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler 104–107 (1992) 1247 Perring, T.G., see S.E. Nagler 93 (1991) 529 Perschamy, S.E., see N.A. Usov 110 (1992) L1 Petek, B., see M.A. Russak 104–107 (1992) 1847 Peterson, D.T., see B. Dieny 93 (1991) 101 Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-				104_107 (1002) 1876
and F.H. Salas, Evidence of different magnetic phases in amorphous Fe _x Si _{1-x} /Si multilayers 93 (1991) 155 Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis 104–107 (1992) 251 Perlov, C.M., see E. Della Torre 104–107 (1992) 303 Pernet, M., see X. Batlle Pernet, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler Peruchetti, J.C., see C. Krembel Person, D.T., see B. Oilon Pettigrand, D., see B. Gillon Pettigrand, D., see B. Gillon Pettigrand, D., see B. Gillon Pettigrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-		104-107 (1772) 547		
ent magnetic phases in amorphous $F_{c_x}Si_{1-x}/Si$ multilayers 93 (1991) 155 Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis 104–107 (1992) 251 Perlov, C.M., see E. Della Torre 104–107 (1992) 303 Pernet, M., see E. Della Torre 104–107 (1992) 303 Pernet, M., see E. Della Torre 104–107 (1992) 918 Pernet, M., see X. Batlle Pernet, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl $_3$ and CoCl $_2$ Perrin, A., see H. Schmitt 104–107 (1992) 1247 Perring, T.G., see A.T. Boothroyd 104–107 (1992) 1247 Perring, T.G., see S.E. Nagler 104–107 (1992) 1247 Perring, T.G., see C. Krembel 93 (1991) 529 Peschany, S.E., see N.A. Usov 110 (1992) L1 Petek, B., see M.A. Russak 104–107 (1992) 1847 Petersen, J.J., see E.A. Knetsch Petitgrand, D., see B. Dieny 93 (1991) 101 Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon 104–107 (1992) 583 Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd $_2$ CuO $_4$ investigated by neu-				
Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Perlov, C.M., see E. Della Torre 104–107 (1992) 251 Perlov, C.M., see E. Della Torre 104–107 (1992) 303 Piecuch, M., see K. Cherifi 93 (1991) 609 Piel, H., see M. Ziese 104–107 (1992) 537 Perlov, C.M., see E. Della Torre 104–107 (1992) 303 Pierce, D.T., see M. R. Scheinfein 93 (1991) 109 Pernet, M., see X. Batlle 104–107 (1992) 918 Pierce, D.T., see M.R. Scheinfein 93 (1991) 109 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl $_3$ and CoCl $_2$ Perrin, A., see H. Schmitt 104–107 (1992) 1247 Perring, T.G., see A.T. Boothroyd 104–107 (1992) 1247 Perring, T.G., see S.E. Nagler 104–107 (1992) 1247 Perring, T.G., see S.E. Nagler 104–107 (1992) 847 Perchetti, J.C., see C. Krembel 93 (1991) 529 Perk, B., see M.A. Russak 104–107 (1992) 1847 Petersen, J.J., see E.A. Knetsch 108 (1992) 71 Peterson, D.T., see B. Dieny 93 (1991) 101 Pierre, J., see A.A. Ghani Petitgrand, D., see B. Gillon Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd $_2$ CuO $_4$ investigated by neu-				
Pérez-Conde, J. and P. Pfeuty, The two-dimensional Hubbard model: a renormalization group analysis Perlov, C.M., see E. Della Torre 104–107 (1992) 251 Pieper, M., see M. Ziese 104–107 (1992) 537 Perlov, C.M., see E. Della Torre 104–107 (1992) 918 Pernet, M., see X. Batlle Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Perring, T.G., see H. Schmitt Perring, T.G., see S.E. Nagler 104–107 (1992) 853 Perring, T.G., see S.E. Nagler 104–107 (1992) 1247 Perring, T.G., see C. Krembel Psechany, S.E., see N.A. Usov 110 (1992) L1 Peterson, D.T., see B. Dieny Petitgrand, D., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-		93 (1991) 155		
two-dimensional Hubbard model: a renormalization group analysis 104–107 (1992) 251 Perlov, C.M., see E. Della Torre 104–107 (1992) 303 Pernet, M., see X. Batlle 104–107 (1992) 918 Pernet, M., see M. Hein 104–107 (1992) 537 Pierce, D.T., see M.R. Scheinfein 93 (1991) 109 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 183 Petitgrand, D., see B. Dieny 93 (1991) 101 Petitgrand, D., see B. Gillon 104–107 (1992) 583 Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu-		75 (1771) 155		
renormalization group analysis Perlov, C.M., see E. Della Torre Pernet, M., see X. Batlle Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Haffidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov Petek, B., see M.A. Russak Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- 104–107 (1992) 251 104–107 (1992) 303 Pierre, D.T., see M.R. Scheinfein Pierre, P., Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft mag-netic properties of Fe/FeN multilayer films prepared by reactive diode ff sputtering Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft mag-netic properties of Fe/FeN multilayer films prepared by reactive diode ff sputtering Pierre, F., P. Boher, Ph. Houdy, J. Ferre, G. Pénissard, V. Grolier, J. Ferre, G. Pénissard, V. Grolier, J. Ferre, F., P. Boher, Ph. Houdy, J. Ferre, G. Pénissard, V. Grolier, J. Ferre, G. Pénissard, V. Grolier, J. Ferre, F., P. Boher, Ph. Houdy, J. Ferre, F., P. Boher, Ph. Houdy, J. Ferre, G. Pénissard, V. Grolier, J. Ferre, G. Pénissard, V. Grolier, J. Ferre, G. Pénissard, V. Grolier, J. Ferre, J., see R. Gilon Pierre, T., see R. A. Ghani Pierre, J., see R. A. Ghani Pierre, J., see R. A. Ghani Pierre, J., see A.A. Ghani Pierre, J., see A.A. Ghani Pierre, J., see A.A. Ghani Pierre, J., see S. Auffret Pierro, J., see S. Auffret Pi				
Perlov, C.M., see E. Della Torre Pernet, M., see X. Batlle Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Perring, T.G., see A.T. Boothroyd Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov Petek, B., see M.A. Russak Petersen, J.J., see B. Dieny Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Pernot, P., V. Polo, R. Vangelisti, G. 104–107 (1992) 918 Pierce, D.T., see M.R. Scheinfein Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Peterk, S., see F. Giron Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Peterk, S., see F. Giron Pierre, J., see F. Giron Pierre, J., see F. Giron Pierre, J., S. Auffret, B. Lambert-A		104-107 (1992) 251		
Pernet, M., see X. Batlle Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov Petek, B., see M.A. Russak Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- 104–107 (1992) 918 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rfs sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, J., See S. A. Ghani Pierre, F., P. Boher, Ph. Houdy, F.W.A. Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 1				
Pernot, P., V. Polo, R. Vangelisti, G. Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov Petersen, J.J., see E.A. Knetsch Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Dirne and H.J. de Wit, Soft magnetic properties of Fe/FeN multilayer films prepared by reactive diode rfsputtering Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters Pierre, F., see F. Giron Pierre, F., P. Boher, Ph. Houdy, J. Pierre, F., See F. Giron Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and L.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see				(,
Chouteau and M. El Hafidi, Structure and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ Perrin, A., see H. Schmitt Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov Petek, B., see M.A. Russak Petersen, J.J., see E.A. Knetsch Petersen, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- netic properties of Fe/FeN multilayer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers influence of the stack parameters 104–107 (1992) 1837 Pierre, F., See F. Giron 104–107 (1992) 1837 Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Fe				
ture and magnetic properties of a stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ 104–107 (1992) 853 Perrin, A., see H. Schmitt 104–107 (1992) 1247 Perring, T.G., see A.T. Boothroyd 104–107 (1992) 713 Perring, T.G., see S.E. Nagler 104–107 (1992) 847 Peruchetti, J.C., see C. Krembel 93 (1991) 529 Peschany, S.E., see N.A. Usov 110 (1992) L1 Petek, B., see M.A. Russak 104–107 (1992) 1847 Petersen, J.J., see E.A. Knetsch 108 (1992) 71 Peterson, D.T., see B. Dieny 93 (1991) 101 Petitgrand, D., see B. Gillon 104–107 (1992) 583 Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- layer films prepared by reactive diode rf sputtering 93 (1991) 131 Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1033 Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1887 Pierre, J., see A.A. Ghani 97 (1991) 141 Pierre, J., See A.A. Ghani 97 (1991) 141 Pierre, J., See A.A. Ghani 97 (1991) 141 Pierre, J., See A.A. Ghani 97 (1991) 1207 Pierre, J., See S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and transport properties of rare earth silicides RSi _{2-x} 104–107 (1992) 1207 Pierre, J., see S. Auffret 104–107 (1992) 1207				
stage-1 bi-intercalated graphite compound with AlCl ₃ and CoCl ₂ 104–107 (1992) 853 Perrin, A., see H. Schmitt 104–107 (1992) 1247 Perring, T.G., see A.T. Boothroyd 104–107 (1992) 713 Perring, T.G., see S.E. Nagler 104–107 (1992) 847 Peruchetti, J.C., see C. Krembel 93 (1991) 529 Petek, B., see M.A. Russak 104–107 (1992) 1847 Petersen, J.J., see E.A. Knetsch 108 (1992) 71 Peterson, D.T., see B. Dieny 93 (1991) 101 Petitgrand, D., see B. Gillon 104–107 (1992) 583 Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- diode rf sputtering 93 (1991) 131 diode rf sputtering Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1033 Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1033 Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1887 Pierre, F., P. Boher, Ph. Houdy, J. Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1887 Pierre, F., See F. Giron Pierre, J., See A.A. Ghani Pierre, J., See A.A. Ghani Pierre, J., See A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} 104–107 (1992) 1207 Pierre, J., See A.A. Ghani				
Perrin, A., see H. Schmitt Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov Petek, B., see M.A. Russak Petersen, J.J., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Perring, T.G., see A.T. Boothroyd 104–107 (1992) 1247 Ferré, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1033 Pierre, F., see F. Giron Pierre, J., see A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters Pierre, F., see F. Giron Pierre, J., See A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret Pierre, G. Pénissard, V. Grolier, J. Teillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters Pierre, F., see F. Giron Pierre, J., See A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret Pierro-Bohnes, V., see D. Muller 104–107 (1992) 1207 Pierro-Bohnes, V., see D. Muller	stage-1 bi-intercalated graphite		diode rf sputtering	93 (1991) 131
Perring, T.G., see A.T. Boothroyd Perring, T.G., see S.E. Nagler Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov Petek, B., see M.A. Russak Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Perring, T.G., see A.T. Boothroyd 104–107 (1992) 713 Petillet and A. Fnidiki, Magneto-optical properties of diode rf-sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1033 Pierre, F., see F. Giron Pierre, J., see A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller 104–107 (1992) 1207 Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller 104–107 (1992) 1209 Pierrel Tb/Fe multilayers: influence of the stack parameters Pierre, F., see F. Giron Pierre, J., see A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller Pierron-Bohnes, V., see D. Muller	compound with AlCl ₃ and CoCl ₂	104-107 (1992) 853	Pierre, F., P. Boher, Ph. Houdy, J.	
Perring, T.G., see S.E. Nagler Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov Petek, B., see M.A. Russak Petersen, J.J., see E.A. Knetsch Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Perring, T.G., see S.E. Nagler 93 (1991) 529 110 (1992) L1 104–107 (1992) 1847 Pierre, F., see F. Giron Pierre, J., see A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller 104–107 (1992) 1207 Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller 104–107 (1992) 1207 Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller 104–107 (1992) 1207	Perrin, A., see H. Schmitt	104-107 (1992) 1247	Ferré, G. Pénissard, V. Grolier, J.	
Peruchetti, J.C., see C. Krembel Peschany, S.E., see N.A. Usov 110 (1992) L1 Petek, B., see M.A. Russak 104–107 (1992) 1847 Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Peruchetti, J.C., see C. Krembel 93 (1991) 529 sputtered Tb/Fe multilayers: influence of the stack parameters 104–107 (1992) 1033 Pierre, F., see F. Giron Pierre, J., see A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret 104–107 (1992) 1207 Pierre, J., see S. Auffret Pierre, J., see S. Auffret 104–107 (1992) 1207 Pierre, J., see S. Auffret Pierre, J., see S. Auffret Pierre, J., see S. Auffret 104–107 (1992) 1207 Pierre, J., see S. Auffret Pierre, J., see S. Auffr	Perring, T.G., see A.T. Boothroyd	104-107 (1992) 713	Teillet and A. Fnidiki, Magneto-	
Peschany, S.E., see N.A. Usov 110 (1992) L1 Petek, B., see M.A. Russak 104-107 (1992) 1847 Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- 104-107 (1992) 1847 Pierre, F., see F. Giron Pierre, J., see A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller 104-107 (1992) 1207 Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller 104-107 (1992) 1207 Pierre, J., see S. Auffret Pierron-Bohnes, V., see D. Muller 104-107 (1992) 1207	Perring, T.G., see S.E. Nagler	104-107 (1992) 847	optical properties of diode rf-	
Petek, B., see M.A. Russak Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Peterson, D.T., see B. Dieny 93 (1991) 101 Pierre, J., see A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret Pierre, J., see S. Auff	Peruchetti, J.C., see C. Krembel	93 (1991) 529	· / / / / / / / / / / / / / / / / / / /	
Petersen, J.J., see E.A. Knetsch Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Peterson, D.T., see B. Dieny 93 (1991) 101 Pierre, J., see A.A. Ghani Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret 104-107 (1992) 1207	Peschany, S.E., see N.A. Usov	110 (1992) L1		104–107 (1992)1033
Peterson, D.T., see B. Dieny Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of transport properties of rare earth silicides RSi _{2-x} Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret 104-107 (1992) 1207 Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} Pierre, J., see S. Auffret 104-107 (1992) 1207 Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} 104-107 (1992) 1207 Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} 104-107 (1992) 1207 Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} 104-107 (1992) 1207 Pierre, J., S. Auffret, B. Lambert-Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} 104-107 (1992) 1207	Petek, B., see M.A. Russak	104–107 (1992) 1847		
Petitgrand, D., see B. Gillon Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of copper and neodymium magnetic moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- 104–107 (1992) 583 Andron, R. Madar, A.P. Murani and J.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} 104–107 (1992) 1207 Pierre, J., see S. Auffret 104–107 (1992) 1209 Pierron-Bohnes, V., see D. Muller 104–107 (1992) 1873				97 (1991) 141
Petitgrand, D., L. Boudarène, P. Bourges and P. Galez, Interplay of transport properties of rare earth silicides RSi _{2-x} moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- D.L. Soubeyroux, Magnetic and transport properties of rare earth silicides RSi _{2-x} 104-107 (1992)1207 Pierre, J., see S. Auffret 104-107 (1992)1209 Pierron-Bohnes, V., see D. Muller 104-107 (1992)1873				
Bourges and P. Galez, Interplay of copper and neodymium magnetic silicides RSi_{2-x} 104-107 (1992)1207 moments in the magnetic structure of Nd_2CuO_4 investigated by neu-		104–107 (1992) 583		
copper and neodymium magnetic silicides RSi_{2-x} 104-107 (1992) 1207 moments in the magnetic structure of Nd_2CuO_4 investigated by neu-				
moments in the magnetic structure of Nd ₂ CuO ₄ investigated by neu- Pierre, J., see S. Auffret Pierre, J., see S. Auffret 104–107 (1992) 1209 Pierron-Bohnes, V., see D. Muller 104–107 (1992) 1873				104 107 (1000) 1007
of Nd ₂ CuO ₄ investigated by neu- Pierron-Bohnes, V., see D. Muller 104-107 (1992) 1873			2 2	
101 107 (1000) 707 71 1 35 35 35 11 1 110 (1000) 707				
tron scattering 104–107 (1992) 363 Pietruszka, W., see W. Wattak 110 (1992) 287	E T	104 107 (1002) 505		
	tron scattering	104-107 (1992) 303	i ictiuszka, ivi., see ivi. iviatiak	110 (1992) 207

Dilinerals E and M Vancousier Mag		Pirnay, J., U. Krey and S. Krompiewski,	
Pilipczuk, E. and M. Kopcewicz, Magnetic and structural ordering in		Itinerant magnetism at surfaces and	
amorphous FeNiB alloys	102 (1991) 47	interfaces of ultrathin Fe-films: en-	
Pilkington, C.S., see B.K. Tanner	104–107 (1992) 1611	hanced surface polarization and im-	
Pillay, R.G., see B.V.B. Sarkissian	104-107 (1992) 1271	purity effects	93 (1991) 267
Pillmayr, N., G. Schaudy, T. Holubar	,	Pirogov, A.V., see H. Maletta	104-107 (1992) 495
and G. Hilscher, Specific heat mea-		Pissas, M., V. Psycharis, C. Mitros, G.	
surements of $Ce(Fe_{1-x}M_x)_2$ com-		Kallias, D. Niarchos, A. Simopoulos	
pounds (M = Al, Si; Co, Ni, Cu; In,		and A. Kostikas, Mössbauer and	
Sn)	104-107 (1992) 881	X-ray powder diffraction study of	
Pillmayr, N., see V. Sechovský	104–107 (1992) 11	the compound LuBaCuFeO _{5+x}	104–107 (1992) 571
Pillmayr, N., see G. Schaudy	104-107 (1992) 477	Place, C., see A. Bousseksou	104–107 (1992) 225
Pillmayr, N., see T. Holubar	104–107 (1992) 479	Place, H., see T.E. Grigereit	104–107 (1992) 831
Pillmayr, N., E. Bauer and K. Yoshi-		Plakhty, V., see F. Dunstetter	96 (1991) 282
mura, Electronic properties of the		Plakida, N.M., see D. Ihle	104–107 (1992) 511
valence transition system $YbIn_{1-x}$	104 107 (1007) (20	Plaskett, T.S., see P.P. Freitas	93 (1991) 485
Ag _x Cu ₄	104–107 (1992) 639	Plazzela, F., see J. Voigt	93 (1991) 341 104–107 (1992) 82
Pillmayr, N., see E. Bauer	104–107 (1992) 651	Pluzary N. see M.L. Fdez-Gubieda	97 (1991) 147
Pillmayr, N., see E. Gratz	104–107 (1992) 1918 108 (1992) 82	Plugaru, N., see E. Burzo Plumier, R., Effects of a magnetic field	97 (1991) 147
Pillmayr, N., see I. Das Pimpinelli, A., see E. Rastelli	104-107 (1992) 173	on the spiral configuration	104–107 (1992) 891
Pinettes, C., see C. Lacroix	104–107 (1992) 751	Plumier, R. and M. Sougi, Magnetic	104 107 (1772) 071
Ping, J.Y., D.G. Rancourt and R.A.	101 101 (1772) 751	modes coupling in a fcc Bravais lat-	
Dunlap, Physical basis and break		tice	104-107 (1992) 899
down of hyperfine field distribution		Podel'shchikov, A.I., see E.L. Nagaev	104-107 (1992) 999
analysis in fcc Fe-Ni (5-70 at%Fe)	103 (1992) 285	Podgórny, M., M. Thon and D. Wag-	
Pini, M.G., see P. Politi	104-107 (1992) 1707	ner, Electronic structure and ther-	
Pinkvos, H., see A. Kalk	102 (1991) 184	modynamic properties of Fe-Pt al-	
Pinol, S., see G. Balakrishnan	104-107 (1992) 469	loys	104-107 (1992) 703
Pinto, H., see M. Kuznietz	96 (1991) 245	Podurets, K.M., see J. Sandonís	104–107 (1992) 350
Pinto, H., see M. Kuznietz	104–107 (1992) 13	Pogorelov, Yu.G., see M.A. Ivanov	99 (1991) 323
Pinto, M.A., Limitations of the mag-	/ /.	Pohl, J., see K. Hinrichs	104–107 (1992) 1676
netic charge formalism	97 (1991) 235	Poinsot, R., see K. Ounadjela	104–107 (1992) 1896
Pinto, M.A., Vectorial aspects of ferro-	00 (1001) 221	Pointon, A.J., see Z. Šimša	101 (1991) 233
magnetic hysteresis	98 (1991) 221	Pokazan'ev, V., see S. Burmistrov	96 (1991) 349
Pinto, R.P., M.M. Amado, M. Salgueiro Silva, M.E. Braga, J.B. Sousa, B.		Pokazan'ev, V., see J. Jalishev	102 (1991) 208
Chevalier and J. Etourneau, Trans-		Pokrovskii, D.V., see H. Bala Polak, C., R. Grössinger, H. Sassik and	103 (1992) 58
port and thermal properties in Nd-		G. Herzer, Comparison of the mag-	
Ru ₂ Si ₂ and TbRu ₂ Si ₂ compounds	104-107 (1992) 1235	netic properties of Fe-based amor-	
Piotrowski, K., see R. Szymczak	92 (1990) L19	phous and nanocrystalline ferro-	
Piotrowski, K., R. Szymczak, M. Baran	, -,	magnets	104-107 (1992) 100
and H. Szymczak, Visual study of		Politi, P., A. Rettori and M.G. Pini,	101 (1772) 100
the radiation induced flux pinning		Surface spin waves in ferromagnetic	
enhancement in superconducting		thin films with nn and nnn exchange	104-107 (1992) 1707
$Bi_2Sr_2CaCu_2O_x$ single crystals	104-107 (1992) 483	Pollard, R.J. and Q.A. Pankhurst, Fer-	
Piqué, C., see F. Luis	101 (1991) 414	rimagnetism in fine feroxyhite parti-	
Piqué, C., see R. Burriel	104–107 (1992) 627	cles (Letter to the Editor)	99 (1991) L39
Piqué, C., R. Burriel, L.M. García, F.J.		Pollard, R.J., Q.A. Pankhurst and P.	
Lázaro and J. Bartolomé, A heat		Zientek, The effect of preferred ori-	
capacity study of the permanent		entation on high-field Mössbauer	
magnets $R_2 \text{Fe}_{14} B$ (R = Y, Nd, Ho, Er)	104 107 (1000) 1167	spectra of goethite	104–107 (1992) 1557
Piraux, L., A. Fert, P.A. Schroeder, R.	104-107 (1992)1167	Polo, V., see P. Pernot	104–107 (1992) 853
Loloee and P. Etienne, Large mag-		Polzikova, N.I. and A.O. Raevskii,	
netothermoelectric power in Co/		Nonlinear effects accompanying magnetostatic wave propagation in	
Cu, Fe/Cu and Fe/Cr multilayers		the ferrite-high temperature super-	
(Letter to the Editor)	110 (1992)L247	conductor structure	101 (1001) 175
	*** (**//*/****************************	conductor structure	101 (1991) 175

Demislandia WW	104 105 (1000) 105	B	101 105 (1005) 155
Pomjakushin, Y.Yu., see H. Maletta	104–107 (1992) 495	Prandl, W., see K. Hinrichs	104–107 (1992)1676
Pommier, J., see D. Bertrand	104–107 (1992) 389	Prasad, S., V. Srinivas, S.N. Shringi,	
Pon, G., see T.E. Grigereit	104–107 (1992) 1981	A.K. Nigam, G. Chandra and R.	
Ponomarev, A.N., see H. Maletta	104–107 (1992) 495	Krishnan, Magnetic moments and	
Ponomarev, B.K., Band paramagnetism		hyperfine fields in a-Fe-Cr-B-Si	00 (1000) 00
in $Fe_{65}(Ni_{1-x}Mn_x)_{35}$ alloys near a critical concentration	07 (1001) 21	alloys	92 (1990) 92
	97 (1991) 31	Prasad, S., see R. Krishnan	93 (1991) 257
Poon, W.C.K., see K.A. Hawick Pop, V., see E. Burzo	104–107 (1992) 423	Prasad, S., see A.K. Nigam	102 (1991) 297
Popiel, E., see Z. Drzazga	97 (1991) 147 104–107 (1992)1437	Prasad, S., see R. Krishnan	104–107 (1992) 1822
Popiel, E.S., see W. Zarek	104–107 (1992)1437	Prassides, K., see M.J. Rosseinsky Pratt Jr., W.P., see D.H. Mosca	104–107 (1992) 599
Popma, Th.J.A., see W.J.M.A. Geerts	104–107 (1992) 971	Pratt Jr., W.P., see D.H. Mosca	93 (1991) 480 94 (1991) L1
Popov, O., see J. Geshev	92 (1990) 185	Pratt, W.P., see A. Fert	104–107 (1992) 1712
Popov, O. and M. Mikhov, Thermo-	72 (1770) 103	Preisler, E., see H. Maletta	104–107 (1992) 495
magnetic curves: influence of the		Prejean, J.J., see J.C. Martinez	104–107 (1992) 601
demagnetization field (Letter to the		Préjean, J.J., see J.M. Alameda	104–107 (1992) 1813
Editor)	96 (1991) L23	Preobrazhenskii, V.L., see V.I. Ozhogin	100 (1991) 544
Popov, O., P. Rachev, M. Mikhov, F.	20 (27) 2) 2300	Price, S., see J.R. Brown	104-107 (1992) 207
Calderon, J.L. Sanchez Ll. and F.		Pringle, O.A., G.J. Long, F. Grandjean	101 111 (1) 201
Leccabue, Experimental study of the		and K.H.J. Buschow, A Mössbauer	
Hopkinson effect in fine BaFe ₁₂ O ₁₉		effect study of Nd ₂ Fe ₁₇ and Nd ₂ -	
particles	99 (1991) 119	Fe ₁₇ N _{2.6}	104-107 (1992)1123
Poppi, M., see G. Buttino	97 (1991) 135	Pringle, O.A., see D.E. Tharp	104-107 (1992) 1477
Popplewell, J. and A. Al-Qenaie, Mag-		Prinz, G.A., Metastability in epitaxial	
netic fluid particle size determina-		magnetic metal films	100 (1991) 469
tion from viscosity measurements	104-107 (1992) 1555	Prinz, G.A., see C.M. Williams	110 (1992) 61
Por, P.T., see P.J. van der Zaag	99 (1991) L1	Privik, M., see K. Sumiyama	96 (1991) 329
Por, P.T., see M.T. Johnson	104-107 (1992) 421	Probst, P.A., see K. Satoh	104-107 (1992) 39
Porte, M., see R. Krishnan	103 (1992) 47	Probst, PA., see K. Satoh	104-107 (1992) 1411
Porteseil, J.L., see O. Geoffroy	97 (1991) 198	Probst, PA., see M. Hunt	108 (1992) 127
Porteseil, J.L., see O. Geoffroy	97 (1991) 205	Prodi, G.A., see M. Cerdonio	101 (1991) 92
Porteseil, J.L., see O. Geoffroy	104–107 (1992) 379	Prokoshin, A.Ph., see A.D. Arsenieva	99 (1991) 167
Portis, A.M., see P. Erhart	104–107 (1992) 487	Proksch, R. and E.D. Dahlberg, A nu-	
Portis, A.M., see M. Hein	104–107 (1992) 529	merical study of MFM response	104–107 (1992)2123
Pösinger, A., W. Steiner and Y. Nishi-		Proykova, Y.G., see J.R. Brown	104–107 (1992) 207
hara, High field Mössbauer investi-		Prystasz, W. and J. Klamut, Theory of	
gations of the magnetic phase tran-	00 (1001) 10	formation of the stable ferromag-	0.7 (1.0.0.1)
sition in Sc _{0.25} Ti _{0.75} Fe ₂ at 4.2 K	98 (1991) 19	netic phase in a metamagnet	96 (1991) 275
Pösinger, A., W. Steiner, H. Winkler,		Psycharis, V., see A. Koufoudakis	104–107 (1992) 568
A.X. Trautwein and Y. Yoshida,		Psycharis, V., see M. Pissas	104–107 (1992) 571
Mössbauer investigations of the		Pszczoła, J., D. Best, L. Klimek and M.	
cluster dynamics in (Au, Fe) above	104 107 (1002) 1507	Forker, Hyperfine interactions of	02 (1000) 101
T_{f}	104–107 (1992) 1597	$\operatorname{Ce}_{x}\operatorname{Dy}_{1-x}\operatorname{Fe}_{2}$ intermetallics	92 (1990) 101
Pösinger, A., see W.M. Xu	104–107 (1992) 2023	Puchalska, I., see A. Rakii	93 (1991) 247
Potapova, L.V., see H. Bala	103 (1992) 58	Puchalska, I.B., see L.J. Heyderman	96 (1991) 125
Potocký, L., see E. Kisdi-Koszó	92 (1990) 181	Puig, T., see J. Nogués	99 (1991) 275 104–107 (1992) 1090
Potocký, L., see Z. Kaczkowski	101 (1991) 25 104–107 (1992) 63	Pulido, E., see M.J. Bernal Pulido, E., see J.M. Gonzalez	104–107 (1992)1179
Potzel, W., see I. Yaar	104-107 (1992) 03	Purcell, S.T., H.W. van Kesteren, E.C.	104-107 (1992)1179
Poulter, J. and J.A. Blackman, The $\pm J$	104-107 (1992) 1647	Cosman and W. Hoving, Structural	
spin-glass model: a new exponent Powroźnik, W., see M. Lubecka	93 (1991) 432	and magnetic studies of ultrathin	
Praček, M., see F. Vodopivec	97 (1991) 281	epitaxial Co films deposited on a	
Prakash Narayan, S., V. Rao and O.N.)/ (1)/1/ 201	Pd(111) single crystal	93 (1991) 25
Mohanty, Microstructural, mechani-		Purcell, S.T., see P. Grünberg	104–107 (1992) 1734
cal and magnetic properties of		Pureur, P., J.G. Sereni and J. Schaf,	201 (1771) 110 T
high-strength low-alloy steel	96 (1991) 137	Specific heat and magnetic suscepti-	
Prandl, W., see Th. Brückel	104–107 (1992) 1629	bility in $\overline{Y}Nd$ alloys	104-107 (1992) 1632
randi, w., see rii. Dideker	201 201 (2772) 1027	,	(1772)1002

Půst, L., see M. Jirsa Půst, L., see A.M. Balbashov Puszkarski, H., Bilayer ferromagnetic film with tensorial interface ex- change coupling. Localized modes Puźniak, R., see F.R. de Boer	101 (1991) 105 104–107 (1992) 1037 93 (1991) 290 101 (1991) 3	Radwan, A.E., Self-gravitating instability of an annular fluid jet of double perturbed interfaces Radwan, A.E., Electrodynamic stability of a self-gravitating fluid cylinder ambient with another self-gravitation.	94 (1991) 141
Puźniak, R., see F.R. de Boer Qiao, W.H., Q. Wang, X.P. Zhong and	104–107 (1992) 113	ing fluid under radial varying electric field Radwan, A.E., Three dimensions vary-	94 (1991) 311
H.L. Luo, Molecular field theory analysis of $R_2Fe_{17}C_x$ (R = Sm,Er)	110 (1002) 170	ing MHD instability of an annular fluid cylinder Radwan, A.E., Self-gravitating stability	94 (1991) 319
compounds Qin, Q. and H. Keiter, Transport properties of the Anderson model at	110 (1992) 170	of two-fluids interface based on Lagrangian energy technique	96 (1991) 291
finitie <i>U</i> Qiu, Z.Q., see C.J. Gutierrez	108 (1992) 199 93 (1991) 326	Radwan, A.E., Capillary instability of a rotating viscous hollow jet Radwan, A.E., Electrical stability of a	98 (1991) 162
Qiu, Z.Q., see C.J. Gutierrez Qiu, Z.Q., see C.J. Gutierrez Qiu, Z.Q., see J.C. Walker	93 (1991) 369 99 (1991) 215 104–107 (1992) 1703	cylindrical fluid interface utilizing the energy principle	98 (1991) 173
Quak, D., Quasi-static field calculations in a layered, anisotropic struc-		Radwan, A.E., Magnetohydrodynamic instability of a two fluid interface Radwan, A.E., Electrogravitational in-	109 (1992) 71
ture Quan, M.X., see D.P. Yang Quang, P.H., see R.J. Radwański	101 (1991) 191 109 (1992) 1 104–107 (1992) 1321	stability of cylindrical interface acted upon by a varying electric field	110 (1992) 331
Quang, P.H., see R. Verhoef Quang, P.H., see R. Verhoef	104–107 (1992) 1325 104–107 (1992) 1473	Radwański, R.J., F.R. de Boer, X.P. Zhong, F.M. Yang, J.Y. Li, T. Kohashi, M. Ono, M. Date and A.	
Quema, A., see N. Ichinose Quémerais, P., see L.M. Floría	104–107 (1992) 565 104–107 (1992) 199 108 (1992) 202	Yamagishi, High-field magnetic transition in Er ₂ Fe ₁₄ B	101 (1991) 392
Quezel, S., see P. Burlet Qui, M.y., see R.w. Gao Quintero, M., see J. Lamazares	95 (1991) 205 104–107 (1992) 997	Radwański, R.J., see F.E. Kayzel Radwański, R.J., Magnetization pro-	101 (1991) 424
Quitmann, C., see S. Patil Qun, W., see ZG. Zhao	104–107 (1992) 521 104–107 (1992) 1287	cess in the antiferromagnet URu ₂ Si ₂ (<i>Letter to the Editor</i>) Radwański, R.J., see Z. Tarnawski	103 (1992) L1 104–107 (1992) 613
Raasch, D. and S. Klahn, Influence of the thermal conductivity of MO-		Radwański, R.J., X.P. Zhong, F.R. de Boer, F.M. Yang, J.Y. Li, T. Ko- hashi, M. Ono, M. Date and A.	
disks on its recording performance Raasch, D., Wall energies of amor-	93 (1991) 365	Yamagishi, Field-induced non-collinear magnetic structures in Er ₂	
phous GdTb-FeCo single and ex- change coupled double-layer films Rabinovich, Yu.M., see S. Szymura	101 (1991) 202 94 (1991) 113	Fe ₁₄ B-based compounds Radwański, R.J., see A. Szytuła Radwański, R.J., see A. Szewczyk	104–107 (1992)1139 104–107 (1992)1237 104–107 (1992)1319
Rabu, P., see O. Peña Rachev, P., see O. Popov	104–107 (1992) 1249 99 (1991) 119	Radwański, R.J., J.J.M. Franse, P.H. Quang and F.E. Kayzel, The Gd	104-107 (1992)1319
Rachford, F.J., see C.M. Williams Radha, S., S. Ramakrishnan, A.K. Nigam and G. Chandra, Effect of Cr on the reentrant spin glass be-	110 (1992) 61	anisotropy in GdCo ₅ Radwański, R.J., see C. Marquina Radwański, R.J., see R. Verhoef Raevskii, A.O., see N.I. Polzikova	104-107 (1992)1321 104-107 (1992)1323 104-107 (1992)1473 101 (1991) 175
haviour of AuFe Radhakrishna, P. and J.W. Cable, Magnetic excitations in the triangular antiferromagnet Mn ₃ Sn	110 (1992) 103	Rager, H., see A.F. Andresen Rahman, S., N. Shah, T. Mihalisin, J.E. Crow and P. Schlottmann, Thermo-	94 (1991) 347
Rado, G.T., Magnetic surface anisot-	104–107 (1992)1065 104–107 (1992)1679	dynamic and transport properties of $Ce(Tl_{1-x}Sn_x)_3$ system Rainford, B.D., see J.I. Arnaudas	97 (1991) 223 101 (1991) 65
Rado, G.T., see R.J. Hicken Radwan, A.E., Non-axisymmetric magnetohydrodynamic instability of a	104–107 (1992) 1743	Rainford, B.D., see D.R. Denholm Rainford, B.D., S. Dakin and R. Cy-	101 (1991) 65 104–107 (1992) 103
streaming bounded hollow cylinder	92 (1990) 233	winski, Spin fluctuations in YMn ₂ and related alloys	104–107 (1992) 1257

D'C IDD CM II	404 407 (4000) 4404		
Rainford, B.D., see S. Mondal	104–107 (1992) 1421	Re, M.E., see B.C. Webb	104–107 (1992) 973
Rainford, B.D., see R. Cywinski	104–107 (1992)1424	Re, M.E., see M.A. Russak	104-107 (1992) 1851
Rainford, B.D., see C. Ritter	104–107 (1992) 1427	Rebelsky, L., see M.S. Torikachvili	104–107 (1992) 69
Rainford, B.D., see S. Dakin	108 (1992) 117	Rebelsky, L., see K. Tajima	104–107 (1992) 177
Rainford, B.D., S. Dakin and A. Sever-		Rebizant, J., see A. Blaise	104–107 (1992) 33
ing, Spin dynamics of CeRu ₂ Si _{2-x} -		Rebizant, J., see K. Mattenberger	104–107 (1992) 43
Ge _x alloys	108 (1992) 119	Rebouillat, J.P., see J.L. Martínez	93 (1991) 89
Rainford, B.D., see S.R. Culverhouse	108 (1992) 121	Rebouillat, J.P., see O. Cugat	104–107 (1992) 397
Rajainmäki, H., see M. Talvitie	102 (1991) 323	Rebouillat, J.P., see J.M. Alameda	104–107 (1992) 1813
Rajarajan, A.K., see M. Huang	97 (1991) 297	Rechenberg, H.R., see L.C.C.M. Naga-	
Raju, N.P., see R.K. Kremer	104–107 (1992) 959	mine	104–107 (1992) 1277
Rakii, A., H. Le Gall, J. Gieraltowski,		Red'ko, S.V., see S.A. Nikitin	92 (1991) 397
L. Loaëc, A. Fessant and I. Puchal-		Red'ko, S.V., see S.A. Nikitin	96 (1991) 26
ska, Improved soft magnetism of	02 (1001) 247	Reehuis, M., see A.R. Ball	110 (1992) 343
amorphous CoZr films	93 (1991) 247	Regnault, L.P., see C. Bellitto	102 (1991) 116
Ram, S. and J.C. Joubert, Synthesis		Regnault, L.P., J. Rossat-Mignod and	
and magnetic properties of SrZn ₂ -		J.P. Renard, Wave vector depend-	
W type hexagonal ferrites using a		ences of magnetic excitations in the	
partial 2Zn ²⁺ → Li ⁺ Fe ³⁺ substitu-		S = 1 one-dimensional antiferro-	104 107 (1003) 000
tion: a new series of permanent	00 (1001) 122	magnet NENP	104–107 (1992) 869
magnets materials	99 (1991) 133	Regnault, L.P., see H. Tietze-Jaensch	104–107 (1992) 897
Ramakrishnan, S., see V. Srinivas	104–107 (1992) 2121	Regnault, L.P., see J.L. Jacoud	108 (1992) 131
Ramakrishnan, S., see S. Radha	110 (1992) 103	Regueiro, M.D.N., see G. Ortiz	108 (1992) 179
Ramamurthy Acharya B., see R. Krish-	02 (1001) 257	Reid, B.L., see C. Carboni	104–107 (1992) 1513
nan	93 (1991) 257	Reim, W., see D. Weller	93 (1991) 183
Raman, R., V.R.K. Murthy and B. Vis-		Reim, W., see H. Brändle	93 (1991) 207
wanathan, Magnetic loss studies on lithium zinc ferrites	102 (1001) 191	Reim, W., H. Brändle, D. Weller and J.	
	102 (1991) 181 104–107 (1992) 1741	Schoenes, Magneto-optical proper-	02 (1001) 220
Ramos, C.A., see H. Ohta	104–107 (1992) 1741	ties of spin-polarized palladium	93 (1991) 220 108 (1992) 213
Rancourt, D.G., see J.Y. Ping	94 (1991) L6	Reinders, P.H.P., see U. Ahlheim Reinders, P.H.P., see K. Fraas	108 (1992) 213
Rao, K.V., see M. Jurczyk Rao, K.V., see J. Nogués	99 (1991) 275	Reisewitz, U., see M. Kemper	103 (1992) 220
Rao, K.V., see M. Jurczyk	104–107 (1992)1193	Reisser, R., M. Fähnle and H. Kron-	101 (1991) 299
Rao, K.V., see H.U. Åström	104–107 (1992)1193	müller, Magnetic phase transitions	
Rao, V., see S. Prakash Narayan	96 (1991) 137	in FeNiBSi alloys	97 (1991) 83
Raoux, D., see M. Maurer	93 (1991) 15	Reisser, R. and H. Kronmüller, Investi-	77 (1771) 03
Rapson, G., see S. Dakin	108 (1992) 117	gations of the magnetic properties	
Rastelli, E., A. Tassi, G. Melegari and	100 (1772) 117	of quasicrystalline AlGeMn. I. Gen-	
A. Pimpinelli, External magnetic		eral magnetic properties	98 (1991) 261
field effect on helical configurations	104-107 (1992) 173	Reisser, R. and H. Kronmüller, Investi-) (() / 1 / 2 0 1
Rastelli, E. and A. Tassi, Quantum gaps	10 / 10 / (1//2) 1/0	gations of the magnetic properties	
in Heisenberg helimagnets	104-107 (1992) 1035	of quasicrystalline AlGeMn. II.	
Rastelli, E., S. Sedazzari and A. Tassi,	\	Critical phenomena	98 (1991) 273
Long range order supported by non-		Reisser, R., M. Seeger, M. Fähnle and	
linear effects on the ferro-helix		H. Kronmüller, Critical amplitudes	
phase boundary	104-107 (1992) 1069	for amorphous Fe ₉₀ Zr ₁₀ and Fe _{4.9} -	
Rau, C., see K. Waters	93 (1991) 534	Ni _{76.0} -B _{12.5} Si _{6.6}	110 (1992) 32
Raułuszkiewicz, J., see J. Nowak	109 (1992) 79	Reissner, M., see W.M. Xu	104-107 (1992) 2023
Ravet, M.F., see M. Maurer	93 (1991) 15	Rekveldt, M.T. and F.F. van Zijl, Neu-	
Ravet, MF., see JF. Bobo	93 (1991) 452	tron depolarization theory in super-	
Ravindran, K. and J.E. Drumheller, AC		conductors	104-107 (1992) 527
magnetic susceptibility of CuCl ₂ .		Rekveldt, M.Th., see L. Dobrzyński	94 (1991) 153
DMSO: a quasi 1D ferromagnet	104-107 (1992) 833	Rekveldt, M.Th. and R. Rosman, Simu-	
Ray, A.E., see D. Givord	104-107 (1992)1126	lation of magnostatics in random	
Ray, A.K., see P. Blaha	104-107 (1992) 683	magnetic particle system	95 (1991) 221
Raydugin, Yu.G., V.E. Naish and E.A.		Rekveldt, M.Th., see R. Rosman	95 (1991) 319
Turov, On the magnetic structure of		Rekveldt, M.Th., see R. Rosman	98 (1991) 104
cupric oxide (CuO)	102 (1991) 331	Rekveldt, M.Th., see P.J. van der Zaag	99 (1991) L1

Remard, J.P., see C. Bipport 93 (1991) 319 87 (1992) 319 106 107 (1992) 313 104 -107 (1992) 313 104 -107 (1992) 313 104 -107 (1992) 313 104 -107 (1992) 313 104 -107 (1992) 313 104 -107 (1992) 313 104 -107 (1992) 313 104 -107 (1992) 313 104 -107 (1992) 314 105 -107 (1992) 315 104 -107 (1992) 315	Rekveldt, M.Th., see M.T. Johnson Rekveldt, M.Th., see F.F. van Zijl Renard, D., see C. Chappert Renard, D., see P. Bruno	104–107 (1992) 421 104–107 (1992) 535 93 (1991) 319 93 (1991) 605	Riedi, P.C., see Y. Kasamatsu Riedi, P.C., see J.G.M. Armitage Rillo, C., see F.J. Lázaro Rillo, C., see F. Lera	104–107 (1992) 1413 104–107 (1992) 1935 101 (1991) 372 104–107 (1992) 615
Renard, J.P., see M. Hagiwara 104-107 (1992) 869 Renaudin, J. G. Ferey, M. Lahlou-Mimi, J.M. Greneche, Y. Mary and A. de Kozak, The magnetic properties of the frustrated bidimensional antiferromagnet C8BaFe, p. 12 (1991) 811 Resel, R., see E. Gratz 104-107 (1992) 1993 Resel, R., see F. Palacio 104-107 (1992) 1993 Resel, R., see F. Palacio 104-107 (1992) 1994 Regent, S.M., see P. Politi 104-107 (1992) 1995 Regent, S.M., see P. Politi 104-107 (1992) 1995 Regent, S.M., see F. Palacio 104-107 (1992) 1995 Rezende, S.M., see F. Comtemporo Rezende, S.M., see F. Comtemporo Rezende, S.M., see F. Comtemporo Rezende, S.M., see A. Azevedo Rezende, S.M., see A. Azevedo Rezende, S.M., see A. Azevedo 104-107 (1992) 1995 Relibert, J. J., see P. R. Bolathors 104-107 (1992) 1995 Relibert, J. J., see P. R. Bolathors 104-107 (1992) 1995 Relibert, J. J., see P. R. Bolathors 104-107 (1992) 1995 Richter, J. J., see R.S. Beach Richter, J. J. and H. Hibst, Magnetic characterization of ME tapes: the angular remanence curve antiferromagnet: collinear versus ancocollinear magnetic cordering attiferromagnet: collinear versus ancocollinear magnetic cordering attiferromagnet: collinear versus ancocollinear magnetic cordering attiferromagnet: collinear versus ancocollinear magnetic cordering attiferromagnetic materials lied, P.C., see M. Figiel 104-107 (1992) 295 Ricdi, P.C., see R. G. Graham J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the "Cu nucleus of CuO in the paramagnetic antaterials lied, P.C., see R. G. Graham and tiferromagnetic state 104-107 (1992) 504 Ricdi, P.C., see R. G. Graham and tiferromagnetic state 104-107 (1992) 1918 Ricdi, P.C., see R. G. Graham and tiferromagnetic state 104-107 (1992) 1919 Ricdi, P.C., see M. B. Fontes 104-107 (1992) 1919 Ricdi, P.C., see M. Figiel 104-107 (1992) 1919 Ricdi, P.C., see M. Figiel 104-107 (1992) 1919 Ricdi, P.C., see M. B. Fontes 104-107 (1992) 1919 Ricdi, P.C., see M. B	Renard, J.P., see C. Chappert Renard, J.P., see P. Bruno Renard, J.P., see C. Bellitto	93 (1991) 605 102 (1991) 116	Rillo, C., J. Bartolomé, M. Bacmann, B. Chenevier, D. Fruchart and R.	104–107 (1992)1993
Renaudin, J., G. Ferey, M. Lahlou-Mimi, J.M. Greneche, Y. Mary and A. de Kozak, The magnetic properties of the frustrated bidimensional antiferromagnet (SBaFeF12) 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1918 104-107 (1992) 1919 104-107 (1992) 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1919 104-107 (1992) 1				
Mimi, J.M. Greneche, Y. Mary and A. de Kozak, The magnetic properties of the frustrated bidimensional antiferromagnet CsBaFe, F₁₂ Resel, R. see E. Gratz 104–107 (1992) 1918 Ressler, L. see Th. Sinnemann Pactor, A. see P. Oridit 104–107 (1992) 1918 Ressler, L. see Th. Sinnemann 98 (1991) 99 (1991) 881 Ressler, L. see Th. Sinnemann 104–107 (1992) 1918 Ressler, L. see Th. Sinnemann 98 (1991) 99 (1991) 882 Restler, L. see Th. Sinnemann 104–107 (1992) 1918 Ressler, L. see Th. Sinnemann 98 (1991) 99 (1991) 882 Restler, L. see Th. Sinnemann 104–107 (1992) 1918 Ressler, L. see Th. Sinnemann 98 (1991) 99 (1991) 881 Restler, L. see Th. Sinnemann 104–107 (1992) 1919 Rezea, M. S. see, L. Gratz 104–107 (1992) 1919 Rezea, M. S. see, R. C. Montarroyos Rezende, S. M., see F. C. Montarroyos Rezende, S. M., see F. C. Montaroyos Rezende, S. M., see A. Azevedo 104–107 (1992) 1049 (1904–	Renard, J.P., see L.P. Regnault	104-107 (1992) 869	ac susceptibility study	
A. de Kozak, The magnetic properties of the frustrated bidimensional antiferromagnet CsBaFe, F12 (1991) 381 (Ritter, C., see M.R. Ibarra 104–107 (1992) 137) (1992) 1381 (Ritter, C., see M.R. Ibarra 104–107 (1992) 1421 (1992) 1421 (1992) 1421 (1992) 1421 (1992) 1421 (1992) 1421 (1992) 1421 (1992) 1422 (1993) 1431 (1992) 1423 (1993) 1431 (1993) 1431 (1994) 1432 (1994) 1432 (1994) 1432 (1994) 1434 (199				
Reiter of the frustrated bidimensional antiferromagnet CsBaFe, F_{12} (2 (1991) 381 (194–107 (1992)1918) (194–107 (1992)1918) (194–107 (1992)1918) (194–107 (1992)1019) (194–1				
Resel, R., see E. Gratz 104-107 (1992)1918 Ritter, C., see S. Mondal 104-107 (1992)1421 Ressler, L., see Th. Sinnemann 98 (1991) 99 Rettori, A., see P. Politi 104-107 (1992)1210 104-107 (1992)1210 104-107 (1992) 124 104-107 (1992) 124 104-107 (1992) 125 104-107 (1992) 126				
Ressle, R., see H. Gratz 104-107 (1992) 1918 Ressler, L., see Th. Sinnemann 98 (1991) 99 Rettori, A., see P. Politi 104-107 (1992) 1707 Reyes, J., see F. Palacio 104-107 (1992) 1213 Rezande, S.M., see F. Araylor 104-107 (1992) 1247 Rezende, S.M., see E. Montarroyos 104-107 (1992) 1249 Rezende, S.M., see F. C. Montenegro 104-107 (1992) 1249 Rezende, S.M., see A. Azevedo 104-107 (1992) 1039 Rezende, S.M., see A. Escuer 104-107 (1992) 1039 Rezende, S.M., see B. Escuer 104-107 (1992) 1049 River, J.J., see J.S. Duro, M. See P.G. See A. Escuer 104-107 (1992) 279 Richter, J., The frustrated Heisenberg 104-107 (1992) 279 Richter, J., The frustrated Heisenberg 104-107 (1992) 279 Richter, R.J., see J.G. Gay 104-107 (1992) 849 Richter, R.J., see M.B. Bernal 104-107 (1992) 849 Richter, R.J., see M.B. Bernal 104-107 (1992) 849 Richter, R.J., see M.B. Funle		92 (1991) 381		
Ressler, L., see Th. Sinnemann 98 (1991) 99 99 14-107 (1992) 1707 104-107 (1992) 1707 104-107 (1992) 1707 104-107 (1992) 1707 104-107 (1992) 1707 104-107 (1992) 1707 104-107 (1992) 1707 104-107 (1992) 1707 104-107 (1992) 1707 104-107 (1992) 1708 104-107 (1992) 1709 104-107 (1992) 1709 104-107 (1992) 1709 104-107 (1992) 1709 104-107 (1992) 1709 104-107 (1992) 1709 104-107 (1992) 1709 104-107 (1992) 181				10. 10. (1., 2). 1.11
Reyes, J., see F. Palacio 104–107 (1992) 213 Y1_J,Mn, alloys 104–107 (1992) 1427 Rezande, S.M., see D.R. Taylor 104–107 (1992) 213 104–107 (1992) 213 Rixiss, J., M.A. López-Quintela, R.J. 104–107 (1992) 149 Rezende, S.M., see F. C. Montenegro Rezende, S.M., see A. Azevedo 104–107 (1992) 1031 Nd. See J.R. Childres 104–107 (1992) 1041 Nd. Fe-B oxides 101 (1991) 403 Ryne, J.J., see J.R. Childress 104–107 (1992) 1795 104–107 (1992) 1795 Rivas, J., R.J. Duro, M. Gayoso, C. Rodriquez and S. Castro, Magnetic zation relaxation in barium hexaferrite powders obtained using the liquid mix technique 101 (1991) 403 Ryne, J.J., see P. Klosowski 104–107 (1992) 181 104–107 (1992) 181 Rivas, J., R.J. Duro, M. Gayoso, C. Rodriquez and S. Castro, Magnetic zation relaxation in barium hexaferrite powders obtained using the liquid mix technique 101 (1991) 403 Ryne, J.J., see P. Klosowski 104–107 (1992) 181 104–107 (1992) 181 Riveiro, J.M., J. Flores and M. Guind in metallic glass studied by a magnetic mistoropy in the Co ₇₅ See A. Escure 104–107 (1992) 275 Riveiro, J.M., J. Flores and M.J. Bernal, Unidirectional magnetic anisotropy in the Co ₇₅ See E. S. Thorp and H. Krommüller, Phenomenological theory of the phase transition in uniaxial ferromagnetic materials 104–107 (1992) 855 Rivero, G., see M. Fernando 104–107 (1992) 155 <tr< td=""><td></td><td></td><td></td><td></td></tr<>				
Reza, K.A., see D.R. Taylor 104–107 (1992) 213 Rivas, J., M.A. López-Quintela, R.J. Rezende, S.M., see E. Montenegro 104–107 (1992) 277 Rezende, S.M., see A. Azevedo 104–107 (1992) 1039 Rezende, S.M., see A. Azevedo Rezende, S.M., see A. Azevedo 104–107 (1992) 1034 Rivas, J., R.J. Duro, M. Gayoso, C. Rhyne, J.J., see J.R. Childress 104–107 (1992) 1795 Rivas, J., R.J. Duro, M. Gayoso, C. Rhyne, J.J., see P. Klosowski 104–107 (1992) 1975 Rodriquez and S. Castro, Magnetic value and ultrafine particles of amorphous with the particles	Rettori, A., see P. Politi	104-107 (1992) 1707	magnetic phase diagram of (Dy _x -	
Rezende, S.M., see F.C. Montenegro 104-107 (1992) 277 149 104-107 (1992) 277 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1039 149 104-107 (1992) 1041 149	Reyes, J., see F. Palacio			104–107 (1992)1427
Rezende, S.M., see A. Azevedo 104-107 (1992) 1039 104-107 (1992) 1039 104-107 (1992) 1039 104-107 (1992) 1039 104-107 (1992) 1049 104-107 (
Rezende, S.M., see A. Azevedo 104-107 (1992)1039 Rezende, S.M., see A. Azevedo 104-107 (1992)1041 Page 2014 Page 2				
Rezende, S.M., see A. Azevedo 104-107 (1992)1041 707 (1992) 286 707 (1991) 286 707 (1991) 286 707 (1991) 286 707 (1991) 286 707 (1991) 286 707 (1991) 286 707 (1992) 275 708 (1991) 286 70				
Riyne, J.J., see S.C. Yu			•	101 (1991) 403
Rhyne, J.J., see P. Klosowski 104-107 (1992)1729 104-107 (1992)1795 104-107 (1992)1795 104-107 (1992)1915 104-107 (1992)1915 104-107 (1992)1915 104-107 (1992)1915 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 181 104-107 (1992) 192 104-107 (1992) 193 104-107 (1992) 19				202 (2272)
Rhyne, J.J., see P. Klosowski 104-107 (1992)1795 104-107 (1992)1915 104-107 (1992)1915 104-107 (1992)1915 104-107 (1992)1915 1104-107 (1992) 1915 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992) 279 1104-107 (1992)	Rhyne, J.J., see J.R. Childress	104-107 (1992) 1585	Rodriquez and S. Castro, Magneti-	
Rhyne, J.J., see R.S. Beach 104-107 (1992) 1915 Rhyne, J.J., see R.S. Beach 104-107 (1992) 1915 Riveiro, J.M., J. Flores and M. Guigarro, Hydrogen diffusion in metallic glasses studied by a magnetic characterization of ME tapes: the angular remanence curve 95 (1991) 118 Riveiro, J.M., J. Flores and M.J. Bernal, angular remanence curve 95 (1991) 118 Riveiro, J.M., J. Flores and M.J. Bernal, Unidirectional magnetic anisotropy in the Co ₇₅ B ₂₅ metallic glass 104-107 (1992) 155 Riveiro, J.M., see M.J. Bernal 104-107 (1992) 1090 Rivero, G., see M. Vázquez 96 (1991) 321 Rivero, G., see M. Vázquez 96 (1991) 321 Rivero, G., see M. Vázquez 96 (1991) 321 Rivero, G., see A. Hernando Rivoire, M., G. Suran, H.J. de Wit and Ridwan, see M. Fujino 104-107 (1992) 851 Rivero, G., see A. Hernando F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 93 (1991) 489 Rivero, G., see G. Suran 104-107 (1992) 125 Rivero, G., see G. Suran 104-107 (1992) 125 Rivero, G., see G. Suran 104-107 (1992) 125 Rivero, G., see G. Suran F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 93 (1991) 489 Rivero, G., see G. Suran 104-107 (1992) 125 Rivero, G., see G. Suran F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 93 (1991) 489 Rivero, G., see G. Suran 104-107 (1992) 125 Rivero, G., see G. Suran F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 104-107 (1992) 125 Robinson, R.A., A.C. Lawson, K.H.J. Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A		104-107 (1992) 1729	zation relaxation in barium hexafer-	
Riyne, J.J., see R.S. Beach 104-107 (1992) 1915 110 (1992) 181 104-107 (1992) 279 110 (1992) 279 110 (1992) 279 110 (1992) 279 110 (1992) 279 110 (1992) 279 110 (1992) 279 110 (1992) 279 110 (1992) 279 110 (1992) 110				101 (1001) 105
Ribas, J., see A. Escuer Ricardo de Souza, J., see I.P. Fittipaldi Richter, H.J. and H. Hibst, Magnetic characterization of ME tapes: the angular remanence curve Richter, J., The frustrated Heisenberg antiferromagnet: collinear versus noncollinear magnetic ordering Richter, R., see J.G. Gay Richter, R., see J.G. Gay Richter, R., see J.G. Gay Richter, R., see M. Figiel Richter, B., Edi, P.C., see H. Figiel Richter, B., See R.G. Graham J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the 63 Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Richter, P.C., see R.G. Graham Riedi, P.C., see Y. Yamada Riedi, P.C.,			*	101 (1991) 405
Ricardo de Souza, J., see I.P. Fittipaldi Richter, H.J. and H. Hibst, Magnetic characterization of ME tapes: the angular remanence curve Richter, J., The frustrated Heisenberg antiferromagnet: collinear versus noncollinear magnetic ordering Richter, R., see J.G. Gay Ridwan, see K. Yamagata Ridwan, see K. Yamagata Ridwan, see M. Fujino Riedi, P.C., see H. Figiel Riedi, P.C., See R.G. Graham J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the ⁶³ Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Riedi, P.C., see R.G. Graham Riedi, P.C., see W. Figiel Riedi, P.C., see W. B. Fontes Riveiro, J.M., J. Flores and M.J. Bernal Riveiro, J.M., J. Flores and M.J. Brealling associat				
Richter, H.J. and H. Hibst, Magnetic characterization of ME tapes: the angular remanence curve $95 (1991) 118$ Unidirectional magnetic anisotropy in the $Co_{75}B_{25}$ metallic glass $104-107 (1992) 155$ Riveiro, J.M., see M.J. Bernal $104-107 (1992) 1090$ noncollinear magnetic ordering $104-107 (1992) 505$ Rivero, G., see M. Vázquez $96 (1991) 321$ Richter, R., see J.G. Gay $93 (1991) 315$ Rivero, G., see M. Vázquez $96 (1991) 321$ Ridwan, see K. Yamagata $104-107 (1992) 849$ Rivoire, M., G. Suran, H.J. de Wit and Ridwan, see M. Fujino $104-107 (1992) 851$ Rivero, G., see A. Hernando $101 (1991) 6$ Rivero, G., see A. Hernando $100 (1991) 6$ Rivero, G., see R. G. Suran, H.J. de Wit and F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures $100 (1992) 100 (19$				
Riveiro, J.M., J. Flores and M.J. Bernal, Unidirectional magnetic anisotropy in the Co ₇₅ B ₂₅ metallic glass 104–107 (1992) 155 Riveiro, J.M., see M.J. Bernal 104–107 (1992) 1090 noncollinear magnetic ordering 104–107 (1992) 505 Rivero, G., see M. Vázquez 96 (1991) 321 Riveiro, J.M., see M.J. Bernal 104–107 (1992) 1090 Rivero, G., see M. Vázquez 96 (1991) 321 Riveiro, J.M., see M.J. Bernal 104–107 (1992) 1090 Rivero, G., see M. Vázquez 96 (1991) 321 Riveiro, G., see A. Hernando 101 (1991) 6 Riveiro, G., see A. Hernando 104–107 (1992) 125 Riveiro, J.M., see G., suran, H.J. de Wit and F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilay ered structures 93 (1991) 489 Riveiro, G., see G. Suran 104–107 (1992) 125 Riveiro, G., see G.				104–107 (1992) 152
Richter, J., The frustrated Heisenberg antiferromagnet: collinear versus noncollinear magnetic ordering noncollinear versus noncollinear magnetic ordering noncollinear magnetic ordering noncollinear magnetic ordering noncollinear versus noncollinear versus noncollinear versus noncollinear magnetic ordering noncollinear versus noncollinear magnetic ordering noncollinear versus noncollinear magnetic ordering noncollinear versus noncollinear noncollinear versus nonco	characterization of ME tapes: the		Riveiro, J.M., J. Flores and M.J. Bernal,	
Antiferromagnet: collinear versus noncollinear magnetic ordering noncollinear magnetic noncollinear noncollinear magnetic noncollinear noncollinea		95 (1991) 118	Unidirectional magnetic anisotropy	
Richter, R., see J.G. Gay 93 (1991) 315 Rivero, G., see M. Vázquez 96 (1991) 321				
Richter, R., see J.G. Gay 93 (1991) 315 Ridwan, see K. Yamagata 104–107 (1992) 849 Ridwan, see M. Fujino 104–107 (1992) 851 Riedi, P.C., see H. Figiel 104–107 (1992) 503 Riedi, P.C., see R.G. Graham Riedi, P.C., see M.B. Fontes 104–107 (1992) 1315 Richter, R., see J.G. Gay 93 (1991) 315 Rivoire, M., G. Suran, H.J. de Wit and F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 93 (1991) 489 Rivoire, M., see G. Suran 104–107 (1992) 125 Robb, F., see J.S. Thorp 94 (1991) 119 Robinson, R.A., A.C. Lawson, K.H.J. Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn 80 (1991) 147 Robinson, R.A., see H. Maletta 104–107 (1992) 503 Riedi, P.C., see R.G. Graham 104–107 (1992) 641 Riedi, P.C., see M.B. Fontes 104–107 (1992) 1315 Riedi, P.C., see Y. Yamada 104–107 (1992) 1317 Richter, R., see A. Hernando 101 (1991) 6 Rivoire, M., G. Suran, H.J. de Wit and F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 93 (1991) 489 Rivoire, M., G. Suran, H.J. de Wit and F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 93 (1991) 489 Rivoire, M., See G. Suran 104–107 (1992) 125 Robb, F., see G. Suran 104–107 (1992) 125 Robb, F., see J.S. Thorp 94 (1991) 119 Robinson, R.A., A.C. Lawson, K.H.J. Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn 98 (1991) 147 Robinson, R.A., see H. Maletta 104–107 (1992) 21 Robinson, R.A., see B. Dieny 93 (1991) 101 Rochette, P., see G. Fillion 104–107 (1992) 1985 Riedi, P.C., see M.B. Fontes 104–107 (1992) 1315 Riedi, P.C., see Y. Yamada 104–107 (1992) 1317		104 107 (1002) 505		
Ridwan, see K. Yamagata Ridwan, see M. Fujino Ried, K., H. Gerth, D. Köhler and H. Kronmüller, Phenomenological theory of the phase transition in uniaxial ferromagnetic materials Riedi, P.C., See H. Figiel Riedi, P.C., D. Fowler, R.G. Graham, J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the 63Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Riedi, P.C., see R.G. Graham Riod-107 (1992) 125 Riedi, P.C., see R.G. Graham Riod-107 (1992) 1315 Riedi, P.C., see Y. Yamada Rivoire, M., G. Suran, H.J. de Wit and F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilay-ered structures Rivoire, M., G. Suran, H.J. de Wit and F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilay-ered structures Rivoire, M., See G. Suran Robb, F., see J.S. Thorp Robinson, R.A., A.C. Lawson, K.H.J. Buschow, F.R. de Boer, V. Se-chovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A., see H. Maletta Robinson, R.A., see B. Dieny Robinson, R.A., see R. Hübner Robinson, R.A., See R. Hibner Robinson, R.A., See R. Hibner Robinson, R.A., See R. Hibner R				
Ridwan, see M. Fujino Ried, K., H. Gerth, D. Köhler and H. Kronmüller, Phenomenological theory of the phase transition in uniaxial ferromagnetic materials Riedi, P.C., see H. Figiel Riedi, P.C., D. Fowler, R.G. Graham, J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the 63 Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Riedi, P.C., see R.G. Graham Riedi, P.C., see M.B. Fontes Riedi, P.C., see Y. Yamada F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 93 (1991) 489 Riedi, F.W.A. Dirne, Spin-wave resonance in Fe-amorphous FeCrB multilayered structures 93 (1991) 489 Riedi, F.C., see G. Suran 104–107 (1992) 275 Robb, F., see J.S. Thorp Robinson, R.A., A.C. Lawson, K.H.J. Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A., see H. Maletta Rochette, P., see B. Dieny 98 (1991) 147 Rochette, P., see B. Dieny 93 (1991) 149 Robinson, R.A., see R. Millerta 104–107 (1992) 503 Rochette, P., see G. Fillion 104–107 (1992) 1985 Röckelein, R., see R. Hübner Rödelsperger, F., T. Weyrauch and H. Riedi, P.C., see Y. Yamada Rochette, P., see R. Hübner Rödelsperger, F., T. Weyrauch and H. Benner, Different types of intermit-				101 (1991) 6
Ried, K., H. Gerth, D. Köhler and H. Kronmüller, Phenomenological theory of the phase transition in uniaxial ferromagnetic materials Riedi, P.C., see H. Figiel Riedi, P.C., D. Fowler, R.G. Graham, J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the 63 Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Riedi, P.C., see R.G. Graham Riedi, P.C., see M.B. Fontes Riedi, P.C., see Y. Yamada Rivoire, M., see G. Suran Robb, F., see J.S. Thorp Robinson, R.A., A.C. Lawson, K.H.J. Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A., see H. Maletta Rochette, P., see B. Dieny Röckelein, R., see R. Hübner Rödelsperger, F., T. Weyrauch and H. Renner, Different types of intermit-				
ory of the phase transition in uniaxial ferromagnetic materials Rivoire, M., see G. Suran 104-107 (1992) 125 Riedi, P.C., see H. Figiel 101 (1991) 401 Robb, F., see J.S. Thorp 94 (1991) 119 Riedi, P.C., D. Fowler, R.G. Graham, J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the 63 Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn 98 (1991) 147 Riedi, P.C., see R.G. Graham 104-107 (1992) 503 Roche, K.P., see B. Dieny 93 (1991) 101 Riedi, P.C., see R.G. Graham 104-107 (1992) 1198 Röckelein, R., see R. Hübner 104-107 (1992) 1985 Riedi, P.C., see M.B. Fontes 104-107 (1992) 1315 Rödelsperger, F., T. Weyrauch and H. Benner, Different types of intermit-	Ried, K., H. Gerth, D. Köhler and H.			
ial ferromagnetic materials 109 (1992) 275 Riedi, P.C., see H. Figiel Riedi, P.C., D. Fowler, R.G. Graham, J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the 63 Cu nucleus of CuO in the paramagnetic and antiferromagnetic state 104-107 (1992) 503 Riedi, P.C., see R.G. Graham Riedi, P.C., see H. Figiel Robb, F., see J.S. Thorp Robinson, R.A., A.C. Lawson, K.H.J. Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A., see H. Maletta Rochette, P., see B. Dieny Rochette, P., see G. Fillion Riedi, P.C., see H. Figiel Rochette, P., see G. Fillion Riedi, P.C., see M.B. Fontes Riedi, P.C., see M.B. Fontes Riedi, P.C., see Y. Yamada 104-107 (1992) 1315 Rochette, P., see R. Hübner Rödelsperger, F., T. Weyrauch and H. Renner, Different types of intermit-			ered structures	93 (1991) 489
Riedi, P.C., see H. Figiel Riedi, P.C., D. Fowler, R.G. Graham, J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the 63 Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Riedi, P.C., see R.G. Graham Riedi, P.C., see R.G. Graham Riedi, P.C., see M.B. Figiel Robinson, R.A., A.C. Lawson, K.H.J. Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A., see H. Maletta Robinson, R.A., A.C. Lawson, K.H.J. Robinson, R.A., See H. Maletta Robinson, R.A., See H.				
Riedi, P.C., D. Fowler, R.G. Graham, J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the ⁶³ Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Riedi, P.C., see R.G. Graham Riedi, P.C., see H. Figiel Riedi, P.C., see M.B. Fontes Riedi, P.C., see Y. Yamada Buschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A., see H. Maletta Rochette, P., see B. Dieny Riedi, P.C., see G. Fillion Riedi, P.C., see H. Figiel Riedi, P.C., see M.B. Fontes Riedi, P.C., see Y. Yamada Ruschow, F.R. de Boer, V. Sechovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A., see H. Maletta Rochette, P., see B. Dieny Rochette, P., see G. Fillion Röckelein, R., see R. Hübner Rödelsperger, F., T. Weyrauch and H. Riedi, P.C., see Y. Yamada Rodelsperger, F., T. Weyrauch and H. Renner, Different types of intermit-				94 (1991) 119
J.S. Lord and B.M. Wanklyn, Pressure dependence of the electric field gradient at the ⁶³ Cu nucleus of CuO in the paramagnetic and antiferromagnetic state Robinson, R.A., see H. Maletta Robinson, R.A., see B. Dieny Rochette, P., see B. Dieny Riedi, P.C., see R.G. Graham Riedi, P.C., see H. Figiel Riedi, P.C., see M.B. Fontes Riedi, P.C., see M.B. Fontes Riedi, P.C., see Y. Yamada Chovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Robinson, R.A., see H. Maletta Rochette, P., see B. Dieny Rochette, P., see G. Fillion Röckelein, R., see R. Hübner Rödelsperger, F., T. Weyrauch and H. Riedi, P.C., see Y. Yamada Chovsky and R.B. Von Dreele, Low temperature magnetic structures of UPdSn Rochette, P., see B. Dieny Röckelein, R., see R. Hübner Rödelsperger, F., T. Weyrauch and H. Benner, Different types of intermit-		101 (1991) 401		
sure dependence of the electric field gradient at the 63 Cu nucleus of CuO in the paramagnetic and antiferromagnetic state 104–107 (1992) 503 Roche, K.P., see B. Dieny 93 (1991) 101 Riedi, P.C., see R.G. Graham 104–107 (1992) 641 Rochette, P., see G. Fillion 104–107 (1992) 1985 Riedi, P.C., see M.B. Fontes 104–107 (1992) 1315 Riedi, P.C., see Y. Yamada 104–107 (1992) 1317 Remperature magnetic structures of UPdSn 98 (1991) 147 Robinson, R.A., see H. Maletta 104–107 (1992) 21 Rochette, P., see B. Dieny 93 (1991) 101 Rochette, P., see G. Fillion 104–107 (1992) 1985 Röckelein, R., see R. Hübner 104–107 (1992) 965 Riedi, P.C., see M.B. Fontes 104–107 (1992) 1315 Rödelsperger, F., T. Weyrauch and H. Riedi, P.C., see Y. Yamada 104–107 (1992) 1317				
gradient at the ⁶³ Cu nucleus of CuO in the paramagnetic and antiferromagnetic state 104–107 (1992) 503 Roche, K.P., see B. Dieny Riedi, P.C., see R.G. Graham Riedi, P.C., see H. Figiel Riedi, P.C., see M.B. Fontes Riedi, P.C., see M.B. Fontes Riedi, P.C., see Y. Yamada 104–107 (1992) 1315 Riedi, P.C., see Y. Yamada 104–107 (1992) 1317 UPdSn Robinson, R.A., see H. Maletta Rochette, P., see B. Dieny Rochette, P., see G. Fillion Rochette, P., see G. Fillion Rochette, P., see R. Hübner Rockelein, R., see R. Hübner Rodelsperger, F., T. Weyrauch and H. Rochette, P., see R. Hübner Roc				
in the paramagnetic and antiferromagnetic state Robinson, R.A., see H. Maletta 104–107 (1992) 21 Riedi, P.C., see R.G. Graham 104–107 (1992) 641 Roche, K.P., see B. Dieny 93 (1991) 101 Riedi, P.C., see H. Figiel 104–107 (1992) 1198 Röckelein, R., see R. Hübner 104–107 (1992) 965 Riedi, P.C., see M.B. Fontes 104–107 (1992) 1315 Rödelsperger, F., T. Weyrauch and H. Rödelsperger, F., T. Weyrauch and H. Riedi, P.C., see Y. Yamada 104–107 (1992) 1317 Benner, Different types of intermit-	gradient at the ⁶³ Cu nucleus of CuO			98 (1991) 147
Riedi, P.C., see R.G. Graham 104-107 (1992) 641 Rochette, P., see G. Fillion 104-107 (1992)1985 Riedi, P.C., see H. Figiel 104-107 (1992)1198 Röckelein, R., see R. Hübner 104-107 (1992) 965 Riedi, P.C., see M.B. Fontes 104-107 (1992)1315 Rödelsperger, F., T. Weyrauch and H. Riedi, P.C., see Y. Yamada 104-107 (1992)1317 Benner, Different types of intermit-	in the paramagnetic and antiferro-		Robinson, R.A., see H. Maletta	
Riedi, P.C., see H. Figiel 104-107 (1992)1198 Röckelein, R., see R. Hübner 104-107 (1992) 965 Riedi, P.C., see M.B. Fontes 104-107 (1992)1315 Rödelsperger, F., T. Weyrauch and H. Benner, Different types of intermit-				93 (1991) 101
Riedi, P.C., see M.B. Fontes Riedi, P.C., see Y. Yamada 104–107 (1992)1315 Rödelsperger, F., T. Weyrauch and H. Benner, Different types of intermit-				
Riedi, P.C., see Y. Yamada 104–107 (1992)1317 Benner, Different types of intermit-	——————————————————————————————————————			104–107 (1992) 965
Benner, Butterent types of interime		1 /		
Nicus, 1.0., see Cz. Kapusta 104–107 (1992)1333	Riedi, P.C., see Cz. Kapusta	104–107 (1992)1333	beiner, binerent types of intermit-	

tency observed in transverse-pum- ped spin-wave instabilities Rodewald, W., see H.M. Mayer	104–107 (1992)1075 97 (1991) 210	moremanent relaxation in a reentrant Mn ferromagnet close to the tricritical point	104–107 (1992)1613
Rodewald, W. and B. Wall, Temperature stability and magnetizing behaviour of sintered Nd-Dy-Fe-	101 (1001) 200	Rosman, R., see M.Th. Rekveldt Rosman, R. and M.Th. Rekveldt, Neu- tron depolarization in particulate	95 (1991) 221
Co-Mo-Al-B-magnets	101 (1991) 338	media: A review of theory and ex-	05 (1001) 210
Rodewald, W., see W. Fernengel	101 (1991) 343	perimental results	95 (1991) 319
Rodewald, W., see K. Boockmann Rodić, D., R. Tellgren and M. Guillot,	101 (1991) 345	Rosman, R. and M.Th. Rekveldt, Ni containing solid Kr bubbles studied	
The magnetic structure of $Tb_{2.5}Y_{0.5}$		with neutron depolarization and	
Fe ₅ O ₁₂ and the magnetic form fac-		small-angle neutron scattering	98 (1991) 104
tor influence of the Fe^{3+} ions	94 (1991) 260	Rossat-Mignod, J., see J.A. Alonso	103 (1992) 179
Rodmacq, B. and C.A. Dos Santos,)+ (1))1) 200	Rossat-Mignod, J., see A. Blaise	104–107 (1992) 33
Magnetic properties of ultrathin Ni		Rossat-Mignod, J., see K. Matten-	101 107 (1772) 33
layers in Ag/Ni superlattices	104-107 (1992) 1739	berger	104-107 (1992) 43
Rodmacq, B. and C.A. dos Santos,		Rossat-Mignod, J., see J.X. Boucherle	104–107 (1992) 630
Magnetic properties of ultrathin Ni		Rossat-Mignod, J., see L.P. Regnault	104-107 (1992) 869
layers in Ag/Ni superlattices	109 (1992) 298	Rossat-Mignod, J., see J.L. Jacoud	108 (1992) 131
Rodríguez Fdez, J., see J.A. Blanco	104-107 (1992) 1285	Rossat-Mignod, J., see P. Burlet	108 (1992) 202
Rodríguez Fernández, J., see L. Fer-		Rosseinsky, M.J., K. Prassides and C.A.	
nández Barquin	101 (1991) 52	Scott, Magnetic ordering and spin	
Rodríguez Fernández, J., see L. Fer-		reorientation transitions in hole-	
nández Barquín	104–107 (1992) 97	doped T' phases $Nd_{2-x}Sr_xCuO_{4-\delta}$:	
Rodríguez Fernández, J., see J.A. Blan-		a μ ⁺ SR study	104–107 (1992) 599
СО	108 (1992) 51	Rossi, M., see R. Marcelli	104–107 (1992) 436
Rodríguez, M., see P. Sánchez	104–107 (1992) 145	Rossignol, M.F., see D. Givord	104–107 (1992)1126
Rodríguez-Carvajal, J., see J.L. García-	104 107 (1000) 777	Rossignol, M.F., see D. Givord	104–107 (1992)1129
Muñoz	104–107 (1992) 555	Rossikhin, V.V., E.O. Voronkov and	
Rodríguez-Carvajal, J., see J.L. García-	104 107 (1002) 617	V.V. Kuzmenko, Magnetic proper-	
Muñoz	104–107 (1992) 617 104–107 (1992) 735	ties of molecules with Gauss-type function depending on perturbation	104-107 (1992)2127
Rodriguez-Carvajal, J., see J.G. Booth	104–107 (1992) 733	Roth, S., see R.R. Hesske	101 (1991) 55
Rodríguez-Carvajal, J., see J.A. Blanco Rodriguez, M., see M.C. Contreras	93 (1991) 233	Roth, S., see R.R. Hesske	101 (1991) 57
Rodriquez, C., see J. Rivas	101 (1991) 405	Rotter, M., see M. Zelený	98 (1991) 25
Rogge, R.B., see Z. Tun	104–107 (1992) 1045	Rouchon, C., see D. Gignoux	98 (1991) 333
Rogl, P., see V. Sechovský	104–107 (1992) 11	Rouco, A., F. Sandiumenge, B. Mar-	70 (1771) 000
Rogl, P., see G. Schaudy	104–107 (1992) 477	tinez, S. Gali, M. Tovar and X.	
Röll, K., see T. Otto	101 (1991) 207	Obradors, Dilution effects in the	
Röll, K., see S. Kraegermann	101 (1991) 209	strongly frustrated system Sr-	
Rolland, B., see J. Mouchot	101 (1991) 239	$Ga_{12-x}Cr_xO_{19}$	104-107 (1992)1645
Rollason, A.J., see C.C. Tang	103 (1992) 86	Roudat, E., see D. Gignoux	98 (1991) 333
Roman, A., The influence of the skin		Roudaut, E., see P. Kotsanidis	102 (1991) 67
effect on the impedance for mul-		Rouet, D., see J. Ostoréro	104–107 (1992) 425
tidomain wall model	99 (1991) 91	Rougier, P., see A.K. Nigam	102 (1991) 297
Ronconi, F., see E. Colombo	93 (1991) 597	Rousset, A., see Ph. Tailhades	104–107 (1992) 969
Ronconi, F., see D. Fiorani	104–107 (1992) 141	Rousset, A., see Ch. Sarda	109 (1992) 127
Ronconi, F., see E. Colombo	104–107 (1992) 1857	Routsi, C., J.K. Yakinthos and E.	
Ronconi, F., see O. Donzelli	104–107 (1992)1859	Gamari-Seale, Magnetic character-	
Rosenberg, M., see Th. Sinnemann	95 (1991) 175 98 (1991) 99	istics of some RNiSn ternary equi- atomic alloys	98 (1991) 257
Rosenberg, M., see Th. Sinnemann	104–107 (1992)1198	Routsi, Ch., J.K. Yakinthos and E.	70 (1771) 237
Rosenberg, M., see H. Figiel Rosenberg, M., see Cz. Kapusta	104–107 (1992)1138	Gamari-Seale, Magnetic properties	
Rosenberg, M., see Cz. Kapusta	104–107 (1992) 1333	of the equiatomic ternary RTSn	
Rosenberg, M., see R.J. Zhou	109 (1992) 209	compounds ($R = rare earth, T = Pt$,	
Rosenson, A.E., see S.A. Vyzulin	101 (1991) 151	Rh)	110 (1992) 317
Roshko, R.M. and W. Ruan, Ther-		Routsi, Ch.D., J.K. Yakinthos and E.	

Gamari-Seale, Unusual magnetic behavior in TbCo ₃ Ga ₂ and ErCo ₃ -		Rys, P., see S. Cueto Rytz, D., see G. Aeppli	104–107 (1992) 1096 104–107 (1992) 507
Ga ₂ compounds	102 (1991) 266		
Routsi, Ch.D., J.K. Yakinthos and E. Gamari-Seale, Magnetic properties		Sá, M.A., see J.B. Oliveira Saber, M., see M. Kerouad Saber, M. and J.W. Tucker, The site-di-	104–107 (1992)1152 92 (1990) 245
of RA_3Ga_2 compounds (R = rare earth, A = Co, Ni)	102 (1991) 275	luted spin-1 transverse Ising model	102 (1991) 287
Rouvière, J.L., see M. Maurer	93 (1991) 15	Sablik, M.J., see D.A. Kaminski	104-107 (1992) 382
Roy, M., see P. Brahma	103 (1992) 174	Sablik, M.J. and S.W. Rubin, Relation-	
Roy, S.B., G.R. Stewart and B.R. Coles,		ship of magnetostrictive hysteresis	404 407 (4002) 202
Evolution of Kondo behaviour in	077 (4004) 004	to the ΔE effect	104–107 (1992) 392
$(Pr_{1-x}Ce_x)Cu_6; 0 \le x \le 1$	97 (1991) 291	Sabolek, S., J. Horvat, E. Babić and K. Zadro, Reduction of loss in compos-	
Roy, S.B. and G.R. Stewart, Magnetic properties of GdBe ₁₃ : effects of U		ite magnetic material (<i>Letter to the</i>	
substitutions	99 (1991) 235	Editor)	110 (1992) L25
Roy, S.B., see E. Lähderanta	104-107 (1992) 1605	Sacchetti, F., see C. Petrillo	104-107 (1992) 2015
Roy, S.B. and B.R. Coles, Alloying ef-		Sacher, H., see HD. Schumann	101 (1991) 107
fects in XRu_2Si_2 (X = U, Ce, La)		Sadahiro, K., see M. Inoue	98 (1991) 60
alloys	108 (1992) 43	Sadikov, I.P., see P.A. Alekseev	110 (1992) 119
Roy, S.B., see N. Patrikios Rozenberg, E.A., see K.B. Vlasov	108 (1992) 95 94 (1991) 96	Sáez-Puche, R., see M. Castro Sáez-Puche, R., see R. Burriel	104–107 (1992) 619 104–107 (1992) 627
Ruan, W., see R.M. Roshko	104–107 (1992) 1613	Safonov, V.L., Influence of the mi-	104-107 (1772) 027
Rubin, S.W., see M.J. Sablik	104–107 (1992) 392	crowave cavity mode relaxation on	
Rubinstein, B.Ya., see A.B. Borisov	110 (1992) 202	the process of parametric magnons	
Rubio, A., see A. Vega	104-107 (1992) 1687	excitation (Letter to the Editor)	97 (1991) L1
Rudashevsky, E.G., see A.M. Bal-		Safonov, V.L. and R.M. Farzetdinova,	
bashov	104–107 (1992) 1037	On a possibility of magnon pumping	
Rudd, J.M., see W.B. Muir Rudd, J.M., see V. Kamberský	93 (1991) 229 104–107 (1992)2089	in crystals with two-level defects (Letter to the Editor)	98 (1991)L235
Rudolf, P., F. Sette, L.H. Tjeng, G.	104-107 (1992)2009	Safonov, V.L., see H. Yamazaki	104–107 (1992) 1059
Meigs and C.T. Chen, Magnetic		Sagdatkireyeva, M.B., see Kh.Ya. Mu-	10 (10 / (1) / (1) / (1)
moments in a gadolinium iron gar-		lyukov	110 (1992) 73
net studied by soft-X-ray magnetic		Sagredo, V., see L. Betancourt	101 (1991) 162
circular dichroism	109 (1992) 109	Sai, T., see M. Goto	104–107 (1992) 1789
Rudolf, R., see L.H. Tjeng	109 (1992) 288	Saito, M., see N. Hasegawa	103 (1992) 274
Ruegg, S., see H. Ebert Ruiz, J.M., see J. Tejada	93 (1991) 601 101 (1991) 181	Saito, T., N. Ohmura, K. Shinagawa and T. Tsushima, An experimental	
Ruiz, J.M., see J. Tejada Ruiz, J.M., see L.L. Balcells	101 (1991) 161 109 (1992)L159	study of $H-T$ phase diagram for a	
Rusiecki, S., see P. Erhart	104-107 (1992) 487	random anisotropy magnet a-Pr ₁₆	
Russak, M.A., see B.C. Webb	104-107 (1992) 973	Fe ₈₄	104-107 (1992) 163
Russak, M.A., C.V. Jahnes, E. Klok-		Saito, T., see K. Shinagawa	104-107 (1992) 443
holm and B. Petek, Magnetic char-		Saito, T., see K. Tamanoi	104–107 (1992) 445
acterization of ion-beam sputter de- posited permalloy thin films	104 107 (1002) 1047	Saito, T., see T. Iida	104–107 (1992) 1363
Russak, M.A., C.V. Jahnes, E. Klok-	104–107 (1992) 1847	Saito, Y., see T. Kohara Saitoh, M., see T. Miyadai	104–107 (1992) 525
holm, JW. Lee, M.E. Re and B.C.		Saitoh, T., see K. Yamada	104–107 (1992) 1953 104–107 (1992) 341
Webb, Magnetic and structural		Saje, B., J. Holc and S. Beseničar, The	10+ 10/ (1//2) 5+1
characterization of sputtered FeN		sequence of fracture processes in	
multilayer films	104-107 (1992) 1851	hydrogen-decrepitated $Nd_{16-x}Dy_x$ -	
Ruuskanen, P. and P. Kettunen, Re-		Fe ₇₆ B ₈ alloy	101 (1991) 357
versible component ΔB_r of the		Saje, B., see S. Beseničar	104–107 (1992) 1175
stress-induced change in magnetiza- tion as a function of magnetic field		Sakakibara, T., see H. Amitsuka	104–107 (1992) 60
strength and stress amplitude	98 (1991) 349	Sakakibara, T., see K. Iki Sakakibara, T., see Y. Miyako	108 (1992) 100 108 (1992) 190
Ryan, D.H., see H. Ma	104–107 (1992) 89	Sakakibara, T., C. Sekine, H. Amitsuka	100 (1772) 190
Ryan, D.H., see X. Chen	109 (1992) 271	and Y. Miyako, Coexistence of anti-	
Rys, F.S., see S. Cueto	104-107 (1992)1096	ferromagnetism and metamagnet-	
		ism in $Ce(Ru_{1-x}Rh_x)_2Si_2$	108 (1992) 193

Sakakima, H., K. Osano, K. Ihara and		Salz, W., see F. Schumacher	102 (1991) 314
M. Satomi, Multilayered films of ni-		Salzborn, E., see K. Boockmann	101 (1991) 345
tride alloys as magnetic head mate-		Samaras, D., see J. Muller	102 (1991) 305
rials (Invited paper)	93 (1991) 349	Samarth, N., see P. Kłosowski	104-107 (1992) 1795
Sakamoto, I., see K. Satoh	104-107 (1992) 39	Samokhvalov, A.A., see T.I. Arbuzova	95 (1991) 168
Sakamoto, I., see K. Satoh	104-107 (1992)1411	Sampaio, L.C. and S.F. da Cunha,	
Sakamoto, I., T. Miura, H. Sato, T.		Magnetic properties of the pseudo-	
Miyamoto, I. Shiozaki, I. Oguro and		binary intermetallic compounds:	
S. Maruno, Fermi surface and mag-		$Hf(Fe_{1-r}Al_r)_2$	99 (1991) 145
netic properties of antiferromag-		Sampathkumaran, E.V., see I. Das	104-107 (1992) 874
netic SmGa ₂	108 (1992) 125	Sampathkumaran, E.V., see I. Das	108 (1992) 82
Sakuma, A., Self-consistent calculations		Sampathkumaran, E.V., I. Das, R. Vi-	
for the electronic structures of iron		jayaraghavan, K. Hirota and M.	
nitrides, Fe ₃ N, Fe ₄ N and Fe ₁₆ N ₂	102 (1991) 127	Ishikawa, Heat-capacity behavior of	
Sakumoto, H., see K. Sueto	104-107 (1992) 979	the alloys $Pr_{1-x}Gd_xCu_2Si_2$	108 (1992) 85
Sakurada, S., see M. Ohashi	104-107 (1992) 1383	Sampathkumaran, E.V., see Y. Uwa-	
Sakurada, S., see T. Kaneko	104-107 (1992) 1401	toko	108 (1992) 105
Sakurai, J., R. Kawamura, T. Taniguchi,		Samson, J.H., see K.S. Chana	104-107 (1992) 743
S. Nishigori, S. Ikeda, H. Goshima,		San Juán, J., see I. Ibarrondo	101 (1991) 83
T. Suzuki and T. Fujita, Transition		Sanchez, J.P., see J.A. Hodges	92 (1990) 201
from antiferromagnetic Kondo		Sánchez, J.P., see M. Maurer	93 (1991) 15
metal to mixed valence semiconduc-		Sanchez, J.P., see A. Blaise	104-107 (1992) 33
tor in Ce(Pt _{1-x} Ni _x)Sn	104-107 (1992)1415	Sanchez, J.P., see K. Mattenberger	104-107 (1992) 43
Sakurai, J., see T. Fujita	108 (1992) 35	Sanchez, J.P., see P.C.M. Gubbens	104-107 (1992) 1269
Sakurai, J., S. Nakatani, A. Adam and		Sanchez, J.P., see B. Malaman	104-107 (1992) 1359
H. Fujiwara, Magnetoresistance of		Sanchez, J.P., K. Tomala and K. Łatka,	
RAgSn (R: rare-earth metals)	108 (1992) 143	Magnetic properties of RIrSi ₃ (R =	
Sakurai, T., see K. Hono	110 (1992)L254	Gd, Dy) from Mössbauer spec-	
Sakurai, Y., see Y. Uwatoko	108 (1992) 105	troscopy and magnetization mea-	
Salamon, M.B., see A. Del Moral	104-107 (1992) 243	surements	99 (1991) 95
Salamon, M.B., R.S. Beach, J.A.		Sanchez Ll., J.L., see O. Popov	99 (1991) 119
Borchers, R.W. Erwin, C.P. Flynn,		Sanchez, M.C., see M. Maicas	104-107 (1992) 319
A. Matheny, J.J. Rhyne and F. Tsui,		Sánchez, M.C., see C. Morón	101 (1991) 59
Magnetism of rare-earth/Y and		Sánchez, M.C., see P. Sánchez	104-107 (1992) 145
rare-earth/Lu superlattices and		Sánchez, P., see C. Morón	101 (1991) 59
films	104-107 (1992) 1729	Sánchez, P., C. Dehesa, M. Rodríguez,	
Salamon, M.B., see F. Tsui	104-107 (1992) 1901	E. López, M.C. Sánchez and C.	
Salamon, M.B., see R.S. Beach	104-107 (1992) 1915	Aroca, Influence of the anisotropy	
Salas, F.H., see G.T. Pérez	93 (1991) 155	dispersion on magnetostriction	
Salas, F.H., see J.M. Alameda	93 (1991) 509	measurements	104-107 (1992) 145
Salas, F.H. and M. Mirabal-García,		Sanchez, P., see M. Maicas	104-107 (1992) 319
Splitting of the Hopkinson maxi-		Sanchez-Castro, C., see B.R. Cooper	108 (1992) 10
mum by heat treatment in Gd foils	103 (1992) 231	Sanchez-Porras, G., see J. Lamazares	104-107 (1992) 997
Salas, F.H., see J.M. Alameda	104-107 (1992) 1813	Sanders, I.L., see C. Schoenenberger	93 (1991) 123
Saldanha, R., see S. Pelissier	101 (1991) 335	Sanders, I.L., see P.I. Mayo	95 (1991) 109
Saleh, A.S., R. Al-Jaber, A. Malkawi,		Sandiumenge, F., see A. Rouco	104-107 (1992) 1645
S. Mahmood and I. Abu-Aljarayesh,		Sandonís, J., A. Pearce, J. Baruchel, K.	
Structural and magnetic studies of		Parlinski and S.B. Palmer, Temper-	
the alloy system $CuAl_{1-x}Fe_x$	99 (1991) 152	ature variation related movement of	
Salgueiro Silva, M., see R.P. Pinto	104-107 (1992)1235	chirality domain walls in helimag-	
Salinas-Sánchez, A., see M. Castro	104-107 (1992) 619	nets	104–107 (1992) 345
Salinas-Sánchez, A., see R. Burriel	104-107 (1992) 627	Sandonís, J., J. Baruchel, M. Schlenker	
Salt, D.W., see J.R. Brown	104-107 (1992) 207	and A. Pearce, The shape of the	
Salter, I.W., see R. Atkinson	95 (1991) 35	interface between the heli and fer-	
Salter, I.W., see R. Atkinson	102 (1991) 357	romagnetic phases	104–107 (1992) 347
Salter, I.W., see R. Atkinson	104-107 (1992)1005	Sandonís, J., J. Baruchel, B.K. Tanner,	
Salter, I.W., see R. Atkinson	104-107 (1992)1013	G. Fillion, V.V. Kvardakov and	

K.M. Podurets, Coupling between antiferro and ferromagnetic do-	104–107 (1992) 350	Heusler compounds RInCu ₂ , (R = La, Ce, Pr, Nd and Sm) Sato, K., Y. Aman and H. Hongu,	104–107 (1992)1435
mains in hematite Sandratskii, L.M., Theoretical analysis of the peculiarities of optical characteristics of rare earth metals	103 (1992) 204	VUV-reflectivity, magneto-optical spectra and band structure in single crystals of Cr_3Te_4	104–107 (1992) 1947
Sandratskii, L.M., see M. Uhl Sandratskii, L.M., see J. Kübler Sandratskii, L.M., Electronic structure and optical properties of RE metals	103 (1992) 314 104–107 (1992) 695	Sato, K., see Y. Isikawa Sato, M., see T. Kamimura Sato, M., T. Kamimura, T. Shinohara and T. Sato, NMR study of ⁵⁹ Co in	108 (1992) 157 104–107 (1992) 255
with non-collinear magnetic struc- tures	104–107 (1992)1533	$(Fe_{1-x}Co_x)_7S_8$ Sato, N., M. Kagawa, K. Tanaka, N.	104–107 (1992)1961
Sanjinez, R., see S. Cueto Sankar, S.G., see Y. Shen	104–107 (1992) 1096 94 (1991) 57	Takeda and T. Komatsubara, Magnetic properties of UPtSi ₂	104–107 (1992) 31
Sankar, S.G., see M.Q. Huang Sankar, S.G., see H. Ido Sankaranarayanan, V.K. and N.S.	102 (1991) 91 104–107 (1992)1361	Sato, N., M. Kagawa, K. Tanaka, N. Takeda, T. Satoh and T. Komatsubara, Magnetic properties of a mass-	
Gajbhiye, Magnetization and magnetic resonance studies of ultrafine Ho ₃ Fe ₅ O ₁₂ and Yb ₃ Fe ₅ O ₁₂	92 (1990) 217	enhanced ferromagnet U ₂ PtSi ₃ Sato, T., T. Ando, T. Watanabe, S. Ito and Y. Endoh, Reentrant spin glass	108 (1992) 115
Santos, A.D., see A.M. Severino Sapiña, F., E. Coronado, D. Beltrán	96 (1991) 167	properties of Ni ₇₇ Mn ₂₃ studied by neutron depolarization analysis	104–107 (1992) 1625
and R. Kuentzler, Thermal properties of the tetrahydrate series M ^t -		Sato, T., see M. Sato Sato Turtelli, R., see S.P. Cruz Filho	104–107 (1992) 1961 104–107 (1992) 105
M(M'EDTA) ₂ ·4H ₂ O {M', M, M' = Co(II), Ni(II), Zn(II)} Sarda, Ch., see Ph. Tailhades	104–107 (1992) 837 104–107 (1992) 969	Satoh, K., S.W. Yun, I. Ukon, I. Umehara, Y. Ōnuki, H. Aoki, S. Uji, T. Shimizu, I. Sakamoto, M. Hunt, P.	
Sarda, Ch., Ch. Bonino, P. Mollard and A. Rousset, Barium-doped iron ox- ide pigments for high-density mag-	101 107 (1992) 909	Meeson, P.A. Probst and M. Spring- ford, Heavy cyclotron mass in ferro- magnetic substance UGe ₂	104 107 (1002) 20
netic recording. Thermal stability and magnetic properties	109 (1992) 127	Satoh, K., see I. Umehara Satoh, K., I. Umehara, N. Nagai, Y.	104–107 (1992) 39 104–107 (1992) 1407
Sarkissian, B.V.B., A.K. Grover, R.G. Pillay, G. Balakrishnan, R. Kumar and P.N. Tandon, Magnetization		Onuki, I. Sakamoto, M. Hunt, P. Meeson, PA. Probst and M. Springford, Heavy cyclotron mass in	
and magneto-resistance study to elucidate the antiferro to ferro tran-		CeIn ₃ Satoh, T., see N. Sato	104–107 (1992) 1411 108 (1992) 115
sition in Ce(Fe _{0.95} Ru _{0.05}) ₂ Sarmento, E.F., I.P. Fittipaldi and T. Kaneyoshi, Phase diagrams of the	104–107 (1992)1271	Satohira, S., see M. Kawakami Satomi, M., see H. Sakakima	104–107 (1992) 1313 93 (1991) 349
spin-one transverse Ising model Sarmento, E.F., see T. Kaneyoshi	104–107 (1992) 233 104–107 (1992) 249	Sattar, A.A., see A.A. Ghani Satuła, D., see K. Szymański Saurenbach, F., see P. Grünberg	97 (1991) 141 99 (1991) 222 93 (1991) 58
Sasaki, S., see K. Matsumoto Sassik, H., see C. Polak	104–107 (1992) 451 104–107 (1992) 100	Savage, H.T., see S. Vieira Savchenkova, S.F., see S.A. Nikitin	110 (1992) 129 96 (1991) 26
Sassik, H., see V. Petkov Satija, I.I., see I. Aviram Satija, S.K., see S.E. Nagler	109 (1992) 309 98 (1991) 92	Sawant, S.R., see R.S. Patil Sawatzky, G.A., see T. Jo	102 (1991) 51 104–107 (1992) 2087
Sato, H., see K. Shinagawa Sato, H., see T. Fukuhara	104–107 (1992) 847 104–107 (1992) 443 104–107 (1992) 667	Sayagués, M.J., see B. Martínez Sayanekar, P.L., see A.K. Nikumbh Sayouri, S., see M. Nogues	104–107 (1992) 941 97 (1991) 119 104–107 (1992) 1641
Sato, H., see I. Sakamoto Sato, K. and M. Hirai, Anomalous behavior of the magneto-circular pho-	108 (1992) 125	Sberveglieri, G., see C. Beatrice Sberveglieri, G., see P. Allia Scafi, M., see C. Petrillo	93 (1991) 147 104–107 (1992) 1767 104–107 (1992) 2015
toluminescence lineshape of R ₁ -line in ruby (Al ₂ O ₃ : Cr) Sato, K., see K. Maezawa	104–107 (1992) 944 104–107 (1992) 1365	Schabes, M.E., Micromagnetic theory of non-uniform magnetization pro- cesses in magnetic recording parti-	
Sato, K., Y. Isikawa and K. Mori, Magnetic specific heat of light rare earth		cles	95 (1991) 249

Schaefer, M., G. Dietzmann and H.		tering study of a two-dimensional	
Wirth, Magnetic losses in ferrites		ferromagnet with competing aniso-	
and nanocrystalline ribbons for		tropies	104–107 (1992) 931
power applications	101 (1991) 95	Schinz, H. and F. Schwabl, Ginzburg-	
Schaefer, M., see G. Dietzmann	110 (1992) 151	Landau theory of inhomogeneous	
Schaf, J., see P. Pureur	104–107 (1992) 1632	superconductor-ferromagnet struc-	
Schäfer, W., see J.K. Yakinthos	102 (1991) 71	tures	93 (1991) 303
Schäfer, W., see I. Yaar	104–107 (1992) 63	Schlager, H.G., see A. Schröder	108 (1992) 47
Schank, C., see K. Fraas	108 (1992) 220	Schlapp, M., see K. Boockmann	101 (1991) 345
Schatz, G., see J. Voigt	93 (1991) 341	Schlenker, M., see J. Sandonís	104-107 (1992) 347
Schaudy, G., see V. Sechovský	104-107 (1992) 11	Schlottmann, P., see S. Rahman	97 (1991) 223
Schaudy, G., T. Holubar, N. Pillmayr,		Schmerber, G., see R. Kuentzler	104-107 (1992) 1976
G. Leitenbauer, G. Hilscher, P. Rogl		Schmerber, G., see J.G. Sereni	108 (1992) 183
and A. Hanninger, Heat capacity of		Schmerber, G., see J.P. Kappler	108 (1992) 185
$(R_{1-r}Pr_r)Ba_2Cu_3O_7$ (R = Y, Gd)	104-107 (1992) 477	Schmid, B., B. Dorner, D. Visser and	100 (1772) 103
Schaudy, G., see T. Holubar	104–107 (1992) 479	M. Steiner, Magnetic field and tem-	
Schaudy, G., see E. Bauer	104–107 (1992) 651	perature dependent correlations in	
Schaudy, G., see N. Pillmayr			
	104–107 (1992) 881	the singlet ground state system	104 107 (1000) 771
Scheer, E., J. Wosnitza, H. v. Löhney-		CsFeBr ₃	104–107 (1992) 771
sen, R. Kürsch, M. Lang and F.		Schmidbauer, E. and H. Schneider,	
Steglich, Critical exponents of EuTe		Magnetic properties of Fe-rich Ge-	
from specific-heat and thermal-ex-		andalusites: spin-glass-type behav-	
pansion measurements	104–107 (1992) 175	iour at low temperatures	96 (1991) 223
Scheinfein, M.R., J. Unguris, M.		Schmidbauer, E., K. Aggarwal and H.	
Aeschlimann, D.T. Pierce and R.J.		Schneider, Thermoremanent mag-	
Celotta, Scanning Electron Mi-		netization of Fe-Ge and alusite spin	
croscopy with Polarization Analysis		glass	109 (1992) 67
(SEMPA) - studies of domains, do-		Schmidt, G., see H.G. Jahnke	92 (1990) 271
main walls and magnetic singulari-		Schmidt, J.E., see R.L. Sommer	103 (1992) 25
ties at surfaces and in thin films		Schmidt, M., see W. Grünberger	101 (1991) 173
(Invited paper)	93 (1991) 109	Schmidt, W., see D. Sieger	104-107 (1992) 895
Schenck, A., see A. Kalk	102 (1991) 184	Schmidt, W., C. Brotzeller, R. Geick, P.	
Schenck, A., see H. Maletta	104-107 (1992) 495	Schweiss and W. Treutmann, Mag-	
Schenck, A., A. Amato, P. Birrer, F.N.	(,	non-phonon coupling in Fe ₂ SiO ₄	104-107 (1992) 1049
Gygax, B. Hitti, E. Lippelt, S. Barth,		Schmidt, W., Points of phase transi-	201 201 (217 27 2017
H.R. Ott and Z. Fisk, Discovery of		tions in the magnetization curve of	
novel magnetic features in the		ferromagnetic bilayers with antifer-	
heavy-electron compound U ₂ Zn ₁₇	108 (1992) 97	romagnetic coupling	93 (1991) 418
Schepis, R. and K. Schröder, Ther-	100 (1772) 77	Schmidts, H.F. and H. Kronmüller, Size	75 (1771) 410
	104-107 (1992)1757	dependence of the nucleation field	
mopower of thin iron films			
Scheurer E. see C. Reeglin	104–107 (1992) 547	of rectangular ferromagnetic paral-	94 (1991) 220
Scheurer, F., see C. Boeglin	93 (1991) 31	lelepipeds	94 (1991) 220
Scheurer, F., E. Beaurepaire, V.		Schmidts, H.F., G. Martinek and H.	
Schorsch, C. Boeglin, B. Carrière,		Kronmüller, Recent progress in the	
O. Heckmann and J.P. Deville,		interpretation of nucleation fields of	
Growth and electronic structure as		hard magnetic particles	104–107 (1992) 1119
studied by photoemission of Fe/Cr		Schmitt, D., see J.A. Blanco	97 (1991) 4
and Co/Cr interfaces	93 (1991) 150	Schmitt, D., see D. Gignoux	97 (1991) 15
Schewe, H., see R. Hübner	104–107 (1992) 965	Schmitt, D., see D. Gignoux	98 (1991) 333
Schilberg, M., see H. Litschke	104-107 (1992) 1807	Schmitt, D., see D. Gignoux	100 (1991) 99
Schiller, A. and V. Zevin, Thermody-		Schmitt, D., see D. Gignoux	102 (1991) 33
namics of the Anderson impurity		Schmitt, D., see A.R. Ball	104-107 (1992) 170
with finite on-site Coulomb interac-		Schmitt, D., see E. Bauer	104-107 (1992) 651
tion	108 (1992) 196	Schmitt, D., see P. Dalmas de Réotier	104-107 (1992) 1267
Schilling, J.S., see A.K. Gangopadhyay	103 (1992) 267	Schmitt, D., see J.A. Blanco	104-107 (1992) 1273
Schins, A.G., A.F.M. Arts, H.W. de		Schmitt, D., see J.A. Blanco	104-107 (1992) 1285
Wijn and M. Nielsen, Neutron scat-		Schmitt, D., see A. de Visser	108 (1992) 59
,			

Schmitt, D., see A.R. Ball Schmitt, D., see A.R. Ball Schmitt, D., see A.R. Ball Schmitt, H. See A.R. Ball	109 (1992) 185 110 (1992) 337 110 (1992) 343	Schreiner, W.H., see J.C.P. De Oliveira Schrey, P. and M. Velicescu, Influence of Sn additions on the magnetic and microstructural properties of Nd-	98 (1991) 239
Schmitt, H., O. Peña, A. Perrin, J. Pa-		Dy-Fe-B magnets	101 (1991) 417
diou, M. Sergent, M. Torikachvili and J. Beille, Crystal growth and		Schröder, A., see H. v. Löhneysen	108 (1992) 45
physical properties of europium-		Schröder, A., H.G. Schlager and H.v. Löhneysen, Magnetization of CeCu ₆	
based quaternary Chevrel phases $(RE_{1-x}Eu_xMo_6S_8; RE = Sm, Yb)$	104-107 (1992) 1247	at low temperatures	108 (1992) 47
$(KL_{1-x}Lu_xMo_6S_8, KL-Shi, 10)$ Schmitz, B., see M. Schröter	104–107 (1992) 747	Schröder, K., see R. Schepis	104-107 (1992) 1757
Schneeweiss, O., see A. Sólyom	101 (1991) 109	Schroeder, P.A., see D.H. Mosca	93 (1991) 480
Schneeweiss, O., T. Žák and Y.	101 (1331) 101	Schroeder, P.A., see D.H. Mosca	94 (1991) L1
Jirásková, Magnetic properties of		Schroeder, P.A., see A. Fert	104-107 (1992) 1712
some high strained soft magnetic al-		Schroeder, P.A., see L. Piraux	110 (1992)L247
loys	103 (1992) 250	Schröter, M., B. Schmitz and P. Entel,	
Schneider, C.M., see J.J. De Miguel	93 (1991) 1	Landau description for itinerant	
Schneider, C.M., see A. Cebollada	102 (1991) 25	electron antiferromagnets	104-107 (1992) 747
Schneider, F., see J. Albino Aguiar	104-107 (1992) 547	Schuberth, E., see A.K. Gangopadhyay	103 (1992) 267
Schneider, H., see E. Schmidbauer	96 (1991) 223	Schultz, L., see M. Katter	92 (1990) L14
Schneider, H., see E. Schmidbauer	109 (1992) 67	Schultz, L., see R.J. Zhou	109 (1992) 209
Schneider, J., see A. Binner	101 (1991) 427	Schultz, L., see C. Koestler	110 (1992) 264
Schnitzke, K., see R.J. Zhou	109 (1992) 209	Schulze, M.P., see R.D. Greenough	101 (1991) 75
Schobinger-Papamantellos, P., K.H.J.		Schumacher, F., K.A. Hempel and W.	
Buschow and P. Fischer, Neutron		Salz, Hysteresis of the microwave	
diffraction study of magnetic order-		absorption loss of multidomain bar-	102 (1001) 214
ing in the system $NdSi_x$ (1.67 $\leq x \leq$	97 (1991) 53	ium ferrite	102 (1991) 314
2.00) Schobinger-Papamantellos, P., see P.	97 (1991) 33	Schumann, HD., W. Tirschler, H. Sacher and U. Seelig, Ferromag-	
Thuéry	109 (1992) 197	netic domain patterns of Ni and Fe	
Schoenenberger, C., S.F. Alvarado, S.E.	107 (1772) 177	polycrystals in the course of the	
Lambert and I.L. Sanders, Magnetic		magnetic hysteresis loop	101 (1991) 107
force microscopy and its application		Schünemann, JW., HJ. Kohnke and	
to longitudinal thin films	93 (1991) 123	K. Bärner, Determination of carrier	
Schoenes, J., see H. Brändle	93 (1991) 207	concentrations and mobilities in	
Schoenes, J., see W. Reim	93 (1991) 220	semi-metallic magnetic compounds	104-107 (1992) 923
Schoenes, J., F. Troisi, E. Brück and		Schünemann, JW., see D. Müller	110 (1992) 161
A.A. Menovsky, Electrical resistivity		Schüppel, W., see R. Müller	101 (1991) 237
and Hall-effect study of UNiAl sin-		Schuster, P., see J.J. De Miguel	93 (1991) 1
gle crystals	108 (1992) 40	Schuster, P., see A. Cebollada	102 (1991) 25
Scholl, R., see K. Elk	101 (1991) 387	Schütz, G., see H. Ebert	93 (1991) 601
Scholl, R., see L. Jahn	101 (1991) 389	Schuurmans, M.F.H., see G.H.O. Daal-	104 107 (1002) 727
Scholz, B., R.A. Brand, W. Keune, U. Kirschbaum, E.F. Wassermann, K.		derop Schwab, E., see P. Klingelhöfer	104–107 (1992) 737
Mibu and T. Shinjo, Magnetic prop-		Schwabl, F., see D. Schwenk	101 (1991) 248 93 (1991) 80
erties of Fe/Tb multilayered films		Schwabl, F., see H. Schinz	93 (1991) 303
studied by Mössbauer spectroscopy	93 (1991) 499	Schwabl, F., see T.M. Fischer	104–107 (1992) 201
Scholz, B., see K. Sumiyama	96 (1991) 329	Schwabl, F., see E. Frey	104–107 (1992) 204
Scholz, B., R.A. Brand and W. Keune,	, , , , , , , , , , , , , , , , , , , ,	Schwarz, K., see S. Matar	101 (1991) 251
Mössbauer studies of the magnetic		Schwarz, K., see P. Blaha	104–107 (1992) 683
spin texture in Fe/Tb multilayers	104-107 (1992) 1889	Schwarz, K., see P. Mohn	104–107 (1992) 685
Schönhense, G., see J. Bansmann	104-107 (1992) 1691	Schweiss, P., see B. Gillon	104-107 (1992) 583
Schönhense, G., see M. Getzlaff	104-107 (1992) 1781	Schweiss, P., see D. Sieger	104-107 (1992) 895
Schönhuber, P. and H. Pfützner, Flux		Schweiss, P., see H. Tietze-Jaensch	104-107 (1992) 897
distribution analysis in a mitred		Schweiss, P., see W. Schmidt	104-107 (1992) 1049
transformer core corner	101 (1991) 86	Schweitzer, H. and G. Czycholl, Trans-	
Schorsch, V., see F. Scheurer	93 (1991) 150	port properties of the periodic An-	
Schram, P.P.J.M., see V.I. Kalikmanov	110 (1992) 91	derson model in high dimensions	108 (1992) 150
Schreiber, R., see P. Grünberg	104–107 (1992)1734	Schweizer, J., see F. Dunstetter	96 (1991) 282

Schweizer, J., see J.A. Alonso	103 (1992) 179	Sekine, C., see K. Iki	108 (1992) 100
Schweizer, J., see A. Del Moral	104-107 (1992) 243	Sekine, C., see T. Sakakibara	108 (1992) 193
Schweizer, J., see J.X. Boucherle	104-107 (1992) 630	Sekizawa, K., Y. Takano and K. Ya-	
Schweizer, J., see A. del Moral	104–107 (1992) 1051	mamoto, Paramagnetic properties of	
Schwenk, D., F. Fishman and F.		rare earth ions in $La_{1-x}Nd_xBa_2$ -	
Schwabl, Theory of ferromagnetic		Cu_3O_y and $Y_{1-x}R_xBa_2Cu_3O_y$ (R	
multilayers	93 (1991) 80	= Gd and Ho)	104–107 (1992) 545
Schwink, Ch., see A. Kalk	102 (1991) 184	Sekizawa, K., see Y. Takano	104–107 (1992) 1367
Scopa, L., see R. Marcelli	104–107 (1992) 436	Selin, G.N., see E.I. Il'Yashenko	93 (1991) 143
Scott, B., see T.E. Grigereit	104–107 (1992) 1981	Sella, c., see R. Krishnan	93 (1991) 174
Scott, B.A., see F. Mehran	104–107 (1992) 637	Sella, C., see R. Zuberek	101 (1991) 219
Scott, C.A., see L. Albanese Scott, C.A., see M.J. Rosseinsky	104–107 (1992) 509 104–107 (1992) 599	Sella, C., see R. Krishnan	104–107 (1992) 1822
Scruby, C.B., see D.H.L. Ng	104–107 (1992) 355	Sellmyer, D.J., see K.D. Aylesworth Sellmyer, D.J., see Y.Z. Wang	98 (1991) 65 104–107 (1992)1132
Scruby, C.B., see A.D. Beale	104–107 (1992) 365	Sellmyer, D.J., see Z.S. Shan	109 (1992) 353
Sechovsky, V., see R.A. Robinson	98 (1991) 147	Selme, M.O. and P. Pecheur, Elec-	107 (1772) 333
Sechovský, V. and L. Havela, Mag-	70 (1771) 177	tronic structure of hexagonal iron	
netism of light-actinide intermetal-		layers	93 (1991) 285
lics	104–107 (1992) 7	Selme, M.O. and P. Pecheur, Elec-	70 (7772) 200
Sechovský, V., L. Havela, G. Schaudy,		tronic structure and magnetism of	
G. Hilscher, N. Pillmayr, P. Rogl		hexagonal iron layers	109 (1992) 39
and P. Fischer, Magnetism and spe-		Semitelou, I., see P. Kotsanidis	102 (1991) 67
cific heat of UIrGa ₅ and UPdGa ₅	104-107 (1992) 11	Senda, K., see A. Yamagishi	108 (1992) 211
Sechovský, V., see E. Brück	104–107 (1992) 17	Senning, B., see A.I. Smirnov	92 (1990) 116
Sechovský, V., see L. Jirman	104107 (1992) 19	Senning, B., see P. Erhart	104–107 (1992) 487
Sechovský, V., see H. Maletta	104–107 (1992) 21	Senoussi, S., see S. Hadjoudj	93 (1991) 136
Sechovský, V., see L. Havela	104–107 (1992) 23	Sens, M.A., see C.O. Lopes	94 (1991) 53
Sedazzari, S., see E. Rastelli	104–107 (1992) 1069	Seqqat, M., see M. Nogues	104–107 (1992) 1643
Sedlák, B., see D. Brož	102 (1991) 103	Serbanescu, M.D., see V. Florescu	92 (1990) 137
Seeger, M., see R. Reisser	110 (1992) 32	Sereni, J.G., see G.L.F. Fraga	102 (1991) 199
Seeger, M., see J.M. González	101 (1991) 397 101 (1991) 107	Sereni, J.G., see P. Pureur Sereni, J.G., O. Trovarelli, G. Schmer-	104–107 (1992) 1632
Seelig, U., see HD. Schumann Segawa, K., A. Tomita, K. Iwashita, M.	101 (1991) 107	ber and J.P. Kappler, Coexistence	
Kasaya, T. Suzuki and S. Kunii,		of magnetic order and heavy fermion	
Electronic and magnetic properties		behavior in Ce ₇ X ₃	108 (1992) 183
of heavy rare-earth hexaboride sin-		Sereni, J.G., see J.P. Kappler	108 (1992) 185
gle crystals	104-107 (1992) 1233	Sereni, J.G. and J.P. Kappler, Magnetic	
Segnan, R. and A. Deriu, Hyperfine		and thermal properties of CeCu	109 (1992) 349
field studies in Laves phase inter-		Serfözö, G., see A. Slawska-Waniewska	93 (1991) 169
metallic compounds	104-107 (1992)1399	Sergeev, V.V., see S. Szymura	94 (1991) 113
Ségransan, P., see W.G. Clark	104-107 (1992) 589	Sergeev, V.V., see H. Bala	103 (1992) 58
Segre, A.L., see D. Ajò	104-107 (1992) 1997	Sergent, M., see H. Schmitt	104–107 (1992) 1247
Seidel, A., see L. Häggström	97 (1991) 251	Sessoli, R., see D. Gatteschi	104–107 (1992) 2092
Seidel, A., see L. Häggström	98 (1991) 37	Sette, F., see P. Rudolf	109 (1992) 109
Seidel, A., K. Gunnarsson, L. Hägg-		Sette, F., see L.H. Tjeng	109 (1992) 288
ström, P. Svedlindh, H. Aruga Ka-		Severin, L., B. Johansson and M.S.S.	
tori and A. Ito, The reentrant Ising		Brooks, Mechanisms for itinerant magnetism in intermetallic com-	
spin-glass Fe _{0.62} Mn _{0.38} TiO ₃ studied	104 107 (1002) 1500		104–107 (1992) 745
with the Mössbauer technique	104–107 (1992) 1599 108 (1992) 205	pounds Severin, L., see M.S.S. Brooks	104–107 (1992) 743
Seidel, B., see S. Horn Seidel, B., see C. Geibel	108 (1992) 207	Severin, L., see M.S.S. Brooks	104–107 (1992)1496
Seidel, B., see C. Geibel	108 (1992) 209	Severing, A., see B.D. Rainford	108 (1992) 119
Seiden, J., see C. Chappert	93 (1991) 319	Severino, A.M., A.D. Santos and F.P.	200 (27 /
Seiden, J., see P. Bruno	93 (1991) 605	Missell, Changes in induced aniso-	
Seino, M. and S. Katsura, The free	(11.12)	tropy and magnetostriction in Co-	
energy of the Ising spin glass on the		based amorphous alloys	96 (1991) 167
Bethe lattice	104-107 (1992) 1661		

Severino, A.M., C. Gómez-Polo, P.		Sheng, Q.G., see B.R. Cooper	108 (1992) 10
Marín and M. Vázquez, Influence		Shevchenko, A.B., see V.L. Dorman	94 (1991) 293
of the sample length on the switch-		Shibata, K., see G. Oomi	104-107 (1992) 2075
ing process of magnetostrictive		Shibuya, I., see K. Yamagata	104-107 (1992) 849
amorphous wire	103 (1992) 117	Shibuya, I., see M. Fujino	104-107 (1992) 851
Seyoum, H.M., see L.H. Bennett	104-107 (1992) 539	Shields, P.J., K.D. Ball and P.E. Wigen,	
Shackleton, C., see J.A.C. Bland	93 (1991) 513	Temperature dependence of auto-	
	97 (1991) 223	oscillations in YIG films	104-107 (1992) 1043
Shah, N., see S. Rahman	104–107 (1992) 1521	Shiga, M., see K. Sumiyama	102 (1991) 56
Shaikh, S.J., see E.M. Forgan	110 (1992) 327		104–107 (1992) 691
Shamsutdinov, M.A., see S.S. Karneeva	110 (1992) 327	Shiga, M., see H. Wada Shiga, M., see H. Wada	104–107 (1992) 693
Shan, Z.S. and D.J. Sellmyer, Behavior			
of the uniaxial anisotropy of ferri-		Shiga, M., see S. Endo	104–107 (1992) 1441
magnets near the compensation	100 (1000) 252	Shiga, M., see H. Yoshie	104–107 (1992)1449
point	109 (1992) 353	Shiga, M., see H. Wada	104-107 (1992) 1925
Sharma, N., see A.K. Nigam	102 (1991) 297	Shigeoka, T., see N. Iwata	99 (1991) 209
Shatskii, P.P., see D.A. Yablonskii	99 (1991) 261	Shigeoka, T., see N. Iwata	104–107 (1992) 27
Sheh, S.A., see S.A. Vyzulin	101 (1991) 151	Shigeoka, T., see K. Takeda	104–107 (1992) 901
Shelton, R.N., see T.W. Clinton	104–107 (1992) 625	Shigeoka, T., see T. Ikeda	104–107 (1992)1221
Shen, Bg., Ly. Yang, Hq. Guo, Jx.		Shigeoka, T., N. Iwata and H. Fujii,	
Zhang and Jg. Zhao, Magnetic		Giant magnetic anisotropy in Pr-	
hardening of rapidly quenched		Ru_2Si_2	104-107 (1992) 1229
$Co_{100-x}Zr_x$ alloys (Letter to the Ed-		Shigeoka, T., see H. Nojiri	104-107 (1992)1311
itor)	92 (1990) L30	Shih, W.C., see R.J. Highmore	104-107 (1992) 1779
Shen, Bg., J. Ding, Bx. Gu, Zy.		Shimada, Y., see A. Yoshihara	104-107 (1992) 1835
Zhang, H. Homburg, Jg. Zhao and		Shimao, M., see T. Minowa	97 (1991) 107
S. Methfessel, Magnetic properties		Shimatsu, T., see M. Takahashi	101 (1991) 11
of rapidly quenched (Nd ₂ Fe ₁₄		Shimazaki, K., S. Ohnuki, H. Fujiwara	
$B)_{1-x}(Nd_{1.1}Fe_4B_4)_x$ alloys	92 (1990) 53	and N. Ohta, Exchange coupling ef-	
Shen, Bg., Ly. Yang, Jx. Zhang, F.		fect of in-plane magnetized layer	
Wo, Ts. Ning, Jg. Zhao, Hq.		capped on TbFeCo	104-107 (1992) 1017
Guo and Ws. Zhan, Magnetic		Shimchak, R., see S.S. Karneeva	110 (1992) 327
properties of amorphous (Fe _{1-x} -		Shimizu, M., see H. Yamada	104–107 (1992) 1963
Co_x) _{77.5} Nd ₄ B _{18.5} alloys and the ef-		Shimizu, N., see M. Kitada	98 (1991) 215
fects of heat treatment on its hard		Shimizu, T., see S. Takayama	
magnetic properties	96 (1991) 335	Shimizu, T., see K. Satoh	94 (1991) 357
Shen, B.G., see B.X. Gu	97 (1991) 40	Shimizu, T., see T. Matsumoto	104–107 (1992) 39
	99 (1991) 199		104–107 (1992) 647
Shen, Bg., see Hq. Guo	99 (1991) 199	Shinagawa, K., see T. Saito	104–107 (1992) 163
Shen, BG., LY. Yang, JZ. Liang,		Shinagawa, K., H. Sato, T. Saito and T.	
JX. Zhang and FM. Yang, Möss-		Tsushima, Charge transfer transi-	
bauer spectra and magnetic proper-		tions in yttrium iron garnet	104–107 (1992) 443
ties of amorphous $(Fe_{1-x}Co_x)_{77.5}$		Shinagawa, K., see K. Tamanoi	104–107 (1992) 445
Nd ₄ B _{18.5} alloys	104–107 (1992)1088	Shinagawa, K., see T. Iida	104–107 (1992) 1363
Shen, BG., see FM. Yang	104–107 (1992) 1102	Shinjo, T., N. Nakayma, I. Moritani, H.	
Shen, BG., see LY. Yang	104–107 (1992)1191	Dohnomae and S. Sugiyama, Struc-	
Shen, BG., LY. Yang, L. Cao, HY.		tural and magnetic properties of	
Yang, JG. Zhao and FM. Yang,		3d/Sb multilayers	93 (1991) 35
Magnetic properties of metastable		Shinjo, T., see H. Dohnomae	93 (1991) 477
$R_2 Fe_{23} B_3$ compounds with $R = Ce$,		Shinjo, T., see W. Kiauka	93 (1991) 494
Pr and Nd	104-107 (1992) 1281	Shinjo, T., see B. Scholz	93 (1991) 499
Shen, BG., LY. Yang, HQ. Guo		Shinjo, T., see H. Yamamoto	99 (1991) 243
and FM. Yang, Magnetic proper-		Shinogi, A., see K. Ooiwa	104-107 (1992) 2011
ties and crystallization behavior of		Shinogi, A., see K. Endo	104-107 (1992) 2013
amorphous Fe _{93-x} B _x Nd ₇ alloys	104-107 (1992) 2021	Shinohara, T., see Y. Amako	104–107 (1992) 1451
Shen, J., see Z. Hu	104-107 (1992) 1583	Shinohara, T., see M. Sato	104–107 (1992) 1961
Shen, Q.Y., see L. Bang	104-107 (1992) 147	Shiozaki, I., see I. Sakamoto	108 (1992) 125
Shen, Y., D.E. Laughlin, E.M.T. Velu		Shipilov, A.V., see V.A. Tulin	93 (1991) 271
and S.G. Sankar, Microstructural		Shirai, M., see K. Motizuki	104–107 (1992) 1923
studies of PrCo ₅ magnets	94 (1991) 57	, and the second	101 107 (1772) 1723
J -	,		

Shiraishi, H., T. Hori and Y. Yamaguchi, Magnetic properties of pseudo-binary $GaCo_{1-x}Cr_x$ and Al $Co_{1-x}M_x$ (M = Fe, Mn) systems	104–107 (1992)2040	Šimša, Z., see R. Atkinson Šimšová, J., R. Gemperle and J.C. Lod- der, The use of colloid-SEM method for domain observation in CoCr	104–107 (1992)1005
Shiraishi, H., see T. Hori Shirane, G., see Y. Yamaguchi Shirane, G., see K. Tajima Shringi, S.N., see S. Prasad Shringi, S.N., see A.K. Nigam	104–107 (1992) 2043 103 (1992) 50 104–107 (1992) 177 92 (1990) 92 102 (1991) 297	films Šimšová, J., V. Kamberský, R. Gem- perle, J.C. Lodder, W.J.M.A. Geerts, B. Otten and P. ten Berge, Domain structure of Co-Cr films	95 (1991) 85
Shull, R.D., see L.H. Bennett Shuravlev, A.F., see D.I. Sirota Shyu, J.P., see CR. Chang Siberchicot, B. and S. Matar, Lattice	104–107 (1992) 1094 110 (1992) 221 104–107 (1992) 1543	on minor loops Šimšová, J., see Z. Šimša Sinković, B., D.J. Friedman and C.S. Fadley, Theory of spin polarized	101 (1991) 196 104–107 (1992) 403
spacing dependence of the magnetization of the nitride Mn ₄ N Siberchicot, B., see M. Pénicaud Siberchicot, B., see S.F. Matar Sieger, D., W. Schmidt, H. Tietze-Jaensch, R. Geick, P. Schweiss, W. Treutmann and H. Godfrin, Temperature dependent disorder phe-	101 (1991) 419 103 (1992) 212 104–107 (1992)1553	photoelectron diffraction Sinnecker, J.P., see S.P. Cruz Filho Sinnema, S., see R. Verhoef Sinnemann, Th., M. Mittag, M. Rosenberg, A. Ehmann, T. Fries, G. Mayer-von Kürthy and S. Kemmler-Sack, Antiferromagnetism of the new non-superconducting 2201	92 (1991) 301 104–107 (1992) 105 104–107 (1992)1325
nomena in Rb ₂ Mn _{0.2} Cr _{0.8} Cl ₄ Sieger, D., see H. Tietze-Jaensch Siegmann, H.C., see F. Meier	104–107 (1992) 895 104–107 (1992) 897 93 (1991) 523	stacking polytype BiPbSr ₂ Fe _{1-x} M _x - O_{6+z} with M = Co, Ni and Morin-like spin-flop-transition in BiPbSr ₂ -	
Siemko, A., see A. Slawska-Waniewska Siemko, A., H.K. Lachowicz and A. Ślawska-Waniewska, Stress-anneal- induced anisotropy in metallic glasses	93 (1991) 169 101 (1991) 16	FeO_{6+z} Sinnemann, Th., L. Ressler, M. Rosenberg, T. Fries, A. Ehmann and S. Kemmler-Sack, Mössbauer spectroscopy study of $(Bi,Pb)_2Sr_2Bi_{n-1}$	95 (1991) 175
Siemko, A., see A. Slawska-Waniewska Siemko, A., see A. Ślawska-Waniewska Sierro, J., see P. Bonville Sierro, J., see R. Cibin Sievert, J., see A. Wulfes	101 (1991) 40 104–107 (1992) 119 97 (1991) 178 108 (1992) 107 104–107 (1992) 2069	Fe _n O _{3n+3+z} stacking polytypes with $n = 2,3,4$ Sipahi, L.B. and D.C. Jiles, Investigation of the frequency dependence of Barkhausen emissions for measur-	98 (1991) 99
Sigayev, A.N., see A.V. Anshakov Signore, P.J.C., see E.A. Knetsch Signore, P.J.C., see E.A. Knetsch Silant'ev, V.I., see I.L. Gabelko Silin, V.P., V.M. Zverev, M. Thon and D. Wagner, The role of spin and	101 (1991) 157 108 (1992) 71 108 (1992) 73 94 (1991) 287	ing the depth dependence of magnetic properties Siratori, K., see E. Kita Sirota, D.I. and A.F. Shuravlev, Thermal self-focusing of the acoustic beam in the ferromagnet near the	104–107 (1992) 385 104–107 (1992) 449
phonon fluctuations in Fe-Ni Invar alloys Silvestre, P., see B.A. Lombos Simon, A., see R.K. Kremer Simon, A., see W. Bauhofer	104–107 (1992) 701 93 (1991) 391 104–107 (1992) 959 104–107 (1992) 1243	temperature of the orientational phase transition Sivertsen, J.M., see T. Yeh Sjöström, J. and T. Jarlborg, Band structures and magnetic properties	110 (1992) 221 104–107 (1992)1879
Simons, B.D., see J.M.F. Gunn Simopoulos, A., see M. Pissas Šimša, Z., L. Štichauer, J. Koláček, A.J.	104–107 (1992) 465 104–107 (1992) 571	in the iron phosphide compounds FeMnP, FeCrP and FeVP Skanthakumar, S., J.W. Lynn, J.L. Peng	98 (1991) 85
Pointon and C. Turner, Faraday rotation in BaFe ₁₁ Co _{0.5} Ti _{0.5} O ₁₉ Šimša, Z., J. Koláček, J. Simšová, P. Görnert, K. Fischer and R. Gerber, Faraday rotation in cobalt- and titanium-substituted barium hexafer-	101 (1991) 233	and Z.Y. Li, Magnetic order of Cu in Nd _{2-x} Ce _x CuO ₄ Skjeltorp, A.T., see G. Helgesen Škorvánek, I. and M. Miglierini, The effects of short range order changes on hyperfine field distribution and	104–107 (1992) 519 97 (1991) 25
rites Šimša, Z., see Y. Kawai Šimša, Z., see H. Štěpánková	104-107 (1992) 403 104-107 (1992) 407 104-107 (1992) 411	Curie temperature of amorphous Fe ₃₀ Ni ₃₆ Cr ₁₂ Mo ₂ B ₁₅ Si ₅ Škorvánek, I., see A. Sólyom	96 (1991) 162 101 (1991) 109

Škorvánek, I., The domain wall fixing effects induced by small dc field annealing in Fe ₄₀ Ni ₄₀ B ₂₀ metallic		Soinski, M., E. Hobson and A. Baghurst, Chemically bonded amorphous ribbons for stacked-cores	101 (1991) 62
glasses Skrzypek, D., The effect of impurities Fe ²⁺ , Co ²⁺ , Ni ²⁺ on antiferromag-	104–107 (1992) 333	Sólyom, A., A. Zentko, O. Schneeweiss, G. Konczos, I. Škorvánek and P. Marko, FeSi microcrystalline alloys	
netic resonance in KMnF ₃	102 (1991) 175	prepared by single and double roller	
Sláma, J., A. Grusková, E. Ušák and V.		methods	101 (1991) 109
Jančárik, Supplementary domains		Solzi, M., see P.A. Algarabel	101 (1991) 111
variation in stack of sheets	101 (1991) 102	Solzi, M., see G. Marusi	101 (1991) 333
Sláma, J., see A. Grusková	101 (1991) 227	Somekh, R.E., see R.J. Highmore	104–107 (1992)1777
Slawska-Waniewska, A., A. Siemko and		Somekh, R.E., see R.J. Highmore	104–107 (1992)1779
G. Serfözö, Surface investigations of		Sommer, R.L. and A.A. Gomes, Sto-	
implanted amorphous ribbons	93 (1991) 169	chastic wall motion and reservoir	
Ślawska-Waniewska, A., see A. Siemko	101 (1991) 16	dynamics	97 (1991) 305
Slawska-Waniewska, A., A. Siemko, J.		Sommer, R.L., J.E. Schmidt and A.A.	
Fink-Finowicki, L. Załuski and H.K.		Gomes, Magnetic noise in the reen-	
Lachowicz, Some aspects of simul-		trant system $Ni_{1-x}Mn_x$	103 (1992) 25
taneous stress- and field-annealing		Sommers, C.B., see M. Pénicaud	103 (1992) 212
of metallic glasses	101 (1991) 40	Sondermann, U., see A.F. andresen	94 (1991) 347
Ślawska-Waniewska, A., A. Siemko and		Song, K. and M. Naoe, Magneto-opti-	
H.K. Lachowicz, Stress-field-an-		cal characteristic of Tb-Fe-Co/Al	
neal-induced anisotropy in metallic		multilayered films on layer thick-	
glasses	104-107 (1992) 119	ness	104-107 (1992) 1855
Slepowronski, M., see R. Szymczak	104-107 (1992) 321	Song-Quan, J., see P.C.M. Gubbens	104-107 (1992) 1269
Sluckin, T.J., see D.R. Denholm	104-107 (1992) 103	Sorensen, C.M., see L. Yiping	104-107 (1992) 1545
Smardz, L., see P. Stefański	104-107 (1992) 1227	Sosphenov, A.N., see P. Novák	101 (1991) 155
Smardz, L., see J. Barnaś	104-107 (1992) 1865	Soubeyroux, J.L., see C. Payen	104-107 (1992) 797
Smardz, L., B. Szymański, J. Barnaś		Soubeyroux, J.L., see N. Fanjat	104-107 (1992) 933
and J. Baszyński, Structure and		Soubeyroux, J.L., see J. Pierre	104-107 (1992) 1207
magnetic anisotropy of Pd/Ni and		Soubeyroux, J.L., see O. Isnard	104-107 (1992) 2003
Cu/M (M = Fe, Co, Ni) superlat-		Soubeyroux, J.L., see A. le Lirzin	109 (1992) 47
tices	104-107 (1992) 1885	Souche, Y., see O. Cugat	104–107 (1992) 397
Smirnov, A.I., P. Erhart, B. Senning	101 101 (1772) 1000	Sougi, M., see R. Plumier	104–107 (1992) 899
and F. Waldner, Parametric spin		Soukoulis, C.M., see K.N. Trohidou	104–107 (1992) 1587
wave testing by observation of tran-		Sousa, J.B., see R.P. Pinto	104-107 (1992) 1235
sition processes	92 (1990) 116	Sousa, J.B., see V.S. Amaral	104-107 (1992) 2079
Smirnov, V.B., see S.O. Demokritov	102 (1991) 339	Sovák, P., M. Konč, P. Kollár, F.	104-107 (1772)2077
Smirnov, V.B., see S.O. Demokritov	104–107 (1992) 663	Gamčík and T. Fabová, Influence of	
Smit, P., see G.L. High	104–107 (1992) 2029	Cr concentration on the structure	
Smith, J.L., see A. de Visser	108 (1992) 56	and the magnetic properties of	
Smith, J.L., see E.A. Knetsch	108 (1992) 73	$Co_{1-x}Cr_x$ thin films	98 (1991) 205
Smith, M., see H. Oesterreicher	104-107 (1992) 497	Sowers, C.H., see M.J. Conover	102 (1991) L5
Smolyak, I.B., see T.I. Arbuzova	95 (1991) 168	Sowers, C.H., see M.E. Brubaker	
Snegirev, V.V., see I.L. Gabelko	94 (1991) 287	Spada, F.E., see R.H. Victora	103 (1992) L7
Snel, C.E., see S.A.M. Mentink	104–107 (1992) 15		97 (1991) 343
Snel, C.E., see P.C.M. Gubbens	104–107 (1992) 1269	Spałek, J. and W. Wójcik, Microscopic	
Snigirey, O.V., A.M. Tishin and A.V.	104-107 (1992)1209	approach to the Mott-Hubbard lo-	104 107 (1002) 722
Volkozub, Study of magnetic prop-		calization	104–107 (1992) 723
		Spano, M.L., H.D. Lynn and M. Wun-	
erties of single crystal holmium in	04 (1001) 242	Fogle, Basal plane magnetostriction	
weak magnetic fields	94 (1991) 342	and anisotropy of $(Tb_{0.5}Dy_{0.5})_x$	404 405 (2000)
Sobolev, V.L., see V.L. Dorman	94 (1991) 293	Gd_{100-x} single crystals	104–107 (1992) 1537
Sobolev, V.L., see I.M. Vitebskii	97 (1991) 263	Sparn, G., see F. Steglich	108 (1992) 5
Sobue, E., see M. Jimbo	104–107 (1992) 1829	Sparvieri, N., see R. Marcelli	104–107 (1992) 436
Socher, W., see A. Burgstaller	109 (1992) 117	Speliotis, D.E., The future of particu-	
Söderlind, P., B. Johansson and O.		late rigid disks	95 (1991) 313
Eriksson, Spin and orbital mag-	101 107 (177)	Speriosu, V.S., see B. Dieny	93 (1991) 101
netism in Fe-Co and Co-Ni alloys	104–107 (1992) 2037	Spichkin, Yu.I., see S.A. Nikitin	92 (1991) 397

Spiridel, J.C., see A. Blaise 104-107 (1992) 33 Spirlet, J.C., see K. Maltenberger 93 (1991) 433 Spirlet, J.C., see K. Mattenberger Spörl, K. and D. Weller, Interface anisotropy and chemistry of magnetic multilayers: Au/Co, Pt/Co and Pd/Co 93 (1991) 379 Spörl, K. see M. Vohl Spörl, K. see M. Spörl, K. see M. Vohl Spörl, K. see M. Vohl Spörl, K. see M. Vohl Spörl, K. see M. Statoh 101 (1991) 401 Spörlingford, M., see K. Satoh 101 (1991) 173 Spiringford, M., see K. Satoh 101 (1991) 173 Spiringford, M., see K. Satoh 101 (1991) 173 Spiringford, M., see M. Satoh 101 (1991) 173 Spiringford, M., see M. Satoh 101 (1991) 173 Spiringford, M., see M. Satoh 101 (1991) 173 Squire, P.T., see J. Stalay Squire, P.T., M.R.J. Gibbs, J. Barandiari, J. Cutierrez and A. Garcia-Arribas, Magneteclastic behaviour of stress-annealed Co _{73.5} Fe _{1.5} Si ₁₂ Si ₁₂ Si ₁₃ Si ₁₄ Si ₁₄ Si ₁₅ Si ₁₅ Si ₁₆ Si ₁₆ Si ₁₇ Si ₁₈ Si ₁₇ Si ₁₈ S	Spichkin, Yu.I., see S.A. Nikitin	96 (1991) 26	Stashkevich, A.A., see J. Gouzerh	101 (1991) 189
Spirlet, I.C., see K. Matteherger 104-107 (1992) 33 Spirlet, I.C., see K. Matteherger 104-107 (1992) 183 Spirlet, K., see D. Weller 104-107 (1992) 185 Spirlet, K., see D. Weller 104-107 (1992) 379 Spirlet, K., see M. Vohil 105-107 (1992) 107 Spirlet, M., see M. Vohil 104-107 (1992) 107 Spirlet, M., see M. Figiel 101 (1991) 127 Spirlighord, M., see K. Satoh 104-107 (1992) 194 Spiringford, M., see K. Satoh 104-107 (1992) 194 Spiringford, M., see K. Satoh 104-107 (1992) 194 Spiringford, M., see W. Hunting Spiringford, M., see W. Grünberger 101 (1991) 173 Spiringford, M., see W. Grünberger 101 (1991) 173 Squire, P.T., see S. Atalay 104-107 (1992) 194 Squire, P.T., see S. Atalay 104-107 (1992) 194 Squire, P.T., see S. Atalay 104-107 (1992) 195 Steglich, P., see C. Scheel 104-107 (1992) 197 Squire, P.T., see A. Magnetoelastic behaviour of stress-annealed Co _{3.73} Fr _{2.75} Si _{1.75} B _{1.75} morphous ribbon 104-107 (1992) 107 Steglich, P., see C. Geibel 104-107 (1992) 107 Steglich, P., see C. Geibel 104-107 (1992) 107 Steglich, P., see C. Geibel 108 (1992) 205 Steglich, P., see C. Geibel 108 (199	Spirgatis, A., see M. Ziese	104–107 (1992) 537		
Spirle, L. J. C. b. Weller 104-107 (1992) 43 35 25 25 25 25 25 25 2				
Spörl, K., see D. Weller 93 (1991) 183 Wrzeciono, The spin reorientation transitions in ErFe ₁₀ T ₂ CT = Cr, S) 101 (1991) 97 Spörl, K. and D. Weller, Influence of annealing on structure and magnetic amedian on the spin of a structure and magnetic amedian on the spin of the s			· · · · · · · · · · · · · · · · · · ·	104–107 (1992) 1745
Spörl, K. and D. Weller, Interface air-sotropy and chemistry of magnetic multilayers: Au/Co, Pt/Co and Pd/Co 93 (1991) 379 Stefański, P., see A. Kowalczyk 101 (1991) 341 Spörl, K. and D. Weller, Influence of annealing on structure and magnetic anisotropy of Au/Co multilayers 101 (1991) 403 Spörl, K. and D. Weller, Influence of annealing on structure and magnetic anisotropy of Au/Co multilayers 101 (1991) 403 Stefański, P., see A. Kowalczyk 104 (107 (1992) 227 Spridis, N., see H. Figiel 101 (1991) 403 Stefański, P., see A. Krimmel 104 (107 (1992) 237 Steplich, F., see A. Krimmel 104 (107 (1992) 39 Steglich, F., see A. Krimmel 104 (107 (1992) 39 Steglich, F., see A. Krimmel 104 (107 (1992) 175 Springford, M., see K. Satoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Springford, M., see K. Statoh 104 (107 (1992) 141 Steglich, F., see C. Geibel, A. Grauel, M. Lang, G. Sparn, A. Krimmell, A. Loidl and W. Assmus, Instabilities in heavy fermion systems 104 (107 (1992) 141 Steglich, F., see C. Geibel 108 (1992) 207 Steglich, F., see C. Geibel Steglich, F., see C. Geibel Steglich, F.,				
Sotropy and chemistry of magnetic multilayers: Au/Co, Pt/Co and Pd/Co 93 (1991) 379 93 (93 (1991) 183		
multilayers: Au/Co, Pt/Co and Pd/Co			transitions in $ErFe_{10}T_2$ (T = Cr, Si)	
Pd/Co 93 (1991) 379 Stefański, P., A. Kowalczyk and L. Smardz, Competing anisotropies in Dy1_r, Tm, FejoSi ₂ compounds Stefańyi, P., see R. Záboj Sprightord, M., see K. Satoh 104-107 (1992) 401 Steglich, F., see R. Krimmel 104 (1992) 275 Springford, M., see K. Satoh 104-107 (1992) 411 Steglich, F., see R. Krimmel 103 (1992) 275 Springford, M., see K. Satoh 104-107 (1992) 411 Steglich, F., see R. Krimmel 104 (197 (1992) 1275 Steglich, F., see R. Krimmel 104 (197 (1992) 1275 Steglich, F., see R. Krimmel 104 (197 (1992) 1275 Steglich, F., see R. Krimmel 104 (197 (1992) 1276 Steglich, F., see R. Krimmel 104 (197 (1992) 1276 Steglich, F., see R. Krimmel 104 (197 (1992) 1276 Steglich, F., see R. Krimmel 104 (197 (1992) 1276 Steglich, F., see R. Krimmel 104 (197 (1992) 1276 Steglich, F., see R. Scheer Steglich,				101 (1991) 97
Spörl, K., see M. Vohl Spörl, K. and D. Weller, Influence of annealing on structure and magnetic anisotropy of Au/Co multilayers 101 (1991) 217 Stefanyi, P., see R. Záboj 104-107 (1992) 95 Steglich, R., see R. Záboj Steglich, F., see A. Krimmel 104-107 (1992) 25 Springford, M., see K. Satoh 104-107 (1992) 1411 Steglich, F., see A. Krimmel 106 (1991) 175 Steglich, F., see A. Krimmel 106 (1991) 175 Steglich, F., see A. Krimmel 106 (1992) 175 Steglich, F., see A. Krimmel 107 (1992) 175 Steglich, F., see A. Krimmel 108 (1992) 175 Steglich, F., see C. Griebel Sparn, A. Krimmell, A. Loidl and W. Assmus, Instabilities in heavy fermion systems 108 (1992) 207 Steglich, F., see C. Geibel 108 (1992) 207 Steglich, F., see C. Ge				101 (1991) 341
Spört, K. and D. Weller, Influence of annealing on structure and magnetic ansiotropy of Au/ Co multilayenetic anisotropy of Au/ Co multilayenetic and isotropies of Amplex of Auriting and Markamistan and multilayens with large out-of-plane anisotropies and an Auriting and Decay and Stampson, R. L. and B. Hillebrands, Dipole-exchange modes in single thin films and multilayens with large out-of-plane anisotropies. Stamps, R. L., ace J. V. Harzer Stamps, R. L., L. V. Harzer Stamps, R. R. L. and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers and the films of the spiral process of the control of the dimensional behavior to three dimensional behavior to three dimensional behavior in lay-of-plane anisotropies. Stamps, R. L., L. V. Harzer Stamps, R. L., L. V.	· · · · · · · · · · · · · · · · · · ·			
Stefamy, P., see R. Záboj 104-107 (1992) 953		93 (1991) 403		
Septida nisotropy of Au/Co multilay- ers Spridda			- 1 2 2 10 2 -	
Springs 101 (1991) 217 Springs 104 (1992) 217 Springmann, B., see K. Satoh 104 (1992) 127 Springmann, B., see W. Grünberger 101 (1991) 173 Squire, P.T., see S. Atalay 101 (1991) 173 Squire, P.T., MR.J. Gibbs, J.M. Barandiarán, J. Gutierrez and A. García-Arribas, Magnetoelastic behaviour of stress-annealed Co _{73.8} Fe _{1.8} Sil ₁₅ B ₁₀ amorphous ribbon 104 (107 (1992) 107 Steglich, F., see C. Geibel 108 (1992) 205 S	_			104–107 (1992) 953
Springford, M., see K. Satoh 104-107 (1992) 39 Steglich, F., see A. Krimmel 103 (1992) 73				
Springford, M., see K. Satoh 104-107 (1992) 39 Steglich, F., see A. Krimmel 104-107 (1992) 127 Steglich, F., see E. Scheer 104-107 (1992) 175 Steglich, F., see E. Scheer 104-107 (1992) 175 Steglich, F., see E. Scheer 104-107 (1992) 175 Steglich, F., see C. Geibel, A. Grauel, M. Lang, G. Sparn, A. Krimmell, A. Loid and W. Assmus, Instabilities in heavy-fermion systems 108 (1992) 205 Steglich, F., see C. Geibel, A. Grauel, M. Lang, G. Sparn, A. Krimmell, A. Loid and W. Assmus, Instabilities in heavy-fermion systems 108 (1992) 205 Steglich, F., see C. Geibel 108 (1992) 205 Steglich, F., see C. Geibel 108 (1992) 207 Steglich, F., see C. Geib				
Springford, M., see K. Satoh 104-107 (1992) 127 178 179				
Springford, M., see M. Hunt 108 (1992) 127 C. Geibel, A. Grauel, M. Lang, G. Sparn, A. Krimmell, A. Loidl and Guire, P.T., M.R.J. Gibbs, J.M. Barandiarán, J. Gutierrez and A. García Arribas, Magnetoelastic behaviour of stress-annealed Co _{73x} Fe _{1x} Si ₁₅ * B ₁₀ amorphous ribbon 104-107 (1992) 107 Steglich, F., see C. Geibel 108 (1992) 205 Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon 104-107 (1992) 109 Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 109 Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 109 Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 27 Steiglich, F., see C. Geibel 108 (1992) 205 Steigli				
Springmann, B., see W. Grünberger 101 (1991) 173 C. Geibel, A. Grauel, M. Lang, G. Squire, P.T., see S. Atalay Sparn, A. Krimmell, A. Loidl and W. Assmus, Instabilities in heavy fermion systems 108 (1992) 207				104-107 (1992) 175
Squire, P.T., See S. Atalay 101 (1991) 47 Sparn, A. Krimmell, A. Loidl and W. Assmus, Instabilities in heavy-fermion systems or stress-annealed Co775Fe1,Si157B10 amorphous ribbon 108 (1992) 20 5 Squire, P.T., M.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon 104-107 (1992) 107 Steglich, F., see C. Geibel 108 (1992) 207 108 (1992) 207 Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon 104-107 (1992) 109 Steglich, F., see C. Geibel 108 (1992) 207 108 (1992) 207 Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon 104-107 (1992) 109 Steglich, F., see C. Geibel 108 (1992) 207 108 (1992) 207 Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon 104-107 (1992) 109 Steglich, F., see C. Geibel 108 (1992) 213 109 (1992)				
Squire, P.T., M.R.J. Gibbs, J.M. Barandiarán, J. Gutierrez and A. García-Arribas, Magnetotelastic behaviour of stress-annealed $Co_{73.5}Fe_{1.5}Si_{15}$ 104–107 (1992) 107 Steglich, F., see C. Geibel 108 (1992) 205 Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon 2quire, P.T., see M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon 104–107 (1992) 109 Squire, P.T., see M.R.J. Gibbs 27 inivas, V., see S. Prasad 92 (1990) 92 Steglich, F., see C. Geibel 108 (1992) 205 Steglich, F., see C. Geibel 108 (1992) 207 Steglich, F., see C. Geibel 108 (1992) 207 Steglich, F., see C. Geibel 108 (1992) 207 Steglich, F., see C. Geibel 108 (1992) 208 Steglich, F., see C. Geibel 108 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see C. Geibel 200 (104–107 (1992) 209 Steglich, F., see E.				
diarán, J. Gutierrez and A. García Arribas, Magnetoelastic behaviour of stress-annealed $Co_{73.5}Fe_{1.5}Si_{15}$ B $_{10}$ amorphous ribbon Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon Squire, P.T., see M.R.J. Gibbs 104–107 (1992) 109 Squire, P.T., see M.R.J. Gibbs 104–107 (1992) 207 Steglich, F., see C. Geibel 108 (1992) 207 Squire, P.T., see M.R.J. Gibbs 104–107 (1992) 109 Squire, P.T., see M.R.J. Gibbs 104–107 (1992) 207 Squire, P.T., see M.R.J. Gibbs 104–107 (1992) 207 Squire, P.T., see M.R.J. Gibbs 207 Sinivas, V., see S. Prasad 92 (1990) 92 Strinivas, V., S. Ramakrishnan, G. Chandra and R.A. Dunlap, Magnetic in cosahedral Al $_{44}$ Mn $_{26}$ Sia 104–107 (1992) 212 Steiner, M., see B. Schmid 104–107 (1992) 805 Stamis, S., see S. Tabor 104–107 (1992) 228 Steiner, M., see W. Enderle 104–107 (1992) 805 Stamis, S., see S. Tabor 104–107 (1992) 209 Stamm, W., see K. Sumiyama Stamps, R.L., see B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multi		101 (1991) 4/		
Arribas, Magnetoelastic behaviour of stress-annealed $Co_{73,F}e_{1,5}Si_{15}$: B_{10} amorphous ribbon 104-107 (1992) 107 Steglich, F., see C. Geibel 108 (1992) 207 Steglich, F., see C. Geibel 108 (1992) 207 Steglich, F., see C. Geibel 108 (1992) 208 Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon 104-107 (1992) 109 Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 327 Steiglich, F., see K. Fraas 108 (1992) 220 Steglich, F., see W. Ahlheim 108 (1992) 220 Steglich, F., see W. Ahlheim 108 (1992) 220 Steglich, F., see W. Ahlheim 108 (1992) 213 Steglich, F., see W. Ahlheim 108 (1992) 213 Steglich, F., see W. Ahlheim 108 (1992) 209 Steglich, F., see W. Ahlheim 108 (1992) 213 Steglich, F., see W. Ahlheim 108 (1992) 209 Steglich, F., see W. Ahlheim 108 (1992) 213 Steglich, F., see W. Ahlheim 108 (1992) 203 Steglich, F., see W. Ahlheim 108 (1992) 203 Steglich, F., see W. Bheim 108 (1992) 203 Steglich, F., see W. Bheim 108 (1992) 213 Steglich, F., see W. Bheim 108 (1992) 213 Steglich, F., see W. Bheim 108 (1992) 203 Steglich, F., see W. Bheim 108 (1992) 203 Steglich, F., see W. Bheim 108 (1992) 203			· · · · · · · · · · · · · · · · · · ·	100 (1002) 5
of stress-annealed $Co_{73.5}Fe_{1.5}Si_{1.5}B_{10}$ amorphous ribbon Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon Squire, P.T., see M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon Squire, P.T., see M.R.J. Gibbs 104–107 (1992) 109 Steglich, F., see W. Fraas Steglich, F., see K. Fraas Steigenberger, U., K.A. McEwen, J.L. Martinez and D. Fort, Magnetic and structural phase transitions in UPd Steiner, M., see B. Hill Mayer Steiner, M., see B. Schmid Steiner, M., see B. Schmid Steiner, M., see W. Palme 104–107 (1992) 805 Steiner, M., see B. Chandra and R.A. Dunlap, Magnetism in icosahedral Al_{44} Mn $_{26}$ Si $_{30}$ Steiner, M., see M. Enderle Steiner, M., see H.M. Mayer 104–107 (1992) 805 Stambs, S.I., see A.D. Arsenieva Stamps, R.L., see S. Tabor 104–107 (1992) 202 Steiner, M., see M. Enderle 104–107 (1992) 805 Steiner, M., see A. Pösinger Steiner, M., see H.M. Mayer 104–107 (1992) 1295 Steiner, W., see A. Pösinger 104–107 (1992) 203 Steiner, W., see A. Pösinger 104–107 (19				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
Squire, P.T., A.P. Thomas, M.R.J. Gibbs and M. Kuzminski, Domain studies of field-annealed amor- phous ribbon Squire, P.T., see M.R.J. Gibbs Strinivas, V., see S. Prasad Strinivas, V., see S. Prasad Strinivas, V., See S. Prasad Ochandra and R.A. Dunlap, Mag- netism in icosahedral Al ₄₄ Mn ₂₆ Si ₃₀ Srinivasan, G., see B. Uma Maheshwar Rao Stadnik, S.I., see A.D. Arsenieva Stamps, R.L., see J. Wieting Stamms, R.L. and B. Hillebrands Stamps, R.L., see B. Hillebrands Stamps, R.L., see J.V. Harzer Out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., see J.V. Harzer Stamps, R.L., see J.V. Harzer Out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Stephon Steiner, M., see H. A. McSwen, J.L. Martinez and D. Fort, Magnetic and structural phase transitions in UPd ₃ Steiner, M., see H.M. Mayer 104-107 (1992) 120 Steiner, M., see B. Schmid 104-107 (1992) 221 Steiner, M., see B. Schmid 104-107 (1992) 285 Steiner, M., see W. Palme 104-107 (1992) 805 Steiner, M., see H. Mayer 104-107 (1992) 805 Steiner, M., see M. Enderle 104-107 (1992) 805 Steiner, M., see W. Palme 104-107 (1992) 805 Steiner, M., see M. Enderle 104-107 (19		104_107 (1992) 107		
Gibbs and M. Kuzminski, Domain studies of field-annealed amorphous ribbon Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 109 Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 327 Srinivas, V., see S. Prasad 92 (1990) 92 Strinivas, V., S. Ramakrishnan, G. Chandra and R.A. Dunlap, Magnetism in icosahedral Al ₄₄ Mn ₂₆ Si ₃₀ Srinivasan, G., see B. Uma Maheshwar Rao Stadnik, S.I., see A.D. Arsenieva 99 (1991) 167 Stafström, S., see S. Tabor 104-107 (1992) 2099 Stahnik, A., see J. Wieting 104-107 (1992) 2099 Stahnik, A., see J. Wieting 104-107 (1992) 2099 Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., J.V. Harzer and B. Hillebrands, Dipole-exchange modes in single with magnetoplumbite structure Stepánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La³+ substituted hexagonal ferrites with magnetoplumbite structure Stepánková, H		104-107 (1772) 107		
studies of field-annealed amorphous ribbon Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 327 Srinivas, V., see S. Prasad 92 (1990) 92 Srinivas, V., S. Ramakrishnan, G. Chandra and R.A. Dunlap, Magnetism in icosahedral Al ₄₄ Mn ₂₆ Si ₃₀ Srinivasan, G., see B. Uma Maheshwar Rao 103 (1992)L228 Stadnik, S.I., see A.D. Arsenieva 99 (1991) 167 Stafström, S., see S. Tabor Stahnke, A., see J. Wieting Stamm, W., see K. Sumiyama Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 327 Steiner, M., see H.M. Mayer 104-107 (1992) 2121 Steiner, M., see M. Enderle 104-107 (1992) 805 Steiner, M., see A. Pösinger 104-107 (1992) 1295 Steiner, W., see A. Pösinger 104-107 (1992) 1205 St				
Squire, P.T., see M.R.J. Gibbs 104-107 (1992) 327 Steiner, M., see H.M. Mayer 97 (1991) 210 Steiner, M., see H.M. Mayer 97 (1991) 210 Steiner, M., see H.M. Mayer 97 (1991) 210 Steiner, M., see H.M. Mayer 104-107 (1992) 771 Steiner, M., see B. Schmid 104-107 (1992) 771 Steiner, M., see W. Palme 104-107 (1992) 805 Steiner, M., see M. Enderle 104-107 (1992) 805 Steiner, M., see A. Pösinger 104-107 (1992) 1295 Steiner, M., see A. Pösinger 98 (1991) 19 Steiner, M., see A. Pösinger 98 (1991) 19 Steiner, M., see A. Pösinger 98 (1991) 19 Steiner, M., see A. Pösinger 104-107 (1992) 1295 Steiner, M., see M. Mayer 104-107 (1992) 1295 Steiner, M., see M. Mayer 104-107 (1992) 1295 Steiner, M., see M. Mayer 104-107 (1992) 1295 Ste	· · · · · · · · · · · · · · · · · · ·			100 (1772) 220
Squire, P.T., see M.R.J. Gibbs Srinivas, V., see S. Prasad 92 (1990) 92 Steiner, M., see H.M. Mayer 97 (1991) 210 Steiner, M., see H.M. Mayer Ntimitivas, V., S. Ramakrishnan, G. Chandra and R.A. Dunlap, Magnetism in icosahedral Al ₄₄ Mn ₂₆ Si ₃₀ Srinivasan, G., see B. Uma Maheshwar Rao Stadnik, S.I., see A.D. Arsenieva Stadnik, S.I., see A.D. Arsenieva 99 (1991) 167 Stafström, S., see S. Tabor Stahnke, A., see J. Wieting Stamm, W., see K. Sumiyama Stamm, W., see K. Sumiyama Stamm, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., J.V. Harzer Stamps, R.L., J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Stamps, R.L., J.V. Harzer and B. Hillebrands, Three cross-over from two to three dimensional behavior in lay- Stamps, R.L., J.V. Harzer and B. Hillebrands, Proceedings of the place of the place of three dimensional behavior in lay- Stamps, R.L., J.V. Harzer and B. Hillebrands, Proceedings of the place of		104-107 (1992) 109		
Srinivas, V., see S. Prasad Srinivas, V., S. Ramakrishnan, G. Chandra and R.A. Dunlap, Magnetism in icosahedral Al ₄₄ Mn ₂₆ Si ₃₀ Srinivasan, G., see B. Uma Maheshwar Rao Stadnik, S.I., see A.D. Arsenieva Stamps, R.L., see B. Sumiyama Stamm, W., see B. Sumiyama Stamm, W., see B. Sumiyama Stamps, R.L., and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., J.V. Harzer Stamps, R.L., J.V. Harzer Stamps, R.L., J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Steiner, M., see H.M. Mayer Steiner, M., see H.M. Mayer 104–107 (1992) 2015 Steiner, M., see H.M. Mayer 104–107 (1992) 805 Steiner, M., see M. Enderle 104–107 (1992) 805 Steiner, M., see M. Enderle 104–107 (1992) 805 Steiner, M., see M. Enderle 104–107 (1992) 805 Steiner, M., see H.M. Mayer 104–107 (1992) 805 Steiner, M., see H. B. Holled-107 (1992) 805 Steiner, M., see H. B. Holled-107 (1992) 805 Steiner, M., see H.M. Mayer 104–107 (1992) 805 Steiner, M., see H.M. Mayer 104–107 (1992) 805 Steiner, M., see M. Enderle 104–107 (1992) 805 Steiner, M., see H.M. Mayer 104–107 (1992) 1895 Steiner, M., see H.M. Mayer 104–107 (1992) 1895 Steiner, M., see H.M. Mayer 104–107 (1992) 1895 Steiner, M., see M. Enderle 104–107 (1992) 1895 Steiner, M., see M. Enderle 104–107 (1992) 1895 Steiner, M., see M. Enderle 104–107 (1992) 1895 Steiner, M., see H.M. Mayer 104–10				108 (1992) 163
Steinivas, V., S. Ramakrishnan, G. Chandra and R.A. Dunlap, Magnetism in icosahedral Al ₄₄ Mn ₂₆ Si ₃₀ Srinivasan, G., see B. Uma Maheshwar Rao Steiner, M., see W. Palme 104–107 (1992) 805 Steiner, M., see W. Enderle Steiner, M., see K. Kakurai 104–107 (1992) 805 Steiner, M., see K. Kakurai 104–107 (1992) 805 Steiner, M., see H.M. Mayer 104–107 (1992) 805 Steiner, M., see H.M. Mayer 104–107 (1992) 805 Steiner, M., see H.M. Mayer 104–107 (1992) 1295 Steiner, W., see H.M. Mayer 104–107 (1992) 1295 Steiner, W., see A. Pösinger 104–107 (1992) 1295 Steiner, W., see B. Schmid 104–107 (1992) 805 Steiner, M., see W. Enderle 104–107 (1992) 805 Steiner, M., see H.M. Mayer 104–107 (1992) 1295 Steiner, M., see H.M. Mayer 104–107 (1992) 205 Steiner, M., see H.M. Mayer 104–107 (1992) 205 Steiner, M., see H.M. Mayer 104–107 (1992) 1295 Steiner,				97 (1991) 210
netism in icosahedral Al ₄₄ Mn ₂₆ Si ₃₀ Srinivasan, G., see B. Uma Maheshwar Rao 103 (1992)L228 Steiner, M., see M. Enderle Steiner, M., see H.M. Mayer Steiner, M., see H.M. Dellander Steiner, M., see H.M. Mayer Steiner, M., see H.M. Dellander Steiner, M., see H.M. Mayer Steiner, M., see A. Pösinger Steiner, M., see A. Pösinger Steiner, M., see A. Pösinger Steiner, M., see M. Enderle Steine				104-107 (1992) 771
Strinivasan, G., see B. Uma Maheshwar Rao 103 (1992)L228 Stadnik, S.I., see A.D. Arsenieva 99 (1991) 167 Stafström, S., see S. Tabor 104–107 (1992)2099 Stadnik, A., see J. Wieting Stamm, W., see K. Sumiyama Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., J.V. Harzer Stamps, R.L., J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Steiner, M., see K. Kakurai 104–107 (1992) 1295 Steiner, W., see A. Pösinger 104–107 (1992) 1295 Steiner, W., see A. Pösinger 104–107 (1992) 1597 Steiner, W., see A. Pösinger 104–107 (1992) 1591 Steiner, W., see B. Höller, W., see M. M. Kahrizi, Exploration of the phase diagram of holmium in a magnetic field using neutron diffraction and th	Chandra and R.A. Dunlap, Mag-		Steiner, M., see W. Palme	104-107 (1992) 805
Stadnik, S.I., see A.D. Arsenieva 99 (1991) 167 Stafström, S., see S. Tabor 104-107 (1992)2099 Stahnke, A., see J. Wieting Stamm, W., see K. Sumiyama Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., see J.V. Harzer Out-of-plane anisotropies Stamps, R.L., see J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Out-of-plane dimensional behavior in lay- Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Out-of-plane anisotropies	netism in icosahedral Al ₄₄ Mn ₂₆ Si ₃₀	104-107 (1992)2121	Steiner, M., see M. Enderle	104-107 (1992) 809
Stadnik, S.I., see A.D. Arsenieva 99 (1991) 167 Stafström, S., see S. Tabor 104–107 (1992)2099 Stahnke, A., see J. Wieting 101 (1991) 128 Stamm, W., see K. Sumiyama 96 (1991) 329 Stamm, W., see K. Sumiyama 96 (1991) 329 Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., see J.V. Harzer Stamps, R.L., see J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay-	Srinivasan, G., see B. Uma Maheshwar		Steiner, M., see K. Kakurai	104-107 (1992) 857
Stafström, S., see S. Tabor Stahnke, A., see J. Wieting Stamm, W., see K. Sumiyama Stamm, W., see K. Sumiyama Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., see J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Staff Tabor 104-107 (1992)2023 Steiner, W., see A. Pösinger 104-107 (1992)1203 Steiner, W., see W.M. Xu 104-107 (1992)2023 Steiner, W., see W.M. Xu Steiner, W., see W.M. Xu 104-107 (1992)2023 Steintz, M.O., D.A. Tindall and M. Kahrizi, Exploration of the phase diagram of holmium in a magnetic field using neutron diffraction and thermal expansion measurements Stěpánková, H., J. Kohout and Z. Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La³+ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 409		103 (1992)L228	Steiner, M., see H.M. Mayer	104–107 (1992)1295
Stahnke, A., see J. Wieting Stamm, W., see K. Sumiyama Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, Character of three dimensional behavior in lay- Stamps, R.L., see J.V. Harzer 101 (1991) 128 Steiner, W., see W.M. Xu Steintz, M.O., D.A. Tindall and M. Kahrizi, Exploration of the phase diagram of holmium in a magnetic field using neutron diffraction and thermal expansion measurements Stěpánková, H., J. Kohout and Z. Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La³+ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 409	Stadnik, S.I., see A.D. Arsenieva	99 (1991) 167	Steiner, W., see A. Pösinger	
Stamm, W., see K. Sumiyama Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, Charles, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Steinitz, M.O., D.A. Tindall and M. Kahrizi, Exploration of the phase diagram of holmium in a magnetic field using neutron diffraction and thermal expansion measurements Stěpánková, H., J. Kohout and Z. Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La³+ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 409	Stafström, S., see S. Tabor	104-107 (1992) 2099	Steiner, W., see A. Pösinger	104–107 (1992) 1597
Stampanoni, M. and R. Allenspach, Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, Character of the construction of the phase diagram of holmium in a magnetic field using neutron diffraction and thermal expansion measurements Stěpánková, H., J. Kohout and Z. Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 1531 Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 411	Stahnke, A., see J. Wieting	101 (1991) 128		104-107 (1992) 2023
Magnetic domain imaging in thin epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, Charles, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Magnetic domain imaging in thin diagram of holmium in a magnetic field using neutron diffraction and thermal expansion measurements Stěpánková, H., J. Kohout and Z. Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 411	Stamm, W., see K. Sumiyama	96 (1991) 329		
epitaxial films by spin-polarized scanning electron microscopy Stamps, R.L., see B. Hillebrands Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- epitaxial films by spin-polarized scanning field using neutron diffraction and thermal expansion measurements Stěpánková, H., J. Kohout and Z. Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure 5těpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La³+ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 411				
scanning electron microscopy Stamps, R.L., see B. Hillebrands Stamps, R.L. and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- stamps, R.L., see J.V. Harzer 104-107 (1992) 1805 thermal expansion measurements Stěpánková, H., J. Kohout and Z. Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure 5těpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La³+ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 411				
Stamps, R.L., see B. Hillebrands Stamps, R.L. and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Stepánková, H., J. Kohout and Z. Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La³+ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 409				104 105 (1000) 1501
Stamps, R.L. and B. Hillebrands, Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Simša, NMR study of Ti-Co, Ti-Mg and Ti substituted hexagonal ferrites with magnetoplumbite structure 104–107 (1992) 411 Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104–107 (1992) 409			V	104–107 (1992) 1531
Dipole-exchange modes in single thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Dipole-exchange modes in single and Ti substituted hexagonal ferrites with magnetoplumbite structure 104–107 (1992) 411 Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104–107 (1992) 409		93 (1991) 211		
thin films and multilayers with large out-of-plane anisotropies Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- tites with magnetoplumbite structure Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104–107 (1992) 411 Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure			•	
out-of-plane anisotropies 93 (1991) 616 Stamps, R.L., see J.V. Harzer 104–107 (1992) 1863 Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- out-of-plane anisotropies 93 (1991) 616 ture 104–107 (1992) 411 Stěpánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104–107 (1992) 409				
Stamps, R.L., see J.V. Harzer Stamps, R.L., J.V. Harzer and B. Hillebrands, The cross-over from two to three dimensional behavior in lay- Stepánková, H., J. Englich, P. Novák and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104–107 (1992) 409		93 (1991) 616		104-107 (1992) 411
Stamps, R.L., J.V. Harzer and B. Hille- brands, The cross-over from two to three dimensional behavior in lay- Stamps, R.L., J.V. Harzer and B. Hille- and H. Lütgemeier, NMR study of La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 409	-			101 101 (1774) 411
brands, The cross-over from two to three dimensional behavior in lay- La ³⁺ substituted hexagonal ferrites with magnetoplumbite structure 104-107 (1992) 409		104 107 (1772) 1003		
three dimensional behavior in lay— with magnetoplumbite structure 104–107 (1992) 409				
				104-107 (1992) 409
	ered ferromagnetic systems	104-107 (1992) 1868		
Stasch, R., see Ch. Böttger 99 (1991) 280 Stepanov, S.A., see I.S. Edelman 110 (1992) 99			Stepanov, S.A., see I.S. Edelman	110 (1992) 99
Stashkevich, A.A., see A.V. Anshakov 101 (1991) 157 Stephens, C.R., see D. O'Connor 104–107 (1992) 294		101 (1991) 157	Stephens, C.R., see D. O'Connor	104-107 (1992) 294

Stephens, C.R., Crossover behaviour in		Strese, H., see H.G. Jahnke	92 (1990) 271
uniaxial dipolar ferromagnets	104-107 (1992) 297	Strnat, K.J. and R.M.W. Strnat, Rare	()
Stephens, C.R., see D. O'Connor	104–107 (1992) 300	earth-cobalt permanent magnets	100 (1991) 38
Sternlieb, B.J., L.P. Le, G.M. Luke,		Strnat, R.M.W., see K.J. Strnat	100 (1991) 38
W.D. Wu, Y.J. Uemura, T.M. Rise-		Strobel, P., see F. Hartmann-Boutron	104–107 (1992) 501
man, J.H. Brewer, Y. Ajiro and M.		Strobel, P., see Y. Gros	104–107 (1992) 621
Mekata, μ^+ SR measurements on		Ström-Olsen, J.O., see H. Ma	104–107 (1992) 89
pure and copper doped samples of		Ström-Olsen, J.O., see X. Chen	109 (1992) 271
the 1D antiferromagnet Ni(C ₂ H ₈	104 107 (1002) 001	Stroumbos, H., P. Odier, C. Lacour and	
N_2 ₂ NO_2 (ClO ₄) (NENP)	104–107 (1992) 801	P. Monod, Temperature depend-	
Sternlieb, B.J., see M. Mekata	104–107 (1992) 825	ence of the London penetration	104 107 (1002) 622
Stewart, G.A., see A. Kozłowski	92 (1990) 155	depth in YBa ₂ Cu ₃ O ₇ fine particles	104–107 (1992) 633 104–107 (1992) 529
Stewart, G.R., see S.B. Roy	97 (1991) 291 99 (1991) 235	Strupp, M., see M. Hein Stubi, R., see J. Mattsson	104–107 (1992) 1619
Stewart, G.R., see S.B. Roy Štichauer, L., see Z. Šimša	101 (1991) 233	Stubi, R., see J. Mattsson	104–107 (1992)1623
Sticht, J., see T. Maurer	104-107 (1992) 1029	Stüßer, N., see H.M. Mayer	97 (1991) 210
Stierle, A., see Ch. Morawe	102 (1991) 223	Stüßer, N., see H.M. Mayer	104–107 (1992) 1295
Stiller, C., see A. Binner	101 (1991) 427	Subramaniam, C.K., see G. Balakrish-	101 107 (1772)
Stirling, W.G., see C.C. Tang	103 (1992) 86	nan	104-107 (1992) 469
Stobiecki, F., see T. Otto	101 (1991) 207	Suenaga, K., see Y. Uwatoko	104-107 (1992) 645
Stobiecki, F., see S. Kraegermann	101 (1991) 209	Sueto, K., H. Sakumoto, A. Suzuki and	
Stobiecki, T., see F.R. de Boer	101 (1991) 3	M. Sugimoto, Acicular barium fer-	
Stobiecki, T., see T. Otto	101 (1991) 207	rite particles useful for perpendicu-	
Stobiecki, T., see S. Kraegermann	101 (1991) 209	lar magnetic recording	104-107 (1992) 979
Stobiecki, T., P. Kossacki and H. Szym-		Suezawa, Y., see Y. Gondō	93 (1991) 43
czak, Sign reversal of the Hall coef-		Sugg, B., see H. Vincent	101 (1991) 170
ficient in amorphous Co-Zr thin		Sugimoto, M., see M. Yuzuri	104–107 (1992) 885
films	101 (1991) 211	Sugimoto, M., see K. Sueto	104–107 (1992) 979
Stoch, G., see H. Figiel	104–107 (1992)1198	Sugimoto, S., see W.C. Chang	109 (1992) 103
Stoeffler, D., see F. Gautier	93 (1991) 10	Sugimoto, T., see T. Katayama	104–107 (1992) 1002
Stoeffler, D., K. Ounadjela and F. Gau-		Sugimoto, T., T. Katayama, Y. Suzuki,	
tier, Electronic structure and inter-		M. Hashimoto, Y. Nishihara, A. Itoh	
layer magnetic couplings in metallic	02 (1001) 206	and K. Kawanishi, Temperature de-	
superlattices Stoeffler, D., see H. Ness	93 (1991) 386 104–107 (1992) 1697	pendence of perpendicular mag-	
Stoeffler, D. and F. Gautier, Electronic	104-107 (1992) 1097	netic anisotropy in Co/Au and Co/Pt multilayers	104 107 (1002) 1945
structure and magnetic couplings in		Sugita, R., Magnetic and microstruc-	104–107 (1992) 1845
metallic superlattices with diffuse		tural studies of Co-Cr films	104-107 (1992) 1725
interfaces	104-107 (1992) 1819	Sugiyama, K., see N. Iwata	104–107 (1992) 27
Stoemenos, J., see N.K. Flevaris	93 (1991) 39	Sugiyama, K., O. Kondo, F. Tomiyama,	101 101 (1),2) 21
Stoølen, S., see A.F. Andresen	94 (1991) 347	M. Date, Y. Hidaka, T. Ishii and A.	
Stolyarov, V.L., see P.V. Zhorin	109 (1992) 375	Matsuda, Magnetizations of R ₂ -	
Stone, N.J., see I.S. Oliveira	104-107 (1992) 1265	$Cu4O_4$ (R = Nd, Pr, Gd) single crys-	
Storchak, V.G., see H. Maletta	104-107 (1992) 495	tals	104-107 (1992) 1223
Storm, D.F., see H. Tang	104-107 (1992) 1705	Sugiyama, S., see T. Shinjo	93 (1991) 35
Story, T., see P.J.T. Eggenkamp	104-107 (1992) 937	Suharan, S., C.E. Johnson, Q.A. Pank-	
Stoytchev, M., see L. Bozukov	101 (1991) 355	hurst and M.F. Thomas, Magnetic	
Strange, P., B.L. Gyorffy and P.J.		Mössbauer spectra observed in su-	
Durham, Relativistic theory of X-ray		perconducting samples of YBa ₂ -	
fluorescence from magnets	104–107 (1992) 755	$(Cu_{1-x}Fe_x)_3O_{6.5+p}$	104–107 (1992) 879
Straumann H.P. see S. Cycle	104–107 (1992) 513	Sukiennicki, A., see R.A. Kosiński	93 (1991) 128
Street R P.G. McCormick and I	104–107 (1992)1096	Sukiennicki, A., see R.A. Kosiński	104–107 (1992) 331
Street, R., P.G. McCormick and L. Folks, A magnetic equation of state	104 107 (1002) 269	Sukiennicki, A., see A. Jaroszewicz	104–107 (1992) 867
Street, R., P.G. McCormick, L. Folks	104–107 (1992) 368	Sukiennicki, A., see R. Świrkowicz	104–107 (1992) 1783
and R. Newman, Magnetization		Sukiennicki, A., see J.A. Hołyst	104–107 (1992)2111
surfaces in (M, H, \dot{M}) space	104–107 (1992) 371	Sumiyama, K., K. Nishi, Y. Nakamura, V. Manns, B. Scholz, M. Privik, W.	
, т, т, орио	10. 101 (1772) 3/1	7. Mainis, D. Scholz, W. Hivik, W.	

Keune, W. Stamm, G. Dumpich and		Suzuki, M., see N. Kawashima	104–107 (1992)1663
E.F. Wassermann, Reentrant spin-		Suzuki, N., see K. Motizuki	104–107 (1992) 1003
glass ordering in fcc Cu _{0.74} Fe _{0.26} al-		Suzuki, T., see J.A. Alonso	103 (1992) 179
lovs	96 (1991) 329	Suzuki, T., see L. Jirman	104–107 (1992) 19
Sumiyama, K., K. Nishi and M. Shiga,	70 (1771) 527	Suzuki, T., see M. Kurisu	104–107 (1992) 515
Magnetic properties of amorphous		Suzuki, T., see H. Yasui	104–107 (1992) 927
$\operatorname{Fe}_{1-y}(\operatorname{Cu}_{1-x}\operatorname{Ag}_x)_y$ alloys	102 (1991) 56	Suzuki, T., see K. Segawa	104–107 (1992) 1233
Sumiyama, K., see K. Suzuki	108 (1992) 161	Suzuki, T., see G. Kido	104–107 (1992) 1239
Sun, H., see J.M.D. Coey	98 (1991) 76	Suzuki, T., see K. Komorita	104–107 (1992) 1241
Sun, H., Y. Otani and J.M.D. Coey,		Suzuki, T., M. Nohara, S. Fujisawa, H.	101 101 (1),2,1211
Gas-phase carbonation of R ₂ Fe ₁₇	104-107 (1992) 1439	Fujisaki, T. Fujita, M. Nagasawa, T.	
Sun, Hong, see J.M.D. Coey	101 (1991) 310	Takabatake and H. Fujii, Elastic	
Sun, SW., see R.C. O'Handley	104-107 (1992) 1717	anomalies of valence fluctuating	
Sun, X.K., see Zd. Zhang	92 (1990) 191	CeNiSn	104-107 (1992)1293
Sun, X.K., G.F. Zhou, Y.C. Chuang, R.	, ,	Suzuki, T., see J. Sakurai	104–107 (1992)1415
Grössinger and H.R. Kirchmayr,		Suzuki, T., see H. Ido	104–107 (1992) 1939
Microstructure and coercivity of		Suzuki, T., see T. Kaneko	104–107 (1992) 1951
(Nd, Dy)-(Fe, Co)-B sintered per-		Suzuki, T., see T. Kanomata	104–107 (1992) 1957
manent magnets containing a small		Suzuki, T., see H. Yoshida	104–107 (1992) 1983
addition of niobium and silicon	96 (1991) 197	Suzuki, T., see T. Fujita	108 (1992) 35
Sun, X.K., see Zw. Zhang	96 (1991) 206	Suzuki, T., see Y. Okayama	108 (1992) 113
Sun, X.K., see Zg. Zhao	96 (1991) 211	Suzuki, T., see T. Takabatake	108 (1992) 155
Sun, X.K., see Zd. Zhang	96 (1991) 215	Suzuki, T., see K. Suzuki	108 (1992) 161
Sun, X.K., see Zd. Zhang	96 (1991) 219	Suzuki, T., see U. Ahlheim	108 (1992) 213
Sun, X.K., see Zg. Zhao	97 (1991) 79	Suzuki, T., see K. Fraas	108 (1992) 220
Sun, X.K., see Zg. Zhao	98 (1991)L231	Suzuki, Y., see Y. Yokoyama	104–107 (1992) 559
Sun, X.K., see ZG. Zhao	104-107 (1992) 1287	Suzuki, Y., see T. Katayama	104–107 (1992) 1002
Sun, X.K., see ZG. Zhao	104-107 (1992) 1289	Suzuki, Y., T. Katayama and H. Ya-	(
Sun, XK., see T. Zhao	104-107 (1992) 2119	suoka, NMR study of fcc Co/	
Sun, X.K., see Q. Wang	109 (1992) 59	Cu(100) and (111) artificial	
Suran, G., see R. Kordecki	93 (1991) 281	superlattices	104-107 (1992) 1843
Suran, G., see M. Rivoire	93 (1991) 489	Suzuki, Y., see T. Sugimoto	104-107 (1992) 1845
Suran, G., see R. Żuberek	104-107 (1992) 117	Svedlindh, P., see A. Seidel	104-107 (1992) 1599
Suran, G., H. Ouahmane and		Svedlindh, P., see K. Gunnarsson	104-107 (1992) 1607
M. Rivoire, Amorphous (Co ₉₃ -		Svedlindh, P., see JO. Andersson	104-107 (1992) 1609
$Zr_7)_{100-x}Tb_x$ thin films: magnetic		Svoboda, P., M. Diviš, A.V. Andreev,	
properties and observation of new		N.V. Baranov, M.I. Bartashevich	
absorption modes	104-107 (1992) 125	and P.E. Markin, Magnetic phase	
Suran, G., see M. Naili	104-107 (1992) 1769	transitions in NdCu ₂	104-107 (1992) 1329
Suran, G., see A. Dinia	104-107 (1992) 1871	Swagten, H.J.M., see W.J.M. de Jonge	100 (1991) 322
Suriñach, S., see M.T. Clavaguera-Mora	104-107 (1992)1141	Swagten, H.J.M., see P.J.T. Eggenkamp	104-107 (1992) 937
Suski, W., A. Baran, K. Wochowski and		Swagten, H.J.M., A. Twardowski, E.W.	
T. Mydlarz, Magnetic properties of		Janse, P.J.T. Eggenkamp and	
UFe _x Co _{10-x} Si ₂ intermetallics (Let-		W.J.M. de Jonge, Specific heat of	
ter to the Editor)	95 (1991)L133	the diluted magnetic semiconductor	
Suski, W., see M. Zelený	98 (1991) 25	$Zn_{1-x}Co_xSe$	104-107 (1992) 989
Suwabe, M., see Y. Takeno	93 (1991) 237	Swartzendruber, L.J., see I. Aviram	98 (1991) 92
Suzuki, A., see K. Sueto	104-107 (1992) 979	Swartzendruber, L.J., Properties, units	
Suzuki, J., Y. Endoh and M. Arai, Small		and constants in magnetism	100 (1991) 573
angle scattering on reentrant spin		Swartzendruber, L.J., see M. Pardavi-	
glass $\operatorname{Fe}_{1-x}\operatorname{Al}_x$	104-107 (1992) 1657	Horvath	104-107 (1992) 313
Suzuki, K., K. Sumiyama, H. Amano,		Swartzendruber, L.J., see L.H. Bennett	104-107 (1992) 539
H. Yamauchi and T. Suzuki, Heavy-		Swartzendruber, L.J., see L.H. Bennett	104-107 (1992) 1094
fermion behavior in amorphous and		Świerczek, J., see J. Zbroszczyk	109 (1992) 221
crystallized CeCu ₆ alloys produced		Świrkowicz, R. and A. Sukiennicki, An	
by sputter deposition	108 (1992) 161	influence of the surface parameters	
Suzuki, M., see T. Kawarabayashi	104-107 (1992) 929	on spin waves and temperature de-	

nondones of magnetization in ultra		Szytuła, A., see L. Vinokurova	99 (1991) 193
pendence of magnetization in ultra- thin films	104-107 (1992) 1783	Szytuła, A., R.J. Radwański and F.R.	, , ,
Sych, I.I., see P.A. Alekseev	110 (1992) 119	de Boer, Exchange and crystal-field	
Szajek, A., see A. Kowalczyk	97 (1991) 187	interactions in the antiferromagnets	
Szewczyk, A., see F.R. de Boer	104-107 (1992) 113	GdRh ₂ Si ₂ and TbRh ₂ Si ₂	104-107 (1992)1237
Szewczyk, A., R.J. Radwański, J.J.M.		Szytuła, A., see G. André	109 (1992) 34
Franse and H. Nakotte, Heat capac-		Szytuła, A., see W. Bažela	109 (1992) 305
ity of GdNi ₅	104-107 (1992) 1319	Szytuła, A., see V. Ivanov	110 (1992)L259
Szewczyk, A., 180° domain structure in			
a cubic U ₃ P ₄ crystal	110 (1992) 299	Tabata, Y., see Y. Teraoka	104–107 (1992)1701
Sznajd, J. and J. Zittartz, The low tem-		Tabor, S. and S. Stafström, The effect	
perature phase in the 2D quantum		of inter-chain coupling properties of	
XY model	104–107 (1992) 222	doped trans-polyacetylene	104–107 (1992) 2099
Szöllösy, J., see G. Vértesy	102 (1991) 135	Tagaya, K., ESR study of Ln ₂ BaCuO ₅	104 107 (1002) 5(1
Szukiel, A.E. and K. Durczewski, An		(Ln = Sm, Eu, Gd, Dy, Yb)	104–107 (1992) 561
influence of magnetic excitations		Tahir-Kheli, R.A., see K. Kawasaki	104–107 (1992) 253
lifetime on electrical resistivity in	104 107 (1002) 1100	Tai, K., see T. Machi	104–107 (1992) 635
certain rare-earth compounds	104–107 (1992)1189	Tailhades, Ph., Ch. Sarda, P. Mollard	
Szymański, B., see L. Smardz	104–107 (1992) 1885	and A. Rousset, Directional order	
Szymański, K., D. Satuła, L. Dobrzyń- ski and J. Latuszkiewicz, Hyperfine		in $Mn_xCo_yFe_{(3-x-y)}O_4$ ferrites: role of the Mn^{3+} , Mn^{4+} ions and vacan-	
interactions in amorphous Co _{70-r}		cies	104-107 (1992) 969
$Ni_x Fe_5 Si_{15} B_{10}$ studied by the Möss-		Taillefer, L., see H. v. Löhneysen	108 (1992) 49
bauer technique	99 (1991) 222	Taillefer, L., see K. Behnia	108 (1992) 133
Szymczak, H., see R. Szymczak	92 (1990) L19	Taillefer, L., J. Flouquet, Yu.P. Gaïdu-	
Szymczak, H., see R. Żuberek	93 (1991) 449	kov and N.P. Danilova, Effect of	
Szymczak, H., see F.R. de Boer	101 (1991) 3	uniaxial stress on UPt ₃	108 (1992) 138
Szymczak, H., see T. Stobiecki	101 (1991) 211	Tajima, K., J. Akimitsu, M. Akimitsu,	
Szymczak, H., see R. Zuberek	101 (1991) 219	L. Rebelsky, G. Grübel and G. Shi-	
Szymczak, H., see F.R. de Boer	104–107 (1992) 113	rane, The time evolution of the	
Szymczak, H., see R. Zuberek	104–107 (1992) 117	first-order magnetic phase transi-	
Szymczak, H., see K. Piotrowski	104–107 (1992) 483	tion in Dy-4%Y alloy	104–107 (1992) 177
Szymczak, H., see E. Mosiniewicz-	104 107 (1000) 006	Takabatake, T., see L. Jirman	104–107 (1992) 19
Szablewska	104–107 (1992) 986	Takabatake, T., see M. Kurisu	104–107 (1992) 29
Szymczak, R., K. Piotrowski, H. Szym-		Takabatake, T., see H. Fujii	104–107 (1992) 45
czak and A.M. Balbashov, Visual-		Takabataka, T., see K. Kojima	104–107 (1992) 49
ization of magnetic flux penetration and trapping in superconducting		Takabatake, T., see Y. Uwatoko Takabatake, T., see T. Suzuki	104–107 (1992) 643 104–107 (1992) 1293
$Bi_2Sr_2CaCu_2O_x$ single crystals		Takabatake, T., see T. Suzuki Takabatake, T., see T. Fujita	104–107 (1992) 1293
(Letter to the Editor)	92 (1990) L19	Takabatake, T., M. Nagasawa, H. Fujii,	100 (1992) 33
Szymczak, R., J. Zawadzki, D.H. Manh)2 (1))0) L1)	M. Nohara, T. Suzuki, T. Fujita, G.	
and M. Slepowronski, Domain		Kido and T. Hiraoka, Magnetoresis-	
structure in $Y(Fe, T)_{12}$ (T = Ti, Cr,		tance and Hall effect in the Kondo-	
Si) compounds	104-107 (1992) 321	lattice system CeNiSn with an ani-	
Szymczak, R., see K. Piotrowski	104-107 (1992) 483	sotropic energy gap	108 (1992) 155
Szymczak, R., see Z. Drzazga	104-107 (1992) 605	Takagi, T., see M. Mekata	104-107 (1992) 823
Szymura, S., H. Bala, Yu.M. Rabi-		Takahashi, H., S. Tsunashima, S.	
novich, V.V. Sergeev and G. Paw		Fukatsu and S. Uchiyama, Magnetic	
łowska, Structure magnetic proper-		properties of PdNi alloys and multi-	
ties and corrosion behaviour of sin-		layers	93 (1991) 469
tered Nd ₁₆ Fe _{76-x} Cr _x B ₈ magnets	94 (1991) 113	Takahashi, H., see T. Kamimura	104–107 (1992) 255
Szymura, S., see H. Bala	103 (1992) 58	Takahashi, H., S. Fukatsu, S. Tsuna-	
Szymura, S., see J. Zbroszczyk	109 (1992) 221	shima and S. Uchiyama, Perpendicular magnetic origination of Pd (C)	
Szytuła, A., see A.F. Andresen Szytuła, A., see W. Bażela	95 (1991) 195	ular magnetic anisotropy of Pd/Co-	104 107 (1000) 1004
Szytuła, A., see W. Bazela Szytuła, A., see M. Kolenda	96 (1991) 114 96 (1991) 121	and Pd/Ni-multilayers	104–107 (1992) 1831
Szytuła, A., see J. Leciejewicz	97 (1991) 219	Takahashi, H., see T. Kagayama Takahashi, H., see Y. Okayama	108 (1992) 103
	7 (1771) 617	Takanasin, 11., see 1. Okayania	108 (1992) 113

Takahashi, I., Volume dependence of		Takeuchi, A., see D. Gignoux	97 (1991) 15
the magnetic behaviour in fcc Fe-Ni		Takeuchi, A., see D. Gignoux	98 (1991) 333
alloys	104-107 (1992) 2057	Takeuchi, T., H. Hori, M. Date, T.	70 (1771) 555
Takahashi, K., see K. Ando	104-107 (1992) 993	Yosida, K. Katsumata, J.P. Renard,	
Takahashi, M. and T. Shimatsu, Soft	101 101 (1)12)))3	V. Gadet and M. Verdaguer, High	
magnetism of nanocrystalline Fe		field magnetization of Haldane ma-	
based sputtered films with high B_s		terials TMNIN and NINAZ	104–107 (1992) 813
(Invited paper)	101 (1991) 11	Takeuchi, T., Y. Hirayama and M. Fu-	104-107 (1992) 613
Takahashi, M., 2D antiferromagnets by	101 (1991) 11		
modified spin-wave theory	104-107 (1992) 845	tamoto, dependence of anisotropy in Mn-Al multilayer films on the	
Takahashi, Y., see T. Moriya			104 107 (1002) 1002
Takahashi, Y., Magnetic properties of	104–107 (1992) 456	number of layers	104–107 (1992) 1803
weak itinerant electron ferromagnet		Takigami, H., see Y. Takano	104–107 (1992) 1367
below the Curie temperature	104 107 (1002) 675	Takzei, G.A., see P.A. Alekseev	110 (1992) 119
Takai, K., see T. Kamimori	104–107 (1992) 675	Talbot, P., see M. Le Floc'h	104–107 (1992) 401
Takanashi, K., see Y. Obi	104–107 (1992)1219	Talbot, Ph., see M. Le Floc'h	104–107 (1992) 1591
	104–107 (1992)1747	Talvitie, M., OP. Kähkönen, S.	
Takanashi, K., M. Watanabe and H. Fujimori, Correlation between mag-		Mäkinen, H. Rajainmäki, M. Man-	
netooptical Kerr rotation and		ninen and V. Lindroos, Magnetic	
anomalous Hall effect in FePt/Pt		flux loss in Nd-Fe-B magnets irra-	102 (1001) 222
multilayer films	104 107 (1002) 1740	diated with 20 MeV protons	102 (1991) 323
Takanashi, K., M. Watanabe, H. Fuji-	104–107 (1992) 1749	Tamanoi, K., T. Nomoto, T. Anezaki,	
		T. Kuboyama, K. Shinagawa, T.	
mori and H. Yasuoka, NMR investi-		Saito and T. Tsushima, Magneto-	
gation of the anomalous magnetiza-		optical effects in Th-substituted yt-	104 107 (1002) 445
tion behavior in PtMnSb/CuMnSb	104 107 (1002) 1751	trium iron garnets	104–107 (1992) 445
multilayer films	104–107 (1992) 1751	Tanaka, H., see Y. Kakehashi	104–107 (1992) 91
Takanashi, K., see S. Joo Takano, M., see T. Fujii	104–107 (1992) 1753 92 (1990) 261	Tanaka, H., K. Iio and K. Nagata, Mag-	
		netic properties of $Rb_{1-x}K_xNiCl_3$,	104 107 (1002) 920
Takano, O., see H. Matsuda	109 (1992) 133	RbVBr ₃ and CsNiI ₃	104–107 (1992) 829
Takano, O., see H. Matsuda Takano, S., see E. Kita	110 (1992) 227 104–107 (1992) 449	Tanaka, H., see K. Kakurai Tanaka, K., see N. Sato	104–107 (1992) 857 104–107 (1992) 31
Takano, Y., see K. Sekizawa	104–107 (1992) 545	Tanaka, K., see N. Sato	104–107 (1992) 31
Takano, Y., H. Takigami, K. Kanno	104-107 (1992) 343	Tanaka, M., see J. Iida	104-107 (1992) 827
and K. Sekizawa, Specific heat and		Tanaka, R., see S. Endo	104–107 (1992) 1441
magnetization of DyRh _{2-x} Co _x Si ₂	104-107 (1992) 1367	Tanaka, S., see T. Machi	104–107 (1992) 1441
Takatsuka, T., see K. Kumagai	104–107 (1992) 577	Tandon, P.N., see B.V.B. Sarkissian	104–107 (1992) 1271
Takayama, S., T. Kawanabe, T.	104-107 (1772) 377	Tang, C.C., W.G. Stirling, D.L. Jones,	104-107 (1772)1271
Shimizu, K. Kato and M. Miyazaki,		C.C. Wilson, P.W. Haycock, A.J.	
TbFeCoCr magneto-optical media		Rollason, A.H. Thomas and D. Fort,	
with high corrosion resistance	94 (1991) 357	Magnetic X-ray and neutron scat-	
Takeda, K., see K. Yamagata	104-107 (1992) 803	tering from holmium and terbium	103 (1992) 86
Takeda, K., see K. Okuda	104–107 (1992) 817	Tang, G.D., see X.F. Nie	95 (1991) 231
Takeda, K., K. Konishi, H. Deguchi, N.	104 107 (1772) 017	Tang, G.D., see X.F. Nie	104–107 (1992) 307
Iwata and T. Shigeoka, Thermody-		Tang, H., see C.J. Gutierrez	93 (1991) 326
namical study of the magnetic tran-		Tang, H., see C.J. Gutierrez	93 (1991) 369
sition in commensurate phases in		Tang, H., see C.J. Gutierrez	99 (1991) 215
	104-107 (1992) 901	Tang, H., see J.C. Walker	104–107 (1992) 1703
PrCo ₂ Si ₂ Takada M. see I. Magi	104–107 (1992) 1061	Tang, H., M.D. Wieczorek, D.J.	101 107 (1772/1703
Takeda, M., see I. Mogi Takeda, N., see N. Sato	104–107 (1992) 31	Keavney, D.F. Storm and J.C.	
Takeda, N., see N. Sato	108 (1992) 115	Walker, Mössbauer study of differ-	
Takeda, Y., see F. Iga	104-107 (1992) 1969	ent magnetic properties between	
Takeda, Y., see F. Iga	104–107 (1992)1973	opposite interfaces of Fe(100)/	
Takeno, Y., M. Suwabe and K. Goto,	101 101 (1774) 1713	Ag(100) multilayers	104-107 (1992) 1705
Studies of the structure and mag-		Tang, J., see S.K. Malik	109 (1992) 316
netic properties of amorphous Tb-		Tang, N., see Jz. Liang	102 (1991) 217
Fe thin films	93 (1991) 237	Tang, N., Y.L. Liu, MJ. Yu, Y. Lu, O.	
Taketomi, S., see S. Itoh	103 (1992) 126	Tegus, Q.A. Li, S.Q. Ji and FM.	
ranotomi, o., oco o. mon	200 (2772) 220		

Yang, Al, Co, Si, Nb substitution in $Dy_2Fe_{17}C$ and $Dy_2Fe_{17}CN_x$ com-	104–107 (1992)1086	Taylor, D.W., see D. Givord Taylor, D.W., see D. Givord Taylor, M.B. and B.L. Gyorffy, Monte	104–107 (1992)1126 104–107 (1992)1129
pounds Tang, W., see Hs. Li	97 (1991) 37	Carlo simulations of an fcc Ni _c Fe _{1-c}	
Tang, W.z., S.z. Zhou and B. Hu, Grain		alloy with vector magnetic freedom	104–107 (1992) 877
size dependence of coercivity of sin-		Tazuke, Y., see T. Miyadai	104–107 (1992) 47
tered Nd-Fe-B permanent mag-	04 (1001) 67	Tazuke, Y., R. Nakabayashi, T. Hashi-	
nets	94 (1991) 67 104–107 (1992) 143	moto, T. Miyadai and S. Murayama, Magnetism of Ni-based alloys: weak	
Tange, H., see S. Ishio Tange, H., see M. Goto	104–107 (1992) 1789	ferromagnetic and paramagnetic al-	
Tange, H., S. Kobayashi, S. Kawabuchi,	10+ 107 (1772)1707	loys	104–107 (1992) 725
T. Kamimori and M. Goto, Pressure		Tazuke, Y., F. Matsukura and T.	
effect on the magnetization for		Miyadai, Spin relaxation times in an	
(Fe-Ni) ₉₀ Zr ₁₀ amorphous alloys	109 (1992) 169	Ising spin glass: Fe _{0.05} TiS ₂	104–107 (1992) 1659
Tange, Y., see Y. Obi	93 (1991) 587	Tazuke, Y., see T. Miyadai	104–107 (1992) 1953
Tani, T., see M. Kasaya	104–107 (1992) 665	Tedeschi, R., see L. Albanese	104–107 (1992) 509
Taniguchi, T., see J. Sakurai	104–107 (1992) 1415	Tegus, O., see N. Tang	104–107 (1992) 1086 98 (1991) 155
Taniguchi, T., see Y. Miyako Tanner, B.K., J. Baruchel and J.S.	108 (1992) 190	Teillet, J., see R. Krishnan Teillet, J., H. Lassri and R. Krishnan,	90 (1991) 133
Abell, Internal magnetic domain		Mössbauer study of amorphous	
structure changes in thick TbAl ₂		Fe ₆₅ -Gd ₁₅ B ₁₂ Si ₈ ribbons	101 (1991) 43
crystals revealed by polarized neu-		Teillet, J., see J.M. Le Breton	101 (1991) 347
tron topography	104-107 (1992) 317	Teillet, J., see M. Nogues	104-107 (1992) 415
Tanner, B.K., see J. Sandonís	104–107 (1992) 350	Teillet, J., see F. Pierre	104–107 (1992) 1033
Tanner, B.K., see P.R. Bissell	104–107 (1992) 1551	Tejada, J., see F. Badia	93 (1991) 425
Tanner, B.K., C.S. Pilkington and B.M.		Tejada, J., see F. Badia	93 (1991) 429
Wanklyn, Time-dependent magneti- zation in the 1D spin glass Fe ₂ TiO ₅	104-107 (1992)1611	Tejada, J., F. Badia, B. Martinez and J.M. Ruiz, Magnetic properties of	
Tanoue, S., K.A. Gschneidner Jr. and	104-107 (1992)1011	compositionally modulated thin	
R.W. McCallum, A study of the		films of rare earth and transition	
magnetic properties of Gd ₃ Pd ₄ in		metal (Invited paper)	101 (1991) 181
applied magnetic fields	103 (1992) 129	Tejada, J., see B. Martinez	104-107 (1992) 123
Tari, A. and C. Carboni, NMR of ¹⁶⁵ Ho		Tejada, J., see M. Nogues	104-107 (1992) 1641
in Ho: $(Gd_{1-x}Ce_x)Rh_2$	104–107 (1992) 1355	Tejada, J., see M.T. Causa	104–107 (1992) 1649
Tari, A., see A.R. Ball	109 (1992) 185	Tejada, J., see L.L. Balcells	109 (1992)L159
Tarnawski, Z., see N.H. Kim-Ngan	104–107 (1992)1298	Tellgren, R., see D. Rodić	94 (1991) 260
Tarnawski, Z., J.N. Li, M.J.V. Menken, R.J. Radwański, J.J.M. Franse, K.		Tellgren, R., see P. Onnerud Temmerman, W.M., see G.Y. Guo	104–107 (1992) 1989 104–107 (1992) 1772
Bakker and A.A. Menovsky, Field		Tempelmann, C., see E. Tönsing	97 (1991) 316
dependence of the specific heat for		Templeton, T.L. and A.S. Arrott, Mag-	77 (1771) 510
single-crystalline ErBa ₂ Cu ₃ O ₇	104-107 (1992) 613	netostatics of ideally soft ferromag-	
Tarnóczi, T., see G. Vértesy	102 (1991) 135	netic cylinders: external midplane	
Tasaki, A., see K. Yano	104-107 (1992) 131	fields	104-107 (1992) 2116
Tasaki, A., see E. Kita	104–107 (1992) 449	Ten Berge, P., see J. Šimšová	101 (1991) 196
Tasaki, A., see T. Erata	104–107 (1992) 1589	Tenaud, P., see J. Bras	101 (1991) 369
Tasset, F., see J.X. Boucherle Tassi, A., see E. Rastelli	104–107 (1992) 630	Tenaud, Ph., H. Lemaire and F. Vial,	
Tassi, A., see E. Rastelli	104–107 (1992) 173 104–107 (1992) 1035	Recent improvements in NdFeB sintered magnets (<i>Invited paper</i>)	101 (1991) 328
Tassi, A., see E. Rastelli	104–107 (1992) 1069	Tennant, D.A., see S.E. Nagler	104-107 (1992) 847
Tateyama, K., see H. Amitsuka	104–107 (1992) 60	Tennant, D.A., D.F. McMorrow, S.E.	101 101 (1),2) 041
Tawfik, A., see M.A. Ahmed	98 (1991) 33	Nagler and B. Fåk, Spin waves in	
Taylor, A.D., see A.T. Boothroyd	104-107 (1992) 713	the spin-flop phase of RbMnF ₃	104-107 (1992) 1079
Taylor, A.D., see S.E. Nagler	104–107 (1992) 847	Tenya, K., H. Miyajima, Y. Ishikawa	
Taylor, D., see H. Oesterreicher	104–107 (1992) 497	and S. Yoshizawa, Magnetic torque	
Taylor, D.R. and K.A. Reza, Optical		and flux pinning in high-T _c super-	
measurements of critical exponents in the random-field Ising system		conductor YBa ₂ Cu ₃ O ₇ prepared by a melt-textured growth method	104 107 (1000) 407
$Dy(As_xV_{1-x})O_4$	104-107 (1992) 213	Teodósio, J.R., see C.O. Lopes	104–107 (1992) 485 94 (1991) 53
X 1-X 4		Lopes	74 (1771) 33

Thursday 37 II III 11 1 1 1 1			
Teraoka, Y., H. Ishibashi and Y.		Thompson, P.W., S.J. Campbell, D.H.	
Tabata, Surface reconstruction and	104 107 (1000) 1501	Chaplin and A.V.J. Edge, Resistiv-	101 105 (1005) 1505
surface magnetism	104–107 (1992) 1701	ity studies of samarium	104-107 (1992) 1503
Tessier, M., see R. Krishnan Tessier, M., see R. Krishnan	93 (1991) 257	Thon, M., see V.P. Silin	104–107 (1992) 701
	101 (1991) 205	Thom, M., see M. Podgórny	104–107 (1992) 703
Tessier, M., see R. Krishnan Tessier, M., see I. Mirebeau	103 (1992) 47	Thorp, J.S., A.S. Al-Hawery and F.	
Testa, A.M., see E. Agostinelli	104–107 (1992) 1560	Robb, Examination of supercon-	
Testa, A.M., see M. Nogues	104–107 (1992) 603	ducting ceramics by modified induc-	04 (1001) 110
Testa, A.M., see O. Donzelli	104–107 (1992) 1641 104–107 (1992) 1859	tance probe methods	94 (1991) 119
Teter, J.P., see A.E. Clark	104–107 (1992)1839	Thorp, J.S., A.S. Al-Hawery, R.J.D.	
Tewes, M., J. Zweck and H. Hoffmann,	104-107 (1992)1433	Tilley and J.S. Lees, Inductance probe examination of superconduct-	
Short range order in amorphous		ing Tl-Ba-Ca-Cu-O ceramics	97 (1991) 112
FeTb	95 (1991) 43	Thuéry, P., G. André, F. El Maziani,	97 (1991) 112
Thalmeier, P., B. Wolf, D. Weber, R.)J (1)/1) 4J	M. Clin and P. Schobinger-Papa-	
Blick, G. Bruls and B. Lüthi, Sound		mantellos, Neutron diffraction study	
propagation in heavy fermion com-		of the magnetic structure of ErSi	109 (1992) 197
pounds	108 (1992) 109	Thuy, N.P., N.T. Hien, T.D. Hien and	107 (1772) 177
Tharp, D.E., G.J. Long, O.A. Pringle,	100 (1,7-)	J.J.M. Franse, Crystal field contri-	
W.J. James and F. Grandjean, A		butions to the specific heat of	
Mössbauer effect study of ErFe ₃	104-107 (1992) 1477	ErBa ₂ Cu ₃ O ₇	104-107 (1992) 489
Theile, J., see Y. Yuan	95 (1991) 58	Thuy, N.P., see N.H. Kim-Ngan	104-107 (1992) 1298
Theile, J., see H. Krause	95 (1991) 95	Thuy, N.P., see N.H. Luong	104-107 (1992) 1301
Thiaville, A. and J. Miltat, Experiment-		Tiefel, T.H., see S.K. Chen	110 (1992) 65
ing with Bloch points in bubble gar-		Tietze-Jaensch, H., see D. Sieger	104-107 (1992) 895
nets	104-107 (1992) 335	Tietze-Jaensch, H., D. Sieger, H. Jait-	
Thiel, R.C., see M.W. Dirken	94 (1991) L15	ner, R. Geick, P. Schweiss, W.	
Thoelke, J.B. and D.C. Jiles, Model		Treutmann, L.P. Regnault and B.	
calculation for determining local en-		Fak, Magnetic disorder in the spin-	
ergy minima in the orientation of		flop phase of Rb ₂ MnCl ₄	104-107 (1992) 897
magnetic domains in terbium-dys-		Tilley, R.J.D., see J.S. Thorp	97 (1991) 112
prosium-iron single crystals	104–107 (1992)1453	Timko, M., see A. Zentko	104–107 (1992) 581
Tholence, J.L., see F. Hartmann-		Timmins, P., see D.McK. Paul	104–107 (1992) 591
Boutron	104–107 (1992) 501	Timofeyev, V.N., see Kh.Ya. Mulyukov	110 (1992) 73
Thomas, A.H., see C.C. Tang	103 (1992) 86	Tindall, D.A., see M.O. Steinitz	104–107 (1992) 1531
Thomas, A.P. and M.R.J. Gibbs, Ani-		Tinsley, C.J., see J.R. Brown	104–107 (1992) 207
sotropy and magnetostriction in	100 (1000) 00	Tirschler, W., see HD. Schumann	101 (1991) 107
metallic glasses	103 (1992) 97	Tishin, A.M., see S.A. Nikitin	92 (1991) 397
Thomas, A.P., see P.T. Squire	104–107 (1992) 109	Tishin, A.M., see S.A. Nikitin	92 (1991) 405
Thomas, A.P., see Q.A. Pankhurst	104–107 (1992) 111	Tishin, A.M., see O.V. Snigirev	94 (1991) 342
Thomas, B.W.J., see G.S. Bains	104–107 (1992) 1011	Tishin, A.M., see S.A. Nikitin	96 (1991) 26
Thomas, G., see C. Koestler	110 (1992) 264	Tiwari, M., see P. Brahma	102 (1991) 109
Thomas, M.F., see S. Suharan	104–107 (1992) 879	Tjeng, L.H., see P. Rudolf	109 (1992) 109
Thomas, M.F., see O.F. Bakkaloğlu	104–107 (1992) 1921	Tjeng, L.H., Y.U. Idzerda, R. Rudolf,	
Thompson, A.M., see M. Labrune	104–107 (1992) 343 104–107 (1992) 967	F. Sette and C.T. Chen, Soft-X-ray magnetic circular dichroism: a new	
Thompson, F., see S.R. Hoon Thompson, G.K. and B.J. Evans, ⁵⁷ Fe	104-107 (1992) 907	technique for probing magnetic	
		properties of magnetic surfaces and	
Mössbauer investigation of oriented single-crystal and polycrystalline Pb-		ultrathin films	109 (1992) 288
	95 (1991)L142	Tobisch, J., see J. Wieting	101 (1991) 128
Fe ₁₂ O ₁₉ (Letter to the Editor) Thompson, G.R., Q.A. Pankhurst and)J (1)/1)L17L	Tognetti, V., see A. Cuccoli	104–107 (1992) 785
C.E. Johnson, Investigation of the		Tokumitsu, K., see K. Yano	104–107 (1992) 131
Curie point in ferrimagnetic Na ₂ -		Tolke, A., see E. Madai	101 (1991) 293
NiFeF ₇	104-107 (1992) 893	Tomala, K., see J.P. Sanchez	99 (1991) 95
Thompson, J.D., see J.M. Lawrence	108 (1992) 215	Tomalak, T., see A. Lehmann-Szwey-	
Thompson, J.D., see P.C. Canfield	108 (1992) 217	kowska	104-107 (1992) 447
Thompson, sizi, soo i io. Cumeta		Tomeno, I., see T. Machi	104-107 (1992) 635

Tana D. M. A.	104 107 (1002) 1002	Trimi E sas C Channert	93 (1991) 319
Tomey, E., see M. Artigas	104-107 (1992) 1993	Trigui, F., see C. Chappert Trigui, F., E. Vélu and C. Dupas,)5 (1))1) 51)
Tomey, E., see O. Isnard	104–107 (1992) 2003	Fuchs-Sondheimer theory as expla-	
Tomimoto, K., see Y. Kimishima	104–107 (1992) 779	nation of the magnetoresistance ef-	
Tomishima, S., see K. Motizuki	104–107 (1992) 681	fects in multilayers Au/Co	93 (1991) 421
Tomita, A., see K. Segawa	104–107 (1992)1233		102 (1991) 74
Tomita, A. and S. Kunii, Thermoelec-		Troć, R., see V.H. Tran Trohidou, K.N., see J.A. Blackman	104–107 (1992) 721
tric power in $Ce_{1-x}La_xB_6$ Kondo	100 (1002) 165		104-107 (1772) 721
systems	108 (1992) 165	Trohidou, K.N., C.M. Soukoulis, A. Kostikas and G. Hadjipanayis, Size	
Tomiyama, F., see K. Sugiyama	104–107 (1992) 1223	dependence of coercivity of small	
Tomiyoshi, S., see Y. Yamaguchi	103 (1992) 50		104-107 (1992) 1587
Tomka, G.J., P.R. Bissell, R.W.		magnetic particles Troisi, F., see J. Schoenes	108 (1992) 40
Chantrell, W. Atkinson and K.T.		Troper, A., see G.M. Japiassu	104-107 (1992) 1945
McAloon, Effects of corrosion		Troshin, O., see J. Jalishev	102 (1991) 208
treatment on melt-spun NdFeB	104-107 (1992)1147	Trovarelli, O., see J.G. Sereni	108 (1992) 183
powders Tommosini P. 200 C. Durin	104-107 (1992)1147	Trovarelli, O., see J.P. Kappler	108 (1992) 185
Tommasini, R., see G. Durin	101 (1991) 09	Trunin, M.R., see M. Hein	104-107 (1992) 529
Tönsing, E., H. Jung, C. Tempelmann		Trygg, J., see M.S.S. Brooks	104–107 (1992) 1381
and H. Brömer, NMR excitation and		Trygg, J., See W.S.S. Brooks Trygg, J., B. Johansson and M.S.S.	104-107 (1772)1301
relaxation in a "single domain" spin	97 (1991) 316	Brooks, Ab initio calculation of the	
glass Torikachvili, M.S., R.F. Jardim, C.C.	97 (1991) 310	magnetism in GdFe ₁₂	104-107 (1992) 1447
Becerra, C.H. Westphal, A. Pad-		Trygg, J., see M.S.S. Brooks	104–107 (1992)1496
uan-Filho, V.M. Lopez and L.		Tsipenyuk, Y.M., see L. Leylekian	104–107 (1992) 775
Rebelsky, Magnetic properties of		Tsoukalas, I.A., see K.G. Efthimiadis	103 (1992) 30
UT_2Si_2 (T = Ni, Cu and Au) com-		Tsuchiya, M., see Y. Kimishima	104–107 (1992) 779
pounds	104-107 (1992) 69	Tsuda, N., see Y. Obi	104–107 (1992) 1747
Torikachvili, M., see H. Schmitt	104–107 (1992) 1247	Tsui, F., see M.B. Salamon	104–107 (1992) 1729
Tóth, I., see A. Grusková	101 (1991) 227	Tsui, F., C.P. Flynn, M.B. Salamon,	10+ 10/ (1//2/1/2/
Tóth-Kádár, E., see A. Burgstaller	109 (1992) 117	J.A. Borchers, R.W. Erwin and J.J.	
Tourbot, R., see B. Boucher	104–107 (1992) 85	Rhyne, Layer thickness dependence	
Tourbot, R., see B. Boucher	104–107 (1992) 93	of anisotropic coupling in Gd/Y su-	
Tourbot, R., see Q. Chen	110 (1992) 139	perlattices	104-107 (1992) 1901
Tovar Costa, M.V. and J. d'Al -	110 (1772) 107	Tsujimura, A., see K. Ichinose	104–107 (1992)1159
buquerque e Castro, Electronic		Tsujimura, A., see F. Maruyama	104–107 (1992)1165
structure of palladium monolayers:		Tsujimura, A., see T. Myojin	104–107 (1992)1195
effects of crystalline orientation	104-107 (1992) 1913	Tsujimura, A., see M. Hayashi	104–107 (1992)1225
Tovar, M., X. Obradors, F. Pérez, S.B.		Tsujimura, A., see K. Fujiwara	104–107 (1992) 1231
Oseroff, D. Chateigner, P. Bordet,		Tsujimura, A., see T. Ohno	104–107 (1992) 2027
J. Chenavas, P. Canfield and Z. Fisk,		Tsunashima, S., see K. Nakamura	93 (1991) 462
AC susceptibility in weak ferromag-		Tsunashima, S., M. Hasegawa, K.	70 (1771) 102
netic R ₂ CuO ₄ cuprates	104-107 (1992) 549	Nakamura and S. Uchiyama, Per-	
Tovar, M., see A. Rouco	104-107 (1992) 1645	pendicular magnetic anisotropy and	
Tovar, M., see M.T. Causa	104-107 (1992) 1649	coercivity of Pd/Co and Pt/Co	
Tovstolytkin, A.I., see N.A. Belous	110 (1992) 197	multilayers with buffer layers	93 (1991) 465
Tran, V.H. and R. Troć, Magnetic and		Tsunashima, S., see H. Takahashi	93 (1991) 469
transport properties of the UTSn		Tsunashima, S., see H. Ugaki	104-107 (1992) 1009
series (T = Co, Ni, Ru, Rh, Pd, Ir		Tsunashima, S., T. Otani, X.Y. Yu and	, , , , , , , , , , , , , , , , , , , ,
and Pt)	102 (1991) 74	S. Uchiyama, Magnetic and magne-	
Trappmann, T., see H. v. Löhneysen	108 (1992) 45	tooptic properties of NdGd/FeCo	
Trappmann, T., see H. v. Löhneysen	108 (1992) 49	multilayers	104-107 (1992) 1021
Trautwein, A.X., see A. Pösinger	104-107 (1992) 1597	Tsunashima, S., see G.Q. Di	104-107 (1992) 1023
Treutmann, W., see D. Sieger	104-107 (1992) 895	Tsunashima, S., see M. Jimbo	104–107 (1992) 1829
Treutmann, W., see H. Tietze-Jaensch	104-107 (1992) 897	Tsunashima, S., see H. Takahashi	104-107 (1992) 1831
Treutmann, W., see C. Brotzeller	104-107 (1992) 949	Tsunoda, Y., see J.A. Fernandez-Baca	104-107 (1992) 699
Treutmann, W., see W. Schmidt	104-107 (1992) 1049	Tsushima, T., see T. Saito	104-107 (1992) 163
Trieu, D.H., Superconductivity in the		Tsushima, T., see K. Shinagawa	104-107 (1992) 443
weak-hopping Anderson lattice		Tsushima, T., see K. Tamanoi	104-107 (1992) 445
model with finite on-site repulsion	97 (1991) 131	Tsushima, T., see T. Iida	104-107 (1992) 1363

Tsvyashchenko, A.V., L.N. Fomicheva		Hebinema C and H Talahabi	104 107 (1002) 1021
and S.D. Antipov, Magnetic behav-		Uchiyama, S., see H. Takahashi	104–107 (1992) 1831
ior of nickel in $Y(Fe_{1-x}Ni_x)_2$ alloys		Ueda, K., see T. Moriya Ueda, K., see T. Kohara	104–107 (1992) 456 104–107 (1992) 523
synthesized under high pressure	98 (1991) 285	Ueda, K., see T. Kohara	104–107 (1992) 525
Tucker, J.W., Effective field theory of	70 (17)1) 203	Ueda, S., see Y. Isikawa	108 (1992) 157
dilute Ising systems	102 (1991) 144	Uehara, Y., see K. Kobayashi	104–107 (1992) 983
Tucker, J.W., see M. Saber	102 (1991) 287	Uematsu, K., see I. Matsubara	104–107 (1992) 427
Tucker, J.W., Effective field theory of a	102 (1771) 207	Uemura, Y., see M. Mekata	104–107 (1992) 825
quenched dilute spin-1 Ising model	104-107 (1992) 191	Uemura, Y.J., see B.J. Sternlieb	104–107 (1992) 801
Tucker, J.W., see T.J. Drye	104-107 (1992) 951	Ugaki, H., R. Gerber, S. Tsunashima	10. 10. (1,,2, 001
Tulin, V.A. and A.V. Shipilov, Mag-		and S. Uchiyama, Magneto-optical	
netic resonance in epitaxial films of		properties of amorphous NdNiCo	
yttrium iron garnet at frequencies		and YNiCo films	104-107 (1992) 1009
below 1 GHz	93 (1991) 271	Uggowitzer, P., see M. Földeáki	110 (1992) 185
Tun, Z., B.D. Gaulin, R.B. Rogge and		Uhl, M., L.M. Sandratskii and J. Kü-	
B. Briat, Critical soliton dynamics in		bler, Electronic and magnetic states	
CsCoBr ₃	104-107 (1992) 1045	of γ-Fe	103 (1992) 314
Tun, Z., see W. Wei	108 (1992) 77	Uhl, M., see J. Kübler	104-107 (1992) 695
Turek, I., Electronic structure and hy-		Uji, S., see K. Satoh	104–107 (1992) 39
perfine parameters distribution in		Uji, S., see H. Aoki	104–107 (1992) 1905
amorphous Fe ₈₀ B ₂₀ cluster	98 (1991) 119	Ukon, I., see K. Satoh	104–107 (1992) 39
Turek, I., J. Hafner and Ch. Hausleit-		Ullrich, HJ., see J. Wieting	101 (1991) 128
ner, Electronic and magnetic struc-		Ulner, J., see I.S. Donskaya	104–107 (1992) 883
ture of amorphous Fe-, Co-, Ni-Zr		Uma Maheshwar Rao, B. and G. Srini-	
alloys from band theory (Letter to	100 (1002)1 145	vasan, Effects of sputtering atmo-	
the Editor)	109 (1992)L145	spheres on magnetic properties of	
Turilli, G., see A. Paoluzi	92 (1990) L39	amorphous films of BiFeO ₃ –ZnFe ₂	103 (1992)L228
Turilli, G., A. Paoluzi and M. Lucenti, Surface doping with Al in Ba-		O ₄ (Letter to the Editor) Umehara, I., see K. Satoh	103 (1992)1228
hexaferrite powders	97 (1991) 338	Umehara, I., N. Nagai, A. Fukada, K.	104-107 (1992) 39
Turilli, G., A. Paoluzi, M. Lucenti and	77 (1771) 550	Satoh, Y. Fujimaki and Y. Onuki,	
L. Pareti, Influence of the particle		Fermi surface and cyclotron mass in	
size and intrinsic magnetic charac-		CeGa ₂	104-107 (1992) 1407
teristics on the coercivity of sintered		Umehara, I., N. Nagai, T. Ebihara and	
magnets	104-107 (1992)1143	Y. Onuki, Magnetic breakthrough	
Turner, C., see Z. Šimša	101 (1991) 233	effect in antiferromagnetic NdIn ₃	104-107 (1992) 1409
Turov, E.A., see A.A. Lugovoi	92 (1991)L291	Umehara, I., see K. Satoh	104-107 (1992) 1411
Turov, E.A., see Yu.G. Raydugin	102 (1991) 331	Unguris, J., see M.R. Scheinfein	93 (1991) 109
Tuszyński, M., see W. Zarek	104-107 (1992) 2067	Upadhyay, R.V., see J. Nogués	99 (1991) 275
Twardowski, A., see H.J.M. Swagten	104-107 (1992) 989	Usadel, K.D. and U. Nowak, Diluted	
Twin, A.J., J.S. Abell and I.R. Harris,		antiferromagnets in a magnetic	
Evidence of enhanced antiferro-		field: evidence for a spin glass phase	104–107 (1992) 179
magnetism in highly doped YBa ₂ -		Usadel, K.D., see G. Büttner	104–107 (1992) 1601
$(Cu_{1-x}Fe_x)_3O_{6+y}$	104–107 (1992) 611	Ušák, E., see J. Sláma	101 (1991) 102
Tyutyulkov, N., see C.I. Ivanov	92 (1990) 171	Ushida, T., see T. Myojin	104–107 (1992) 1195
Tzeng, S.J., S.U. Jen, Y.D. Yao, Y.Y.		Ushida, T., see M. Hayashi	104–107 (1992) 1225
Chen and T.P. Chen, Electrical and	104 107 (1002) 990	Usov, N.A. and S.E. Peschany, Model-	
magnetic studies of Co-Pt alloys	104–107 (1992) 889 101 (1991) 81	ing of equilibrium magnetization structures in fine ferromagnetic par-	
Tzscheutschler, R., see J. Hoppe	101 (1991) 61	ticles with uniaxial anisotropy (Let-	
Uchiyama, S., see K. Nakamura	93 (1991) 462	ter to the Editor)	110 (1992) L1
Uchiyama, S., see S. Tsunashima	93 (1991) 465	Utochkin, S.N., see A.K. Zvezdin	104–107 (1992) 1479
Uchiyama, S., see H. Takahashi	93 (1991) 469	Utsugi, H., see T. Goto	104–107 (1992) 2051
Uchiyama, S., see H. Ugaki	104–107 (1992) 1009	Uwatoko, Y., G. Oomi, T. Takabatake	
Uchiyama, S., see S. Tsunashima	104-107 (1992) 1021	and H. Fujii, Effect of pressure on	
Uchiyama, S., see G.Q. Di	104–107 (1992) 1023	the thermal expansion coefficient in	
Uchiyama, S., see M. Jimbo	104-107 (1992) 1829	CeNiSn	104-107 (1992) 643

Uwatoko, Y., K. Suenaga and G. Oomi,		Van Zijl, F.F., M.Th. Rekveldt and A.	
X-ray diffraction study of the struc-		Menovsky, Neutron depolarization	
tural change in CeZn under high		in magnetic superconductors Er_{1-x}	104 107 (1002) 525
pressure	104–107 (1992) 645	$Ho_xRh_4B_4$	104–107 (1992) 535 104–107 (1992) 853
Uwatoko, Y., see K. Iki	108 (1992) 100	Vangelisti, R., see P. Pernot	104–107 (1992) 436
Uwatoko, Y., G. Oomi, Y. Sakurai and		Vannucci, A., see R. Marcelli	104–107 (1992) 436
E.V. Sampathkumaran, Thermal ex-		Varasi, M., see R. Marcelli	104–107 (1992) 430
pansion coefficients of $CeRh_{2-x}$	100 (1000) 105	Varret, F., see A. Bousseksou	110 (1992) 295
Ni _x Si ₂ alloys	108 (1992) 105	Varret, F., see A. Bousseksou Vasconcelos dos Santos, R.J., see I.P.	110 (1772) 273
r Lähmarsan II asa E Cahaan	104 107 (1002) 175	Fittipaldi	104-107 (1992) 279
v. Löhneysen, H., see E. Scheer v. Löhneysen, H., A. Schröder, T.	104–107 (1992) 175	Vasil'ev, A.N., see A.V. Andrianov	97 (1991) 246
Trappmann and M. Welsch, Evolu-		Vasilieva, R.P., see A.D. Arsenieva	99 (1991) 167
tion of magnetic ordering in Ce-		Vasquez, A., see J.C.P. De Oliveira	98 (1991) 239
$Cu_{6-x}Au_x$ heavy-fermion alloys	108 (1992) 45	Vaterlaus, A., see F. Meier	93 (1991) 523
v. Löhneysen, H., see A. Schröder	108 (1992) 47	Vaterlaus, A., T. Beutler and F. Meier,	
v. Löhneysen, H., T. Trappmann and L.	100 (2272)	Determination of the spin-lattice	
Taillefer, Effect of pressure on the		relaxation time for Gd	104-107 (1992)1693
superconductive phase transition of		Vatskichev, L., see J.M. Mucha	109 (1992) 301
UPt ₃	108 (1992) 49	Vatskicheva, M., see J.M. Mucha	109 (1992) 301
Vaia, R., see A. Cuccoli	104-107 (1992) 785	Vázquez, M., J. González, J.M. Blanco,	
Valdré, G., see P. Allia	104-107 (1992) 1767	J.M. Barandiarán, G. Rivero and A.	
Valenzuela, R., J.T.S. Irvine and A.R.		Hernando, Torsion dependence of	
West, The equivalent resistance		the magnetization process in mag-	
term in magnetic impedance spec-		netostrictive amorphous wire	96 (1991) 321
troscopy	104–107 (1992) 395	Vázquez, M., see A. Hernando	101 (1991) 6
Valiev, R.Z., see Kh.Ya. Mulyukov	110 (1992) 73	Vázquez, M., see J.M. Blanco	101 (1991) 35
Vallet, M., see X. Batlle	104–107 (1992) 918	Vazquez, M., see F. Cebollada	101 (1991) 199
Vallet, M., see B. Martínez	104–107 (1992) 941	Vázquez, M., see A.M. Severino	103 (1992) 117
Valon, B., see J. Mouchot	101 (1991) 239	Vázquez, M., see S.P. Cruz Filho	104–107 (1992) 105
Van Alphen, E.A.M., see H.W. van	102 (1001) I 0	Vázquez, M., see J.M. Blanco	104–107 (1992) 137
Kesteren Van Alphen, E.A.M., see P.J.H. Bloe-	102 (1991) L9	Vázquez, M., see J. González	104–107 (1992) 139
men	104-107 (1992) 1775	Vázquez, M., see S. Vieira Veca, G.M., see L. De Rosa	110 (1992) 129 101 (1991) 283
Van der Kraan, A.M., see P.C.M.	10+ 10/ (1)/2/1//3	Vedyaev, A.V., see M.S. Li	96 (1991) 175
Gubbens	97 (1991) 69	Vedyayev, A.V., see A.D. Arsenieva	99 (1991) 167
Van der Meulen, H.P., see E. Brück	104–107 (1992) 17	Vedyayev, A.V., A.B. Granovsky and	77 (1771) 107
Van der Meulen, H.P., see A. de Visser	108 (1992) 61	A.D. Arsenieva, Extraordinary Hall	
Van der Zaag, P.J., M.T. Johnson, A.		Effect (EHE) in amorphous transi-	
Noordermeer, P.T. Por and M.Th.		tion-metal ferromagnets	99 (1991) 190
Rekveldt, Relation between grain		Vega, A., A. Rubio, L.C. Balbas, J.	
size and domain size in MnZn fer-		Dorantes-Davila, C. Demangeat, A.	
rite studied by neutron depolarisa-		Mokrani and H. Dreyssé, Stepped	
tion (Letter to the Editor)	99 (1991) L1	Fe(001) surface magnetism	104-107 (1992) 1687
Van der Zaag, P.J., see M.T. Johnson		Veillet, P., see C. Chappert	93 (1991) 319
Van Dijk, N.H., see A. de Visser	108 (1992) 56	Veillet, P., see F. Giron	104–107 (1992) 1887
Van Kempen, H., see E. Brück	104–107 (1992) 17	Veitch, R., see Th. Orth	101 (1991) 235
Van Kesteren, H.W., see S.T. Purcell	93 (1991) 25	Velicescu, M., see P. Schrey	101 (1991) 417
Van Kesteren, H.W., F.J.A. den Broeder, P.J.H. Bloemen, E.A.M. van		Vélu, E., see C. Chappert	93 (1991) 319
		Vélu, E., see F. Trigui	93 (1991) 421
Alphen and W.J.M. de Jonge, Antiparallel and perpendicular magne-		Velu, E.M.T., see Y. Shen	94 (1991) 57
tization alignment for Co/Ru multi-		Venkatramani, N., see R. Krishnan	93 (1991) 257
layers (Letter to the Editor)	102 (1991) L9	Venkatramani, N., see R. Krishnan Vennegues, P., see D. Muller	104–107 (1992) 1822
Van Ruitenbeek, J.M., see J. Albino	102 (1771)	Venter, A.M., P. de V. du Plessis and	104–107 (1992) 1873
Aguiar	104-107 (1992) 547	E. Fawcett, Ultrasonic behaviour of	
Van Zijl, F.F., see M.T. Rekveldt	104-107 (1992) 527	a high purity holmium crystal	104-107 (1992) 1517
		, , , , , , , , , , , , , , , , , , , ,	101 (1772)1311

Venturini, G., B. Chafik El Idrissi and		Vijayaraghavan, R., see I. Das	104-107 (1992) 874
B. Malaman, Magnetic properties of		Vijayaraghavan, R., see S.K. Dhar	104-107 (1992)1303
RMn_6Sn_6 (R = Sc, Y, Gd-Tm, Lu)		Vijayaraghavan, R., see E.V. Sam-	
compounds with HfFe ₆ Ge ₆ type		pathkumaran	108 (1992) 85
structure	94 (1991) 35	Villas Boas, V., see D. Givord	104-107 (1992)1129
Venturini, G., see B. Malaman	104–107 (1992)1359	Villers, G., see M. Nogues	104-107 (1992) 415
Verdaguer, M., see T. Takeuchi	104-107 (1992) 813	Vinai, F., see C. Beatrice	93 (1991) 147
Verhoef, R., see F.E. Kayzel	101 (1991) 424	Vinai, F., see P. Allia	101 (1991) 49
Verhoef, R., see P.C.M. Gubbens	104–107 (1992)1269	Vinai, F., see P. Allia	104–107 (1992)1767
Verhoef, R., see H.M. Mayer	104–107 (1992) 1295	Vincent, E., see J. Hammann	104–107 (1992) 1617
Verhoef, R., S. Sinnema, P.H. Quang		Vincent, H., B. Sugg, V. Lefez, B	
and J.J.M. Franse, Strength of the		Bochu, D. Boursier and P. Chau-	
R-T exchange coupling in R ₂ T ₁₇	104 105 (1000) 1005	douet, Crystal growth, X-ray and	
compounds	104–107 (1992)1325	magnetic studies of planar aniso-	
Verhoef, R., P.H. Quang, R.J. Rad-		tropy M-hexa-ferrites $BaF_{12-2x}Ir_x$	101 (1001) 170
wański, C. Marquina and J.J.M.		Me_xO_{19} (Me = Zn, Co)	101 (1991) 170
Franse, Magnetisation curves of sin-	104 107 (1002) 1472	Vinokurova, L., V. Ivanov and A.	
gle-crystalline Tb ₂ Fe ₁₇ Vernier, N. and G. Bellessa, Magnetic	104–107 (1992)1473	Szytuła, High-field magnetization in	00 (1001) 102
excitations thermally activated in a		RCo ₂ X ₂ compounds	99 (1991) 193
gadolinium-doped glass (Letter to		Vinokurova, L., see V. Ivanov Virkovsky, V.A., M.V. Gitlits and V.M.	110 (1992)L259
the Editor)	102 (1991) L15	Cheremissinov, The magnetic re-	
Verrucchi, P., see A. Cuccoli	104–107 (1992) 785	cording community and information	
Vértesy, G., A. Lovas, J. Szöllösy and	10+ 107 (1772) 703	storage technology in the USSR	95 (1991) 379
T. Tarnóczi, Contactless tempera-		Visnovsky, S., see R. Krishnan	101 (1991) 205
ture switch using amorphous rib-		Visser, D., see A. Harrison	104–107 (1992) 557
bons	102 (1991) 135	Visser, D., see H.M. Murphy	104–107 (1992) 657
Vertesy, G., see M. Pardavi-Horvath	104–107 (1992) 313	Visser, D., see B. Schmid	104–107 (1992) 771
Vettier, C., see H. Fjellvåg	92 (1990) 75	Visser, D., see I.K. Jassim	104-107 (1992) 2072
Vettier, C., see J.A. Blanco	97 (1991) 4	Visser, E.G. and M.T. Johnson, A novel	· ·
Vettier, C., see E.M. Forgan	104-107 (1992) 1521	interpretation of the complex per-	
Vial, F., see Ph. Tenaud	101 (1991) 328	meability in polycrystalline ferrites	
Vial, F., see J. Bras	101 (1991) 369	(Invited paper)	101 (1991) 143
Vicent, J.L., see G. Peral	104-107 (1992) 1755	Visser, E.G., see M.T. Johnson	104-107 (1992) 421
Vicente, R., see A. Escuer	110 (1992) 181	Viswanathan, B., see R. Raman	102 (1991) 181
Victora, R.H., C.F. Brucker and F.E.		Vitale, S., see G. Durin	101 (1991) 89
Spada, Structure and micromag-		Vitale, S., see M. Cerdonio	101 (1991) 92
netic predictions for hysteretic phe-		Vitebskii, I.M., N.M. Lavrinenko and	
nomena in a novel Co-Pt perma-		V.L. Sobolev, Magnetoelectric and	
nent magnet thin film	97 (1991) 343	piezomagnetic effects of exchange	
Vieira, S., J. Jarén, A. Hernando, H.T.		nature in antiferromagnets	97 (1991) 263
Savage and M. Vázquez, High reso-		Vlasov, K.B., E.A. Rozenberg and A.V.	
lution direct magnetostriction mea-		Chetverikov, Magnetic aftereffect	
surements of nearly-zero magne-	110 (1000) 100	following first order magnetostruc-	04 (1001) 06
tostriction amorphous ribbons	110 (1992) 129	tural phase transitions	94 (1991) 96
Viertiö, H.E., see A.S. Oja	104-107 (1992) 908	Vodopivec, F., F. Marinšek and F. Gre-	
Viertiö, H.E. and A.S. Oja, Mean-field		šovnik, The evolution of texture	
calculation and Monte Carlo simu-		during the processing of a 1.8 Si, 0.3	02 (1000) 125
lation of ferromagnetic ordering at	104 107 (1002) 015	Al non-oriented electrical sheet	92 (1990) 125
negative temperatures	104–107 (1992) 915	Vodopivec, F., F. Marinšek, F. Grešovnik, D. Gnidovec, M. Jenko	
Vigier, P., see N. Amri	101 (1991) 352 104–107 (1992)1092	and M. Praček, Effect of antimony	
Vigier, P., see J. Delamare Vijayaraghavan, R., see S.K. Malik	92 (1990) 80	of energy losses in non-oriented 1.8	
Vijayaraghavan, R., see M. Huang	97 (1991) 297	Si, 0.3 Al electrical sheets	97 (1991) 281
Vijayaraghavan, R., see P.L. Paulose	104–107 (1992) 87	Vogt, O., see A. Blaise	104–107 (1992) 33
Vijayaraghavan, R., see G. Balakrish-	101 101 (1772) 01	Vogt, O., see K. Mattenberger	104–107 (1992) 43
nan	104-107 (1992) 469	Vohl, M., see P. Grünberg	93 (1991) 58
11411	201 201 (2772) 107		

		W. J. II and M. Chico. Thormal av	
Vohl, M., J.A. Wolf, P. Grünberg, K.		Wada, H. and M. Shiga, Thermal ex-	
Spörl, D. Weller and B. Zeper, Ex-		pansion anomaly and Invar effect of	104-107 (1992) 1925
change coupling of ferromagnetic		$Mn_{1-x}Co_xB$	104–107 (1992) 1923
layers across nonmagnetic interlay-	00 (4004) 400	Wagner, D., see V.P. Silin	
ers	93 (1991) 403	Wagner, D., see M. Podgórny	104–107 (1992) 703
Voigt, J., X.L. Ding, R. Fink, G.		Wagner, K., see U. Köbler	103 (1992) 236
Krausch, B. Luckscheiter, R. Plat-		Wagner, V., H. Weinfurter and J.	
zer, U. Wöhrmann and G. Schatz,		Weniger, Magnetic domain struc-	104 107 (1002) 357
Magnetic hyperfine fields at uncov-		ture of $K_2Cu_xZn_{1-x}F_4$	104–107 (1992) 357
ered ultrathin Ni films on Cu(100)		Walczak, J., see T. Groń	101 (1991) 148
substrates and at single-crystal Ni	02 (1001) 241	Waldner, F., see A.I. Smirnov	92 (1990) 116 104–107 (1992) 487
surfaces	93 (1991) 341	Waldner, F., see P. Erhart Waldner, F., Are Skyrmions (2D soli-	104-107 (1992) 407
Voiron, J., see D. Gignoux	104–107 (1992) 1262	tons) observable in 2D antiferro-	
Voitlander, J., see A. Burgstaller	109 (1992) 117		104-107 (1992) 793
Völkel, A.R., F.G. Mertens, G.M.		magnets?	104–107 (1992) 793
Wysin and A.R. Bishop, Vortex dy-		Walker, I.C. see C.I. Gutierrez	93 (1991) 326
namics in the classical two-dimen-	104 107 (1002) 766	Walker, J.C., see C.J. Gutierrez Walker, J.C., see C.J. Gutierrez	93 (1991) 369
sional antiferromagnetic XY model	104–107 (1992) 766 104–107 (1992) 429	Walker, J.C., see C.J. Gutierrez	99 (1991) 215
Volkov, V.V., see M. Maryško	94 (1991) 342	Walker, J.C., See C.J. Gutterrez,	99 (1991) 213
Volkozub, A.V., see O.V. Snigirev Völz, H., Limits and future possibilities	74 (1771) 342	M.D. Wieczorek and H. Tang, Gen-	
of information storage (<i>Review pa-</i>		uine-2-dimensional magnetism and	
per)	99 (1991) 335	interlayer magnetic coupling in Fe-	
vom Hedt, B., see K. Westerholt	104–107 (1992) 513	(110)/Ag(111) multilayers	104-107 (1992) 1703
von der Linden, W., see D.M. Edwards	104–107 (1992) 739	Walker, J.C., see H. Tang	104-107 (1992) 1705
Von Dreele, R.B., see R.A. Robinson	98 (1991) 147	Walker, M.J., see D. Greig	110 (1992)L239
Von Geisau, O., see M. Hoffmann	101 (1991) 140	Wall, B., see W. Rodewald	101 (1991) 338
Von Geisau, O., see Th. Orth	101 (1991) 235	Wall, B., see W. Fernengel	101 (1991) 343
Von Molnár, S., H. Munekata, H. Ohno	(,	Wall, B., see K. Boockmann	101 (1991) 345
and L.L. Chang, New diluted mag-		Wallace, W.E., see M.Q. Huang	102 (1991) 91
netic semiconductors based on III-		Wallace, W.E., see L.Y. Zhang	103 (1992) 245
V compounds (Invited paper)	93 (1991) 356	Wallace, W.E., see H. Ido	104-107 (1992) 1361
Vorenkamp, T., see E.A. Knetsch	108 (1992) 75	Wan, J., see J. Liu	103 (1992) 65
Voronkov, E.O., see V.V. Rossikhin	104-107 (1992) 2127	Wan, M., H. Wang and J. Zhao, Or-	, ,
Vuorinen, R.T., see P.J. Hakonen	104-107 (1992) 903	ganic ferromagnet of NTDIOO	
Vyrodov, N.I., see S.A. Vyzulin	101 (1991) 153	crystal	104-107 (1992) 2096
Vyzulin, S.A., A.E. Rosenson and S.A.		Wan, Q., see Zg. Zhao	96 (1991) 211
Sheh, The spectrum of the damped		Wan, Q., see Zg. Zhao	97 (1991) 79
MSSW in the ferrite film	101 (1991) 151	Wang, G.m., D.y. Zhang, W.h. Wang	
Vyzulin, S.A., N.I. Vyrodov and V.V.		and Y.d. Dong, Investigation of	
Zaporozhets, Investigation of the		$Al_{100-x}Fe_x$ amorphous powders	
beyond-cutoff phenomena in the		prepared by ball milling	97 (1991) 73
ferrite waveguides with magneto-		Wang, H., see H.R. Zhai	104-107 (1992)1015
static waves	101 (1991) 153	Wang, H., see H.R. Zhai	104-107 (1992) 1825
		Wang, H., H.R. Zhai, H.Y. Zhang, M.	
Wachter, P., see H. Brändle	93 (1991) 207	Lu, B.X. Gu, L. Zhang, Y.H. Liu,	
Wachter, P., see M. Haruki	104–107 (1992) 475	X.D. Ma and L.M. Mei, MOKE en-	
Wachter, P., see F. Marabelli	108 (1992) 79	hancement of Fe/ZnSe multilayers	
Wada, H. and M. Shiga, Low tempera-		and bilayers	104–107 (1992) 1827
ture specific heat of the Laves phase		Wang, H., see M. Wan	104–107 (1992) 2096
compounds showing a double mag-	104 107 (1002) (01	Wang, Jy., see Zg. Zhao	98 (1991)L231
netic transition	104–107 (1992) 691	Wang, JY., see ZG. Zhao	104–107 (1992) 1289
Wada, H., T. Inoue and M. Shiga, Elec-		Wang, P.C., see C.K. Hou	92 (1990) 109
tronic Grüneisen parameter of Mn-	104 107 (1002) (02	Wang, Q., see T. Zhao	104–107 (1992) 2119
rich bcc Cr–Mn alloys	104–107 (1992) 693	Wang, Q., Zg. Zhao, W. Liu, X.K.	
Wada, H., see S. Endo	104–107 (1992)1441	Sun, Y.C. Chuang and F.R. de Boer,	

Rotation alignment for measuring		electronic states at interfaces: Pd/	
easy-plane magnetic anisotropy	109 (1992) 59	Fe, Pt/Co and Pd/Co	104-107 (1992) 1791
Wang, Q., see W.H. Qiao	110 (1992) 170	Webster, P.J., see I.K. Jassim	104-107 (1992) 2072
Wang, QT., see GH. Pan	104-107 (1992) 981	Wecker, J., see M. Katter	92 (1990) L14
Wang, W.h., see G.m. Wang	97 (1991) 73	Weed, S.B., see S.C. Dorman	98 (1991) 28
Wang, XW., see B.N. Harmon	104-107 (1992)2113	Wei, W., see H. Lin	104-107 (1992) 1511
Wang, Y., P.M. Levy and J.L. Fry,		Wei, W., Z. Tun, W.J.L. Buyers, B.D.	
Magnetic coupling in Fe/Cr super-		Gaulin, T.E. Mason, J.D. Garrett	
lattices	93 (1991) 395	and E.D. Isaacs, Long range anti-	
Wang, Y., F.Z. Cui, W.Z. Li and Y.D.		ferromagnetic order and its coexis-	
Fan, Co/Mo multilayers deposited		tence with superconductivity in	
by ion-beam sputtering	102 (1991) 121	URu ₂ Si ₂	108 (1992) 77
Wang, Y.Z., G.C. Hadjipanayis, A. Kim,		Weidinger, A., see P. Dalmas de	
D.J. Sellmyer and W.B. Yelon,		Réotier	104–107 (1992) 1267
Structure and magnetic properties	101 105 (1000) 1100	Weinfurter, H., see H.M. Mayer	97 (1991) 210
of RFe $_{10}V_2N_x$ compounds	104–107 (1992)1132	Weinfurter, H., see V. Wagner	104–107 (1992) 357
Wang, Z., see H. Ma	104–107 (1992) 89	Weinfurter, H., see M. Enderle	104–107 (1992) 809
Wanklyn, B.M., see Q.A. Pankhurst	97 (1991) 126	Weinfurter, H., see H.M. Mayer	104–107 (1992) 1295
Wanklyn, B.M., see P.C. Riedi	104–107 (1992) 503	Weller, D., W. Reim, K. Spörl and H.	
Wanklyn, B.M., see B.K. Tanner	104–107 (1992) 1611	Brändle, Spectroscopy of multilay-	
Wäppling, R., see P. Dalmas de Réotier	104–107 (1992) 1267	ers for magneto-optic storage (In-	02 (1001) 102
Warden, M., see H.R. Moser	104–107 (1992) 2129	vited paper)	93 (1991) 183
Warren, P., D.McK. Paul, A. Giorgi		Weller, D., see W. Reim	93 (1991) 220
and N. Bernhoeft, Small angle neu-	104 107 (1002) (07	Weller, D., see K. Spörl	93 (1991) 379
tron scattering from TiBe _{1.5} Cu _{0.5}	104–107 (1992) 687	Weller, D., see M. Vohl	93 (1991) 403
Wasserman, A., see M. Hunt	108 (1992) 127	Weller, D., see K. Spörl	101 (1991) 217
Wassermann, E.F., see B. Scholz	93 (1991) 499	Weller, D., see J.V. Harzer	104–107 (1992) 1863
Wassermann, E.F., see K. Sumiyama	96 (1991) 329 100 (1991) 346	Wells, M.R., see S.J. Dawson	104–107 (1992) 373
Wassermann, E.F., The Invar problem Wassermann, E.F., see S. Welzel-Gerth	101 (1991) 37	Wells, M.R., see B. Bleaney Welsch, M., see H. v. Löhneysen	104–107 (1992) 1245 108 (1992) 45
Watabe, A., see JI. Igarashi	104–107 (1992) 769	Welzel-Gerth, S., B. Franz, H.W.	100 (1992) 43
Watanbe, M., see K. Takanashi	104–107 (1992) 1749	Gronert and E.F. Wassermann,	
Watanabe, M., see K. Takanashi	104–107 (1992) 1751	Magnon contributions to low-tem-	
Watanabe, T., see T. Sato	104–107 (1992) 1625	perature thermal conductivity of	
Waters, K. and C. Rau, Ion-induced	10+ 107 (1772)1023	amorphous ferromagnets	101 (1991) 37
emission of spin-polarized electrons		Wenda, J., see K. Kułakowski	94 (1991) 247
to study surface magnetism	93 (1991) 534	Wenda, J., see J. Nowak	94 (1991) 251
Watson, M.L., see A.Z. Maksymowicz	94 (1991) 109	Weniger, J., see V. Wagner	104-107 (1992) 357
Watson, R.E., see L.H. Bennett	104-107 (1992) 1094	Wesner, D.A., see W. Weber	104-107 (1992)1791
Wawro, A. and W. Maj, The Hall effect		West, A.R., see R. Valenzuela	104-107 (1992) 395
in Ni/Pb modulated films	109 (1992) 13	Westerholt, K., B. vom Hedt and Th.	
Waysand, G., see A. Larrea	104-107 (1992) 229	Strangfeld, Magnetism of K ₂ NiF ₄ -	
Webb, B.C., M.E. Re, C.V. Jahnes and		type V- and Ni-oxides	104-107 (1992) 513
M.A. Russak, High field, high fre-		Westphal, C., see A. Paduan-Filho	104-107 (1992) 269
quency magnetic dynamics of nar-		Westphal, C., see J. Bansmann	104-107 (1992) 1691
row thin-film magnetic multilayer		Westphal, C., see M. Getzlaff	104-107 (1992) 1781
stripes	104-107 (1992) 973	Westphal, C.H., see M.S. Torikachvili	104–107 (1992) 69
Webb, B.C., see M.A. Russak	104-107 (1992) 1851	Weyrauch, T., see F. Rödelsperger	104–107 (1992) 1075
Webb, D.J., T.Y. Kuromoto and S.M.		Whiting, J.S.S., see A.Z. Maksymowicz	94 (1991) 109
Kauzlarich, New ternary magnets		Wiatrowski, G., see J. Mielnicki	94 (1991) 74
(Ca, Sr, Ba) ₁₄ MnBi ₁₁	98 (1991) 71	Wiechers, R., see U. Köbler	103 (1992) 236
Weber, D., see P. Thalmeier	108 (1992) 109	Wieczorek, M.D., see C.J. Gutierrez	93 (1991) 326
Weber, G., see C. Geibel	108 (1992) 209	Wieczorek, M.D., see C.J. Gutierrez	93 (1991) 369
Weber, M., see H. Maletta	104–107 (1992) 495	Wieczorek, M.D., see C.J. Gutierrez	99 (1991) 215
Weber, R., see R. Chung	104–107 (1992)1455	Wieczorek, M.D., see J.C. Walker	104–107 (1992) 1703
Weber, W., D. Hartmann, D.A. Wes-		Wieczorek, M.D., see H. Tang	104–107 (1992) 1705
ner and G. Güntherodt, Spin-split		Wienke, R., see H. Ebert	93 (1991) 601

Wierzbicki, A., see Z. Onyszkiewicz	99 (1991) 253	Wo, F., see Bg. Shen	96 (1991) 335
Wiese, G., HA. Krug von Nidda and		Wochowski, K., see W. Suski	95 (1991)L133
H. Benner, Temperature-induced		Wöhrmann, U., see J. Voigt	93 (1991) 341
multistability in spin-wave turbu-		Wojciechowski, R., see A. Lehmann-	
lence	104-107 (1992) 1072	Szweykowska	104–107 (1992) 447
Wiesinger, G., see X.C. Kou	104–107 (1992) 1339	Wojciechowski, R., see G.A. Gehring	108 (1992) 89
Wiesinger, G., R. Grössinger and X.C.		Wójcik, M., see E. Jędryka	104–107 (1992) 1405
Kou, 3d-anisotropy behaviour in		Wójcik, W., see J. Spałek	104–107 (1992) 723
$R_2Fe_{13}MB$ compounds (R = Y, Gd;		Wolf, A., see P. Grünberg	93 (1991) 58
M = Al, Ga, Si)	104–107 (1992)1431	Wolf, B., see P. Thalmeier	108 (1992) 109
Wieting, J., E.M. Herbst, S. Mager, A.		Wolf, J.A., see M. Vohl	93 (1991) 403
Stahnke, S. Moldenhauer, J. To-		Wolf, J.A., see P. Grünberg	104–107 (1992) 1734
bisch, HJ. Ullrich, F. Friedel and		Wolf, M. and KH. Müller, Magne-	
J. Bauch, Anomalous grain growth		tostrictive behaviour of multiphase	101 (1001) 117
and texture formation in alloyed	404 (4004) 400	materials	101 (1991) 117
electrical sheets	101 (1991) 128	Wolf, W.P., see S.J. Dawson	104–107 (1992) 373
Wigen, P.E., see M. Pardavi-Horvath	104–107 (1992) 433	Wolfers, P., see G. Fillion	104–107 (1992) 1985
Wigen, P.E., see P.J. Shields	104–107 (1992) 1043	Wolny, J., see B. Lebech	104–107 (1992) 1501
Wilhoit, D.R., see B. Dieny	93 (1991) 101	Wong, H.Y., J.N. Chapman, S. McVitie	
Wilkinson, A.J., see R.D. Greenough	101 (1991) 75	and S.J. Hefferman, The influence	
Will, G., see J.K. Yakinthos	102 (1991) 71	of evaporation rate on the domain	
Will, G., see I. Yaar	104–107 (1992) 63	structures of permalloy and cobalt	104 107 (1002) 220
Willaschek, K., The perpendicular		small magnetic particles	104–107 (1992) 329
magnetic recording process with	94 (1991) 215	Wong, T.H., see S.W. Yung Wong, W.H. and W.G. Clark, Is there a	98 (1991) 341
ring-type heads on single layer films	104–107 (1992) 831	phase transition in CeAl ₃ ?	108 (1992) 175
Willett, R.D., see T.E. Grigereit Willett, R.D., see T.E. Grigereit	104–107 (1992) 1981	Woolley, J.C., see J. Lamazares	104-107 (1992) 997
Williams, C.M., see N.C. Koon	100 (1991) 173	Wosicki, P., see J.A. Morkowski	104–107 (1992) 673
Williams, C.M., J.J. Krebs, F.J. Rach-	100 (1771) 110	Wosnitza, J., see E. Scheer	104–107 (1992) 175
ford, G.A. Prinz and A. Chaiken,		Wostenholm, G.H., see J.A.J. Lourens	96 (1991) 301
Torque measurements of the mag-		Wright, C.D., see W.W. Clegg	95 (1991) 49
netic anisotropy energy of antiferro-		Wright, C.D., see B. Liu	101 (1991) 245
magnetic-coupled Fe/Cr/Fe layers	110 (1992) 61	Wright, D.G., see D. Greig	110 (1992)L239
Williams, E.W., An introduction to		Wrzeciono, A., see P. Czarnecki	101 (1991) 32
sputtering of magnetic and mag-		Wrzeciono, A., see P. Stefański	101 (1991) 97
neto-optic thin films for data		Wrzeciono, A., see A. Kowalczyk	101 (1991) 341
recording	95 (1991) 356	Wu, R.q., C. Li and A.J. Freeman,	
Williams, G., see H. Ma	104–107 (1992) 89	Structural, electronic and magnetic	
Williams, J.M., see C. Hawkins	104-107 (1992) 1549	properties of Co/Pd(111) and Co/	
Wills, J.M., see B.R. Cooper	108 (1992) 10	Pt(111)	99 (1991) 71
Wilson, C.C., see C.C. Tang	103 (1992) 86	Wu, R.q. and A.J. Freeman, Theoreti-	
Wilson, G.V.H., see T.J. McKenna	104–107 (1992) 1505	cal determination of antiferromag-	
Wimmers, O.J. and M.T. Johnson, Lif-		netic coupling and surface state for	
shitz-type domain patterns observed	0.5 (4.00.4)	Gd(0001)	99 (1991) 81
in CoNbZr structures	96 (1991) 97	Wu, RQ., see A.J. Freeman	100 (1991) 497
Winiarska, A., see Z. Drzazga	104–107 (1992)1437	Wu, RQ., see A.J. Freeman	104–107 (1992) 1
Winkelmann, M., H.A. Graf, N.H. An-		Wu, RT., see D.q. Li	99 (1991) 85
dersen, T. Zeiske and D. Hohlwein,		Wu, W.D., see B.J. Sternlieb	104–107 (1992) 801
Magnetic and electronic properties	104 107 (1002) 971	Wulfes, A., see Ch. Böttger	99 (1991) 280
of $Mg_{1-x/2}Li_xCu_{2-x/2}O_3$ Winkler, H., see A. Pösinger	104–107 (1992) 871 104–107 (1992) 1597	Wulfes, A., Ch. Böttger, J. Hesse, J.	
Wirth, H., see M. Schaefer		Sievert and H. Ahlers, Magnetic	
Wiser, N., see D. Greig	101 (1991) 95	phase diagram of the reentrant spin	104 107 (1000) 2070
Withanawasam, L. and G.C. Hadji-	110 (1992)L239	glass system ($Fe_{0.65}Ni_{0.35})_{1-x}Mn_x$	104–107 (1992) 2069
panayis, Magnetic hardening in		Wun-Fogle, M., see A.E. Clark	104–107 (1992) 1433
Mn-substituted Pr-Fe-B alloys at		Wun-Fogle, M., see M.L. Spano Wyborn, M.L. see P.L. McGuiness	104-107 (1992) 1537
cryogenic temperatures	104-107 (1992)1137	Wyborn, M.J., see P.J. McGuiness Wyder, U., see A. de Visser	104–107 (1992)1169
-1,00	-0, 10, (17,2), 113/	rigidi, O., see A. de Vissei	108 (1992) 59

W CM AD WITH	101 105 (1005) 500		
Wysin, G.M., see A.R. Völkel	104–107 (1992) 766	Yakinthos, J.K., see P. Kotsanidis	102 (1991) 67
Wysłocki, B., see J. Zbroszczyk Wysłocki, J.J., Torque curves in the	109 (1992) 221	Yakinthos, J.K., P.A. Kotsanidis, W.	
anisotropic Fe-Al-C(Cu) perma-		Schäfer and G. Will, The antiferro-	
nent magnet with different Cu con-		magnetic structure of ErNiC ₂ ter-	102 (1001) 71
centrations	101 (1991) 421	nary carbide Yakinthos, J.K., see Ch.D. Routsi	102 (1991) 71
Wysłocki, J.J., Domain structure of the	101 (1991) 421		102 (1991) 266
arc-plasma sprayed Nd-Fe-B aniso-		Yakinthos, J.K., see Ch.D. Routsi	102 (1991) 275
tropic permanent magnet	104-107 (1992) 363	Yakinthos, J.K., see Ch. Routsi Yamada, H. and M. Shimizu, Magnetic	110 (1992) 317
Wysłocki, J.J. and M. Leonowicz, Mag-	104-107 (1992) 303	properties of Zr(Fe, Co) ₂	104 107 (1002) 1063
netic rotational hysteresis energy in		Yamada, H., see M. Aoki	104–107 (1992)1963 104–107 (1992)1965
Nd-Fe-B permanent magnet with		Yamada, H. and M. Aoki, Magnetic	104-107 (1992)1903
different Cr concentration	104107 (1992) 1163	properties of pseudo-binary com-	
	101 107 (1772)1105	pounds Y(Fe,Al) ₂ and Y(Co,Al) ₂	104-107 (1992) 1967
Xia, S.K., see C. Larica	110 (1992) 106	Yamada, K., see S. Murayama	104–107 (1992) 95
Xiang, T. and G.A. Gehring, Real space	110 (1772) 100	Yamada, K. and T. Saitoh, Observation	10+ 107 (1772) 73
renormalisation group study of		of Barkhausen effect in ferromag-	
Heisenberg spin chain	104-107 (1992) 861	netic amorphous ribbon by sensitive	
Xie, Bt., see Hs. Li	109 (1992) 113	pulsed magnetometer	104-107 (1992) 341
Xing, F. and W.W. Ho, Intrinsic prop-	(2//-)	Yamada, K. and N. Kamata, Magneto-	101 101 (1772) 011
erties of the ferromagnetic R ₁₄ Fe ₇₈ -		transport study of 5d-4f spin ex-	
$B_{8-x}C_x$ compounds	94 (1991) 49	change interaction in EuSe	104-107 (1992) 991
Xiong, XY. and KY. Ho, Magnetic		Yamada, M., see D.W. Lim	104-107 (1992) 1429
anisotropy of amorphous alloy rib-		Yamada, Y., see R.G. Graham	104-107 (1992) 641
bons in as-quenched state (Letter to		Yamada, Y., see T. Matsumoto	104-107 (1992) 647
the Editor)	94 (1991) L29	Yamada, Y., J.G.M. Armitage, R.G.	
Xu, J., see R. Atkinson	95 (1991) 35	Graham and P.C. Riedi, Pressure	
Xu, J., see R. Atkinson	102 (1991) 357	dependence of magnetic properties	
Xu, J., see R. Atkinson	104-107 (1992)1013	of $Nb_{1-y}Fe_{2+y}$	104-107 (1992) 1317
Xu, W.M., W. Steiner, M. Reissner, A.		Yamada, Y., see T. Ohno	104-107 (1992) 2027
Pösinger, M. Acet and W. Pepper-		Yamagami, H., see A. Hasegawa	104–107 (1992) 65
hoff, Magnetic and Mössbauer in-		Yamagami, H. and A. Hasegawa, The	
vestigations on $\operatorname{Cr}_{75}(\operatorname{Fe}_x \operatorname{Mn}_{1-x})_{25}$		Fermi surface of CeRu ₂ Si ₂	108 (1992) 153
alloys	104–107 (1992)2023	Yamagata, A., see I. Ono	104–107 (1992) 257
Xu, Y.B., see H.R. Zhai	104–107 (1992)1027	Yamagata, K., T. Abe, Y. Higuchi, H.	
		Deguchi, K. Takeda, K. Kaneko, H.	
Yaar, I., J. Gal, W. Potzel, G.M.		Nojiri and M. Motokawa, Thermal	
Kalvius, G. Will and W. Schäfer,		and magnetic properties of M(HC-	104 107 (1002) 002
Magnetic properties of NpX ₂ inter-	104 107 (1000) (2	$OO)_2 \cdot 2urea : M = Mn, Fe, Co, Ni$	104–107 (1992) 803
metallic compounds	104–107 (1992) 63	Yamagata, K., N. Koyano, Ridwan, N.	
Yablonskii, D.A., Yu.A. Dimashko and		Achiwa, M. Fujino, Y. Iwata and I.	
P.P. Shatskii, Nonuniform exchange		Shibuya, Structure of M(HCOO) ₂ .	104-107 (1992) 849
interaction effect on the structure of ferromagnet domain boundary	99 (1991) 261	$2(NH_2)_2CO$: M = Mg, Co, Zn Yamagata, K., see M. Fujino	104–107 (1992) 851
Yabuta, H., see K. Kojima	104–107 (1992) 653	Yamagishi, A., see R.J. Radwański	101 (1991) 392
Yagasaki, K., H. Yoshida, S. Abe, T.	104-107 (1992) 055	Yamagishi, A., see R.J. Radwański	104–107 (1992)1139
Kaneko and P. Morin, Giant mag-		Yamagishi, A., K. Senda, K. Kindo, M.	104-107 (1772)1137
netic coercivity of cubic Sm com-		Date and Y. Onuki, Multi-step	
pounds	104-107 (1992)1389	magnetization of UCu ₅	108 (1992) 211
Yaguchi, N., see M. Mekata	104–107 (1992) 823	Yamaguchi, K., see K. Matsumoto	104-107 (1992) 451
Yakinthos, J.K., see C. Routsi	98 (1991) 257	Yamaguchi, M., see T. Futakata	104–107 (1992) 729
Yakinthos, J.K., Crystal magnetic struc-) (L) L) mo	Yamaguchi, M., T. Futakata, I. Ya-	
tures of TmFe ₂ Si ₂ and TmNi ₂ Ge ₂		mamoto and T. Goto, High-field	
compounds. Influence of the d-		magnetization and magnetostriction	
metal charge on the anisotropy di-		of $Y_{1-r}Gd_rCo_2$	104-107 (1992) 731
rection of the RT_2X_2 (R = rare		Yamaguchi, Y., S. Tomiyoshi, M.	
earth, $T = 3d$ or 4d metal and $X =$		Harada and G. Shirane, Magnons	
Si, Ge) compounds	99 (1991) 123	and phonons in MnSb	103 (1992) 50

Yamaguchi, Y., see S. Kawamata	104–107 (1992) 51	Yang, JP., S.H. Pi, Y.P. Kim and Y.G.	
Yamaguchi, Y., see S. Kawamata	104-107 (1992) 53	Kim, Influence of oxygen on the	
Yamaguchi, Y., see M. Ohashi	104-107 (1992) 925	structure of Nd-rich phase in the	
Yamaguchi, Y., see H. Yasui	104-107 (1992) 927	sintered Nd ₁₅ Fe ₇₇ B ₈ magnet (Let-	
Yamaguchi, Y., see M. Ohashi	104-107 (1992) 1383	ter to the Editor)	110 (1992)L261
Yamaguchi, Y., see H. Shiraishi	104-107 (1992) 2040	Yang, Ly., see Bg. Shen	92 (1990) L30
Yamaguchi, Y., see T. Hori	104-107 (1992) 2045	Yang, Ly., see Bg. Shen	96 (1991) 335
Yamaguchi, Y., see H. Onodera	109 (1992) 249	Yang, Ly., see Hq. Guo	99 (1991) 199
Yamamoto, H., T. Okuyama, H. Doh-		Yang, LY., see BG. Shen	104-107 (1992) 1088
nomae and T. Shinjo, Magnetoresis-		Yang, LY., BG. Shen, JX. Zhang,	
tance of multilayers with two mag-		JG. Zhao, HQ. Guo and FM.	
netic components	99 (1991) 243	Yang, Magnetism of rapidly quen-	
Yamamoto, H., see H. Kobayashi	109 (1992) 17	ched $(Fe_{1-x}Nd_x)_{75}B_{25}$ alloys	104-107 (1992)1191
Yamamoto, I., see T. Futakata	104–107 (1992) 729	Yang, LY., see BG. Shen	104-107 (1992) 2021
Yamamoto, I., see M. Yamaguchi	104–107 (1992) 731	Yang, XB. and T. Miyazaki, Soft mag-	201 207 (2772) 2021
	104–107 (1992) 545	netic properties of evaporated Fe-	
Yamamoto, K., see K. Sekizawa	104–107 (1992) 1117	Al–Ti alloy films	102 (1991) 139
Yamamoto, T., see H. Miyajima			104–107 (1992)1102
Yamanaka, A., see K. Kumagai	104–107 (1992) 577	Yang, YC., see FM. Yang	104-107 (1992)1102
Yamauchi, H., see K. Suzuki	108 (1992) 161	Yang, YC., XD. Zhang, Q. Pan and	
Yamauchi, H., see H. Onodera	109 (1992) 249	LS. Kong, Magnetocrystalline ani-	
Yamazaki, H., see M. Mino	104–107 (1992) 1055	sotropy of TbTiFe ₁₁ $N_{1-\delta}$ and Dy-	104 405 (1002) 1252
Yamazaki, H., see S. Mitsudo	104–107 (1992)1057	$TiFe_{11}N_{1-\delta}$	104–107 (1992) 1353
Yamazaki, H., Y. Yunoki, M. Mino, S.		Yang, Y.S., see T.E. Mason	104–107 (1992) 197
Mitsudo and V.L. Safonov, Influ-		Yano, K., E. Kita, K. Tokumitsu, H.	
ence of radiation damping on the		Ino and A. Tasaki, Ferrimagnetic	
threshold of auto-oscillations in YIG		ordering in melt-spun $Fe_{100-x}Gd_x$	
under parallel pumping	104–107 (1992) 1059	$(18 \le x \le 70)$ alloys	104–107 (1992) 131
Yamazaki, H., see H. Maruyama	104–107 (1992)2055	Yao, Y.D., see S.U. Jen	96 (1991) 82
Yanagisawa, T., Spin correlation in		Yao, Y.D., see S.J. Tzeng	104-107 (1992) 889
fermion-doped nonlinear sigma		Yaoi, T., see T. Miyazaki	98 (1991) L7
model	104–107 (1992) 541	Yaouanc, A., see P. Dalmas de Réotier	104-107 (1992) 1267
Yanagisawa, T., see R. Konno	104-107 (1992) 649	Yaouanc, A., see P.C.M. Gubbens	104-107 (1992) 1269
Yanase, A., see H. Harima	108 (1992) 145	Yaron, U., see I. Felner	104-107 (1992) 543
Yang, C.J., S.D. Choi and W.Y. Lee,		Yasui, H., M. Ohashi, S. Abe, H.	
The effect of Laves phase on the		Yoshida, T. Kaneko, Y. Yamaguchi	
magnetic properties of Fe-Co-Nd-		and T. Suzuki, Magnetic order-	
B alloys	96 (1991) 60	order transformation in Mn ₃ Pt	104-107 (1992) 927
Yang, D.P., W.A. Hines, W.G. Clark,		Yasui, H., see T. Kaneko	104-107 (1992) 1949
F.L.A. Machado, L.A. Azevedo,		Yasui, H., see T. Kaneko	104-107 (1992) 1951
B.C. Giessen and M.X. Quan, Mag-		Yasuoka, H., see T. Machi	104–107 (1992) 635
netization study of the I-Al ₈₀ Mn ₂₀		Yasuoka, H., see K. Zenmyo	104–107 (1992) 1615
and T-Al ₇₈ Mn ₂₂ quasicrystalline		Yasuoka, H., see K. Takanashi	104–107 (1992) 1751
phases	109 (1992) 1	Yasuoka, H., see Y. Suzuki	104-107 (1992) 1843
Yang, F.M., see R.J. Radwański	101 (1991) 392	Yata, M., see H. Aoki	104–107 (1992)1905
Yang, FM., see N. Tang	104-107 (1992) 1086	Ye, M., see B. Lührmann	1 1
Yang, FM., see BG. Shen	104–107 (1992) 1088		96 (1991) 237
Yang, FM., See BG. Shen and YC.	104-107 (1332)1000	Ye, W., see L. Jirman	104–107 (1992) 19
Yang, Some research progress in		Yeh, T., J.M. Sivertsen and J.H. Judy,	
		Correlation of structure/micromag-	
R-Fe hard magnetic materials in China	104 107 (1002) 1102	netic character of rf sputtered Co/	
	104–107 (1992) 1102	Cr, CoCr/Cr and CoCrTa/Cr thin	404 407 (1007)
Yang, F.M., see R.J. Radwański	104-107 (1992)1139	films	104–107 (1992)1879
Yang, FM., see LY. Yang	104-107 (1992)1191	Yelon, W.B., see M. Yethiraj	97 (1991) 45
Yang, FM., see BG. Shen	104–107 (1992)1281	Yelon, W.B., see Y.Z. Wang	104–107 (1992)1132
Yang, F.M., see J.P. Kuang	104–107 (1992)1475	Yethiraj, M., W.B. Yelon and K.H.J.	
Yang, FM., see BG. Shen	104–107 (1992) 2021	Buschow, Magnetic structure of	
Yang, HY., see BG. Shen	104–107 (1992)1281	rare-earth-iron carbides	97 (1991) 45

Yin, S., see P.J. Hakonen	104-107 (1992) 903	Yu, X.Y., see S. Tsunashima	104-107 (1992) 1021
Yin, X.J., see P.J. McGuiness	104–107 (1992)1169	Yu, Zq., see Gq. Liu	96 (1991) 155
Yip, S.Y., see W.M. Fairbairn	93 (1991) 407	Yuan, J., Magnetic excitations in pen-	
Yiping, L., G.C. Hadjipanayis, C.M.		tagonal quasicrystals (Letter to the	
Sorensen and K.J. Klabunde, Size		Editor)	96 (1991) L17
effects on the magnetic properties		Yuan, Y., J. Theile and J. Engemann,	
of Fe-Co-B powders	104–107 (1992) 1545	Measurement of the Meissner effect	
Yogi, T., see P.I. Mayo	95 (1991) 109	by a magneto-optic ac method using	
Yokoyama, Y., Y. Suzuki, H. Obara, S.		ferrimagnetic garnet films	95 (1991) 58
Yoshida and Y. Hasumi, Flux den-		Yuan, Y., see B.S. Han	104–107 (1992) 305
sity distribution in disk-shaped su-		Yuasa, S., see H. Miyajima	104–107 (1992) 2025
perconducting thin films deter-	104 107 (1002) 550	Yuen, T., C.L. Lin, J.E. Crow and N.	
mined using iron garnet films	104–107 (1992) 559	Bykovetz, ¹¹⁹ Sn Mössbauer study of	
Yonnet, JP., see S. Pelissier	101 (1991) 335	magnetic structure in Sn-doped	100 (1002) 00
Yoshida, A., see T. Jo	104–107 (1992) 2087	UPb ₃ and UIn ₃	109 (1992) 98
Yoshida, H., see T. Kamimura	104–107 (1992) 255	Yun, S.W., see K. Satoh	104–107 (1992) 39
Yoshida, H., see H. Yasui Yoshida, H., see M. Ohashi	104–107 (1992) 927 104–107 (1992) 1383	Yung, S.W., Y.H. Chang, T.H. Wong	
Yoshida, H., see K. Yagasaki	104–107 (1992)1389	and M.P. Hung, Magnetic proper- ties of vacuum deposited iron-	
Yoshida, H., see S. Abe	104–107 (1992)1397	beryllium films	98 (1991) 341
Yoshida, H., see T. Kaneko	104–107 (1992)1401	Yunoki, Y., see H. Yamazaki	104–107 (1992) 1059
Yoshida, H., see T. Kanomata	104–107 (1992)1957	Yusu, K., see K. Inomata	110 (1992) 233
Yoshida, H., T. Kaneko, M. Yuzuri, Y.	10+ 107 (1572)1757	Yusuf, N.A., see H. Abu-Safia	103 (1992) 19
Adachi, T. Kanomata and T. Suzuki,		Yuzuri, M., T. Nakagawa and M. Sugi-	103 (1772) 17
Spontaneous volume magnetostric-		moto, Magnetic properties of an-	
tion in CrTe _{1-x} Se _x	104-107 (1992) 1983	nealed and quenched $Cr_7Se_{8-x}Te_x$	
Yoshida, H., see S. Abe	104-107 (1992) 2059	systems	104-107 (1992) 885
Yoshida, H., see M. Matsumoto	104-107 (1992) 2061	Yuzuri, M., see Y. Adachi	104-107 (1992) 887
Yoshida, H., see T. Kanomata	104-107 (1992) 2063	Yuzuri, M., see H. Yoshida	104-107 (1992) 1983
Yoshida, K., see M. Motokawa	104-107 (1992) 947		
Yoshida, S., see Y. Yokoyama	104-107 (1992) 559		
Yoshida, Y., see A. Pösinger	104-107 (1992) 1597	Zabel, H., see Ch. Morawe	102 (1991) 223
Yoshie, H., S. Ozasa, K. Adachi, H.		Záboj, R., P. Stefányi and A. Feher,	
Nagai, M. Shiga and Y. Nakamura,		Heat capacity investigation of the	
Nuclear magnetic resonance of ⁵⁹ Co		low energy electronic states in	
in Gd ₂ Co ₇	104–107 (1992)1449	$CsGd(MoO_4)_2$ and $CsDy(MoO_4)_2$	104–107 (1992) 953
Yoshie, H., see Y. Amako	104–107 (1992)1451	Zach, R., R. Fruchart, D. Fruchart, S.	
Yoshihara, A., Y. Shimada, T. Maro,		Kaprzyk and S. Nizioł, High pres-	104 107 (1002) 1020
O. Kitakami and K. Mizushima,		sure study of MnRhAs _{1-x} P_x system	104–107 (1992) 1929
Brillouin scattering in Fe-polyethyl-	104 107 (1002) 1025	Zadro, K., Đ. Drobac and Ž. Maronnić,	
ene co-evaporated films	104–107 (1992) 1835	Critical behaviour near the mag-	104–107 (1992) 271
Yoshimura, K., see N. Pillmayr Yoshimura, K., see R.G. Graham	104–107 (1992) 639 104–107 (1992) 641	netic percolation threshold Zadro, K., see S. Sabolek	110 (1992) L25
Yoshimura, K., see T. Matsumoto	104–107 (1992) 647	Zadro, K., see J. Horvat	110 (1992) 215
Yoshizawa, H., see M. Mekata	104–107 (1992) 823	Zahvalinski, V., see E. Lähderanta	104–107 (1992) 1605
Yoshizawa, H., see M. Mekata	104–107 (1992) 859	Zak, J., see M.E. Brubaker	103 (1992) L7
Yoshizawa, H., see A. Ito	104–107 (1992) 1637	Žák, T., see O. Schneeweiss	103 (1992) 250
Yoshizawa, M., see K. Ikeda	100 (1991) 292	Zakosarenko, V., see R. Laiho	104-107 (1992) 491
Yoshizawa, S., see K. Tenya	104–107 (1992) 485	Zakrzewska, K., see S. Kaprzyk	104-107 (1992) 2019
Yosida, T., see K. Kindo	104-107 (1992) 811	Zaporozhets, V.V., see S.A. Vyzulin	101 (1991) 153
Yosida, T., see T. Takeuchi	104–107 (1992) 813	Zarek, W., M. Tuszyński and E.S.	
Young, A.P., see D.P. Belanger	100 (1991) 272	Popiel, Magnetic properties of	
Yu, Mj., see Jz. Liang	102 (1991) 217	$Fe_{2.6}V_{1.4-x}Al_x$ alloys	104-107 (1992) 2067
Yu, MJ., see N. Tang	104-107 (1992) 1086	Zarubina, T.V., see I.S. Edelman	110 (1992) 99
Yu, S.C., J.W. Lynn, J.J. Rhyne and		Zaspel, C.E., Susceptibility of interact-	
G.E. Fish, Low temperature magne-		ing chains of trimers: application to	
tization and magnetic excitations in		bis(isopropylammonium) tetrachlo-	
amorphous Fe ₇₈ B ₁₃ Si ₉	97 (1991) 286	rocuprate	98 (1991) 53

Zaspel, C.E., Calculation of the exchange constants of antiferromagnetic oligomers: dependence of <i>J</i> on the degree of oligomerization	102 (1991) 96	Zhai, H.R., H. Wang, M. Lu, H.Y. Zhang, S.M. Zhou, Y.H. Liu, L. Zhang and L.M. Mei, Magnetic properties and MOKE spectra of	104 107 (1000) 40-
Załuski, L., see A. Slawska-Waniewska	101 (1991) 40	Fe/Pd CMF	104–107 (1992) 1825
Zawadzki, J., see R. Szymczak	104–107 (1992) 321	Zhai, H.R., see H. Wang	104–107 (1992) 1827
Zbroszczyk, J., J. Świerczek, W.		Zhan, Ws., see Bg. Shen	96 (1991) 335
Ciurzyńska, M. Baran, B. Wysłocki		Zhang, D.y., see G.m. Wang	97 (1991) 73
and S. Szymura, Approach to mag-		Zhang, F.Y., see D. Gignoux	97 (1991) 15
netic saturation in amorphous Co-		Zhang, F.Y., see D. Gignoux	98 (1991) 333
Fe-Si-B ribbons after surface and		Zhang, F.Y., see A.R. Ball	104–107 (1992) 170
heat treatment	109 (1992) 221	Zhang, F.Y., see A.R. Ball	110 (1992) 343
Zeiske, T., see M. Winkelmann	104–107 (1992) 871	Zhang, H., J.W. Lynn and D.E. Morris,	
Zelený, M., The effects of individual		Two-dimensional bilayer magnetic	104 107 (1000) 901
components on magnetic behaviour		order of Dy ions in Dy ₂ Ba ₄ Cu ₇ O ₁₅	104–107 (1992) 821
of UNiGa and UCoGa intermetallic	94 (1991) 85	Zhang, H.Y., see H.R. Zhai	104–107 (1992) 1825 104–107 (1992) 1827
compounds Zelený, M., M. Rotter, W. Suski, A.	94 (1991) 85	Zhang, H.Y., see H. Wang Zhang, Jx., see Bg. Shen	92 (1990) L30
Baran and F. Zounová, Magnetic		Zhang, Jx., see Bg. Shen	96 (1991) 335
properties of UFe ₈ Al ₄ and UFe ₁₀ -		Zhang, JX., see BG. Shen	104-107 (1992)1088
X_2 (X = Mo, Si)	98 (1991) 25	Zhang, JX., see LY. Yang	104–107 (1992)1191
Zeller, R., see P.H. Dederichs	100 (1991) 241	Zhang, L., see H.R. Zhai	104–107 (1992) 1825
Zeng, Z., see Z.q. Li	98 (1991) 47	Zhang, L., see H. Wang	104-107 (1992) 1827
Zeng, Z., see QQ. Zheng	104-107 (1992) 1019	Zhang, LK., see ZW. Zhang	92 (1990) 196
Zeng, Z., QQ. Zheng, WY. Lai and		Zhang, L.Y., M. Huang and W.E. Wal-	
C.Y. Pan, Electronic structure and		lace, Structural and magnetic char-	
magnetic properties of R ₂ Fe ₁₇ N ₃	104-107 (1992) 1157	acteristics of the $Cfmm_2Fe_{14-x}Co_x$	
Zenmyo, K., H. Kubo, S. Kanbe and H.		B system (Cfmm = Ce-free misch-	
Yasuoka, NMR study of random		metal)	103 (1992) 245
mixture with competing interac-	404 407 (4007) 4645	Zhang, S., see RY. Fang	104–107 (1992) 1031
tions: $Co_{1-x}Mn_xCl_2 \cdot 2H_2O$	104–107 (1992) 1615	Zhang, S.F., see P.M. Levy	93 (1991) 67
Zentko, A., see A. Sólyom	101 (1991) 109	Zhang, S.L., see H.R. Zhai	104–107 (1992) 1015
Zentko, A., see M. Zentková Zentko, A., V. Hajko, M. Timko and A.	102 (1991) L1	Zhang, XD., see YC. Yang Zhang, X.J., see P.J. McGuiness	104–107 (1992) 1353 104–107 (1992) 1169
Zentková, Room temperature su-		Zhang, XX., see RY. Fang	104–107 (1992)1109
perconductivity in oxide layers on		Zhang, X.X., see L.L. Balcells	109 (1992)L159
rapidly quenched Cu(Y, Ba) ribbons	104-107 (1992) 581	Zhang, Y.D., J.I. Budnick, J.C. Ford	107 (1772)2137
Zentková, A., see A. Zentko	104-107 (1992) 581	and W.A. Hines, Some application	
Zentková, M., J. Kováč, A. Zentko and		of NMR to the study of magneti-	
A. Košturiak, Ferromagnetism in Cu		cally-ordered materials with empha-	
3-thiosemicarbazone-2,3-dioxoin-		sis on the short-range order in (Fe-	
dole complexes (Letter to the Edi-		B)-based crystalline and amorphous	
tor)	102 (1991) L1	alloys	100 (1991) 13
Zeper, B., see M. Vohl	93 (1991) 403	Zhang, Y.L., see L.M. Mei	104–107 (1992) 1903
Zeper, W.B., see H. Ebert	93 (1991) 601	Zhang, Zd., X.K. Sun, Zg. Zhao and	
Zerguine, M., see A. de Visser Zevin, V., see A. Schiller	108 (1992) 59	Y.C. Chuang, Interpretation of the	
Zhai, H., see Z. Hu	108 (1992) 196	magnetocrystalline anisotropy of	
Zhai, H.R., see B.X. Gu	104–107 (1992) 1583 97 (1991) 40	(Pr, Y) ₂ Fe ₁₄ B compounds by a new model based on the single-ion the-	
Zhai, H.R., S.M. Zhou, M. Lu, Y.Z.	77 (1771) 40	ory	92 (1990) 191
Miao, B.X. Gu, S.L. Zhang, H.		Zhang, Zd., see Zw. Zhang	96 (1991) 206
Wang and H.B. Huang, The mag-		Zhang, Zd., X.K. Sun, Zc. Zhong,	20 (1771) 200
neto-optical Kerr effect of Fe/		Y.C. Chuang and F.R. de Boer, Ef-	
Au-Cu and Fe/Al-Cu bilayers	104-107 (1992) 1015	fects of partial Co substitution on	
Zhai, H.R., Y.B. Xu, M. Lu and Y.Z.		structural and magnetic properties	
Miao, Enhancement of magneto-		of (Pr, Gd) ₂ Fe ₁₄ B compounds	96 (1991) 215
optical Kerr effect in layered films	104–107 (1992)1027		

Zhang, Zd., X.K. Sun, Zg. Zhao,		Zhao, Zg., see Q. Wang	109 (1992) 59
Y.C. Chuang and F.R. de Boer,		Zheng, Q.q., see Z.q. Li	98 (1991) 47
Temperature dependence of the		Zheng, QQ., Z. Zeng, WY. Lai, Z	
magnetic properties of the rare-		Q. Li and C.Y. Pan, The influence	
earth-transition-metal intermetallic		of Al on the electronic structure	
Lu ₂ Fe ₁₄ C	96 (1991) 219	and magnetic properties of doped	
Zhang, Zd., see Zg. Zhao	97 (1991) 79	MnBi with huge enhancement of	
Zhang, ZD., see T. Zhao	104-107 (1992)2119	Kerr rotation	104-107 (1992) 1019
Zhang, ZW., RW. Huang, MZ.		Zheng, QQ., see Z. Zeng	104-107 (1992) 1157
Dang and LK. Zhang, The mag-		Zheng, QQ., see LJ. Zhou	109 (1992) 237
netic anisotropy of $R_2 Fe_{14} B$ (R =		Zheng, Y., see M.Q. Huang	102 (1991) 91
Nd, Pr) and error analysis	92 (1990) 196	Zheng, Y., see A.E. Clark	104-107 (1992) 1433
Zhang, Zw., Zd. Zhang, X.K. Sun,		Zhigunov, D.I., see S.N. Barilo	102 (1991) 30
Y.C. Chuang and F.R. de Boer, Spin		Zhigunov, D.I., see T. Chattopadhyay	104-107 (1992) 607
reorientation and exchange interac-		Zhong, O.M., A.S. Arrott, B. Heinrich	
tions in $(Nd, R)_2 Fe_{14} B (R = Y, Gd)$	96 (1991) 206	and Z. Celinski, Magneto-optic re-	
Zhang, Zy., see Bg. Shen	92 (1990) 53	sponse in ultrathin Ni-Fe bilayers	104-107 (1992) 1837
Zhao, J., see M. Wan	104-107 (1992) 2096	Zhong, X.P., F.R. de Boer, T.H. Jacobs	
Zhao, Jg., see Bg. Shen	92 (1990) L30	and K.H.J. Buschow, Magnetic cou-	
Zhao, Jg., see Bg. Shen	92 (1990) 53	pling in rare-earth compounds of	
Zhao, Jg., see Bg. Shen	96 (1991) 335	the type R ₂ Ni ₁₇	92 (1990) 46
Zhao, Jg., see Hq. Guo	99 (1991) 199	Zhong, X.P., see F.R. de Boer	101 (1991) 3
Zhao, JG., see LY. Yang	104-107 (1992)1191	Zhong, X.P., see R.J. Radwański	101 (1991) 392
Zhao, JG., see BG. Shen	104-107 (1992)1281	Zhong, X.P., see F.R. de Boer	104-107 (1992) 113
Zhao, T., XK. Sun, ZD. Zhang, Q.		Zhong, X.P., see R.J. Radwański	104-107 (1992) 1139
Wang, Y.C. Chuang and F.R. de		Zhong, X.P., see W.H. Qiao	110 (1992) 170
Boer, Analysis on three different		Zhong, Zc., see Zd. Zhang	96 (1991) 215
magnetization processes: FOMP,		Zhorin, P.V., Yu.A. Lisovsky, I.G.	
SOMP and quasi-FOMP	104–107 (1992)2119	Nikulov and V.L. Stolyarov, Mag-	
Zhao, Ts., see Xf. Han	102 (1991) 151	netic texture in films with perpen-	
Zhao, T.S., X.C. Kou, R. Grössinger		dicular anisotropy	109 (1992) 375
and H.R. Kirchmayr, Magnetic ani-		Zhou, G.F., see X.K. Sun	96 (1991) 197
sotropy and crystal field in Nd ₂ -	101 105 (1005) 1015	Zhou, G.F., see T.H. Jacobs	104–107 (1992) 1275
Fe ₁₄ C	104–107 (1992) 1347	Zhou, G.F., X. Li, F.R. de Boer and	
Zhao, Zg., see Zd. Zhang	92 (1990) 191	K.H.J. Buschow, Magnetic coupling	
Zhao, Zg., X.K. Sun, Q. Wan, W. Liu		in rare-earth compounds of the type	100 (1000) 0(5
and Y.C. Chuang, Magnetocrys-		RCo ₁₂ B ₆	109 (1992) 265
talline anisotropy in $R_2Fe_{14-x}Co_x$	06 (1001) 211	Zhou, LJ. and QQ. Zheng, The ef-	
$B_{1-y}C_y$ compounds (R = Nd, Pr)	96 (1991) 211	fect of charge fluctuation and trans-	
Zhao, Zg., see Zd. Zhang	96 (1991) 219	fer on the exchange interaction in	100 (1002) 227
Zhao, Zg., X.K. Sun, Q. Wan, W. Liu,		rare-earth and actinide systems	109 (1992) 237
Zd. Zhang, Y.C. Chuang and F.R.		Zhou, P., see T.E. Grigereit	104–107 (1992) 831
de Boer, Structure and magnetic		Zhou, R.J., M. Rosenberg, L. Schultz and K. Schnitzke, Uniaxial magnetic	
properties of (Nd, Pr) ₂ Fe ₁₄ (B, C)	97 (1991) 79	anisotropy and preferential substi-	
compounds	77 (1771) 77	tution of Zr for Sm on 6(c) sites in	
Zhao, Zg., Jy. Wang, Yp. Ge, X.K.		$Sm_{1-x}Zr_xFe_3$ intermetallics	109 (1992) 209
Sun and Y.C. Chuang, Magnetiza-		Zhou, S.M., see H.R. Zhai	104-107 (1992) 1015
tion and magnetocrystalline aniso- tropy in YCo ₄ B compound (Letter		Zhou, S.M., see H.R. Zhai	104–107 (1992)1825
to the Editor)	98 (1991)L231	Zhou, S.z., see W.z. Tang	94 (1991) 67
Zhao, ZG., W. Qun, X.K. Sun, Y.C.	70 (1771)[231	Zhu, JG., Coercivity angular depend-) ((1)) 1) O
Chuang and F.R. de Boer, Magneti-		ence in longitudinal thin film media	109 (1992) 367
zation and magnetic anisotropy of		Zhukov, V.A., see H. Maletta	104–107 (1992) 495
$(Nd,Pr)_2$ Fe ₁₇ C _{0.9} compounds	104-107 (1992) 1287	Zięba, A., see H. Fjellvåg	92 (1990) 75
Zhao, ZG., YP. Ge, JY. Wang, X.K.	201 201 (2772) 2201	Zieba, A., C.C. Becerra, N.F. Oliveira,	(2112)
Sun and Y.C. Chuang, Magnetic		Jr., H. Fjellvåg and A. Kjekshus,	
properties of YCo ₄ B compound	104-107 (1992) 1289	Mn _{0.9} Co _{0.1} P in field parallel to hard	
p.oportion of a conference		0.7 0.1	

direction: phase diagram and irreversibility of CONE phase Ziebeck, K.R.A., see H.M. Murphy	104–107 (1992) 71 104–107 (1992) 657	Zochowski, S., see E.M. Forgan Zochowski, S., see E.M. Forgan Zochowski, S., see E.M. Forgan	104–107 (1992) 911 104–107 (1992) 1519 104–107 (1992) 1521
Ziebeck, K.R.A., see I.K. Jassim Ziebeck, K.R.A., see P.J. Brown Ziegler, A., Cluster approximation to	104–107 (1992)2072 104–107 (1992)2083	Zochowski, S.W. and K.A. McEwen, Magnetic phase diagram of thulium Zorin, I.A., see N.A. Belous	104–107 (1992) 1515 110 (1992) 197
the Anderson and to the Hubbard		Zounová, F., see M. Zelený	98 (1991) 25
model	104-107 (1992) 669	Zuberek, R., see M. Lubecka	93 (1991) 432
Ziegler, A., A simple model for the interpretation of spin-polarized		Zuberek, R., H. Szymczak, R. Krishnan and T. Morishita, Magnetic proper- ties of Fe/Y multilayer thin films	93 (1991) 449
photoemission spectra of ferromag- netic metals	104-107 (1992) 671	Zuberek, R., H. Szymczak, R. Krish-	93 (1991) 449
Ziegler, K., Disordered magnetic sys-	104-107 (1992) 071	nan, H.O. Gupta, C. Sella and M.	
tems in two dimensions	96 (1991) 77	Kaabouchi, Magnetostriction of	
Zientek, P., see R.J. Pollard	104–107 (1992) 1557	sputtered Co/C multilayers	101 (1991) 219
Ziese, M., J. Kötzler, M. Pieper, A.	104 107 (1772)1337	Żuberek, R., H. Szymczak, D. Żymier-	101 (1)/1) 21/
Spirgatis and R. Behr, On the vor-		ska, G. Suran and M. Naili, Magne-	
tex dynamics in Bi(2212)	104-107 (1992) 537	tostriction of amorphous CoZrM	
Zimmels, Y., The chemical potential of	, ,	(M = Ti, Nb, Pt) thin films	104-107 (1992) 117
continuum and discretized polariz-		Žukrowski, J., see A. Kozłowski	92 (1990) 155
able matter in electromagnetic fiels	103 (1992) 257	Zung, H., see M.S. Li	96 (1991) 175
Zimmermann, L. and J. Miltat, Insta-		Zverev, V.M., see V.P. Silin	104-107 (1992) 701
bility of bubble radial motion asso-		Zverev, V.V., see A.B. Borisov	110 (1992) 202
ciated with chirality changes	94 (1991) 207	Zvezdin, A.K. and S.N. Utochkin, Itin-	
Zini, G., see G. Buttino	97 (1991) 135	erant metamagnetism in f-d sys-	
Zinn, W., see A. Fuß	103 (1992)L221	tems	104-107 (1992) 1479
Zinn, W., see U. Köbler	103 (1992) 236	Zvyagin, A.I., see T. Chattopadhyay	104-107 (1992) 607
Zinn, W., see A. Campos	104-107 (1992) 431	Zweck, J., see M. Tewes	95 (1991) 43
Zintl, W., see R. Hübner	104–107 (1992) 965	Zweck, J., J.N. Chapman, S. McVitie	
Ziq, K.A. and J.S. Kouvel, Rotational		and H. Hoffmann, Reconstruction	
behavior and symmetry of the in-		of induction distributions in thin	
duced anisotropy in a Cu-Mn spin-		films from DPC images	104–107 (1992) 315
glass alloy	98 (1991) 245	Zybin, S.V., see V.I. Kalikmanov	110 (1992) 91
Zittartz, J., see J. Sznajd	104–107 (1992) 222	Zych, W., see W. Dudek	94 (1991) 243
Zlatić, V., see I. Kos	104–107 (1992) 575	Zygmunt, A., see W. Bażela	96 (1991) 114
Zlatić, V. and B. Horvatić, Weak cou-		Zygmunt, A., see J. Leciejewicz	97 (1991) 219
pling results for Hubbard model in	104 407 (1000) 500	Zymierska, D., see R. Zuberek	104–107 (1992) 117
one and two dimensions	104–107 (1992) 593		



Subject index to volumes 92–110

Abrikosov vortex phase	110 (1991) 91		111, 135, 145, 149,
Absorption coefficient	104-107 (1992) 1023		359, 1152
Acoustic emission	101 (1991) 256		109 (1992) 27, 191, 221
Acoustic phonon modes	104–107 (1992) 1295	– alloys	94 (1991) 29
Acoustic properties	110 (1991) 221		96 (1991) 13, 47, 162,
Acoustic spin wave	104–107 (1992) 1295		167, 335
Actinides	92 (1990) 162		99 (1991) 222
	94 (1991) 85		100 (1991) 13, 57
	95 (1991) 133		102 (1991) 47, 56, 63, 297
	96 (1991) 245		103 (1992) 81
	97 (1991) 219		104-107 (1992) 87, 91,
	98 (1991) 25, 147		103, 113, 128, 143,
	99 (1991) 95, 235		155, 157, 159, 163,
	100 (1991) 126, 151, 186,		165, 167, 397, 1563,
	204, 292		1583, 2021, 2079
	104–107 (1992) 7, 11, 13,		108 (1992) 161
	15, 17, 19, 21, 23, 27,		109 (1992) 117, 145, 169
	29, 31, 33, 35, 37, 41,	- ball milling	97 (1991) 73
	43, 45, 47, 49, 51, 53,	- Co alloys	110 (1991) 129
	55, 57, 60, 63, 697	- composite material	110 (1991) 25
	108 (1992) 40, 115	- compositionally modulated films	95 (1991) 199
	109 (1992) 98, 237	- ferromagnets	92 (1990) 265
- single crystals	110 (1991) 299		94 (1991) 153, 179
- uranium compounds	110 (1991) 299		97 (1991) 83
Activation energies	104–107 (1992) 407, 991		98 (1991) 185
Activation volume	104-107 (1792) 407, 991		99 (1991) 167, 190
- effective	94 (1991) 43		104-107 (1992) 73, 121,
Active states	104–107 (1992) 267		123, 125, 271, 359
Actuator	101 (1991) 75, 286, 335	– films	93 (1991) 169, 174, 233,
- design	104–107 (1992) 1135		237, 247, 257, 261,
Adaptive grid generation	101 (1991) 289		489, 494, 503, 509
Adiabatic magnetization	104–107 (1992) 901		104-107 (1992) 117, 303,
Aftereffect	94 (1991) 96		981, 1009, 1033, 1755,
Afterenect	104–107 (1992) 324, 361,		1769
	1115	– glassy	100 (1991) 1
Aging	104–107 (1992) 1607,	- intermetallic glasses	109 (1992) 228
Aging	1609, 1623	- ion	103 (1992) 37, 78
AlCo Mn	104–107 (1992) 2040	- iron	98 (1991) 1
AlCo _{1-x} Mn _x Alkali metals	110 (1991) 275		103 (1992) 117
Almeida-Thouless	104–107 (1992) 149, 1676	- iron alloys	110 (1991) 32, 135, 161,
	104–107 (1992) 143, 1070	•	215
Al ₂ O ₃ : Cr Amorphisation	101 (1991) 207, 209	- magnetic insulators	104-107 (1992) 1676
Amorphisation Amorphous magnetism	104–107 (1992) 1090	- magnetic materials	101 (1991) 3, 29, 37, 52,
^	104–107 (1992) 1893		59, 65, 81, 199, 296
Amorphous materials	104–107 (1992) 1993	- magnetization processes	104–107 (1992) 157
Amorphous phase	100 (1991) 1, 13, 57	- magnets	104–107 (1992) 152
Amorphous systems		- metallic glasses	92 (1990) 181
	104–107 (1992) 85, 93, 95,		

Os. (1991) 341 104-107 (1992) 197, 341 104-107 (1992) 197, 365 145, 155, 425, 605, 605, 103 (1992) 97, 111 104-107 (1992) 185, 97, 100, 119, 359 100, 1191, 359 160, 1192, 1152, 2128, 1369, 1803, 1837, 1868, 2003, 2089 100 (1991) 13 104-107 (1992) 189 100 (1991) 13 104-107 (1992) 189 100 (1991) 13 104-107 (1992) 189 100 (1991) 13 104-107 (1992) 189 100 (1991) 13 104-107 (1992) 189 104 (1992) 189 105 (1992) 1				()
145, 155, 425, 605, 103 (1992) 97, 111 104-107 (1992) 85, 97, 102, 119, 103, 1193, 1599, 1614, 1433, 1539, 1431, 1433, 1539, 1431, 1433, 1539, 1431, 1433, 1539, 1431, 1433, 1539, 1531, 15		94 (1991) 243		103 (1992) 228
103 (1992) 97, 111		96 (1991) 341		
104 - 107 (1992) 85, 97, 1229, 1287, 1369, 1431, 1357, 1868, 2003, 2089 168 (1992) 167 169 (1992) 399, 341 169 (1992) 332, 1808, 2003, 2089 108 (1992) 167 169 (1992) 332		97 (1991) 286		
100, 119, 359 1431, 1433, 1537, 1686, 2003, 2089 160 (1991) 1 160 (1992) 399, 341 160 (1991) 1 160 (1992) 187 1		103 (1992) 97, 111		
- metals		104-107 (1992) 85, 97,		
- metals		100, 119, 359		1431, 1433, 1537,
- Metglas 92 (1990) 25 92 (1990) 25 97 (1991) 135 - competing 104-107 (1992) 187, 931, 1051 (1991) 135 - competing 104-107 (1992) 187, 931, 1051, 1363, 1637 - multilayers 109 (1992) 64 - direction 99 (1991) 123 - oxides 103 (1992) 228 - energy 100 (1991) 437 - permanent magnets 97 (1991) 40 - Fe alloys 102 (1991) 63 - powders 101 (1991) 167 - rare-earth alloys 110 (1991) 189 - Fe compounds 104-107 (1992) 189 - rare-earth compounds 92 (1990/91) 53, - ferromagnetic particles 92 (1990) 185 - rare-earth alloys 99 (1991) 103 - powders 104-107 (1992) 85, 1152, 1235 - powders 106 (1992) 64 - RE-TM alloys 95 (1991) 43 - RE-TM alloys 95 (1991) 43 - soft-magnetic 96 (1991) 97 - ribbons 101 (1991) 32, 62 - ribbons 101 (1991) 32, 62 - ribbons 101 (1991) 33, 62 - ribhing 94 (1991) 27, 357 - thin films 94 (1992) 341 - soft-magnetic 96 (1991) 97 - thin films 94 (1991) 247, 357 - thin films 94 (1992) 341 - powdh-induced 101 (1991) 155 - TM-metalloid alloys 98 (1991) 194 - transition-metal alloys 92 (1990) 92, 207 - heat-treatment induced 95 (1991) 145 - transition-metal alloys 92 (1990) 92, 207 - heat-treatment induced 95 (1991) 145 - transition-metal alloys 92 (1990) 92, 207 - heat-treatment induced 95 (1991) 145 - transition-metal alloys 92 (1990) 92, 207 - heat-treatment induced 95 (1991) 145 - transition-metal 80 (1992) 196 - induced unidirectional 104-107 (1992) 333 - inderson inspurity model 108 (1992) 127 - interface 109 (1992) 238 - Anderson localization 104-107 (1992) 593, 1327 - normal modes 100 (1991) 544 - normal modes 100 (1991) 549 - normal modes 100 (1991) 549		109 (1992) 309, 341		1803, 1837, 1868,
- Metglas	- metals	100 (1991) 1		2003, 2089
The companies		104-107 (1992) 89		108 (1992) 167
- multilayers 190 (1992) 44 - direction 99 (1991) 123 - multilayers 190 (1992) 248 - energy 100 (1991) 437 - energy 100 (1991) 438 - energy 100 (1992) 274 - energy 100 (1992) 274 - energy 100 (1992) 189 - energy 100 (1991) 139 - Fe compounds 103 (1992) 274 - energy 100 (1992) 189 - energy 100 (1991) 139 - energy 100 (1992) 189 - energy 100 (1992) 185 - energy 100 (1992) 189 - energy 10	- Metglas	92 (1990) 25		109 (1992) 332
- multilayers 109 (1992) 64		97 (1991) 135	competing	104–107 (1992) 187, 931,
- oxides 103 (1992) 228		100 (1991) 13	`	1051, 1363, 1637
- oxides	- multilayers	109 (1992) 64	- direction	99 (1991) 123
Powders		103 (1992) 228	– energy	100 (1991) 497
- powders	- permanent magnets	97 (1991) 40	- Fe alloys	102 (1991) 63
- rare-earth alloys		101 (1991) 167		103 (1992) 274
- rare-earth compounds	-		 Fe compounds 	104-107 (1992) 189
137, 353 - field-induced 104-107 (1992) 119, 613, 1789 17			•	92 (1990) 185
1788 1789 1891 1789 1789 1789 1789 1789 1789 1789 1789 1789 1789 1789 1789 1789 1789 1789 1891 1789				104-107 (1992) 119, 613,
104-107 (1992) 85, 1152,				
1235				
RE-TM alloys			– fields	
- RE-TM alloys 95 (1991) 43 98 (1991) 155 - films 92 (1990) 68 92 (1990) 68 95 (1991) 237 95 (1991) 237 95 (1991) 237 95 (1991) 248 95 (1991) 149 95 (1991) 149 95 (1991) 149 95 (1991) 145 95 (1991)			***************************************	
- ribbons	- RF-TM alloys			
- ribbons	red The anoys		– films	
- soft-magnetic 96 (1991) 97 103 (1992) 274 - thin films 94 (1991) 247, 357 103 (1992) 274 - thin films 94 (1991) 247, 357 104 (1992) 3889, 1891 - TM-metalloid alloys 98 (1991) 119 109 (1992) 375 - TM-metalloid alloys 98 (1991) 119 104-107 (1992) 2085 - transition-metal alloys 92 (1990) 92, 207 - heat-treatment induced 95 (1991) 145 - transition metals 104-107 (1992) 2085 - induced 96 (1991) 167 - wires 96 (1991) 321 98 (1991) 247 - indiced 96 (1991) 321 98 (1991) 245 - indiced 96 (1991) 321 101 (1991) 135 - indiced 96 (1991) 321 101 (1991) 135 - indiced 96 (1991) 327 103 (1992) 97 - indiced 97 (1992) 327 103 (1992) 97 - indiced 98 (1991) 243 - interface 110 (1991) 133 - interface 110 (1991) 133 - interface 110 (1991) 133 - interface 110 (1991) 134 - interface 110 (1991) 13 - interface 110 (1991) 1	- ribbons		*******	
- soft-magnetic - thin films - the film films - thin the thin the thin thin the thin thin the thin thin the thin the thin the thin thin the thin thin the thin the thin the thin the thin the thin thin	11000113			
- thin films	- soft-magnetic			
101 (1991) 211 109 (1992) 341 - growth-induced 101 (1991) 155 104-107 (1992) 431 - growth-induced 101 (1991) 155 104-107 (1992) 431 - transition-metal alloys 92 (1990) 92, 207 - heat-treatment induced 95 (1991) 145 - transition metals 104-107 (1992) 2085 - induced 96 (1991) 167 98 (1991) 245 101 (1991) 47 101 (1991) 47 101 (1991) 435 103 (1992) 97 110 (1991) 135 104-107 (1992) 327 103 (1992) 97 110 (1991) 135 361				
TM-metalloid alloys	tiiii iiiiis			
- TM-metalloid alloys 98 (1991) 119			_ growth-induced	
- transition-metal alloys - transition metals - per transition metals - transition metals - per transition per transition - per transition metals - per transition metals - per transition metals - per transition per transition - per transition - per transition per transition - per transition	- TM-metalloid alloys		growth-madeed	
- transition metals	•		heat-treatment induced	
- wires 96 (1991) 321	•			
101 (1991) 47 101 (1991) 6, 16, 35, 40 104-107 (1992) 327 103 (1992) 97 104-107 (1992) 327 104-107 (1992) 107, 137, 361 Analysis of recording components 101 (1991) 135 104-107 (1992) 107, 137, 361 Anderson impurity model 108 (1992) 196 - induced unidirectional 104-107 (1992) 333 Anderson lattice 108 (1992) 127 - interface 110 (1991) 113 Anderson localization 104-107 (1992) 1699,			- induced	
104-107 (1992) 327 100 (1991) 135 104-107 (1992) 107, 137, 361 3	- wifes			
Analysis of recording components 101 (1991) 135 Analysis of recording components 101 (1991) 263 Anderson impurity model 108 (1992) 196 Anderson lattice 108 (1992) 127 Anderson localization 104-107 (1992) 1699, 2079, 2105 Anderson model 104-107 (1992) 593, 1327 Anderson model 104-107 (1992) 593, 1327 Analysis of recording components 101 (1991) 113 Anderson lattice 104-107 (1992) 1699, 2079, 2105 Anderson model 104-107 (1992) 593, 1327 Anderson model 104-107 (1992) 593, 1327 Anisotropic effects 100 (1991) 544 Anisotropic effects 104-107 (1992) 1907 Anisotropic exchange 104-107 (1992) 43, 1673 Anisotropic magnetic fluctuations 104-107 (1992) 589 Anisotropic superconductivity 104-107 (1992) 601 Anisotropy 93 (1991) 194, 215, 315, 316, 363, 345, 462, 465, 469, 562, 571, 592, 605 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831, 1716, 1728, 1816, 1831,				
Analysis of recording components 101 (1991) 263 361 Anderson impurity model 108 (1992) 196 - induced unidirectional 104-107 (1992) 333 Anderson lattice 108 (1992) 127 - interface 110 (1991) 113 Anderson localization 104-107 (1992) 1699, - local 109 (1992) 228 2079, 2105 - local fluctuations 101 (1991) 11 Anderson model 104-107 (1992) 593, 1327 - magnetic 94 (1991) 29 108 (1992) 129, 179, 215 99 (1991) 71, 204 Anharmonicity 100 (1991) 544 101 (1991) 1, 213, 217, - normal modes 100 (1991) 544 253, 291, 301, 349, Anisotropic effects 104-107 (1992) 1907 399, 421, 424 Anisotropic exchange 104-107 (1992) 589 104-107 (1992) 589 Anisotropic superconductivity 104-107 (1992) 589 Anisotropic superconductivity 104-107 (1992) 601 469, 623, 1033, 1113, Anisotropy 93 (1991) 194, 215, 315, 336, 345, 462, 465, 462, 465, 469, 562, 571, 592, 605 1513, 1717, 1725, 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831,				
Anderson impurity model 108 (1992) 196 - induced unidirectional 104-107 (1992) 333 Anderson lattice 108 (1992) 127 - interface 110 (1991) 113 Anderson localization 104-107 (1992) 1699, 2079, 2105 - local 109 (1992) 228 Anderson model 104-107 (1992) 593, 1327 - magnetic 94 (1991) 29 108 (1992) 129, 179, 215 - magnetic 94 (1991) 29 Anharmonicity 100 (1991) 544 - 101 (1991) 544 - 101 (1991) 544 Anisotropic effects 104-107 (1992) 1907 - 399, 421, 424 Anisotropic exchange 104-107 (1992) 43, 1673 - 102 (1991) 247, 266 Anisotropic magnetic fluctuations 104-107 (1992) 589 - 104-107 (1992) 7, 43, 449, 469, 623, 1033, 1113, 1132, 1221, 1289, 336, 345, 462, 465, 469, 562, 571, 592, 605 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831, 1805, 1816, 1831,	Analysis of recording components			
Anderson lattice 108 (1992) 127 - interface 110 (1991) 113 Anderson localization 104-107 (1992) 1699, 2079, 2105 - local fluctuations 101 (1991) 11 Anderson model 104-107 (1992) 593, 1327 - magnetic 94 (1991) 29 108 (1992) 129, 179, 215 - magnetic 99 (1991) 71, 204 Anharmonicity 100 (1991) 544 - 101 (1991) 544 Anisotropic effects 104-107 (1992) 1907 - 399, 421, 424 Anisotropic exchange 104-107 (1992) 43, 1673 - 102 (1991) 247, 266 Anisotropic superconductivity 104-107 (1992) 589 - 104-107 (1992) 7, 43, 449, Anisotropy 93 (1991) 194, 215, 315, 315, 316, 469, 562, 571, 592, 605 100 (1991) 38, 79, 99, 173, 605 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831,			induced socializational	
Anderson localization 104-107 (1992) 1699, 2079, 2105 Anderson model 104-107 (1992) 593, 1327 - local fluctuations 101 (1991) 11 - magnetic 94 (1991) 29 99 (1991) 71, 204 Anharmonicity 100 (1991) 544 Anisotropic effects 104-107 (1992) 1907 Anisotropic exchange Anisotropic magnetic fluctuations Anisotropic superconductivity 104-107 (1992) 589 Anisotropy 93 (1991) 194, 215, 315, 336, 345, 462, 465, 469, 562, 571, 592, 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 109 (1992) 228 109 (1991) 11 101 (1991) 1, 213, 217, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 1, 213, 217, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 1, 213, 217, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 1, 213, 217, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 1, 213, 217, - mormal modes 104-107 (1992) 1907 399, 421, 424 Anisotropic exchange 104-107 (1992) 589 104-107 (1992) 589 104-107 (1992) 7, 43, 449, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 1, 213, 217, - mormal modes 253, 291, 301, 349, - 399, 421, 424 Anisotropic exchange 104-107 (1992) 589 104-107 (1992) 7, 43, 449, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 1, 213, 217, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 1, 213, 217, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 3, 213, 217, - magnetic 94 (1991) 29 99 (1991) 71, 204 101 (1991) 2, 27 399, 421, 424 102 (1991) 247, 266 102 (1991) 247, 266 104-107 (1992) 7, 43, 449, - 102 (1991) 247, 266 104-107 (1992) 7, 43, 449, - 102 (1991) 247, 266 104-107 (1992) 7, 43, 449, - 102 (1991) 247, 266 104-107 (1992) 7, 43, 449, - 102 (1991) 247, 266 104-107 (1992) 7, 43, 449, - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991) 247, 266 - 102 (1991)				
Anderson model 104-107 (1992) 593, 1327 — magnetic 94 (1991) 29 108 (1992) 129, 179, 215 99 (1991) 71, 204 Anharmonicity 100 (1991) 544 101 (1991) 1, 213, 217, — normal modes 104-107 (1992) 1907 399, 421, 424 Anisotropic effects 104-107 (1992) 43, 1673 102 (1991) 247, 266 Anisotropic magnetic fluctuations 104-107 (1992) 589 104-107 (1992) 7, 43, 449, Anisotropy 93 (1991) 194, 215, 315, Anisotropy 93 (1991) 194, 215, 315, 336, 345, 462, 465, 469, 562, 571, 592, 605 1513, 1717, 1725, 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831,				
Anderson model 104–107 (1992) 593, 1327 — magnetic 94 (1991) 29 108 (1992) 129, 179, 215 Anharmonicity 100 (1991) 544 101 (1991) 1, 213, 217, - normal modes 100 (1991) 544 253, 291, 301, 349, Anisotropic effects 104–107 (1992) 1907 399, 421, 424 Anisotropic exchange 104–107 (1992) 43, 1673 Anisotropic magnetic fluctuations 104–107 (1992) 589 Anisotropic superconductivity 104–107 (1992) 601 Anisotropy 93 (1991) 194, 215, 315, 336, 345, 462, 465, 469, 562, 571, 592, 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831,	Anderson localization			
108 (1992) 129, 179, 215 Anharmonicity 100 (1991) 544 101 (1991) 1, 213, 217, - normal modes 100 (1991) 544 253, 291, 301, 349, Anisotropic effects 104-107 (1992) 1907 399, 421, 424 Anisotropic exchange 104-107 (1992) 43, 1673 102 (1991) 247, 266 Anisotropic magnetic fluctuations Anisotropic superconductivity 104-107 (1992) 589 104-107 (1992) 7, 43, 449, Anisotropy 93 (1991) 194, 215, 315, 1132, 1221, 1289, 336, 345, 462, 465, 469, 562, 571, 592, 605 1513, 1717, 1725, 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831,	Andarran madal	*		
Anharmonicity 100 (1991) 544 101 (1991) 1, 213, 217, 253, 291, 301, 349, 253, 291, 301, 349, 399, 421, 424 Anisotropic effects 104–107 (1992) 1907 399, 421, 424 Anisotropic magnetic fluctuations Anisotropic superconductivity 104–107 (1992) 589 104–107 (1992) 7, 43, 449, 481, 497, 1805, 1816, 1831, 218, 440, 481, 497, 1805, 1816, 1831, 218, 218, 440, 481, 497, 1805, 1816, 1831, 1805, 1816, 1831,	Anderson model		- magnetic	
- normal modes 100 (1991) 544 253, 291, 301, 349, Anisotropic effects 104-107 (1992) 1907 399, 421, 424 Anisotropic exchange 104-107 (1992) 43, 1673 102 (1991) 247, 266 Anisotropic magnetic fluctuations 104-107 (1992) 589 104-107 (1992) 7, 43, 449, Anisotropic superconductivity 104-107 (1992) 601 469, 623, 1033, 1113, Anisotropy 93 (1991) 194, 215, 315, 336, 345, 462, 465, 469, 562, 571, 592, 469, 562, 571, 592, 505 100 (1991) 38, 79, 99, 173, 506 1100 (1991) 38, 79, 99, 173, 506, 1816, 1831, 1805, 1816, 1831,	A1			
Anisotropic effects 104–107 (1992) 1907 399, 421, 424 Anisotropic exchange 104–107 (1992) 43, 1673 102 (1991) 247, 266 Anisotropic magnetic fluctuations 104–107 (1992) 589 104–107 (1992) 7, 43, 449, 469, 623, 1033, 1113, 1134 Anisotropy 93 (1991) 194, 215, 315, 1132, 1221, 1289, 336, 345, 462, 465, 469, 562, 571, 592, 1437, 1453, 1463, 605 1513, 1717, 1725, 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831,	· ·			
Anisotropic exchange Anisotropic magnetic fluctuations Anisotropic superconductivity Anisotropy 93 (1991) 194, 215, 315, 336, 345, 462, 465, 469, 562, 571, 592, 605 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 102 (1991) 247, 266 104–107 (1992) 7, 43, 449, 469, 623, 1033, 1113, 1132, 1221, 1289, 1132, 1221, 1289, 1295, 1301, 1361, 1491, 1493, 1493, 1769, 1798, 1801, 1805, 1816, 1831,				
Anisotropic magnetic fluctuations Anisotropic superconductivity Anisotropy 93 (1991) 194, 215, 315, 336, 345, 462, 465, 469, 562, 571, 592, 605 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 104–107 (1992) 7, 43, 449, 469, 623, 1033, 1113, 1132, 1221, 1289, 1132, 1221, 1289, 1295, 1301, 1361, 1437, 1453, 1463, 1513, 1717, 1725, 1769, 1798, 1801, 1805, 1816, 1831,	*			
Anisotropic superconductivity Anisotropy 104–107 (1992) 601 93 (1991) 194, 215, 315, 336, 345, 462, 465, 469, 562, 571, 592, 605 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1469, 623, 1033, 1113, 1132, 1221, 1289, 1295, 1301, 1361, 1437, 1453, 1463, 1513, 1717, 1725, 1769, 1798, 1801, 1805, 1816, 1831,				
Anisotropy 93 (1991) 194, 215, 315, 336, 345, 462, 465, 469, 562, 571, 592, 605 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1805, 1816, 1831,				
336, 345, 462, 465, 1295, 1301, 1361, 469, 562, 571, 592, 1437, 1453, 1463, 605 1513, 1717, 1725, 100 (1991) 38, 79, 99, 173, 1769, 1798, 1801, 218, 440, 481, 497, 1805, 1816, 1831,				
469, 562, 571, 592, 1437, 1453, 1463, 605 1513, 1717, 1725, 100 (1991) 38, 79, 99, 173, 1769, 1798, 1801, 218, 440, 481, 497, 1805, 1816, 1831,	Anisotropy			
605 100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1513, 1717, 1725, 1769, 1798, 1801, 1805, 1816, 1831,				
100 (1991) 38, 79, 99, 173, 218, 440, 481, 497, 1769, 1798, 1801, 1805, 1816, 1831,				
218, 440, 481, 497, 1805, 1816, 1831,				1513, 1717, 1725,
				1769, 1798, 1801,
515 1847, 1855, 1861.				
,,,		515		1847, 1855, 1861,

	1863, 1871, 1887, 1921, 1942, 1995, 2047	- theory	100 (1991) 497
- magnetization processes	103 (1992) 1	– thin films	104–107 (1992) 387
magnetization processes	110 (1991) 343		109 (1992) 301, 367
- magnetocrystalline		- torque measurements	110 (1991) 61
magnetoerystamme	92 (1990) 14, 143, 191	– uniaxial	100 (1991) 515
	94 (1991) 57, 235		101 (1991) 11
	95 (1991) 118		109 (1992) 353
	96 (1991) 29, 47, 189,		110 (1991) 91, 202, 343
	211, 215, 219, 230	- vanishing	96 (1991) 47
	98 (1991) 231, 349	Anisotropy model	
	99 (1991) 55, 133, 229	- random local	104–107 (1992) 125
	101 (1991) 97, 134, 333	- random magnetic	104–107 (1992) 157
	103 (1992) 245	Annealing	101 (1991) 27, 59, 217
	104–107 (1992) 15, 737,	- laser	101 (1991) 189
	1081, 1152, 1198,	– short time	101 (1991) 55, 57
	1219, 1231, 1331,	- stress	101 (1991) 1, 16
	1333, 1341, 1347,	stress field	101 (1991) 40
	1353, 1367, 1473, 1772	Anomalous grain growth	101 (1991) 128
	109 (1992) 59, 133, 151,	Anomalous Hall effect	104-107 (1992) 1749
	153, 209, 271, 275,	Antiferromagnet	92 (1990/91) 129,
	367		381
	110 (1991) 15, 61		104-107 (1992) 201
- magnetocrystalline surface	100 (1991) 497	Antiferromagnetic coupling	99 (1991) 20, 81
- magnetoelastic	94 (1991) 247	 in multilayers 	109 (1992) 298
- multilayers	103 (1992) 47	Antiferromagnetic ordering	96 (1991) 245
	110 (1991) 113	Antiferromagnetic resonance	92 (1991) 291
- particles	98 (1991) 210	Antiferromagnetism	92 (1990) 6
– planar	101 (1991) 170		95 (1991) 154, 168, 175
- random	98 (1991) 273		96 (1991) 121
	102 (1991) 283		97 (1991) 263
	104-107 (1992) 103, 115,		100 (1991) 99, 126, 204,
	123, 133, 149		218, 261, 346, 425,
- RE compounds	92 (1990) 196		497, 527, 544
	97 (1991) 79		101 (1991) 162
	98 (1991) 141		103 (1992) 1, 285
	99 (1991) 103		104–107 (1992) 11, 17, 19,
	100 (1991) 38, 79, 99, 173,		21, 43, 51, 53, 55, 187,
	218		199, 267, 269, 287,
	103 (1992) 157		350, 499, 505, 541,
	104-107 (1992) 93, 1391,		577, 579, 583, 585,
	1394		596, 611, 689, 693,
	109 (1992) 59		697, 699, 735, 747,
- reversal	97 (1991) 102		757, 761, 766, 799,
- reversed magnetic	96 (1991) 1, 7		809, 813, 839, 855,
- rhombic	99 (1991) 261		857, 874, 885, 887,
- single-ion	102 (1991) 144		903, 908, 927, 929,
- strain induced	100 (1991) 515		939, 949, 951, 959,
- stress	101 (1991) 253		1065, 1079, 1185,
	104-107 (1992) 119		1187, 1237, 1249,
- surface	96 (1991) 82		1383, 1397, 1401,
	99 (1991) 215		1403, 1481, 1485,
	100 (1991) 440, 481, 497		1501, 1531, 1603,
	103 (1992) 47		1607, 1741, 1896,
	104–107 (1992) 1857, 1863		1999, 2017, 2025,
	109 (1992) 64, 341		2043, 2045, 2061,
- temperature dependent	109 (1992) 271		2077, 2109
- temperature dependent	110 (1991) 15		2011, 2107
	110 (1771) 13		

			205 200 215 206
	108 (1992) 15, 63, 67, 93,		295, 299, 315, 386,
	125, 175, 193, 211		395, 398, 601
	109 (1992) 197, 305		110 (1991) 275
	110 (1992) 61, 185		104–107 (1992) 2113
- coupling	104-107 (1992) 1887	rare earth	103 (1992) 204
– domains	104-107 (1992) 243	Barkhausen effect	98 (1991) 92
– film	104-107 (1992) 1689		103 (1992) 25
- Heisenberg model	104-107 (1992) 863		104-107 (1992) 303, 324,
- order	104–107 (1992) 1245		341, 355, 365
01401	108 (1992) 207	Barkhausen jumps	103 (1992) 117
- ordering	108 (1992) 202	zamacon jumpo	104-107 (1992) 324
- resonance	104–107 (1992) 607	,	110 (1992) 135
- semiconductors	104–107 (1992) 999	Barkhausen noise	97 (1991) 198, 205, 305
	104–107 (1992) 461	Darkilauseli lioise	104–107 (1992) 385
- spin correlations		BEG model	104–107 (1992) 249, 282
– spin waves	104–107 (1992) 805		
Y 201	108 (1992) 177	Bending effect	97 (1991) 135
- weak itinerant	100 (1991) 261	Bethe approximation	96 (1991) 267
APW method	104–107 (1992) 1684		104–107 (1992) 282
Arrott plots	98 (1991) 273	Biquadratic exchange	104–107 (1992) 1389
Artificial superlattices	104–107 (1992) 1763,	Birefringence	100 (1991) 425
	1772, 1885, 1896		103 (1992) 19
Asperomagnetism	103 (1992) 37		104–107 (1992) 1187, 1555
Astrophysics	94 (1991) 141, 311		109 (1992) 332
	96 (1991) 291	 gradient related 	100 (1991) 425
ASW method	103 (1992) 314	BiSrCaCuO	104–107 (1992) 537, 609
Atomic moments	104-107 (1992) 1699	Bitter patterns	95 (1991) 85
Atomic-sphere approximation	110 (1991) 29	Bloch lines	94 (1991) 207, 293
Autocorrelation function	104-107 (1992) 1671	Bloch points, curves and lines	95 (1991) 95
Automatic measuring system	104-107 (1992) 375	· ´	96 (1991) 125, 349
Auto-oscillations	104-107 (1992) 1043		102 (1991) 208
			104–107 (1992) 335
		Bloch $T^{3/2}$ law	100 (1991) 481, 527
Back scattering		Bloch walls	102 (1991) 18
- Rutherford	104-107 (1992) 1751	Dioen wano	104–107 (1992) 385, 387,
Ball milling	97 (1991) 73		1665
Band calculations	98 (1991) 85	Blume-Emery-Griffiths model	95 (1991) 157
	104–107 (1992) 65, 681,	Bogoliubov's inequality	104–107 (1992) 929
	683, 685, 695, 703,	Boltzmann equation	100 (1991) 527
	727, 1308, 1533, 1923,	Boride	
	1933, 1965, 1967,	Boronhydride method	104–107 (1992) 1098
	2019, 2037		101 (1991) 167
		Bose quasiparticles Boundaries	98 (1991) 235
Band charge model	108 (1992) 145, 153		110 (1991) 261
_	109 (1992) 153	Boundary region	103 (1992) 13
Band hybridization	104–107 (1992) 1684	Bourret's approximations	109 (1992) 293
Band narrowing	100 (1991) 481	Bragg scattering	100 (1991) 527
Band paramagnetism	97 (1991) 31	Brillouin scattering	93 (1991) 58, 211, 403
Band structure	98 (1991) 85		104–107 (1992) 1679,
	99 (1991) 55, 85		1807, 1863
	100 (1991) 322, 481, 497,	Bubble films	100 (1991) 455
	527	Bubbles	94 (1991) 207
	101 (1991) 251		98 (1991) 104
	103 (1992) 212, 314		104–107 (1992) 305, 307
	104–107 (1992) 23, 733,		
	749, 1029, 1182, 1533,		
	1791, 1963		
	109 (1992) 145	Ca ₂ CuO ₃ , Le ₂ CuO ₂	104-107 (1992) 817
calculation	93 (1991) 10, 267, 285,	Canted ferrimagnetism	104-107 (1992) 239, 1643
			,

Canted ferromagnetism	104–107 (1992) 189, 665, 1405, 2035	Co/Au	93 (1991) 53, 319, 379, 457, 562
Carbide	104–107 (1992) 1098		104–107 (1992) 1845
Carbonation	104–107 (1992) 1439	Cobalt	104–107 (1992) 1843,
- gas-phase	98 (1991) 76	Codare	1887
Carrier concentration	104–107 (1992) 575	– thin films	104–107 (1992) 343, 1798
Catalytic surfaces	104–107 (1992) 267	Co/Cr	93 (1991) 150
C-axis orientation	104–107 (1992) 2047	Co–Cr films	
CeAl ₃	108 (1992) 1, 107	Co-Cr recording media	104–107 (1992) 2047
CeB ₆			104–107 (1992) 971, 1725
CeCo ₁₂ B ₆	108 (1992) 165	Co-Cr sputtered films	104–107 (1992) 1801
CeCu ₆	104–107 (1992) 1313	Co/Cu	93 (1991) 1, 89, 105, 457,
	108 (1992) 145	14.11	480
CeCu ₂ Si ₂	108 (1992) 145	- multilayers	104–107 (1992) 1907
CeGa ₂	104–107 (1992) 1407	Coercive field	104–107 (1992) 1088,
CeIn ₃	104–107 (1992) 1411		1126, 1191, 1553
CeNi	108 (1992) 19	Coercive force	94 (1991) 43
CePdSn	104–107 (1992) 665		104-107 (1992) 1829
CePtSi ₂	108 (1992) 207	Coercivity	93 (1991) 319, 605
Ceramics	94 (1991) 119		94 (1991) 57
Ceramic superconductors	104–107 (1992) 471, 517,		95 (1991) 95, 215, 221
	573, 599, 611		96 (1991) 60, 82, 197,
Cerium	104-107 (1992) 439		230, 335
- compounds	108 (1992) 183, 185, 187		97 (1991) 107, 256, 329,
- intermetallic compounds	104-107 (1992) 1475		338, 353
- systems	108 (1992) 215		98 (1991) 65
CeRu ₂ Si ₂	108 (1992) 1, 153		99 (1991) 103, 133
CeSe	104-107 (1992) 1204		100 (1991) 38, 57, 79, 413
CeSn ₃	108 (1992) 19		101 (1991) 227, 307, 317,
Chain formation	103 (1992) 19		343, 387, 397
Chalcogenides	92 (1991) 388		102 (1991) 159
oo.goo.s	104–107 (1992) 1249,		103 (1992) 65, 250
	1641		104–107 (1992) 371, 377,
Chaos	104–107 (1992) 1055,		385, 399, 433, 969,
Chaos	1057, 2111		979, 1117, 1129, 1137,
Chaotic dynamics	110 (1991) 202		1143, 1155, 1161,
Charge density waves	104–107 (1992) 199		1169, 1179, 1389,
Charge fluctuation	109 (1992) 237		1543, 1587, 1779,
Charge transfer	100 (1991) 497		1801, 1811, 1847,
			1899, 2047
Chemical bonding Chemical potential	101 (1991) 251		109 (1992) 13, 27, 127,
^	103 (1992) 250		191, 367
Chevrel phases	104–107 (1992) 1247		
Chirality	104–107 (1992) 505		110 (1992) 25, 73, 135,
Chiral order	104–107 (1992) 929		215, 227, 261
Chromium alloys	104–107 (1992) 759	- grain-size-dependent	94 (1991) 67
Chromium telluride	104–107 (1992) 1947	- magnetic particles	100 (1991) 413
Cluster approach	98 (1991) 47	– mechanisms	104–107 (1992) 1126
	104–107 (1992) 443, 445,	Coherent anomaly method	96 (1991) 267
	669, 855, 1157	Coherent potential approximation	
Cluster approximation		Cole-Cole distribution	104–107 (1992) 165
- finite	92 (1990) 245	Collinear antiferromagnet	104–107 (1992) 918
Cluster dynamics	104–107 (1992) 1665	Colloids	104–107 (1992) 1551
Clustered compounds	104–107 (1992) 955	Commensurate spin structure	104–107 (1992) 823
Cluster effects	104-107 (1992) 423	Compensation	104–107 (1992) 1833
Cluster identities	97 (1991) 152	– point	109 (1992) 353
Cluster model	104-107 (1992) 1019	- temperature	104-107 (1992) 1033
Cluster variation method	104-107 (1992) 231	Composite magnetic materials	110 (1991) 25
Coatings	104-107 (1992) 1553	Composite materials	104-107 (1992) 1591

Compositionally modulated alloys	104–107 (1992) 1760,	- currents	104–107 (1992) 481, 615
	1763		108 (1992) 111
Compositionally modulated films	104–107 (1992) 1889	dynamics	104–107 (1992) 201
Composition fluctuations	110 (1991) 254	exponents	101 (1991) 111
Computer simulation	104–107 (1992) 843		104–107 (1992) 239
	110 (1991) 1	– field	101 (1991) 276
Concentration effect	104-107 (1992) 2099	– fields	104–107 (1992) 483, 731,
Conduction-electron polarization	100 (1991) 481, 497		1453
Conduction-electron scattering	100 (1991) 527		108 (1992) 133
Conductivity tensor	104–107 (1992) 1023,	- phenomena	100 (1991) 151, 272, 481
	1947		104–107 (1992) 89, 175,
Cone phase	104-107 (1992) 71		181, 184, 189, 193,
Cone structure	104-107 (1992) 1523		195, 197, 204, 207,
Conversion electron Mössbauer			209, 213, 216, 257,
spectroscopy	92 (1990) 11, 261		259, 261, 267, 271,
	95 (1991) 199		273, 287, 289, 291,
Co/Pd	93 (1991) 25, 211, 379,		294, 300, 655, 775,
	457, 465, 562		843, 929, 1045, 1655,
Copper	104-107 (1992) 1843,		1693, 1795
	1887		108 (1992) 143, 151, 272,
- formate tetradeuterate	104-107 (1992) 557		481
- halide systems	104-107 (1992) 831	 – critical exponents 	100 (1991) 272
Co/Pt	93 (1991) 31, 47, 105,	exponents	100 (1991) 139, 440
'	183, 194, 379, 465,	hysteresis	104–107 (1992) 277, 387
	592, 601	Heisenberg model	100 (1991) 515
	104–107 (1992) 1845	Ising model	97 (1991) 227
Co/Pt/Co trilayers	104-107 (1992) 1775		100 (1991) 272, 515
Cogblin-Schrieffer interaction	110 (1991) 11		104–107 (1992) 191
Core loss	109 (1992) 7	 – thermal expansion 	96 (1991) 301
	110 (1991) 151	- state models	104–107 (1992) 615
Correlated effect-field theory	95 (1991) 157, 184	- temperature	102 (1991) 287
Correlated electrons	104-107 (1992) 593	Crossover	104-107 (1992) 300
Correlation potentials	104-107 (1992) 1444	- behavior	104–107 (1992) 297
Correlations	95 (1991) 221	Cr/Sb	93 (1991) 35
	97 (1991) 227	Crystal electric field	108 (1992) 196
	98 (1991) 185	Crystal field	100 (1991) 57, 79, 99, 173,
	99 (1991) 171	,	497
	104–107 (1992) 587, 723		101 (1991) 310, 395
	108 (1992) 10		104–107 (1992) 15, 489,
- magnetic	96 (1991) 282		545, 613, 651, 953,
	104–107 (1992) 625		1159, 1189, 1198,
Corrosion	101 (1991) 271		1221, 1267, 1269,
	103 (1992) 58		1273, 1301, 1347,
	104–107 (1992) 1147		1355, 1357, 1371,
- behavior	94 (1991) 113		1387, 1391, 1405,
- properties	110 (1991) 65		1499, 1513
- stability	104–107 (1992) 1216		108 (1992) 27, 100, 121,
Co/Sb	93 (1991) 35		159, 173, 187
Coupling constants	92 (1990) 129		109 (1992) 185
	94 (1991) 337		
Coupling strength	92 (1990) 35	- effects	110 (1992) 20
$Co_{7-x}Mn_xGe_6$	104–107 (1992) 2043	- circus	99 (1991) 95
$\operatorname{Cr}/\operatorname{Ag}$	93 (1991) 529	induced enjectness	104–107 (1992) 1283
Critical	75 (1771) 547	- induced anisotropy	104–107 (1992) 1277
- amplitude	110 (1991) 32	- parameters	110 (1991) 337
- concentration	97 (1991) 31	- rare-earth compounds	97 (1991) 37, 69
Concentration			100 (1991) 57, 79, 99, 173
	104–107 (1992) 2099		102 (1991) 42, 151

	103 (1992) 53	Cu-Zr	104-107 (1992) 91
	104-107 (1992) 737, 1149	Cyclic stress	104-107 (1992) 377
	109 (1992) 153, 316	Cyclotron mass	104-107 (1992) 1407
- theory	104-107 (1992) 1359	·	
	109 (1992) 113	Damped spin waves	104-107 (1992) 687
- uranium compounds	103 (1992) 1	Damping	104–107 (1992) 419
Crystal growth	99 (1991) 159	- factor	109 (1992) 293
8-1-1-1	104–107 (1992) 1247	DC conductivity	110 (1991) 287
Crystal lattice modifications		Debe-King structure	104–107 (1992) 1701
Crystalline electric field	104–107 (1992) 1375	Debye temperature	
Crystalline phase	104–107 (1992) 1373	Decorated lattice	104–107 (1992) 1435 104–107 (1992) 279
Crystallinity	104–107 (1992) 1191	Defects	* *
Crystallization	104–107 (1992) 1801		99 (1991) 159
Crystallization		Deflection yoke	104–107 (1992) 413
*************	108 (1992) 161	Degeneracies	110 (1991) 39
- temperature	94 (1991) 243	De Gennes rule	109 (1992) 249
	97 (1991) 40	De Haas-van Alphen effect	98 (1991) 250
	104–107 (1992) 1179,		108 (1992) 19, 125, 127,
6 . 11	2021		145, 153
Crystallographic ordering	104–107 (1992) 1993	- high-frequency	97 (1991) 169
Crystallographic properties	104–107 (1992) 657	Delafossite	104–107 (1992) 823
Crystallography	104–107 (1992) 568	ΔE effect	101 (1991) 21, 23
Crystal structure	92 (1990) 35, 129		104–107 (1992) 392
	96 (1991) 114, 121, 223	Demagnetising process	104–107 (1992) 313
	98 (1991) 205	Demagnetization	92 (1990) 53
	99 (1991) 123, 199		95 (1991) 27
	100 (1991) 57, 79, 218		96 (1991) 23, 197
	102 (1991) 67, 71, 109		101 (1991) 343, 427
	103 (1992) 194		110 (1992) 175
	104–107 (1992) 255, 425,	Demagnetized state	104–107 (1992) 313, 392
	849, 851, 1086, 1092,	Dense Kondo effect	108 (1992) 165
	1873	Density functional formalism	100 (1991) 497
	109 (1992) 34, 91, 243	Density functional theory	104-107 (1992) 1381
	110 (1992) 147, 317	Density of states	98 (1991) 85
- defects	103 (1992) 250		104-107 (1992) 65, 1976,
- distortion	97 (1991) 263		2019, 2099
CsCoCl ₃	104-107 (1992) 825	Devices	
CsFeCl ₃	104-107 (1992) 777	- magnetometrics	103 (1992) 81
Cu ₃ Au-type structure	104-107 (1992) 2049	- magnetostriction measurements	103 (1992) 111
Cubic Laves phase	104-107 (1992) 1399	Diamagnetism	104-107 (1992) 575
Cubic magnetocrystalline		Dielectric behavior	98 (1991) 33
tropy	104–107 (1992) 1569	Dielectric loss	97 (1991) 112
Cubic spinels	104–107 (1992) 405	Differential equations	
CuO	104–107 (1992) 503	- nonlinear	104–107 (1992) 331, 2111,
Curie constant	98 (1991) 307		2129
Curie temperature	101 (1991) 341, 414	Differential phase contrast	104-107 (1992) 315, 343
	102 (1991) 135	Dilute alloys	100 (1991) 241
	103 (1992) 245, 285	2.1.4.0	104–107 (1992) 287, 2017,
	110 (1992) 139, 147, 161,		2033, 2081
	170, 209, 317		108 (1992) 123
annealing dependent	96 (1991) 162	Diluted antiferromagnets	104–107 (1992) 269
annealing-dependentcomposition-dependent	92 (1990) 35, 53, 80	Diluted antiferromagnets Diluted ferromagnets	104–107 (1992) 259
- composition-dependent	94 (1991) 35, 243	Diluted magnetic semiconductors	104–107 (1992) 937, 989,
		Diffice magnetic semiconductors	993
	96 (1991) 211, 215, 335	Diluted magnetic systems	96 (1991) 77
	97 (1991) 40, 79, 147, 223		
	98 (1991) 285	Dimensional crossover	104-107 (1992) 294
C . W	99 (1991) 103, 145, 253	Dimensionality	100 (1991) 515
Curie-Weiss behavior	96 (1991) 89		104–107 (1992) 300, 1619,
			1621, 1623

104-107 (1992) 1873 104-107 (1992) 1875 104-107 (1992) 1875 104-107 (1992) 1875 104-107 (1992) 1875 104-107 (1992) 1875 104-107 (1992) 1875 104-107 (1992) 1875 104-107 (1992) 1875 104-107 (1992) 1875 105 (1991) 1875 105 (1		404 405 (1000) 2001		102 (1002) 225
Dipolar field 104-107 (1992) 825 324, 327, 331, 335, 335 305 104 107 (1992) 915, 1211, 1001 100	3d impurities	104–107 (1992) 2081		103 (1992) 325
Dipole coupling				
104-107 (1992) 915, 1211,	•			
1901 - wall energy	Dipole coupling			
Frankerse 104-107 (1992) 219 - wall model 99 (1991) 91 Dipole-dipole interactions 109 (1992) 151 - wall motion 95 (1991) 95 Disaccommodation 104-107 (1992) 427 97 (1991) 305 Disaccommodation 104-107 (1992) 77 98 (1991) 305 Disorder 104-107 (1992) 77 102 (1991) 339 Ferromagnets 94 (1991) 74 103 (1992) 339 Ferromagnets 94 (1991) 74 103 (1992) 309 (345, 345, 345, 345) Substitutional 104-107 (1992) 1673,			- wall energy	
Dipole dipole interactions 109 (1992)151 - wall motion 95 (1991) 95 Disacommodation 104-107 (1992) 427 97 (1991) 305 Disorder 104-107 (1992) 737, 77 98 (1991) 92 - alloys 104-107 (1992) 733, 2077 102 (1991) 339 - ferromagnets 94 (1991) 74 103 (1992) 139 - magnetic systems 96 (1991) 77 104-107 (1992) 309, 345, 387, 663 Disordered alloys 104-107 (1992) 1673,	_ transverse			
Disaccommodation				
Disorder				
- alloys				
- Ferromagnets 94 (1991) 74				102 (1991) 339
- magnetic systems				103 (1992) 139
Disordered alloys	_	96 (1991) 77		104–107 (1992) 309, 345,
104-107 (1992) 1673, 2023	- substitutional	104-107 (1992) 711		359, 387, 663
Disordered Ising models 104-107 (1992) 195 96 (1991) 13 96 (1991) 13 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1992) 265	Disordered alloys	101 (1991) 99		110 (1991) 80, 215
Disordered Ising models 104-107 (1992) 195 96 (1991) 13 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 99 (1991) 145 104-107 (1992) 1137 105 (1992) 125 99 (1991) 145 104-107 (1992) 265 90 (1991) 145 104-107 (1992) 285 104-107 (1992) 2059 Domains 93 (1991) 109, 116, 123, 128, 143 128, 143		104–107 (1992) 1673,		94 (1991) 170
Disordered system			- wall pinning	
- structural	_			
Disorder magnetic insulators 104-107 (1992) 269 - wall soliton 104-107 (1992) 825 2D magnetic behavior 104-107 (1992) 625 - wall stabilization 104-107 (1992) 333 33 metal alloy 104-107 (1992) 1983 128, 143 1				
Damagnetic behavior 104-107 (1992) 625 - wall stabilization 104-107 (1992) 333 3d metal alloy 104-107 (1992) 1983 104-107 (1992) 1983 128, 143 3d metals 104-107 (1992) 1923 1691, 1781, 1999, 2089 104-107 (1992) 1923 108 (1992) 217 1090 1090 106 1090 109		* * *		
3d metal alloy 104-107 (1992) 2059 Domains 93 (1991) 109, 116, 123, 3d metal compound 104-107 (1992) 1983 128, 143 128, 143 3d metals 104-107 (1992) 2923, 1691, 1781, 1999, 2089 Doping effects 104-107 (1992) 1007, 1781, 1999, 2089 Doping studies 108 (1992) 217 Doping effects 104-107 (1992) 1007, 1092 1007, 1092, 1093, 109, 1093, 109, 1093, 109, 1093, 109, 1093, 109, 1093, 1033, 1093, 103				
3d metal compound 104-107 (1992) 1983 104-107 (1992) 1983 104-107 (1992) 1983 104-107 (1992) 1907, 1019 Domain T781, 1999, 2089 Doping studies 108 (1992) 217 - boundary 99 (1991) 261 Double exchange ferromagnets 104-107 (1992) 923 - hard 95 (1991) 231 Double layers 101 (1991) 202 - pattern 96 (1991) 97 3d-transition metals 104-107 (1992) 1883 - size 99 (1991) 1 Dumbbells 95 (1991) 231 - structure 94 (1991) 251 DyB ₆ 104-107 (1992) 1623 97 (1991) 235 Dynamic critical effects 104-107 (1992) 625, 821 97 (1991) 425, 455, 481 Dynamic exponents 104-107 (1992) 193 100 (1991) 425, 455, 481 Dynamic exponents 104-107 (1992) 197 101 (1991) 107, 196, 363, 367 Dynamic random fields 104-107 (1992) 195 104-107 (1992) 58, 151, 165 Easy-plane Heisenberg chain 104-107 (1992) 1067 317, 321, 329, 353, 365, 387, 389, 421, 915, 1161, 1734, 1805 Eddy current loss 104-107 (1992) 259 109 (1992) 79, 213, 332 Effective critical exponent 104-107 (1992) 273 10 (1991) 455 96 (1991) 155 <				
Domain	· · · · · · · · · · · · · · · · · · ·		Domains	
Domain	•		Doning offeets	
- boundary	3d metals		Doping effects	
- hard - pattern - pattern - 96 (1991) 231 - pattern - 96 (1991) 97 - size - 99 (1991) 1 - pattern - 96 (1991) 251 - structure - 94 (1991) 251 - 95 (1991) 76, 85, 205 - 97 (1991) 235 - 98 (1991) 205 - 100 (1991) 425, 455, 481 - 101 (1991) 107, 196, 363, 367 - 102 (1991) 208, 214 - 103 (1992) 58, 151, 165 - 104-107 (1992) 85, 179, 317, 321, 329, 353, 363, 365, 387, 389, 421, 915, 1161, 1734, 1805 - 109 (1992) 79, 213, 332 bubbles - classification - 100 (1991) 455 - classification - 101 (1991) 256, 363 - 100 (1991) 481 - 101 (1992) 37, 203 - 343, 1505, 1813 - Double layers - Double layers - Double layers - 3d-transition metals - 104-107 (1992) 183 - 104-107 (1992) 1233 - 104-107 (1992) 1233 - 104-107 (1992) 193 - 104-107 (1992) 193 - 104-107 (1992) 193 - 104-107 (1992) 197 - 104-107 (1992) 197 - 104-107 (1992) 379, 213, 320 - 106 (1991) 455 - 107 (1991) 481 - 108 (1991) 256, 363 - 104-107 (1992) 315, 319, 181 - 104-107 (1992) 57, 203 - 104-107 (1992) 235 - 104-107 (1992) 315, 319, 181 - 104-107 (1992) 57, 203 - 104-107 (1992) 529 - 104-107 (1992) 315, 319, 181 - 104-107 (1992) 1517, 2031 - 108 (1992) 87, 89	Domain			108 (1992) 217
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	•			
- size 99 (1991) 1 Dumbbells 95 (1991) 231 - structure 94 (1991) 251 DyB ₆ 104-107 (1992) 1233 95 (1991) 76, 85, 205 DyB ₆ 104-107 (1992) 255, 821 97 (1991) 235 Dynamic critical effects 104-107 (1992) 193 98 (1991) 205 Dynamic exponents 104-107 (1992) 197 100 (1991) 425, 455, 481 Dynamic Kerr imaging 104-107 (1992) 973 101 (1991) 107, 196, 363, Dynamic random fields 104-107 (1992) 1959				
- structure 94 (1991) 251 DyB ₆ 104-107 (1992) 1233 95 (1991) 76, 85, 205 DyBaCuO 104-107 (1992) 625, 821 97 (1991) 235 Dynamic critical effects 104-107 (1992) 193 98 (1991) 205 Dynamic exponents 104-107 (1992) 197 100 (1991) 425, 455, 481 Dynamic Kerr imaging 104-107 (1992) 973 101 (1991) 107, 196, 363, Dynamic random fields 104-107 (1992) 1959 367 102 (1991) 208, 214 103 (1992) 85, 151, 165 Easy-plane anisotropy 104-107 (1992) 785 104-107 (1992) 85, 179, Easy-plane Heisenberg chain 104-107 (1992) 1067 317, 321, 329, 353, Eddy current loss 104-107 (1992) 379, 387, 363, 365, 387, 389, 421, 915, 1161, 1734, Effective critical exponent 104-107 (1992) 259 1805 Effective-field method 104-107 (1992) 273 109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 73, 80, 135, 299, 327 - bubbles 100 (1991) 455 - classification 100 (1991) 455 - wall 100 (1991) 455 - classification 100 (1991) 481 100 (1991) 256, 363 Effective-medium model 104-107 (1992) 233 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 1517, 2031 343, 1505, 1813				
95 (1991) 76, 85, 205 97 (1991) 235 98 (1991) 205 98 (1991) 205 100 (1991) 425, 455, 481 101 (1991) 107, 196, 363, 367 102 (1991) 208, 214 103 (1992) 85, 179, 317, 321, 329, 353, 363, 365, 387, 389, 421, 915, 1161, 1734, 1805 1909(1992) 79, 213, 332 100 (1991) 73, 80, 135, 299, 327 - bubbles - classification 100 (1991) 481 100 (1991) 481 100 (1991) 286, 363 343, 1505, 1813 Dynamic exponents 104-107 (1992) 193 104-107 (1992) 1959 104-107 (1992) 785 104-107 (1992) 85, 179, Easy-plane Alisenberg chain 104-107 (1992) 379, 387, 413 104-107 (1992) 379, 387, 413 104-107 (1992) 259 110 (1991) 73, 80, 135, 299, 327 - Bubbles - classification 100 (1991) 481 100 (1991) 481 100 (1991) 256, 363 Effective masses 104-107 (1992) 379 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 87, 89				
97 (1991) 235 98 (1991) 205 Dynamic critical effects 104-107 (1992) 193 98 (1991) 205 Dynamic exponents 104-107 (1992) 197 100 (1991) 425, 455, 481 Dynamic Kerr imaging 104-107 (1992) 973 101 (1991) 107, 196, 363, 367 102 (1991) 208, 214 103 (1992) 58, 151, 165 Easy-plane anisotropy 104-107 (1992) 785 104-107 (1992) 85, 179, Easy-plane Heisenberg chain 317, 321, 329, 353, 363, 365, 387, 389, 421, 915, 1161, 1734, Effective critical exponent 1805 Effective-field method 104-107 (1992) 273 109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 435 - classification 100 (1991) 455 - classification 100 (1991) 481 Effective masses 100 (1991) 256, 363 Effective-medium model 104-107 (1992) 157, 2031 343, 1505, 1813 Elastic constants 104-107 (1992) 157, 2031	- structure			
98 (1991) 205 100 (1991) 425, 455, 481 101 (1991) 107, 196, 363, 367 102 (1991) 208, 214 103 (1992) 58, 151, 165 104-107 (1992) 85, 179, 317, 321, 329, 353, 363, 365, 387, 389, 421, 915, 1161, 1734, 1805 190 (1992) 79, 213, 332 100 (1991) 73, 80, 135, 299, 327 - bubbles - classification - wall 98 (1991) 205 Dynamic exponents 104-107 (1992) 973 104-107 (1992) 973 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 85, 179, 105 Easy-plane Heisenberg chain 104-107 (1992) 379, 387, 413 104-107 (1992) 379, 387, 413 105 Effective critical exponent 104-107 (1992) 259 110 (1991) 73, 80, 135, 299, 327 - bubbles - classification 100 (1991) 455 - classification 100 (1991) 481 100 (1991) 481 100 (1991) 256, 363 104-107 (1992) 315, 319, 343, 1505, 1813 Elastic constants 104-107 (1992) 1517, 2031 108 (1992) 87, 89				
100 (1991) 425, 455, 481 Dynamic Kerr imaging 104-107 (1992) 973				
101 (1991) 107, 196, 363, 367 367 102 (1991) 208, 214 103 (1992) 58, 151, 165 104-107 (1992) 85, 179, Easy-plane anisotropy 104-107 (1992) 1067 317, 321, 329, 353, Eddy current loss 104-107 (1992) 379, 387, 363, 365, 387, 389, 421, 915, 1161, 1734, Effective critical exponent 109 (1992) 79, 213, 332 109 (1992) 79, 213, 332 109 (1991) 73, 80, 135, 299, 327 - bubbles 100 (1991) 455 - classification 100 (1991) 481 100 (1991) 481 100 (1991) 256, 363 104-107 (1992) 1517, 2031 343, 1505, 1813 Dynamic random fields 104-107 (1992) 1959 104-107 (1992) 785 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 104-107 (1992) 1959 108 (1991) 1959 108 (1992) 87, 89			*	
367 102 (1991) 208, 214 103 (1992) 58, 151, 165 104-107 (1992) 85, 179, Easy-plane anisotropy 104-107 (1992) 1067 317, 321, 329, 353, Eddy current loss 104-107 (1992) 379, 387, 363, 365, 387, 389, 421, 915, 1161, 1734, Effective critical exponent 104-107 (1992) 259 1805 109 (1992) 79, 213, 332 Effective-field method 104-107 (1992) 273 109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 73, 80, 135, 299, 327 96 (1991) 155 299, 327 97 (1991) 152, 227 98 (1991) 185 - classification 100 (1991) 455 - classification 100 (1991) 481 Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, 343, 1505, 1813 108 (1992) 87, 89				
103 (1992) 58, 151, 165 104-107 (1992) 85, 179, 104-107 (1992) 85, 179, 104-107 (1992) 85, 179, 104-107 (1992) 1067 117, 321, 329, 353, 104-107 (1992) 379, 387, 104-107 (1992) 379, 387, 105, 363, 365, 387, 389, 108.5 109 (1992) 79, 213, 332 109 (1992) 79, 213, 332 109 (1992) 79, 213, 332 109 (1991) 73, 80, 135, 109 (1991) 73, 80, 135, 109 (1991) 455 100 (1991) 455 100 (1991) 455 100 (1991) 455 100 (1991) 481 100 (1991) 481 100 (1991) 256, 363 104-107 (1992) 315, 319, 343, 1505, 1813 Easy-plane anisotropy 104-107 (1992) 785 104-107 (1992) 379, 1067 104-107 (1992) 379, 387, 413 104-107 (1992) 259 104-107 (1992) 273 104-107 (1992) 273 104-107 (1992) 233 104-107 (1992) 315, 319, 108 (1992) 87, 89		367	Dynamic random neids	104-107 (1772) 1737
104-107 (1992) 85, 179, Easy-plane Heisenberg chain 317, 321, 329, 353, Eddy current loss 104-107 (1992) 379, 387, 363, 365, 387, 389, 413 421, 915, 1161, 1734, Effective critical exponent 104-107 (1992) 259 1805 Effective-field method 104-107 (1992) 273 109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 73, 80, 135, 96 (1991) 155 299, 327 97 (1991) 155, 227 - bubbles 100 (1991) 455 98 (1991) 185 - classification 100 (1991) 455 98 (1991) 185 - wall Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89				
317, 321, 329, 353, Eddy current loss 104–107 (1992) 379, 387, 363, 365, 387, 389, 413 421, 915, 1161, 1734, Effective critical exponent 104–107 (1992) 259 1805 Effective-field method 104–107 (1992) 273 109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 73, 80, 135, 96 (1991) 155 299, 327 97 (1991) 155, 227 - bubbles 100 (1991) 455 98 (1991) 185 - classification 100 (1991) 455 98 (1991) 185 - wall Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104–107 (1992) 529 104–107 (1992) 315, 319, Elastic constants 104–107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89			* *	
363, 365, 387, 389, 421, 915, 1161, 1734, Effective critical exponent 104–107 (1992) 259 1805 Effective-field method 104–107 (1992) 273 109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 73, 80, 135, 299, 327 97 (1991) 155 299, 327 97 (1991) 155 299, 327 98 (1991) 185 98 (1991) 185 99 (199				
421, 915, 1161, 1734, Effective critical exponent 104–107 (1992) 259 1805 Effective-field method 104–107 (1992) 273 109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 73, 80, 135, 96 (1991) 155 299, 327 97 (1991) 152, 227 - bubbles 100 (1991) 455 98 (1991) 185 - classification 100 (1991) 455 104–107 (1992) 233 - wall Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104–107 (1992) 529 104–107 (1992) 315, 319, Elastic constants 104–107 (1992) 1517, 2031 343, 1505, 1813			Eddy current loss	
1805 Effective-field method 104-107 (1992) 273 109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 73, 80, 135, 96 (1991) 155 299, 327 97 (1991) 152, 227 - bubbles 100 (1991) 455 98 (1991) 185 - classification 100 (1991) 455 104-107 (1992) 233 - wall 100 (1991) 481 Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89			Difference emitient	
109 (1992) 79, 213, 332 Effective-field theory 92 (1990) 59 110 (1991) 73, 80, 135, 299, 327 97 (1991) 155, 227 bubbles 100 (1991) 455 98 (1991) 185 classification 100 (1991) 455 104-107 (1992) 233 - wall 100 (1991) 481 Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89				
110 (1991) 73, 80, 135, 96 (1991) 155 299, 327 97 (1991) 152, 227 - bubbles 100 (1991) 455 98 (1991) 185 - classification 100 (1991) 455 104-107 (1992) 233 - wall 100 (1991) 481 Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89				
299, 327 - bubbles - classification - wall 100 (1991) 455 - classification - wall 100 (1991) 481 - 101 (1991) 256, 363 - 101 (1991) 256, 363 - Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, Elastic constants 343, 1505, 1813 108 (1992) 87, 89			Effective-field theory	
bubbles 100 (1991) 455 98 (1991) 185 classification 100 (1991) 455 104-107 (1992) 233 - wall 100 (1991) 481 Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89				
- classification 100 (1991) 455 104-107 (1992) 233 - wall 100 (1991) 481 Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89	– – bubbles			
- wall 100 (1991) 481 Effective masses 110 (1991) 275 101 (1991) 256, 363 Effective-medium model 104-107 (1992) 529 104-107 (1992) 315, 319, Elastic constants 104-107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89				
101 (1991) 256, 363 Effective-medium model 104–107 (1992) 529 104–107 (1992) 315, 319, Elastic constants 104–107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89			Effective masses	
104–107 (1992) 315, 319, Elastic constants 104–107 (1992) 1517, 2031 343, 1505, 1813 108 (1992) 87, 89				
343, 1505, 1813 108 (1992) 87, 89				
	- wall dynamics	94 (1991) 293	Elasticity	101 (1991) 21, 23
96 (1991) 125, 349 Electrical properties 104–107 (1992) 2049		96 (1991) 125, 349	Electrical properties	
101 (1991) 256 Electrical resistivity 92 (1990) 68		101 (1991) 256	Electrical resistivity	

	97 (1991) 119, 171, 223, 291		104–107 (1992) 561, 761, 811, 839, 1525, 1571,
	99 (1991) 91		2105
	100 (1991) 126, 186, 204,		108 (1992) 123
	218, 292	- line broadening	104-107 (1992) 1645
	102 (1991) 297	Electron structure	104-107 (1992) 7, 443,
	104–107 (1992) 19, 53, 69,		1157, 1765
	97, 456, 511, 759, 871,	Electrophoretic deposition	104-107 (1992) 529
	874, 889, 923, 1189,	Electroplated films	100 (1991) 413
	1233, 1235, 1285,	Energy band calculations	104-107 (1992) 1378
	1349, 1955, 2029,		108 (1992) 19
	2075, 2081	Energy band structure	104–107 (1992) 1947
	108 (1992) 43, 45, 107,	Energy barriers	109 (1992) 164
	143, 161, 202, 207	Energy gap	104-107 (1992) 874
	109 (1992) 316		108 (1992) 73
	110 (1992) 65, 119, 161	- formation	104-107 (1992) 1415
Electrical steel	92 (1990) 109, 125	Energy loss	97 (1991) 281
	101 (1991) 301	Energy principle technique	96 (1991) 291
- nonoriented	97 (1991) 281	Enhanced paramagnet	104–107 (1992) 1265
Electrical transport	104–107 (1992) 923, 1189,	Enhanced surface Bloch parame-	
	2029	ter	100 (1991) 481
Electric field gradient	92 (1990) 11	Enhanced surface exponent	100 (1991) 481
	104–107 (1992) 683, 1399	Entropy	104–107 (1992) 1435
Electric fields	110 (1991) 331	Epitaxial growth	104–107 (1992) 445
Electrodynamic force Electrogravitational instability	110 (1991) 331	Epitaxial metal films Equilibrium magnetization struc-	100 (1991) 469
Electrolessly deposited disks	110 (1991) 331 110 (1991) 227	tures tures	110 (1001) 1
Electronessiy deposited disks Electromagnetic—acoustic trans-	110 (1991) 227	ErBaCuO	110 (1991) 1 104–107 (1992) 625
formation	97 (1991) 246	ErIG	104–107 (1992) 453
Electromagnetics	101 (1991) 279	Europium	104–107 (1992) 453
Electron beam evaporation	104–107 (1992) 981	EuSe	104–107 (1992) 1907
Electron correlations	104–107 (1992) 677, 679	Exact diagonalization	104–107 (1992) 679
Electron diffraction	98 (1991) 261	Exact solution	104–107 (1992) 184
- high-energy	99 (1991) 215	EXAFS	93 (1991) 15
Electron energy	94 (1991) 11		104–107 (1992) 121
Electronic specific heat	104-107 (1992) 67	Exchange	100 (1991) 57, 79, 90, 173,
·	108 (1992) 217		322, 481, 527
Electronic state	104-107 (1992) 2087		104-107 (1992) 835, 1323,
Electronic structure	94 (1991) 134		1712, 1863, 1868
	98 (1991) 47, 119, 130	- anisotropic	100 (1991) 322, 527
	99 (1991) 293		102 (1991) 33
	100 (1991) 241	anisotropy	103 (1992) 53
	102 (1991) 127		104–107 (1992) 951, 1463,
	103 (1992) 314		1901
	104–107 (1992) 91	- antiferromagnetic	97 (1991) 126, 263
- calculations	104–107 (1992) 659	- asymmetry	100 (1991) 481
- of magnets	104–107 (1992) 755	biquadratic	102 (1991) 144
Electron-magnon scattering	110 (1991) 247		104–107 (1992) 191
Electron microscopy	93 (1991) 39, 47, 109,	– constant	96 (1991) 41
	116, 136, 143		102 (1991) 96
	101 (1991) 369		104–107 (1992) 131, 803, 815, 885, 887, 947,
Electron paramagnetic resonance	104–107 (1992) 963 104–107 (1992) 487, 563,		1325
Election paramagnetic resonance	793, 947, 1649, 2092	- constants in insulators	104–107 (1992) 788
Electron-spin resonance	94 (1991) 347	- coupling	99 (1991) 12, 25
Distriction opin resonance	96 (1991) 341		104–107 (1992) 1840
	97 (1991) 297	- coupling effect	104-107 (1992) 1017

- 3d-conduction electrons	100 (1991) 497	Fe/Au	93 (1991) 307
- direct/super-	95 (1991) 154	FeCoAs	104–107 (1992) 1989
- 4f-conduction	100 (1991) 173, 497	Fe compounds	104–107 (1992) 893, 1969,
- fluctuations	104-107 (1992) 121, 817		1973
	108 (1992) 190	Fe/Cr	93 (1991) 58, 67, 85, 95,
- frustration	104-107 (1992) 935		150, 386, 395
- insulators	104-107 (1992) 837, 955,		104–107 (1992) 1747
	1981	Fe/Cu	93 (1991) 75, 374, 425,
- integrals	104-107 (1992) 1381		523, 552
 interacting chain 	98 (1991) 53	Feedback recording	101 (1991) 299
- interaction	96 (1991) 206	Fe/Mo	93 (1991) 587
	104–107 (1992) 1081,	Fe ₄ N	104–107 (1992) 1933
	1444, 1721, 1807,	$Fe_{16}N_2$	104–107 (1992) 1081,
	1861, 1876		1933
	109 (1992) 265	FeN films	104–107 (1992) 1851
	110 (1991) 20, 209	Fe/Ni	93 (1991) 281, 369, 472
competing	104–107 (1992) 253, 257,	Fe-Ni alloys	104–107 (1992) 159
	279, 901, 939, 1635,	Fe-Ni films	104–107 (1992) 1807
55	1639	Fe-Ni Invar	104–107 (1992) 2053
effective spin	92 (1990) 171	Fe-Ni-Mn FeN thin films	104–107 (1992) 2069 104–107 (1992) 1899
rare-earth compounds	109 (1992) 237	Fe ₂ O ₃	104–107 (1992) 1921
interlayermagnetic semiconductors	103 (1992) 236 100 (1991) 322	Fe particles	104–107 (1992) 1560
- parameters	104-107 (1992) 1344	Fe/Pd	93 (1991) 75, 229, 307,
- RKKY	100 (1991) 90, 322, 527	10/10	587
KIKI I	103 (1992) 221	Fe/Pd films	104–107 (1992) 1825
	104–107 (1992) 649, 937,	Fe-Pt alloys	104–107 (1992) 2051,
	1619, 1901, 2072	· ·	2055
	108 (1992) 119	Fe-RE amorphous alloys	104–107 (1992) 131
 Ruderman–Kittel 	104–107 (1992) 903	Fermi-liquid behavior	104–107 (1992) 67
- sp-d	104–107 (1992) 995		108 (1992) 209
– splitting	100 (1991) 481, 527	Fermi-liquid effect	104–107 (1992) 707
	104–107 (1992) 1378,	Fermi-liquid model	104–107 (1992) 709
	1496	Fermi liquids	100 (1991) 186, 292
- striction	104–107 (1992) 731, 1509,	F:	104–107 (1992) 507
**************************************	1951, 1979, 2059, 2061	Fermi surface	100 (1991) 527
 transition metals 	102 (1991) 261 103 (1992) 221, 236		104–107 (1992) 1365,
	103 (1992) 221, 230		1407, 1409 108 (1992) 19, 145, 153
Excitations	104-107 (1992) 727	Fermi velocities	108 (1992) 133
- nonlinear	104-107 (1992) 785	Ferrimagnetic resonance	96 (1991) 237
Excitons	100 (1991) 515	Ferrimagnetism	98 (1991) 201
	100 (1771) 010		99 (1991) 39, 275
Fan phase	104-107 (1992) 71		100 (1991) 1
Faraday effect	110 (1991) 99		102 (1991) 103
Faraday method	94 (1991) 127		104-107 (1992) 43, 131,
Faraday rotation	95 (1991) 49, 58		837, 887, 893, 1185,
	101 (1991) 242		1349, 1361, 1363,
	104–107 (1992) 403, 425,		1515, 1833, 1879,
	439, 445		2092, 2103
Far infrared spectrometry	104–107 (1992) 949		109 (1992) 353
Far infrared spectroscopy	108 (1992) 79	-	110 (1992) 209
4f-conduction hybridization	104–107 (1992) 1327	Ferrimagnets	104–107 (1992) 1437
Fe/Ag	93 (1991) 276, 326, 331,	Ferrite	101 (1001) + 50
Fe/Al	336, 513 93 (1991) 147, 452	microwave absorberwaveguides	101 (1991) 173
Fe alloys	104–107 (1992) 1597	- waveguides Ferrites	101 (1991) 153
1 J diloys	107-107 (1772) 1377	1 CITIES	92 (1990/91) 39, 43, 417

	97 (1991) 141, 338 98 (1991) 33 99 (1991) 1, 133, 275 100 (1991) 413 101 (1991) 95, 122, 125, 131, 134, 137, 170 102 (1991) 51, 109, 181, 305 103 (1992) 174, 194, 212 104–107 (1992) 413, 419, 969, 979, 1005, 1143, 1591, 1643	Ferromagnetism	100 (1991) 1, 261, 322 102 (1991) L1 103 (1992) 228, 285 104–107 (1992) 31, 43, 47, 51, 53, 55, 300, 679, 705, 713, 785, 885, 887, 905, 915, 1155, 1229, 1363, 1613, 1691, 1781, 1976, 2045, 2092, 2103 108 (1992) 141 109 (1992) 79, 185
– barium	110 (1992) 99, 147, 327		110 (1992) 185
	101 (1991) 173	- carrier induced	100 (1991) 322
- hexagonal	101 (1991) 227, 233	- soft	100 (1991) 1
– polycrystalline	101 (1991) 143	- weak itinerant	100 (1991) 261
Ferritin	104–107 (1992) 1549	Ferromagnets	92 (1991) 388
Ferro-antiferromagnetic competi-			94 (1991) 170
tion	104–107 (1992) 1351		97 (1991) 83, 235, 286
Ferrofluids	92 (1990) 217		98 (1991) 92
	102 (1991) 255		99 (1991) 12, 20, 261, 323
	103 (1992) 126		103 (1992) 139
	104–107 (1992) 1551, 1555		104–107 (1992) 1413, 1923, 1933
Ferromagnetic			110 (1992) 32, 80, 202,
- alloys	100 (1991) 241		221
- clusters	104–107 (1992) 1094	amorphous	92 (1990) 265, 267
– films	101 (1991) 189		94 (1991) 153, 179, 247
	104–107 (1992) 1699,		98 (1991) 185
	1760, 1772, 1785,		99 (1991) 190
	1789, 1807	- Ising	94 (1991) 74
- hysteresis	98 (1991) 221	layered	92 (1990) 116
- itinerant electrons	104–107 (1992) 2037	Fe/Ru	93 (1991) 15, 398
- materials	104–107 (1992) 745	Fe/Sb	93 (1991) 35
- nitride	101 (1991) 419	Fe/Si	93 (1991) 155, 545
- particles		Fe/Tb	93 (1991) 499
hard type	110 (1991) 1	FeVAl alloys	104–107 (1992) 2067
soft type	110 (1991) 1	FeVSi alloys	104–107 (1992) 2065
- powders	101 (1991) 291	$Fe_{7-x}Mn_xGe_6$	104–107 (1992) 2043
- resonance	92 (1990) 143, 217	Fe/Y	93 (1991) 429, 449
	93 (1991) 25, 43, 75, 257, 271, 276, 336, 345,	Fe/ZnSe multilayers Field	104–107 (1992) 1827
	439, 489	- annealing	103 (1992) 97
	94 (1991) 109		104-107 (1992) 109
	99 (1991) 25	calculations	101 (1991) 191, 293
	101 (1991) 29, 131, 159,	 cooling effect 	104-107 (1992) 781
	219, 235	distribution	101 (1991) 69
	104-107 (1992) 117, 125,	– high	101 (1991) 304
	429, 977, 986, 1039,	 induced transition 	100 (1991) 515
	1043, 1072, 1075,	– planar	101 (1991) 293
	1547, 1679, 1709,	– pulsed	101 (1991) 276
	1743, 1775, 1822,	- theory	104-107 (1992) 181
	1871, 2089	- viscosity	101 (1991) 49
	109 (1992) 323	Film stress	104-107 (1992) 1847
	110 (1992) 113	Fine particles	95 (1991) 14
– photothermally modulated– ribbons	101 (1991) 140 104–107 (1992) 1152		99 (1991) 39, 119

	109 (1992) 164, 260	Garnets	95 (1991) 95
	110 (1992) 1, 99		100 (1991) 455, 515
Finite difference method	94 (1991) 220		101 (1991) 155, 239, 242
Finite element analysis	104–107 (1992) 1111		102 (1991) 18, 208
Finite element method	101 (1991) 279, 283, 289,		104–107 (1992) 335, 361,
	427		429, 431, 441, 443,
	104-107 (1992) 965		445, 447, 453, 559,
Finite-size effects	104-107 (1992) 181		1072
Finite temperature properties	100 (1991) 261		109 (1992) 109
First-order magnetization process	95 (1991) 184	– films	96 (1991) 237
First order perturbation theory	110 (1991) 275		104-107 (1992) 433
First principles band structure	99 (1991) 55	- rare earth-transition metal	94 (1991) 260
FLAPW method	100 (1991) 481, 497	- thin films	101 (1991) 224
Fluctuations	94 (1991) 74	Gaseous paramagnetism	104-107 (1992) 2127
Fluctuation theory	104-107 (1992) 291	Gauss type function	104-107 (1992) 2127
Flux creep	101 (1991) 105	$GdCo_{12}B_6$	104-107 (1992) 1313
Flux density distribution	104-107 (1992) 559	Gd-Cr alloys	104-107 (1992) 1351
Flux distribution	102 (1991) 323	Gd/Fe multilayers	104-107 (1992) 1833
	104–107 (1992) 483, 527,	Gd/Y	93 (1991) 485
	535	Generalized dynamical suscepti-	
Fluxgate magnetometer	103 (1992) 81	bility	100 (1991) 261
Flux leakage	104–107 (1992) 1111	G-factor	104–107 (1992) 727, 947
Flux lines	104–107 (1992) 493		108 (1992) 123
Flux pinning	92 (1990) 19	Giant magnetoresistance	104–107 (1992) 1081,
Trux pinning	104–107 (1992) 481, 485,	Giant magnetoresistance	1753
	539	Giant moments	100 (1991) 497
4f moments	104–107 (1992) 1447	Chair moments	104–107 (1992) 1933,
FMR	100 (1991) 481		2017
Form factor	104–107 (1992) 2083	Gibbs state	104–107 (1992) 267
- magnetic	94 (1991) 260	Gilbert equation	104–107 (1992) 977
Foucault images	95 (1991) 76	Glass ceramics	102 (1991) 109
Fractal noise	97 (1991) 205	Glass-crystallization method	101 (1991) 230
Fractals	104–107 (1992) 211, 341	Glassy systems	104–107 (1992) 487
Fracture process	101 (1991) 357	Goethite	98 (1991) 28
- irradiation	101 (1991) 345	Cocimic	102 (1991) 103
Franck-Condon effect	101 (1991) 343		109 (1992) 260
- magnetic	104-107 (1992) 1061	Grain	109 (1992) 200
Frequency effects	104–107 (1992) 1851	- boundaries	104 107 (1002) 520 1160
Friedel	100 (1991) 497	- boundaries	104–107 (1992) 529, 1169
Friedel-oscillations	100 (1991) 481		109 (1992) 103
Frustrated antiferromagnet	92 (1991) 381	– boundary	110 (1991) 264
	96 (1991) 175	- coalescence	101 (1991) 143
Frustrated Ising ferrimagnets			101 (1991) 128
Frustrated Ising model	104–107 (1992) 236, 1045,	– size	101 (1991) 11, 83, 377
Emistrated and a state of the state of	1617, 1647		104–107 (1992) 421, 1007,
Frustrated magnetic structures	104–107 (1992) 1465		1137
Frustration	99 (1991) 235	- structure	94 (1991) 235
	104–107 (1992) 197, 199,		95 (1991) 215
	253, 505, 587, 599,	Grain-oriented steel	104–107 (1992) 387
	751, 753, 825, 835,	Grain-size distribution	99 (1991) 1
	929, 1635, 1637, 1645	Granularity	104–107 (1992) 529
- ordered magnetic	94 (1991) 331, 337	Gravitational fluid	110 (1991) 331
		Green function	100 (1991) 527
		Green phase	104–107 (1992) 568
$GaCo_{1-x}Cr_x$	104–107 (1992) 2040	Griffiths singularities	104–107 (1992) 423
Gadolinium	104–107 (1992) 1021,	Griffiths temperature	104–107 (1992) 1671
	1693	Ground-state properties	104–107 (1992) 251, 447,
Gap throat height	104–107 (1992) 965		839

C-"	104 107 (1000) (00	**	07 (1001) 110
Grüneisen parameter	104–107 (1992) 693 108 (1992) 61	Heisenberg antiferromagnet	95 (1991) 168
Guinier plots	104–107 (1992) 1551		104–107 (1992) 557, 761, 793, 809, 811, 813,
Haldane gap	104-107 (1992) 801, 807		839, 1795
Hall constant	108 (1992) 199	Heisenberg antiferromagnetism	104–107 (1992) 769
Hall effect	98 (1991) 205	Heisenberg chain	104–107 (1992) 797, 861,
	101 (1991) 211		865, 867
	108 (1992) 40, 155	Heisenberg ferromagnet	100 (1991) 515
	109 (1992) 13		104–107 (1992) 339, 788,
	110 (1991) 161		885, 1577, 1707
- extraordinary	99 (1991) 167, 190		109 (1992) 359
– planar	109 (1992) 301	- two-dimensional	100 (1991) 515
Hall resistivity	98 (1991) 60	Heisenberg-Ising chains	104–107 (1992) 799
Hard magnetic materials	96 (1991) 335	Heisenberg model	104–107 (1992) 207, 253,
	100 (1991) 38, 57, 79		741, 766, 845, 885,
	101 (1991) 349		887, 905, 929, 1035,
	104-107 (1992) 321, 363,		1069, 1689
	368, 1123, 1135, 1152,	TY-Man Tandan	109 (1992) 91
	1155, 1161, 1193,	Heitler-London approach	102 (1991) 96
	1277, 1287, 1405	Helical antiferromagnets	104–107 (1992) 47, 345,
Hard magnetic recording media	104–107 (1992) 977	Helical spin structure	689, 1517 104–107 (1992) 859
Hard magnetism	104–107 (1992) 1090	Helifan phase	104–107 (1992) 1523
Hardness		Helimagnetic order	104–107 (1992) 1323
- Vicker	92 (1990) 109	Tienmagnetie order	1511, 1729
Heat		Helimagnetism	97 (1991) 251
- capacity	101 (1991) 414	Hematite	104–107 (1992) 350
	103 (1992) 129	Henkel-type plots	104–107 (1992) 1569
	104–107 (1992) 619, 627,	Heterogeneous materials	101 (1991) 117
	953, 1167, 1319, 1976	Heusler alloys	102 (1991) 199
	108 (1992) 35, 95	Ť	104-107 (1992) 705, 1011,
Heat treatment	109 (1992) 316		1751, 2011, 2013, 2072
Heat treatment	101 (1991) 237 109 (1992) 221	Heusler compounds	104-107 (1992) 1435
- annealing	103 (1992) 231	Hexaferrites	95 (1991) 142
- anneaning	109 (1992) 7		99 (1991) 119, 133
- crystallization	103 (1992) 274		101 (1991) 165, 307
Viystamzation	109 (1992) 27		104–107 (1992) 409, 411
Heavy electrons	108 (1992) 1	– M-type	101 (1991) 237
Heavy electron systems	104–107 (1992) 655, 1293	- powders	101 (1991) 405
riouvy diseason systems	108 (1992) 40, 155, 175	– W-type	101 (1991) 230
Heavy fermion	99 (1991) 171, 235	Hexagonal ferrites	104–107 (1992) 403
	100 (1991) 126, 151, 186,	High coercivity	104–107 (1992) 1175
	204	– materials	101 (1991) 363, 367
	104-107 (1992) 39, 49,	High-density recording	104–107 (1992) 1725
	1385, 1411, 1905	High-field magnetism	104–107 (1992) 729, 731,
	108 (1992) 43, 89		813, 1311, 1321, 1325,
– alloys	108 (1992) 199		1473, 1475, 1949, 2105
- behavior	108 (1992) 209	High field magnetization	108 (1992) 181, 211
- compounds	97 (1991) 291	High-field magnetization High-field measurements	108 (1992) 117 104–107 (1992) 1275
	104–107 (1992) 47, 57, 60,	High gradient magnetic separation	98 (1991) 28
	1415	High magnetic field	92 (1990) 162
	108 (1992) 15, 47	righ magnetic field	96 (1991) 215
- superconductor	108 (1992) 49, 109		98 (1991) 19
- systems	104–107 (1992) 647		104–107 (1992) 17, 811,
	108 (1992) 5		949, 1239, 1241, 1597
	109 (1992) 237		, _
	110 (1001) 287		

110 (1991) 287

High pressure	92 (1990) 181	- calculated	110 (1991) 29
	98 (1991) 285	- induced	97 (1991) 126
	100 (1991) 126	 of impurities 	100 (1991) 241
	104–107 (1992) 255, 503,	Hyperfine interactions	92 (1990) 101
	641, 1317, 1413, 1937,		93 (1991) 179, 252, 341,
	2075		369, 457, 499, 552,
	108 (1992) 100, 103		597
High resolution electron mi-			99 (1991) 204, 222
croscopy	110 (1991) 264		104–107 (1992) 1265
High-resolution magnetic imaging	101 (1991) 263	 anisotropic 	104-107 (1992) 1291
High- T_c oxides	104-107 (1992) 461	Hyperfine parameters	98 (1991) 119
High-temperature series expan-			99 (1991) 55
sion	104-107 (1992) 253	Hyperfine shift	104-107 (1992) 589
HoB ₆	104-107 (1992) 1233	Hyperfine structure	104-107 (1992) 2051
Hoffmann boundary	102 (1991) 319	Hysteresis	101 (1991) 19, 107, 256
Hole doping	104-107 (1992) 461		104-107 (1992) 115
Hole momentum	104-107 (1992) 465	- ferromagnetic	98 (1991) 221
Holes in antiferromagnets	104-107 (1992) 465	– loop	92 (1990) 25
Holmium	104-107 (1992) 1523	•	94 (1991) 179, 220
Hopkinson effect	99 (1991) 119		95 (1991) 76
•	103 (1992) 231		96 (1991) 223, 321
Hot pressing	104-107 (1992) 1169		98 (1991) 25, 205, 261
H-T phase diagram	104–107 (1992) 163		99 (1991) 243
Hubbard clusters	104–107 (1992) 679		101 (1991) 105, 114, 196,
Hubbard model	102 (1991) L233		317
	104–107 (1992) 251, 499,		104-107 (1992) 100, 333,
	579, 593, 669, 673,		337, 521, 1121, 1155,
	723, 739, 741		1789, 1811, 1855
	108 (1992) 170, 181		110 (1992) 65, 139, 151,
Hubert-Bodenerger model	110 (1991) 299		233
Hybridization	104–107 (1992) 63, 1252	– loss	101 (1991) 114
Tiyondibation	110 (1991) 287	1000	104–107 (1992) 413
– gap	108 (1992) 217	- magnetic	97 (1991) 119
Hydrogen absorption	92 (1990) 155	magnetie	102 (1991) 314
Hydrogen absorption	104–107 (1992) 89, 729,		109 (1992) 301
	1169, 1231, 1279		110 (1992) 6
Hydrogenation	101 (1991) 355, 372, 411	- relaxation	104–107 (1992) 389
Hydrogen decrepitation	101 (1991) 357	Totalation	104-107 (1772) 307
Hydrogen diffusion	104–107 (1992) 152	Idle spin	92 (1991) 359
Hydrogen in metals	104–107 (1992) 1243	Impurity	92 (1991) 339
Hyperchaos	104–107 (1992) 2129	- effects	100 (1001) 219
Hyperfine fields	92 (1990) 92	- criccis	100 (1991) 218
Trypertine neids	95 (1991) 142, 175		104–107 (1992) 815
	96 (1991) 162	observation in insulators	109 (1992) 323
	97 (1991) 69	absorption in insulators	95 (1991) 154
	98 (1991) 79, 85, 99, 141	garnets	104–107 (1992) 441
	99 (1991) 45	magnetization oscillations	98 (1991) 250
	100 (1991) 13, 481, 497,	- in ferromagnets	98 (1991) 92
		- in magnetic metals	97 (1991) 107
	515 102 (1991) 217		100 (1991) 241
		mades in my state to	102 (1991) 175
	104–107 (1992) 167, 577,	- modes in magnetic insulator	104–107 (1992) 1037
	729, 839, 921, 1113,	- nonmagnetic	104–107 (1992) 863
	1165, 1195, 1283,	- resonance state	104–107 (1992) 759
	1313, 1315, 1399,	- states	
	1405, 1413, 1437,	long-range	99 (1991) 323
	1513, 1599, 1705,	Incoherent Kondo lattice	108 (1992) 82
	1809, 1935, 1987, 2011	Incommensurate	104–107 (1992) 913

Incommence			
Incommensurate-commensurate	104 105 (1000) 550	- perpendicular recording	94 (1991) 197, 215
effects	104–107 (1992) 759		95 (1991) 43, 123
Incommensurate magnetic struc-	404 407 (4000) 400 007	- perpendicular recording media	98 (1991) 205
tures	104–107 (1992) 199, 287,		110 (1991) 254
¥	749, 1273	- pigment dispersions	95 (1991) 341
Incommensurate magnetism	104–107 (1992) 735	- recording heads	92 (1990) 284
Incommensurate phase	104–107 (1992) 1213	- tape particles	94 (1991) 220
Incommensurate structure	104–107 (1992) 791	- technology	95 (1991) 379
Indirect exchange	104–107 (1992) 1397	 thermomagnetic recording 	98 (1991) 201
Inductance probe method	94 (1991) 119	 trend analysis 	99 (1991) 335
	97 (1991) 112	– tribology	95 (1991) 289
Induction search coil method	101 (1991) 86	 vertical Bloch line memory 	95 (1991) 95, 231
Information storage		wear of tape/head	95 (1991) 1, 289
- air gap	95 (1991) 1	In-plane magnetizing layer	104–107 (1992) 1017
- basic elements	99 (1991) 335	Instability in films	96 (1991) 237
- Bloch line memory	96 (1991) 349	Instability in fluids	94 (1991) 141, 311, 319
- bubble devices	94 (1991) 207		96 (1991) 291
	95 (1991) 231		98 (1991) 162, 173
- corrosion resistance	94 (1991) 357	Instability in spin glass	96 (1991) 315
 head devices 	92 (1990) 271	Instability of bubbles	94 (1991) 207
	96 (1991) 230	Insulators	104–107 (1992) 1603,
	97 (1991) 343, 353		1639, 2092
	98 (1991) 215	Integrated optics	101 (1991) 157
- high density recording	92 (1990) 279	Interaction effects	95 (1991) 109
	94 (1991) 197		104-107 (1992) 975
	95 (1991) 17, 123,	- cluster	99 (1991) 293
	215, 249, 313	 direct exchange/superexchange 	95 (1991) 154
	96 (1991) 230	- exchange	99 (1991) 261
- longitudinal recording media	95 (1991) 99, 215	– four-spin	96 (1991) 67
	109 (1992) 367	- long-range	99 (1991) 209
- magnetic recording	109 (1992) 127		104-107 (1992) 989
	110 (1991) 233	- spin-orbit	99 (1991) 190
- magnetic recording media	94 (1991) 235	Interaction factors	96 (1991) 248
	95 (1991) 14, 17, 27, 85,	Interaction fields	95 (1991) 99
	99, 109, 118, 123, 137,	Interactions	
	215, 237, 289, 356,	- competing	108 (1992) 97
	365	- configuration	104–107 (1992) 2087
	96 (1991) 248	– dipolar	104–107 (1992) 201, 1129
	97 (1991) 119, 329, 338	- exciton-magnon	104–107 (1992) 1061
	98 (1991) 221, 341	- ferromagnetic	104–107 (1992) 2096
	109 (1992) 375	- impurity-impurity	104–107 (1992) 1525
	110 (1991) 227, 254, 355	- magnetic	104–107 (1992) 141, 955,
- magnetic recording theory	92 (1990) 271	magnetie	1249, 1336, 1543,
 magneto-optical recording me- 	J2 (1990) 271		1593, 1697, 1819
	94 (1991) 357	- magnon-phonon	104–107 (1992) 1049
dia	95 (1991) 35, 43, 49, 58,	- molecular-field	104–107 (1992) 1381
	61, 69, 356	- pairwise	104–107 (1992) 1701
	110 (1991) 233	– quadrupolar	104–107 (1992) 264, 653,
- magneto-optical storage	99 (1991) 71	- quadrupotar	1198, 1336, 1525
	94 (1991) 293	- RKKY	104–107 (1992) 1673
- memory devices	95 (1991) 118	1/1/1/1	108 (1992) 53, 179
- metal-evaporated tape	95 (1991) 17, 109	- spin-phonon	104–107 (1992) 951
- noise	110 (1991) 355	Interband transition	104–107 (1992) 1023
- particulate recording modis		Intercalation compounds	104–107 (1992) 1023
- particulate recording media	95 (1991) 14, 17, 27, 76,	Interchain exchange	104–107 (1992) 833
	118, 221, 249, 313, 319, 365	Interchain exchange Interdiffusion	98 (1991) 215
	· · · · · · · · · · · · · · · · · · ·	Interdiffusion	70 (1771) 213
	98 (1991) 210		

	101 (1991) 187	Invar systems	104-107 (1992) 711
	104–107 (1992) 1751	Ion beam sputtering	104-107 (1992) 1847
Interface effects	104–107 (1992) 1833	Ionic substitutions	110 (1991) 355
Interface magnetism	100 (1991) 481	Iron	104-107 (1992) 743
	104–107 (1992) 1684	- clusters	104-107 (1992) 497
Interface mixing	104–107 (1992) 1753	– films	104-107 (1992) 1781,
Interface roughness	100 (1991) 527		1903
5	104-107 (1992) 1753	- nitrides	104-107 (1992) 1933
Interfacial coupling	92 (1990) 143	- oxide	104-107 (1992) 1937
Interfacial phenomena	104-107 (1992) 1791	Irreversible line	104–107 (1992) 163
	109 (1992) 39	Irreversible losses	101 (1991) 338
- structure	99 (1991) 199	Ising	104–107 (1992) 165
	102 (1991) 319	- ferrimagnets	96 (1991) 175
Interfacial structure	104-107 (1992) 1809	ferromagnet	94 (1991) 74
Interferometer	104–107 (1992) 1455	- magnets	104–107 (1992) 423
Interlayer coupling	93 (1991) 1, 58, 85, 95,	Ising model	92 (1990) 59
	105, 386, 395, 403,		96 (1991) 67, 267, 315
	407, 413, 418, 435,		99 (1991) 253
	477, 503		100 (1991) 272, 515
	94 (1991) 1		102 (1991) 116, 144, 287
	104–107 (1992) 1703,		103 (1992) 30
	1775		104–107 (1992) 179, 181,
Intermediate valence	100 (1991) 126, 292		184, 193, 199, 207,
	104–107 (1992) 647, 659,		211, 261, 264, 275,
	1355, 1415, 1475		279, 300, 309, 837,
v	108 (1992) 121, 185		841, 905, 1661, 1663
Intermetallic compounds	101 (1991) 333		109 (1992) 172
	103 (1992) 30	- antiferromagnetism	100 (1991) 497 104–107 (1992) 219
	104–107 (1992) 31, 321, 657, 697, 729, 731,	critical relaxationground state	100 (1991) 497
	745, 757, 925, 1305,	ground statekinetic	92 (1990) 245
	1315, 1317, 1378,	- paramagnetism	100 (1991) 497
	1449, 1451, 1463,	- surfaces	100 (1991) 497
	1923, 1931, 1963,	- two-dimensional	96 (1991) 77
	1965, 1967, 1976	Ising spin glass	104–107 (1992) 1659,
- actinides	103 (1992) 73		1671
- 3d-4f	101 (1991) 395	Ising system	104–107 (1992) 294, 1599,
- rare earth	103 (1992) 129, 179		1601, 1607, 1609
	110 (1991) 259, 343	Isolators	100 (1991) 425
 single crystals 	110 (1991) 343	– bulk	100 (1991) 425
 transition metals 	103 (1992) 50	– film	100 (1991) 425
	110 (1991) 197	Isomer shift	97 (1991) 251
Internal cavities	104–107 (1992) 1543		99 (1991) 55
Internal fields	104–107 (1992) 1121		104–107 (1992) 683, 1965
Internal friction	101 (1991) 47	Itinerant antiferromagnetism	104–107 (1992) 751, 753,
Internal strains	104–107 (1992) 1809		2029
Internal stresses	104–107 (1992) 568	Itinerant electrons	100 (1991) 218, 261, 292,
Interstitial	101 (1991) 310		363
- modification	104–107 (1992) 1098		104–107 (1992) 95, 671,
Intersublattice transitions	104–107 (1992) 1063		675, 689, 691, 693,
Invar alloys	92 (1990) 87 94 (1991) 20		695, 697, 699, 705,
			707, 721, 739, 747,
Invar effect	109 (1992) 169 98 (1991) 285		757, 1479, 1765, 1783,
Inval effect	104–107 (1992) 703, 747,		2089
	1925, 2075	_ antiferromagnation	108 (1992) 153
	110 (1992) 323	antiferromagnetismferromagnetism	100 (1991) 218
Invar properties	104–107 (1992) 1927	Terromagnetism	100 (1991) 292, 363
Tital broberres	201 201 (2772) 1721		

	104 107 (1000) (01 701	Wards areas	100 (1000) 150 015
	104–107 (1992) 681, 701,	Kondo resonance	108 (1992) 173, 215
- in disordered system	703 103 (1992) 37	Kosterlitz-Thouless phase	104–107 (1992) 741
- localized		Kosterlitz-Thouless transition	104–107 (1992) 227
- magnetism	102 (1991) 87	Kouvel-Fisher plots	98 (1991) 273
- magnetism	104–107 (1992) 456, 1913,	LaBa-CuO	104 107 (1003) 507
matamagnation	1967, 2057	LaBaCuO	104–107 (1992) 507
- metamagnetism	104–107 (1992) 709	La ₂ CuO ₄	104–107 (1992) 515
– paramagnetism	104–107 (1992) 727	LaGa ₂	108 (1992) 125
- spin fluctuations	100 (1991) 292	Laminations	96 (1991) 97
- spin waves	104–107 (1992) 713	Landau theory	104–107 (1992) 1496
- system	104–107 (1992) 1942	Lanthanum	104–107 (1992) 563
Itinerant magnetism	94 (1991) 20, 287	LAPW method	104–107 (1992) 681
Ta'	101 (1991) 3, 251	Laser diode	104–107 (1992) 1455
Itinerant spin fluctuations	104–107 (1992) 685	Lattice constants	92 (1990) 101
Jahn-Teller effect	102 (1991) 116		98 (1991) 285
Jann-Tener effect	104–107 (1992) 2011,	Lattice distortion	104–107 (1992) 547
	2013		104–107 (1992) 1465
Josephson junction	104–107 (1992) 529	Lattice expansion	104–107 (1992) 1086
Josephson junction	104–107 (1992) 329	I -44:	110 (1992) 15
Vann affact	05 (1001) 40	Lattice gas	104–107 (1992) 267
Kerr effect	95 (1991) 49	Lattice instabilities	108 (1992) 5
	96 (1991) 97	Lattice parameter	104-107 (1992) 1441
	100 (1991) 425, 481	Lattice strain	101 (1991) 11
	102 (1991) 357	Lattice vacancies	104–107 (1992) 657
	103 (1992) 7, 165	Laves phase	110 (1991) 209
	104–107 (1992) 109, 387,		104–107 (1992) 683, 1271,
	397, 399, 1002, 1021,		1424
	1023, 1029, 1033, 1749	- compounds	96 (1991) 60, 305
77	110 (1992) 299		98 (1991) 19, 141, 285
Kerr ellipticity	104–107 (1992) 1013		104–107 (1992) 697, 731,
Kerr rotation	94 (1991) 357		935, 1257, 1421, 1427,
	95 (1991) 35, 61, 69	T	1465
	98 (1991) 47	Layer-type compounds	104–107 (1992) 357, 513,
	104–107 (1992) 1009,		849, 851, 853, 953,
¥2° , 1 .	1019, 1825, 1827, 1855	TEED	959
Kerr technique	95 (1991) 85	LEED Life life and interest in the second se	93 (1991) 25, 31
Kinetics of ordering	104–107 (1992) 177	Lifshitz point	104–107 (1992) 71
KKR method	103 (1992) 204	Ligand-field transition	104–107 (1992) 944
Knight shift	104–107 (1992) 1589	Light scattering	100 (1991) 481
Kondo behavior	108 (1992) 43		104–107 (1992) 663, 1039,
Kondo compensation	103 (1992) 73	Y in a saine discrete ation to alminuo	1047, 1835
T. 1 CC .	108 (1992) 213	Linearized perturbation technique	
Kondo effect	97 (1991) 223, 291	Linear muffin-tin orbital method	92 (1991) 295 110 (1991) 275
	100 (1991) 1, 90, 186, 204	Linear muffin-tin orbitals	
	102 (1991) 42		98 (1991) 10
	103 (1992) 267	Linear muffin-tin orbital theory	110 (1991) 29
	104–107 (1992) 639, 649,	Linewidth	108 (1992) 175
	651, 665, 1241, 1385, 1435, 1905, 2081	Linewidth-temperature depen- dence	104–107 (1992) 1627
		Liquid mix technique	101 (1991) 405
	108 (1992) 15, 27, 51, 53,	Lithium absorption	94 (1991) 267
	91, 93, 107, 113, 123,		100 (1991) 481
	131, 157, 159, 177, 187, 199	Live layers LiVO ₂	104–107 (1992) 779
	· · · · · · · · · · · · · · · · · · ·	2	104–107 (1992) 561
Vanda immunitu	110 (1992) 119	Ln ₂ BaCuO ₅ Local density approximation	104–107 (1992) 1444
Kondo impurity	108 (1992) 179	Local environment effects	94 (1991) 49
Kondo problem	08 (1001) 250	Local environment effects	97 (1991) 187
- two-dimensional	98 (1991) 250		77 (1771) 107

	104–107 (1992) 1431,	- low-temperature	92 (1991) 353
	1687, 1697, 1931,	Magnetic fields	
	1965, 2019, 2055, 2085	 space distribution 	110 (1991) 175
Local flux distribution	101 (1991) 86	Magnetic films	102 (1991) 223
Localized spin systems	97 (1991) 152	Magnetic fluctuations	104–107 (1992) 507
Localized surface state	100 (1991) 497	Magnetic fluids	92 (1990) 233
Local moment formation	104-107 (1992) 1421		96 (1991) 105
Local moments	100 (1991) 1, 186, 241,		97 (1991) 25
	481, 497		103 (1992) 19
	103 (1992) 267	- metallic	96 (1991) 89
	104-107 (1992) 7, 1931,	Magnetic flux penetration	92 (1990) 19
	2009	Magnetic flux pinning	104-107 (1992) 521
- TM compounds	94 (1991) 11	Magnetic force microscope	104–107 (1992) 2123
Local moments relaxation	108 (1992) 123	Magnetic force microscopy	93 (1991) 123
Local spin-density functional ap-			101 (1991) 263
proximation	103 (1992) 314	Magnetic forces	109 (1992) 71
Local spin-density functional the-		Magnetic frustation	92 (1991) 359, 366
ory	103 (1992) 212	Magnetic hardening	92 (1990) 30
Local spin fluctuations	94 (1991) 134	e e	104-107 (1992) 1137
London penetration depth	104–107 (1992) 509, 633	Magnetic hardness	104–107 (1992) 1389
London theory	110 (1991) 91	Magnetic heads	101 (1991) 137
Longitudinal media	104–107 (1992) 963	Magnetic hysteresis	97 (1991) 119
Long-range order	96 (1991) 175	Translation in the second	104–107 (1992) 103, 155,
2010 10100	100 (1991) 272, 515		355, 377, 382, 392,
	102 (1991) 116		399, 415, 433, 915,
Lorentz images	104–107 (1992) 365, 1161		1033, 1641
Lorentz microscopy	104–107 (1992) 329	Magnetic induction	104–107 (1992) 315
Lorenz number	108 (1992) 199	Magnetic induction	110 (1992) 151
Loss reduction	92 (1990) 25	Magnetic instability	104–107 (1992) 1465
Low-dimensional systems	98 (1991) 79	Magnetic insulators	104–107 (1992) 815
Low difficultional systems	109 (1992) 47, 349	Magnetic interactions	95 (1991) 14
Low-energy spin waves	104–107 (1992) 687, 715	Magnetic interactions	96 (1991) 105
LuBaCuFO ₅	104–107 (1992) 571	Magnetic intersublattice coupling	104–107 (1992) 1275
Europa Car Og	10. 10. (1772) 3.11	Magnetic iron nitrides	110 (1991) 65
		Magnetic liquids	101 (1991) 45
Mach-Zehnder interferometer	100 (1991) 425	Magnetic losses	101 (1991) 95
Magnetic after-effect	101 (1991) 99	magnette 1000e0	102 (1991) 181, 323
Magnetic anisotropy	104–107 (1992) 387		104–107 (1992) 387
Magnetic breakthrough	104–107 (1992) 1409	Magnetic moment	94 (1991) 243, 342
Magnetic circular dichroism	104–107 (1992) 439, 2087	magnetic moment	96 (1991) 335
- X-ray	104–107 (1992) 1418		97 (1991) 187
Magnetic coupling	92 (1990) 46		98 (1991) 291
magnetic coupling	94 (1991) 109		99 (1991) 45, 55, 71
	98 (1991) 291		102 (1991) 261
- interlayer	110 (1991) 113		104–107 (1992) 33, 82,
Magnetic dichroism	104–107 (1992) 2001		
Magnetic disorder	104–107 (1992) 895, 897		255, 729, 731, 1037, 1088, 1198, 1275,
Magnetic distortion	104–107 (1992) 465		
Magnetic domains	104–107 (1992) 109, 241,		1359, 1939, 1961, 1963, 1991, 2009,
Magnette domains	1453, 1745		
Magnetic epitaxial films	104–107 (1992) 1805		2019, 2021 109 (1992) 145
Magnetic excitations	96 (1991) 17	- calculated	
magnette enertations	97 (1991) 286	- calculated - calculations	109 (1992) 39
	102 (1991) L15	- cobalt	103 (1992) 212
	104–107 (1992) 713, 718,	- composition-dependent	109 (1992) 243
	793, 797, 809, 855,	- defect	92 (1990) 92
	949, 951, 1065, 1204	- distribution	104–107 (1992) 2065
	108 (1992) 163	- distribution	104–107 (1992) 111, 583,
	100 (1772) 103		681, 1394, 1931

	·		
- field-dependent	92 (1990) 46	Magnetic polymers	104-107 (1992) 2101
- rare earths	109 (1992) 197, 305	Magnetic power loss	104–107 (1992) 337, 387
- X-ray study	109 (1992) 109	Magnetic precipitates	104–107 (1992) 781
Magnetic multilayer films	101 (1991) 187, 217	Magnetic prisms	104–107 (1992) 1111
Magnetic multilayers	100 (1991) 527	Magnetic properties	104–107 (1992) 63
	104–107 (1992) 1705,	- of monolayers	104–107 (1992) 1805
	1712, 1721, 1734,	Magnetic pump mechanism	99 (1991) 12
	1745, 1753, 1755,	Magnetic quantum chains	104–107 (1992) 273
	1760, 1767, 1772,	Magnetic recording	93 (1991) 365
	1807, 1809, 1811,		100 (1991) 413
	1816, 1829, 1840,		101 (1991) 137
	1845, 1857, 1859,		104–107 (1992) 973, 983,
	1863, 1876, 1885		1553
Magnetic ordering	95 (1991) 195	- head	104-107 (1992) 1899
	96 (1991) 26, 121	- materials	100 (1991) 413
	97 (1991) 53, 178	– media	102 (1991) 238
	102 (1991) 25, 30, 47		104-107 (1992) 417, 961,
	103 (1992) 267		967, 975, 1725
	104-107 (1992) 543	- performance	100 (1991) 413
	110 (1992) 355	Magnetic refrigeration	104-107 (1992) 1094
- rare-earth compounds	109 (1992) 305	Magnetic relaxation	104-107 (1992) 1283
- short-range	96 (1991) 282	Magnetic resistivity	109 (1992) 91
Magnetic orientation	104–107 (1992) 1772	Magnetic resonance	103 (1992) 228
Magnetic overlayer	100 (1991) 527	- imaging	104–107 (1992) 1111
Magnetic oxides	104–107 (1992) 417, 617,	Magnetic satellites	104–107 (1992) 913
	871, 1643	Magnetic scaling	101 (1991) 65
Magnetic particle media	104–107 (1992) 1591	Magnetic scattering	104–107 (1992) 2015
Magnetic particles	101 (1991) 233	- of X-rays	103 (1992) 86
Magnetic permeability	104–107 (1992) 382, 421	- X-ray resonance	104–107 (1992) 1213
	109 (1992) 228	Magnetic semiconductors	100 (1991) 322
Magnetic phase diagram	92 (1990/91) 129, 397		104–107 (1992) 986, 995,
	96 (1991) 67, 145		997, 1096, 1795
	97 (1991) 31, 246	3.6	110 (1992) 39
	98 (1991) 333	Magnetic separation	94 (1991) 191
	99 (1991) 145, 193, 209,	Magnetic shield	98 (1991) 28 101 (1991) 69
	261, 280 100 (1991) 99, 151, 204,	Magnetic string	110 (1991) 39
	394	Magnetic structure	92 (1991) 359, 366
	103 (1992) 25, 179	Wagnetic structure	94 (1991) 127, 170, 260,
	104–107 (1992) 135, 170,		331, 337
	187, 229, 277, 285,		95 (1991) 137, 195
	447, 555, 885, 887,		96 (1991) 341
	908, 911, 937, 1159,		97 (1991) 37, 45, 219
	1185,1187, 1233, 1329,		99 (1991) 123
	1336, 1427, 1481,		100 (1991) 99, 139, 218,
	1639, 1879, 2056, 2109		455, 481
	108 (1992) 97, 190		102 (1991) 30, 67, 71, 331
	109 (1992) 17, 139, 172		103 (1992) 179, 204, 274,
	110 (1991) 6, 20		314
- calculated	94 (1991) 302		104–107 (1992) 21, 33, 51,
- complex	97 (1991) 4, 15		555, 591, 617, 871,
Magnetic phase transitions	92 (1991) 344, 405		891, 899, 908, 925,
	97 (1991) 83		927, 933, 935, 939,
	100 (1991) 99		1139, 1235, 1285,
	102 (1991) 33		1359, 1383, 1485,
Magnetic polarization	104–107 (1992) 401		1527, 1529, 1629, 1989
Magnetic polarons	110 (1991) 39		108 (1992) 51, 117

	109 (1992) 17, 34, 98, 197	- field-dependent	92 (1990) 16, 25, 155
	110 (1991) 20, 185		94 (1991) 278
– factors	104–107 (1992) 623		95 (1991) 137
 field-induced 	97 (1991) 4		96 (1991) 189, 215, 219
	110 (1991) 343		97 (1991) 31, 291
 low-temperature 	98 (1991) 147		98 (1991) 19, 221, 231,
 noncollinear 	104–107 (1992) 159, 749		245, 291, 333
- stochastic	94 (1991) 179		99 (1991) 152, 235
Magnetic superconductors	104–107 (1992) 527, 535, 587		104–107 (1992) 93, 189 109 (1992) 117
Magnetic superlattices	103 (1992) 47	 first-order processes 	104–107 (1992) 1429
	104–107 (1992) 1739,	high-field `	98 (1991) 155
	1777, 1843, 1865,		99 (1991) 193
	1871, 1915		104–107 (1992) 157, 803,
Magnetic surface anisotropy	104–107 (1992) 1679, 1743		1223, 1429, 1460, 2003, 2053
Magnetic texture	101 (1991) 387		109 (1992) 265, 349
Magnetic tip parameters	104–107 (1992) 2123		110 (1991) 337
Magnetic transition	101 (1991) 392	– initial	97 (1991) 119
	102 (1991) 74	- in-plane	92 (1990) 1
	109 (1992) 249, 309, 349	– jumps	97 (1991) 198
- successive	104–107 (1992) 859	- local	98 (1991) 104
Magnetic viscosity	92 (1991) 417	– losses	104–107 (1992) 1676
	101 (1991) 89, 92	– low-field	94 (1991) 342
Magnetically ordered clusters	103 (1992) 228	 low-temperature 	97 (1991) 40, 286
Magnetically ordered ground state			110 (1991) 327
Magnetite	96 (1991) 101	 measurements 	101 (1991) 424
	100 (1991) 413		103 (1992) 157, 236, 245
Magnetization	101 (1991) 205, 338, 385		104–107 (1992) 801, 813,
	104–107 (1992) 43, 85, 93,		853, 1086, 1159, 1993
	121, 211, 429, 731,		109 (1992) 1, 59, 323
	827, 918, 949, 1102,	– modes	109 (1992) 359
	1152, 1191, 1387,	– nuclear	97 (1991) 316
	1441, 1577, 1637,	- patterns	100 (1991) 38, 57, 99, 204,
	1693, 1783, 1822, 2035		218, 346
	108 (1992) 45, 47	- perpendicular	102 (1991) L9
- antiparallel	110 (1991) 147, 161		104–107 (1992) 979
- antiparanei - bulk	102 (1991) L9 104–107 (1992) 1152	- pressure-dependent	110 (1991) 29
- calculations	99 (1991) 55	- processes	92 (1990) 59
- chaotic motion of the magneti-	99 (1991) 33		94 (1991) 251
zation vector	110 (1991) 202		95 (1991) 76, 157, 184, 249
- composition-dependent	96 (1991) 335		96 (1991) 47, 145, 321
composition dependent	97 (1991) 141		97 (1991) 15, 205,
– curves	92 (1990) 265, 267		235, 305
	94 (1991) 20, 179		98 (1991) 210
	96 (1991) 219		99 (1991) 7, 209, 243
	101 (1991) 196, 317, 323		100 (1991) 99
	104–107 (1992) 31, 277,		101 (1991) 367
	337, 475, 675, 815,		103 (1992) 139, 236
	1739, 1803, 2003		104–107 (1992) 27, 147,
- cycles	95 (1991) 14		155, 361, 371, 387,
- density	104–107 (1992) 583, 623		433, 1145, 1221, 1321,
- distribution	94 (1991) 153		1463, 1635, 1639,
	103 (1992) 325		1861, 1896, 1969, 2119
- dynamics	104–107 (1992) 219		, 2000, 200, 201

	100 (1002) 50 64 70 105		102 (1002) 20, 174
	109 (1992) 59, 64, 79, 185,		103 (1992) 30, 174
	191, 213, 353		104–107 (1992) 603, 993,
finat and a	110 (1991) 202		1115, 1593, 1868
first-order	104–107 (1992) 2119		110 (1991) 139, 170, 197
– – quasi-first-order	104–107 (1992) 2119	- thermoremanent	96 (1991) 223
second-order	104–107 (1992) 2119		109 (1992) 159
- quantum tunneling	109 (1992) 159	– thin films	109 (1992) 243
- relaxation	101 (1991) 405	 time-dependent 	94 (1991) 43, 85
	104–107 (1992) 1565		95 (1991) 365
- remanent	95 (1991) 27		96 (1991) 261
	109 (1992) 67, 127		99 (1991) 103, 253
	110 (1991) 6, 135		104-107 (1992) 521, 1603
- reptation	110 (1991) 355		109 (1992) 164
- residual	95 (1991) 145		110 (1991) 197
- reversal	92 (1990) 39, 43	- zero-field-cooled	92 (1990) 228
	97 (1991) 102, 256	Magnetoacoustic resonance	92 (1991) 291
	98 (1991) 65	Magnetoacoustic waves	101 (1991) 193
	103 (1992) 151	Magnetocaloric effect	92 (1991) 405
	104–107 (1992) 1565		94 (1991) 79
- reversal mechanisms	104–107 (1992) 1117,		104–107 (1992) 1094
10101011101110	1813	Magnetochemical properties	104–107 (1992) 1997
- reversal process	92 (1990) 279	Magnetocircular dichroism	104–107 (1992) 944
Toversar process	95 (1991) 118, 205	Magnetocircular photolumines-	104-107 (1992) 944
	102 (1991) 18	cence	104-107 (1992) 944
	104–107 (1992) 1163	Magnetocrystalline structure	
antimotion	92 (1990) 191		109 (1992) 305
- saturation		Magnetodielectrics	102 (1991) 255
	94 (1991) 49	Magnetoelastic coupling	94 (1991) 247
	95 (1991) 123, 133	N. F	104–107 (1992) 1717
	96 (1991) 82	Magnetoelastic effect	103 (1992) 325
	97 (1991) 329		104–107 (1992) 1507, 1729
	98 (1991) 341	3.6	110 (1992) 129
	99 (1991) 91, 133, 145,	Magnetoelastic energy	104–107 (1992) 152
	229	Magnetoelasticity	92 (1991) 291
	104–107 (1992) 979		96 (1991) 145, 275
	109 (1992) 127, 221		97 (1991) 135, 193
	110 (1991) 65		100 (1991) 173, 544
- single crystal	109 (1992) 185		101 (1991) 47
- specific	92 (1991) 405		104–107 (1992) 107, 365,
	99 (1991) 167		701, 1293, 2006
- spontaneous	96 (1991) 26	 magnetoelastic modes 	100 (1991) 544
	97 (1991) 147	Magnetoelastics	110 (1991) 11
	99 (1991) 280	Magnetoelastic sound generation	104–107 (1992) 355, 1709
	104–107 (1992) 1069	Magnetoelectric effect	97 (1991) 263
- states	109 (1992) 17		104–107 (1992) 449
- static	98 (1991) 57	Magnetohydrodynamic instability	109 (1992) 71
- stress-induced	98 (1991) 349	Magnetohydrodynamics	92 (1990) 233
- temperature-dependent	92 (1990/91) 35, 92, 129,		94 (1991) 319
	162, 217, 261, 353,		97 (1991) 25
	397	Magnetomechanical coupling	101 (1991) 25, 27, 75
	94 (1991) 35, 127	Magnetometer	104–107 (1992) 1455
	95 (1991) 175	Magnetometry	101 (1991) 304
	96 (1991) 67, 82, 305,		104-107 (1992) 481
	329, 341	Magneto-optical effects	101 (1991) 205, 245
	98 (1991) 71, 185, 201,	Magneto-optical Kerr effect	104–107 (1992) 1825,
	239, 285		1827, 1855
	99 (1991) 95, 119, 275	Magneto-optical Kerr spectrum	104-107 (1992) 1947
	102 (1991) 287	Magneto-optical materials	104–107 (1992) 1031

Magneto-optical measurements	104–107 (1992) 995	- waves	101 (1991) 153, 157, 159,
Magneto-optical properties	104–107 (1992) 1005		189
Magneto-optical storage	94 (1991) 357	Magnetostatics	95 (1991) 221
	104–107 (1992) 1021		97 (1991) 235
Magneto-optic diffraction	109 (1992) 332		100 (1991) 515, 527
Magneto-optic films	104–107 (1992) 1015	Magnetostriction	94 (1991) 29
Magneto-optic recording	102 (1991) 357		96 (1991) 230, 321
	104–107 (1992) 303, 1005,		98 (1991) 349
	1007, 1017, 1025, 1033		99 (1991) 159
Magneto-optic recording media	101 (1991) 224, 239		100 (1991) 173, 346
Magneto-optics	92 (1990) 261		101 (1991) 6, 35, 65, 75,
	96 (1991) 155, 349	`	117, 122, 219
	98 (1991) 47		102 (1991) 63
	100 (1991) 1, 425, 481, 527		103 (1992) 78, 97, 111, 117
	104-107 (1992) 35, 311,		104–107 (1992) 73, 100,
	389, 397, 441, 443,		107, 117, 137, 145,
	451, 993, 1009, 1011,		152, 355, 392, 731,
	1013, 1027, 1029,		1305, 1433, 1453,
	1061, 1749, 1763,		1455, 1468, 1471,
	1779, 1787		1515, 1531, 1537,
	109 (1992) 133, 332		1831, 1847, 1851, 2072
	110 (1992) 233		108 (1992) 56, 59
Magnetoresistance	93 (1991) 58, 95, 101,		109 (1992) 169, 228
	319, 421, 477, 480		110 (1991) 221
	100 (1991) 204, 218, 292,	- measurements	110 (1991) 129
	527	- nearly-zero	110 (1991) 129
	101 (1991) 32	- saturation	96 (1991) 167
	103 (1992) 13	- shape magnetostriction	110 (1991) 11
	104–107 (1992) 15, 53,	- spontaneous	92 (1990) 207
	1209, 1271, 1365,	 temperature-dependent 	92 (1991) 397, 405
	1407, 1409, 1712,	- zero	97 (1991) 135
	1734, 1745, 1747,	Magnetostructural properties	101 (1991) 178
	1755, 1777, 1803,	Magnetothermal effect	100 (1991) 292
	1861, 1883, 1887		102 (1991) L5
	108 (1992) 143, 155		104–107 (1992) 701, 703,
	109 (1992) 179	Management	1152
amamhaua allau	110 (1992) 239, 247	Magnetothermoelectric power	110 (1991) 247
– amorphous alloy	104–107 (1992) 2079	Magnetothermogravimetry	94 (1991) 6
- curves	94 (1991) 302 94 (1991) 1	Magnetotransport Magnetovolume	104-107 (1992) 991
– giant	104–107 (1992) 1907	Magnetovolume effect	98 (1991) 285
- intercalation compound	98 (1991) 60	Magnetovolume effect	100 (1991) 346
- junction	98 (1991) 7		104–107 (1992) 143, 703,
– multilayers	99 (1991) 243		731, 747, 1257, 1331,
- RE alloys	100 (1991) 292		1927, 1935, 2057, 2075 110 (1991) 323
- RL alloys	104–107 (1992) 2079	– local	98 (1991) 1
– thin films	97 (1991) 171	Magnetron sputtering	104–107 (1992) 1907
timi imis	98 (1991) 215	Magnon pumping	98 (1991) 235
- transition-metal alloys	100 (1991) 204, 481	Magnons	97 (1991) 1
- transition metals	92 (1990) 68		101 (1991) 37
Magnetoresistivity	104–107 (1992) 1243		103 (1992) 50
Magnetostatic	201 (1774) 1410		104–107 (1992) 833, 949,
- interaction	97 (1991) 256, 343		104-107 (1992) 833, 949, 1047, 1049, 1053,
- methods	104–107 (1992) 2067		1059, 1063, 1065,
- modes	101 (1991) 140		1072, 1075, 1783, 2089
- studies	104–107 (1992) 1437	- dispersion	97 (1991) 210
- surface waves	101 (1991) 151	Magnon spectrum	110 (1991) 80
Darius wared	101 (1771) 101	agnon spectrum	110 (1991) 00

Materials evaluation 104-107 (1992) 375 Microcopy and Maximum entropy 104-107 (1992) 1424 Microfabricated cantilevers 104-107 (1992) 1923 MBE 100 (1991) 527 Microfabricated cantilevers 104-107 (1992) 393 Micromagnetic domains 104-107 (1992) 353 e grown films 104-107 (1992) 1793 Micromagnetic calculation 104-107 (1992) 343 Mean field analysis 98 (1991) 201, 2515 Micromagnetic domains 104-107 (1992) 343 Mean free path 100 (1991) 272, 515 Micromagnetic structures 100 (1991) 481 Mean free path 100 (1991) 299 Micromagnetic structures 335 Measuring technique 101 (1991) 199 Micromagnetic structures 95 (1991) 99, 249 — powders 101 (1991) 199 Micromagnetism 95 (1991) 99, 249 — powders 110 (1991) 197 Micromagnetism 96 (1991) 167 Mechanical properties 110 (1991) 251 Micromotor 110 (1991) 37 Mechanical properties 110 (1991) 375 Microspheres 97 (1991) 34 Melt-spun MoffeB 104-107 (1992) 395, 373 Microspheres 97 (1991) 27				
MBE 100 (1991) 527 Microfield sensing (11 (1991) 263 - grown films 104-107 (1992) 1993 Micromagnetic calculation 104-107 (1992) 143 - grown films 104-107 (1992) 1703, 1703 Micromagnetic domains 104-107 (1992) 243 Mean field analysis 98 (1991) 201, 291 Micromagnetics 94 (1991) 221 Mean field theory 100 (1991) 227, 215 100 (1991) 27 100 (1991) 27 Mean free path 100 (1991) 227 Micromagnetic structures 104-107 (1992) 241 Mechanical alloying 101 (1991) 299 Micromagnetis 104-107 (1992) 241 Mechanical alloying 101 (1991) 199 Micromagnetism 95 (1991) 99, 249 Powders 101 (1991) 178 Micromagnetism 95 (1991) 99, 249 Mechanical properties 101 (1991) 165 Micromagnetism 95 (1991) 343 104-107 (1992) 241 Meissner effect 94 (1991) 119 Micromagnetism 97 (1991) 343 104-107 (1992) 359 73 Micromagnetism 97 (1991) 343 104-107 (1992) 259 Micromagnetism 97 (1991) 27 97 (1991) 27 97 (1991) 27 97 (1991) 27 97 (104–107 (1992) 375	Microcrystalline alloys	101 (1991) 109
Films		104–107 (1992) 1424	Microfabricated cantilevers	104-107 (1992) 2123
- grown films 104-107 (1992) 1703, Micromagnetic domains 104-107 (1992) 343 1091) 220		100 (1991) 527	Microfield sensing	101 (1991) 263
Mean-field analysis 98 (1991) 201, 291 99 (1991) 7	– films	104–107 (1992) 399	Micromagnetic calculation	104-107 (1992) 353
Mean-field analysis 98 (1991) 201, 291 99 (1991) 7 Mean field theory 100 (1991) 272, 515 100 (1992) 291, 877 100 (1991) 381 Mean free path 100 (1991) 175 Micromagnetic structures 104-107 (1992) 204, 307, 307, 307, 335 Measuring technique 101 (1991) 199 Micromagnetism 95 (1991) 99, 249 Mechanical alloying 101 (1992) 1990 96 (1991) 16 97 (1991) 343 Mechanical properties 101 (1991) 178 Micromotor 101 (1992) 179 Mechanical properties 110 (1991) 18 Micromotor 101 (1991) 271 Meissner effect 94 (1991) 119 Microspheres 97 (1991) 25 Melt spinning 101 (1992) 375 Microstructure 92 (1990) 125 Melt spinning 101 (1992) 375 Microstructure 92 (1991) 5, 17, 13 Melt spinning 101 (1991) 375 Microstructure 92 (1991) 5, 17, 13 Metallic opper oxides 104-107 (1992) 393, 233 95 (1991) 109 97 (1991) 107, 243, 33 Metallic films 95 (1991) 123 97 (1991) 243 97 (1991) 243 97 (1991) 124, 33, 32, 352, 369 Meta	– grown films	104–107 (1992) 1703,	Micromagnetic domains	104-107 (1992) 343
Mean field theory 100 (1991) 272, 515 104-107 (1992) 291, 877 104-107 (1992) 291, 877 104-107 (1992) 291, 877 104-107 (1992) 305, 307, 307, 308 335		1705	Micromagnetics	94 (1991) 220
Mean free path 104-107 (1992) 291, 877 Micromagnetic structures 104-107 (1992) 230, 307, 307, 328, 325, 326, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 326, 327, 327, 327, 327, 327, 327, 327, 327	Mean-field analysis	98 (1991) 201, 291		99 (1991) 7
Mean free path	Mean field theory	100 (1991) 272, 515		100 (1991) 481
Measuring technique 101 (1991) 299		104–107 (1992) 291, 877		104-107 (1992) 241
Measuring technique 101 (1991) 119 Micromagnetism 95 (1991) 39, 249 Mechanical alloying 101 (1992) 1090 104-107 (1992) 1090 96 (1991) 167 John Comment 101 (1991) 178 Micromotor 104-107 (1992) 353 – powders 110 (1991) 191 Micromotor 101 (1991) 27 Meissner effect 95 (1991) 189 Microspheres 97 (1991) 25 Meissner effect 95 (1991) 183 Microspheres 97 (1991) 27 Melt spinning 101 (1991) 375 95 (1991) 57, 113 Melt-spinning 101 (1991) 375 95 (1991) 17, 145 Metallic copper oxides 104-107 (1992) 399 96 (1991) 60, 137, 197 Metallic glasses 92 (1991) 123 99 (1991) 133, 159 Metallic glasses 92 (1991) 123 99 (1991) 133, 159 Metallic glasses 92 (1991) 123 101 (1991) 236 101 (1991) 236 Metallic glasses 92 (1991) 123 102 (1991) 123 103 (1992) 28, 85, 87, 102 (1991) 297 101 (1991) 286 103 (1992) 38, 23, 369 Metallic glass ribbons 102 (1991) 135 104 (1992) 28, 85, 87, 102 (1991) 297 104 (1992) 28, 2	Mean free path	100 (1991) 527	Micromagnetic structures	104-107 (1992) 305, 307,
Mechanical alloying		104-107 (1992) 1745		335
104-107 (1992) 1090	Measuring technique	101 (1991) 299	Micromagnetism	95 (1991) 99, 249
110 (1992) 264	Mechanical alloying	101 (1991) 119		96 (1991) 167
Department 101 (1991) 178 Micromotor 101 (1991) 21		104-107 (1992) 1090		97 (1991) 343
Mechanical properties 110 (1991) 65 Micromotor 101 (1991) 271 Meissner effect 94 (1991) 119 Microspheres 97 (1991) 25 Meissner effect 94 (1991) 158 Microspheres 97 (1991) 25 Melt spinning 101 (1991) 375 Microstructure 92 (1990) 125 Melt-spun NdFeB 104-107 (1992) 9147 96 (1991) 60, 137, 197 Metallic opper oxides 104-107 (1992) 575 97 (1991) 109 97 (1991) 107, 281, 338 Metallic films 95 (1991) 109 90 (1991) 331, 159 99 (1991) 133, 159 Metallic glasses 92 (1990) 181 352, 369 103 (1992) 28, 302, 328, 328, 329 Metallic glasses 92 (1990) 181 352, 369 103 (1992) 28, 85, 87, 97 (1991) 286 104-107 (1992) 471 104-107 (1992) 1471 104-107 (1992) 1471 104-107 (1992) 1471 104-107 (1992) 1471 104-107 (1992) 1471 104-107 (1992) 1471 109 (1992) 7, 91, 103, 213 109 (1992) 7, 91, 103, 213 109 (1992) 7, 91, 103, 213 109 (1992) 7, 91, 103, 213 109 (1992) 7, 91, 103, 213 101 (1901) 143 104-107 (1992) 1471 104-107 (1992) 1092 404 (1991) 347 104-107 (1992) 1092 404 (1991) 134 104		110 (1992) 264		104-107 (1992) 353
Meissner effect 94 (1991) 119 y 5 (1991) 58 104-107 (1992) 539, 573 Microstructure 97 (1991) 25 y 40 (1991) 17, 145 y 40 (1991) 37, 113 y 50 (1991) 17, 145 y 50 (1991) 181 y 50	- powders	101 (1991) 178		110 (1992) 1
95 (1991) 58	Mechanical properties	110 (1991) 65	Micromotor	101 (1991) 271
95 (1991) 58	Meissner effect	94 (1991) 119	Microspheres	
Melt spinning		95 (1991) 58	-	
Melt spinning 101 (1991) 375 95 (1991) 17, 145 Melt-spun NdFeB 104-107 (1992) 1147 96 (1991) 60, 137, 197 Metallinsulator 104-107 (1992) 575 98 (1991) 341 Metallic copper oxides 104-107 (1992) 575 98 (1991) 341 Metallic films 95 (1991) 109 90 (1991) 133, 159 Metallic glasses 92 (1990) 181 352, 369 94 (1991) 243 103 (1992) 58, 65, 174 97 (1991) 286 101 (1991) 1, 16, 21, 23, 25, 27, 35, 40, 49 102 (1991) 297 261, 264 101-104 (1992) 82, 85, 87, 91 - ternary RE compounds 104-107 (1992) 1992 109 (1991) 297 Metallic glass ribbons 102 (1991) 135 Microwave absorption 94 (1991) 237 Metallic glass ribbons 102 (1991) 279 Microwave application 101 (1091) 165 Metallic glass ribbons 104-107 (1992) 1799 Microwave application 101 (1091) 165 Metallic glass ribbons 104-107 (1992) 1799 Microwave application 101 (1091) 165 Metamagneti grocesses 104-107 (1992) 1799 Microwave altrasonics 104-107 (1992) 1799 Metamagnetic processes 10		104-107 (1992) 539, 573		
Melt-spun NdFeB 104-107 (1992) 1147 96 (1991) 60, 137, 197 Metallic copper oxides 104-107 (1992) 875 98 (1991) 107, 281, 338 Metallic films 95 (1991) 109 99 (1991) 133, 159 99 (1991) 133, 159 Metallic glasses 92 (1990) 181 352, 369 101 (1991) 248, 307, 328, 328, 325, 369 Metallic glasses 92 (1990) 181 352, 369 103 (1992) 58, 65, 174 101 (1991) 286 101 (1991) 296 103 (1992) 58, 65, 174 102 (1991) 297 261, 264 109 (1992) 7, 91, 103, 213 Metallic glass ribbons 102 (1991) 135 Microwave absorption 104-107 (1992) 1092 Metallic glass ribbons 102 (1991) 135 Microwave application 104-107 (1992) 471 Metallic glass ribbons 102 (1991) 135 Microwave application 101 (1991) 139 Metallic glass ribbons 102 (1991) 275 Microwave application 104-107 (1992) 371 Metallic glass ribbons 102 (1991) 343 Microwave application 101 (1991) 135 Metallic glass ribbons 104-107 (1992) 135 Microwave application 101 (1991) 165 Metallic glass ribbons 104-107 (1992)	Melt spinning	101 (1991) 375		
Metal-insulator 104-107 (1992) 999 97 (1991) 107, 281, 338 Metallic copper oxides 104-107 (1992) 575 98 (1991) 341 Metallic films 95 (1991) 1233 101 (1991) 1233, 159 Metallic glasses 92 (1990) 181 352, 369 94 (1991) 243 103 (1992) 58, 65, 174 97 (1991) 27 104-107 (1992) 187 104-107 (1992) 1471 101 (1991) 1, 16, 21, 23, 25, 27, 35, 40, 49 100 (1991) 25, 73, 254, 261, 264 102 (1991) 297 101-104 (1992) 82, 85, 87, 93, 111, 137, 139, 141, 147, 152 Microwave absorption 94 (1991) 347 Metallic glass ribbons 102 (1991) 135 Microwave application 101 (1991) 165 Metallic glass ribbons 102 (1991) 135 Microwave application 101 (1991) 165 Metallic glass ribbons 102 (1991) 313 Microwave application 101 (1991) 165 Metallic glass ribbons 102 (1991) 313 Microwave application 101 (1991) 165 Metallic glass ribbons 102 (1991) 313 Microwave application 101 (1991) 165 Metallic glass ribbons 104-107 (1992) 175 Microwave application 101 (1991) 165 Metamagnetic effects<				
Metallic copper oxides 104-107 (1992) 575 98 (1991) 341 Metallic films 95 (1991) 109 99 (1991) 133, 159 102 (1991) L233 101 (1991) 248, 307, 328, 328, 352, 369 Metallic glasses 92 (1990) 181 352, 369 97 (1991) 286 103 (1992) 58, 65, 174 101 (1991) 1, 16, 21, 23, 25, 27, 35, 40, 49 102 (1991) 997 100 (1992) 7, 91, 103, 213 101-104 (1992) 82, 85, 87, 93, 111, 137, 139, 141, 147, 152 Microwave absorption 94 (1991) 347 Metallic glass ribbons 102 (1991) 135 Microwave application 104-107 (1992) 1792 Metamagnet 96 (1991) 275 Microwave ultrasonics 102 (1991) 34 Metamagnetic effects 104-107 (1992) 1252 Microwave ultrasonics 104-107 (1992) 887 Metamagnetic transition 108 (1992) 47, 125 Microwave ultrasonics 104-107 (1992) 887 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Metamagnetism 104-107 (1992) 37, 170, 617, 649, 675, 731, 1262, 1378, 1995, 2057, 2105 Mixed phases 104-107 (1992) 69 Metastable alloys 104-107 (1992) 1351 MnAGe 104-107 (1992) 1923 <td>*</td> <td></td> <td></td> <td></td>	*			
Metallic films 95 (1991) 109 99 (1991) 133, 159 Metallic glasses 92 (1990) 181 352, 369 Metallic glasses 94 (1991) 243 103 (1992) 58, 65, 174 97 (1991) 286 103 (1992) 58, 65, 174 101 (1991) 1, 16, 21, 23, 25, 27, 35, 40, 49 109 (1992) 7, 91, 103, 213 101-104 (1992) 82, 85, 87, 93, 111, 137, 139, 141, 147, 152 - ternary RE compounds 104-107 (1992) 1092 Metallic glass ribbons 102 (1991) 135 104-107 (1992) 471 101-104 (1992) 823 Metallic films 104-107 (1992) 333 Microwave absorption 94 (1991) 165 Metallic glass ribbons 102 (1991) 135 104-107 (1992) 471 Metallic glass ribbons 102 (1991) 333 Microwave application 101 (1991) 165 Metallic glass ribbons 104-107 (1992) 333 Microwave ultrasonics 104-107 (1992) 471 Metamagnetic fields 104-107 (1992) 1252 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Mictomagnetism 104-107 (1992) 373, 957 Metamagnetic transition 108 (1992) 47, 125 Mixed magnetic states 96 (1991) 301 Me				
Metallic glasses 102 (1991) L233 101 (1991) 248, 307, 328, 352, 369 94 (1991) 243 103 (1992) S8, 65, 174 97 (1991) 286 104-107 (1992) 1471 101 (1991) 1, 16, 21, 23, 25, 7, 35, 40, 49 110 (1991) 25, 73, 254, 261, 264 102 (1991) 297 261, 264 101-104 (1992) 82, 85, 87, 93, 111, 137, 139, 141, 147, 152 97 (1991) 347 Metallic glass ribbons 102 (1991) 135 104-107 (1992) 1902 Metal-metalloid foils 104-107 (1992) 1709 Microwave absorption 101 (1991) 165 Metamagnetic effects 104-107 (1992) 175 102 (1991) 135 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic transition 108 (1992) 47, 125 Mixed magnetic states 96 (1991) 301 Metamagnetic transition 108 (1992) 37, 170, 617, 649, 675, 731, 102, 1992) 373 Mixed magnetic states 96 (1991) 301 Metamagnetic magnetic magn	* *			
Metallic glasses 92 (1990) 181 352, 369 94 (1991) 243 103 (1992) 58, 65, 174 97 (1991) 286 104-107 (1992) 1471 101 (1991) 1, 16, 21, 23, 25, 27, 35, 40, 49 109 (1992) 7, 91, 103, 213 102 (1991) 297 261, 264 101-104 (1992) 82, 85, 87, 93, 111, 137, 139, 141, 147, 152 97 (1991) 297 Metallic glass ribbons 102 (1991) 135 104-107 (1992) 373 Metal-metalloid foils 104-107 (1992) 1709 Microwave application 101 (1991) 165 Metamagnet 96 (1991) 275 Microwave magnetization 102 (1991) 314 Metamagnetic effects 104-107 (1992) 1709 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetism 108 (1992) 47, 125 Micromagnetism 104-107 (1992) 373, 957 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Metamagnetism 104-107 (1992) 37, 170, Mixed phases 104-107 (1992) 609 Metamagnetism 104-107 (1992) 37, 170, Mixed valences 92 (1991) 23 Metastable alloys 104-107 (1992) 1351 MnGaGe <td></td> <td></td> <td></td> <td></td>				
94 (1991) 243 77 (1991) 286 103 (1992) 58, 65, 174 104-107 (1992) 1471 101 (1991) 1, 16, 21, 23, 25, 27, 35, 40, 49 102 (1991) 297 101 (1991) 297 261, 264 101 (1991) 297 101 (1992) 82, 85, 87, -ternary RE compounds 104-107 (1992) 1092 102 (1991) 347 147, 152 77 (1991) 297 104-107 (1992) 333 Microwave absorption 94 (1991) 347 104-107 (1992) 471 104-107 (1992) 471 104-107 (1992) 1709 Microwave magnetization 101 (1991) 165 104-107 (1992) 1709 Microwave magnetization 102 (1991) 11 102 (1991) 343 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic effects 104-107 (1992) 1252 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic transition 108 (1992) 47, 125 Microwave ultrasonics 104-107 (1992) 887 103 (1992) 1 103 (1992) 1 Mixed magnetic states 96 (1991) 301 103 (1992) 1 104-107 (1992) 37, 170, Mixed phases 104-107 (1992) 609 104-107 (1992) 609 104-107 (1992) 135 Mixed valences 92 (1991) 359, 388 1995, 2057, 2105 108 (1992) 59, 117, 135, 120, 1262, 1378, 1995, 2057, 2105 108 (1992) 59, 117, 135, 117, 1418 110 (1991) 6 MnAIGe 104-107 (1992) 1023 Metastable domains 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 1281 MnP 104-107 (1992) 1923 Metastable domains 104-107 (1992) 1281 MnP 104-107 (1992) 1923 Metastable domains 104-107 (1992) 1281 MnP 104-107 (1992) 193 MnSi 104-107 (1992) 193 MnSi 104-107 (1992) 193 MnSi 104-107 (1992) 193 MnSi 104-107 (1992) 1955 MnSi 104-107 (1992)	Metallic glasses			
97 (1991) 286 104-107 (1992) 1471 109 (1992) 7, 91, 103, 213 225, 27, 35, 40, 49 110 (1991) 297 261, 264 261, 264 27, 27, 254, 261, 264 27, 27, 27, 27, 27, 254, 261, 264 27, 27, 27, 27, 27, 27, 27, 27, 27, 27,	Bradded			
101 (1991) 1, 16, 21, 23, 25, 27, 35, 40, 49 102 (1991) 297				
25, 27, 35, 40, 49 110 (1991) 25, 73, 254, 102 (1991) 297 261, 264, 264 261, 264, 264 261, 264, 264, 264, 264, 264, 264, 264, 264				
102 (1991) 297 261, 264 104-107 (1992) 82, 85, 87, 93, 111, 137, 139, 141, 147, 152 97 (1991) 297 104-107 (1992) 333 Microwave absorption 94 (1991) 347 97 (1991) 297 104-107 (1992) 471 104-107 (1992) 471 104-107 (1992) 471 102 (1991) 165 104-107 (1992) 1709 Microwave magnetization 97 (1991) 165 104-107 (1992) 175 102 (1991) 314 102 (1991) 314 102 (1991) 314 102 (1991) 314 102 (1991) 314 102 (1991) 314 102 (1991) 314 103 (1992) 47, 125 Microwave ultrasonics 104-107 (1992) 887 104-107 (1992) 47, 125 Mixed magnetic processes 110 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 103 (1992) 1 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, 617, 649, 675, 731, 1209, 1262, 1378, 1995, 2057, 2105 108 (1992) 59, 117, 135, 1209, 1262, 1378, 1995, 2057, 2105 108 (1992) 59, 117, 135, 1171, 1418 104-107 (1992) 1531 MnBi(Al) film 104-107 (1992) 1023 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1923 Metastable domains 104-107 (1992) 1281 MnP 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 1955 MnSi 104-107 (1992) 1955 MnSi 104-107 (1992) 1955 104-107 (19				
101-104 (1992) 82, 85, 87,				
Metallic glass ribbons 93, 111, 137, 139, 141, 147, 152 Microwave absorption 94 (1991) 347 97 (1991) 297 Metallic glass ribbons 102 (1991) 135 104-107 (1992) 471 Metal—metalloid foils 104-107 (1992) 333 Microwave application 101 (1991) 165 Metamagnet 96 (1991) 275 Microwave ultrasonics 102 (1991) 31 Metamagnetic effects 104-107 (1992) 187 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Microwave ultrasonics 104-107 (1992) 887 Metamagnetic transition 108 (1992) 47, 125 Mired transformer core corner 101 (1991) 86 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Mixed phases 104-107 (1992) 609 Mixed phases 104-107 (1992) 609 104-107 (1992) 373, 170, dived valences Mixed valences 92 (1991) 278 97 (1991) 278 97 (1991) 278 97 (1991) 278			- ternary RF compounds	
Metallic glass ribbons 102 (1991) 135 97 (1991) 297 Metal-metalloid foils 104-107 (1992) 333 Microwave application 101 (1991) 165 Metal-metalloid foils 104-107 (1992) 1709 Microwave magnetization 97 (1991) 1 Metamagnet 96 (1991) 275 102 (1991) 314 Metamagnetic effects 104-107 (1992) 1252 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Mictomagnetism 104-107 (1992) 887 Metamagnetic transition 108 (1992) 47, 125 Mixed magnetic states 96 (1991) 301 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Metamagnetism 100 (1991) 90, 99, 292 Mixed phases 104-107 (1992) 609 103 (1992) 1 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, Mixed spin system 98 (1991) 201 617, 649, 675, 731, Mixed valences 92 (1991) 359, 388 1209, 1262, 1378, 195, 2057, 2105 97 (1991) 223 108 (1992) 59, 117, 135, 104-107 (1992) 1351 MnAlGe 104-107 (1992) 1923 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film <td></td> <td></td> <td></td> <td></td>				
Metallic glass ribbons 102 (1991) 135 104-107 (1992) 333 Microwave application 104-107 (1992) 471 Metal-metalloid foils 104-107 (1992) 1709 Microwave magnetization 97 (1991) 1 Metamagnet 96 (1991) 275 102 (1991) 314 Metamagnetic effects 104-107 (1992) 1252 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Mictomagnetism 104-107 (1992) 887 Metamagnetic transition 108 (1992) 47, 125 Mitred transformer core corner 101 (1991) 86 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, Mixed spin system 98 (1991) 201 617, 649, 675, 731, 1209, 1262, 1378, 1995, 2057, 2105 97 (1991) 23 97 (1991) 23 108 (1992) 59, 117, 135, 181, 193 Mixed valences 92 (1991) 359, 388 104-107 (1992) 59, 117, 135, 181, 193 104-107 (1992) 661, 955, 1171, 1418 Metastable alloys 104-107 (1992) 1351 MnAlGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Me			microwave accorption	
Metal-metalloid foils 104-107 (1992) 333 Microwave application 101 (1991) 165	Metallic glass ribbons			
Metal-metalloid foils 104-107 (1992) 1709 Microwave magnetization 97 (1991) 1 Metamagnet 96 (1991) 275 Microwave magnetization 97 (1991) 314 Metamagnetic effects 104-107 (1992) 1252 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Mictomagnetism 104-107 (1992) 887 Metamagnetic transition 108 (1992) 47, 125 Mitred transformer core corner 101 (1991) 86 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, Mixed spin system 98 (1991) 201 617, 649, 675, 731, 1995, 2057, 2105 Mixed valences 92 (1991) 359, 388 1209, 1262, 1378, 1995, 2057, 2105 Mixed valences 92 (1991) 278 104-107 (1992) 59, 117, 135, 181, 193 104-107 (1992) 661, 955, 171, 1418 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1023 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 Me	Wetanic glass necons		Microwave application	
Metamagnet 96 (1991) 275 102 (1991) 314 Metamagnetic effects 104-107 (1992) 1252 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Mictomagnetism 104-107 (1992) 887 Metamagnetic transition 108 (1992) 47, 125 Mitred transformer core corner 101 (1991) 86 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Metamagnetism 103 (1992) 1 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, 617, 649, 675, 731, 1995, 2057, 2105 Mixed spin system 98 (1991) 201 617, 649, 675, 731, 1995, 2057, 2105 Mixed valences 92 (1991) 359, 388 1209, 1262, 1378, 	Metal-metalloid foils		* *	
Metamagnetic effects 104-107 (1992) 1252 Microwave ultrasonics 104-107 (1992) 373, 957 Metamagnetic processes 110 (1991) 343 Mictomagnetism 104-107 (1992) 887 Metamagnetic transition 108 (1992) 47, 125 Mitred transformer core corner 101 (1991) 86 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Metamagnetism 103 (1992) 1 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, Mixed spin system 98 (1991) 201 617, 649, 675, 731, Mixed valences 92 (1991) 359, 388 1209, 1262, 1378, 1995, 2057, 2105 97 (1991) 223 108 (1992) 59, 117, 135, 97 (1991) 223 108 (1992) 59, 117, 135, 104-107 (1992) 661, 955, 181, 193 110 (1991) 6 MnAlGe 104-107 (1992) 1923 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 110 (1991) 103 MnRhAs 104-107 (1992) 195 Metglas 92 (1990)			magnetization	
Metamagnetic processes 110 (1991) 343 Mictomagnetism 104-107 (1992) 887 Metamagnetic transition 108 (1992) 47, 125 Mitred transformer core corner 101 (1991) 86 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, Mixed spin system 98 (1991) 201 617, 649, 675, 731, Mixed valences 92 (1991) 359, 388 1209, 1262, 1378, 1995, 2057, 2105 97 (1991) 223 108 (1992) 59, 117, 135, 181, 193 104-107 (1992) 661, 955, 117, 1418 1171, 1418 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104-107 (1992) 689			Microwave ultrasonics	
Metamagnetic transition 108 (1992) 47, 125 Mitred transformer core corner 101 (1991) 86 Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 Mixed phases 104–107 (1992) 609 Mixed phases 104–107 (1992) 609 Mixed spin system 98 (1991) 201 617, 649, 675, 731, 1209, 1262, 1378, 1995, 2057, 2105 92 (1991) 359, 388 1995, 2057, 2105 97 (1991) 223 108 (1992) 59, 117, 135, 181, 193 104–107 (1992) 661, 955, 171, 1418 Metastable alloys 104–107 (1992) 1351 MnAlGe 104–107 (1992) 1923 Metastable domains 104–107 (1992) 373 MnGaGe 104–107 (1992) 1923 Metastable phase 104–107 (1992) 1281 MnP 104–107 (1992) 47, 345 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104–107 (1992) 689				
Metamagnetism 100 (1991) 90, 99, 292 Mixed magnetic states 96 (1991) 301 103 (1992) 1 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, Mixed spin system 98 (1991) 201 617, 649, 675, 731, Mixed valences 92 (1991) 359, 388 1209, 1262, 1378, 94 (1991) 278 1995, 2057, 2105 97 (1991) 223 108 (1992) 59, 117, 135, 104-107 (1992) 661, 955, 181, 193 1171, 1418 110 (1991) 6 MnAlGe 104-107 (1992) 1923 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 Metglas 92 (1990) 135 MnSi 104-107 (1992) 689				
103 (1992) 1 Mixed phases 104-107 (1992) 609 104-107 (1992) 37, 170, Mixed spin system 98 (1991) 201 617, 649, 675, 731, Mixed valences 92 (1991) 359, 388 1209, 1262, 1378, 94 (1991) 278 1995, 2057, 2105 97 (1991) 223 108 (1992) 59, 117, 135, 104-107 (1992) 661, 955, 181, 193 110 (1991) 6 MnAlGe 104-107 (1992) 1923 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 110 (1991) 103 MnRhAs 104-107 (1992) 1995 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 689 104-107 (1992) 69				
104-107 (1992) 37, 170, Mixed spin system 98 (1991) 201	Wictamagnetism			
617, 649, 675, 731, Mixed valences 92 (1991) 359, 388 1209, 1262, 1378, 94 (1991) 278 1995, 2057, 2105 97 (1991) 223 108 (1992) 59, 117, 135, 104–107 (1992) 661, 955, 181, 193 1171, 1418 110 (1991) 6 MnAlGe 104–107 (1992) 1923 Metastable alloys 104–107 (1992) 1351 MnBi(Al) film 104–107 (1992) 1023 Metastable domains 104–107 (1992) 373 MnGaGe 104–107 (1992) 1923 Metastable phase 104–107 (1992) 1281 MnP 104–107 (1992) 47, 345 110 (1991) 103 MnRhAs 104–107 (1992) 1995 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104–107 (1992) 689			-	
1209, 1262, 1378, 94 (1991) 278				
1995, 2057, 2105 97 (1991) 223			Wilked Valences	
108 (1992) 59, 117, 135, 104-107 (1992) 661, 955, 181, 193 1171, 1418 110 (1991) 6 MnAlGe 104-107 (1992) 1923 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 110 (1991) 103 MnRhAs 104-107 (1992) 1995 Metastable phase 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104-107 (1992) 689 104-107				
181, 193 1171, 1418 110 (1991) 6 MnAIGe 104-107 (1992) 1923 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 1171, 1418 104-107 (1992) 1923 MnRhAs 104-107 (1992) 1995 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104-107 (1992) 689				
110 (1991) 6 MnAlGe 104-107 (1992) 1923 Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 110 (1991) 103 MnRhAs 104-107 (1992) 1995 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104-107 (1992) 689				
Metastable alloys 104-107 (1992) 1351 MnBi(Al) film 104-107 (1992) 1023 Metastable domains 104-107 (1992) 373 MnGaGe 104-107 (1992) 1923 Metastable phase 104-107 (1992) 1281 MnP 104-107 (1992) 47, 345 110 (1991) 103 MnRhAs 104-107 (1992) 1995 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104-107 (1992) 689			MnAlGe	
Metastable domains 104–107 (1992) 373 MnGaGe 104–107 (1992) 1923 Metastable phase 104–107 (1992) 1281 MnP 104–107 (1992) 47, 345 110 (1991) 103 MnRhAs 104–107 (1992) 1995 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104–107 (1992) 689	Metastable allows			
Metastable phase 104–107 (1992) 1281 MnP 104–107 (1992) 47, 345 110 (1991) 103 MnRhAs 104–107 (1992) 1995 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104–107 (1992) 689				
Metglas 110 (1991) 103 MnRhAs 104–107 (1992) 1995 Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104–107 (1992) 689				
Metglas 92 (1990) 25 Mn/Sb 93 (1991) 35, 557 97 (1991) 135 MnSi 104-107 (1992) 689	Metastable phase			
97 (1991) 135 MnSi 104–107 (1992) 689	Matalan			
(10.4 10.7 (10.00) 20.47	Meigias			
WITH pump 101 (1991) 203 (Wiff $-x^{1/2}$) 300 (104–107 (1992) 2043	MHD			
	MAD pump	101 (1771) 203	(MIII 1 - x 1 0 x / 3 0 0	10 1 XOT (X77M) MUTD

			400 (4000) 00 000 040
Modulated films	109 (1992) 13		109 (1992) 98, 209, 249,
Modulated magnetism	104–107 (1992) 71		260
Molecular-beam epitaxy	99 (1991) 215		110 (1991) 295
	104–107 (1992) 1729	- Ag-Fe films	110 (1991) 106
Molecular-field approximation	97 (1991) 152	 amorphous alloys 	97 (1991) 40
Molecular-field theory	99 (1991) 209, 253		99 (1991) 222
	100 (1991) 481	 amorphous films 	95 (1991) 199
	102 (1991) 87	 conversion-electron 	92 (1990) 261
	104–107 (1992) 131, 885,	– ⁵⁷ Fe	97 (1991) 251
	908, 1185, 1187		98 (1991) 28, 99
	110 (1992) 170, 185	Fe alloys	92 (1990) 92
Molecular magnetism	104–107 (1992) 2103	,	96 (1991) 162
Molecular materials	104–107 (1992) 2103		102 (1991) 166
Moment instability	104–107 (1992) 935		103 (1992) 250, 285
Monoclinic pyrrhotite	104–107 (1992) 1985,	 Fe compounds 	95 (1991) 175
	1987		97 (1991) 119
Monodomains	104–107 (1992) 1553		98 (1991) 37
Monolayer	100 (1991) 469, 481, 497,	– ferrites	99 (1991) 275
	515, 527	fine particles	99 (1991) 39
- magnetism	100 (1991) 440	hexaferrites	95 (1991) 142
Monte Carlo calculations	104-107 (1992) 1094	high field	92 (1991) 375
Monte Carlo method	104-107 (1992) 1067	 intermetallics 	97 (1991) 178
Monte Carlo renormalization		 Laves phase compounds 	96 (1991) 60, 305
group	104-107 (1992) 195		98 (1991) 19, 141, 285
Monte Carlo simulation	92 (1991) 366	- linear chains	100 (1991) 515
	94 (1991) 331	 low-dimensional systems 	98 (1991) 79
	100 (1991) 481	- magnetite	96 (1991) 101
	103 (1992) 30	- metallic glasses	94 (1991) 243
	104-107 (1992) 179, 209,		104–107 (1992) 82, 85, 87,
	227, 249, 282, 677,		93, 111, 137, 139, 141,
	841, 877, 915, 1595,		147, 152
	1601, 1609, 1663	- multilayers	94 (1991) 1, 109, 251, 302
Morin transition	95 (1991) 175		95 (1991) 61, 69, 137
	104-107 (1992) 1921		96 (1991) 125, 248
Mössbauer effect	102 (1991) 56		97 (1991) 353
	104-107 (1992) 43, 501,		98 (1991) 7, 57
	543, 551, 571, 621,		99 (1991) 215
	1431, 1477, 1567, 1969		101 (1991) 191, 205, 219,
Mössbauer spectroscopy	100 (1991) 13, 481, 527		239
	101 (1991) 109, 227, 291,		103 (1992) 13
	347, 395, 403	- olivines	98 (1991) 239
	104-107 (1992) 33, 82,	 permanent magnets 	99 (1991) 204
	111, 128, 225, 497,	- rare-earth compounds	92 (1990) 101
	729, 827, 893, 921,	•	94 (1991) 15
	997, 1033, 1088, 1113,		97 (1991) 69
	1123, 1279, 1283,		98 (1991) 141
	1359, 1399, 1549,		99 (1991) 95
	1557, 1563, 1597,		102 (1991) 217
	1599, 1668, 1695,		109 (1992) 17
	1703, 1705, 1785,	- RE-TM alloys	98 (1991) 155
	1793, 1857, 1859,	- ¹¹⁹ Sn	92 (1990) 251
	1889, 1891, 1893,	- transition-metal alloys	96 (1991) 329
	1903, 1921, 1937,		100 (1991) 13
	1987, 1999, 2023,	- transition metal compounds	94 (1991) 267
	2051, 2067	- weberites	97 (1991) 126
	108 (1992) 141	- ¹⁷⁰ Yb	92 (1990) 201
	100 (1776) 111	* 0	72 (1770) 201

	Subject maex to	00iumes 92 – 110	139
Mössbauer studies	104–107 (1992) 1437		108 (1992) 43
Multicritical point Multilayered films	104–107 (1992) 187, 197		109 (1992) 260
Multilayered structures	103 (1992) 47	NT	110 (1992) 6
Muthayered structures	92 (1990/91) 1, 143,	Negative spin temperature	104–107 (1992) 915
Multilavoro	295	Neodymium	104–107 (1992) 913, 1021
Multilayers	94 (1991) 1, 109, 251, 302	Nernst-Ettingshausen effect	99 (1991) 167
	95 (1991) 61, 69, 137	Neural networks	104–107 (1992) 1652
	96 (1991) 125, 248 97 (1991) 353	Neutron damage	104–107 (1992) 1921
	98 (1991) 7, 57	Neutron depolarization	94 (1991) 153
	99 (1991) 20, 25, 31, 71,		95 (1991) 319
	199, 215, 243		98 (1991) 104 99 (1991) 1
	101 (1991) 191, 205, 219,		104–107 (1992) 421, 1560
	239	Neutron diffraction	92 (1990/91) 6, 75, 359,
	102 (1991) L9, 25, 121,	reation diffraction	381
	357		93 (1991) 1, 89
	103 (1992) 13		94 (1991) 127, 260, 331,
	104–107 (1992) 1021,		347
	1743, 1751, 1763,		96 (1991) 114, 121
	1767, 1789, 1793,		97 (1991) 4, 15, 45, 53,
	1803, 1813, 1822,		219
	1868, 1873, 1887,		. 98 (1991) 147, 333
	1891, 1893, 1901		99 (1991) 123
	109 (1992) 64		100 (1991) 99, 139, 151,
	110 (1992) 247		186, 204, 218, 394
- magnetic	109 (1992) 298		103 (1992) 73, 179
- magnetic thin-films	104–107 (1992) 973		104–107 (1992) 33, 47, 51,
- metallic	104–107 (1992) 1819		317, 345, 350, 495,
- Pd/Co	104–107 (1992) 1831		519, 555, 591, 617,
- Pd/Ni	104–107 (1992) 1831		657, 665, 735, 791,
Multilayer structures	104–107 (1992) 1779		857, 859, 911, 913,
Multilayer systems	109 (1992) 159, 341		925, 927, 959, 1132, 1262, 1373, 1383,
Multineuron model	110 (1992) 113 104–107 (1992) 1652		1421, 1511, 1519,
Multiple-q structure	104–107 (1992) 2001		1523, 1657, 1915,
Muon spin relaxation	104–107 (1992) 495, 599,		1985, 1989, 2045
Widon Spin Telaxation	801, 1959		108 (1992) 117, 202
Muon spin resonance	104–107 (1992) 461, 509,		109 (1992) 34, 197, 260,
Triadi opin resonance	825, 1311		305
	108 (1992) 1		110 (1991) 343
Muon spin rotation	108 (1992) 23, 97	- inelastic	110 (1991) 119
1		- polarized	104-107 (1992) 623, 630
Nanocrystalline		– powder	104-107 (1992) 823
- alloys	101 (1991) 29	Neutron powder diffraction	104–107 (1992) 918
- effect	103 (1992) 274	Neutron reflection	93 (1991) 331, 513
- ribbons	101 (1991) 95	– polarized	104–107 (1992) 1798
Nanosecond pulse technique	104–107 (1992) 609	Neutron scattering	100 (1991) 139, 151, 173,
Nasicon	104–107 (1992) 933		204, 272, 394
NdCeCuO	104–107 (1992) 519		103 (1992) 86
Nd-Dy-Fe-B alloy	104–107 (1992) 1175		104–107 (1992) 67, 85,
NdFeB	104–107 (1992) 1173		197, 253, 453, 607,
NdFeB magnets	104–107 (1992) 1129		761, 809, 821, 931, 933, 1201, 1501, 1629,
NdFe films	104–107 (1992) 981 104–107 (1992) 1409		1637
NdIn ₃	104–107 (1992) 918		108 (1992) 187
Nd ₂ NiO ₄ Néel temperature	104–107 (1992) 918	– critical	104-107 (1992) 287
reor temperature	885, 887, 1185, 1187,	- diffuse	104–107 (1992) 827, 2065,
	1000		2077

- elastic	100 (1991) 139, 151, 204,		903, 1159, 1165, 1265,
	394		1315, 1317, 1355,
	104-107 (1992) 21, 585,		1405, 1413, 1449,
	871, 895		1451, 1513, 1589,
- inelastic	97 (1991) 210, 286		1615, 1751, 1935,
	100 (1991) 139, 151, 173,		1961, 2013, 2092
	204		108 (1992) 175
	104-107 (1992) 507, 557,	- excitation	97 (1991) 316
	699, 713, 715, 718,	- Knight shift	100 (1991) 13
	869, 897, 1049, 1204,		104–107 (1992) 49, 653,
	1257, 1283, 1295,		655
	1375, 1391, 2083	- measurements	104-107 (1992) 2011
	108 (1992) 119, 121, 131,	- relaxation	97 (1991) 316
	177		104-107 (1992) 49, 456,
- polarized	103 (1992) 126		655, 1077, 2027
	104-107 (1992) 159, 527,	- spin echo	96 (1991) 305
	535, 583, 1394, 1625		100 (1991) 13
quasi-elastic	104-107 (1992) 517, 895,		104–107 (1992) 409, 411,
	897, 1627		523, 525, 807, 1195,
 small angle 	98 (1991) 104		1198, 1225, 1331,
	104–107 (1992) 85, 243,		1333, 1809, 1843
	687, 1051, 1560, 1585,	Nuclear magnetic shielding	104–107 (1992) 2127
	1889	Nuclear magnetism	100 (1991) 139, 394
Neutron spectroscopy	103 (1992) 50		104–107 (1992) 908, 915
New compounds		Nuclear orientation	104–107 (1992) 1265
 magnetic properties 	109 (1992) 47	Nuclear quadrupole resonance	104–107 (1992) 503, 509,
	110 (1991) 181		635, 641
 magnetic structure 	109 (1992) 47	Nuclear spin diffusion	104–107 (1992) 957
- molecular structure	110 (1991) 181	Nucleation	101 (1991) 317
1/n expansion	104–107 (1992) 541	– field	94 (1991) 220
NiAs structure	104–107 (1992) 255, 1961	Oliverno	102 (1001) 06
Ni/Cu	93 (1991) 341	Oligomers	102 (1991) 96
NiFe (C)	104–107 (1992) 715	Olivines	98 (1991) 239
NiFe/Cu Ni monolayers	93 (1991) 101 104–107 (1992) 1684	One-dimensional antiferromag-	104 107 (1002) 901 1061
Ni/Pd	93 (1991) 444	nets	104–107 (1992) 801, 1061, 1096
Ni/Sb	93 (1991) 35	One-dimensional compounds	104–107 (1992) 2103
Nitride alloys	93 (1991) 349	One-dimensional ferromagnet	104–107 (1992) 831, 833
Nitrides	104–107 (1992) 1098,	One-dimensional magnetism	100 (1991) 515
Miliaes	2003	One-dimensional systems	100 (1991) 527
Nitrogen absorption	110 (1991) 323	One dimensional systems	104–107 (1992) 761, 771,
Ni/W	93 (1991) 215, 345		805, 809, 811, 813,
Ni-Zn-Cu ferrite	104–107 (1992) 413		839, 847, 857, 869,
Non-collinear magnetic structure			1077, 2092, 2099
- spin echo	101 (1991) 134	– quasi-	96 (1991) 41, 282
Non-Kondo lattice	104–107 (1992) 1407	Onion skin domains	104–107 (1992) 373
Nonlinear ferrimagnetic reso-	10. 10. (1., 2) 1.0.	Optical absorption	104–107 (1992) 445, 777
nance	96 (1991) 237	- spectroscopy	104–107 (1992) 1245
Nonmagnetic spacer layers	100 (1991) 527	Optical Bragg scattering	104–107 (1992) 213
Non-oriented steel	92 (1990) 125	Optical conductivity	104–107 (1992) 456
	97 (1991) 281	Optical excitation	104–107 (1992) 1063
Nuclear magnetic ordering	104-107 (1992) 903, 908,	Optical properties	104–107 (1992) 443, 1005,
	915, 2113		1533, 1741
Nuclear magnetic resonance	100 (1991) 13, 394		108 (1992) 79
	101 (1991) 401	Optimization	101 (1991) 335
	104-107 (1992) 431, 461,	Orbital magnetic moment	104-107 (1992) 2001
	577, 589, 635, 807,	Orbital magnetism	104–107 (1992) 1942

Order			104 107 (1000) 1011
- antiferromagnetic	99 (1991) 31, 95		104–107 (1992) 1041,
- ferromagnetic	99 (1991) 31		1055, 1057, 1059,
- short-range	99 (1991) 293	Parametric resonance	1072, 1075 110 (1991) 91
- weak magnetic	99 (1991) 171	Parametric spin wave testing	
Order-disorder	104–107 (1992) 1002	Particle clusters	92 (1990) 116
Ordered alloy	104–107 (1992) 1002	Particles	104-107 (1992) 1551
Ordering	104-107 (1992) 2001	rafficies	101 (1991) 248
- antiferromagnetic	09 (1001) 27		104–107 (1992) 961, 975,
- magnetic	98 (1991) 37 104–107 (1992) 13, 57, 85,	- correlations	1563
- magnetic			95 (1991) 319
	93, 477, 479, 519, 553,	- fine	104–107 (1992) 979, 1547,
	599, 607, 619, 621,		1553, 1557, 1565,
	627, 735, 817, 821,	6.	1567, 1571, 1589
	881, 929, 939, 941,	- fine ferromagnetic	95 (1991) 76, 249
	1201, 1247, 1303,		97 (1991) 329
	1485, 1521, 2015,		99 (1991) 39, 119
	2023, 2072		103 (1992) 126
	108 (1992) 1, 10, 77, 91,		104–107 (1992) 1574,
	183		1695
Organic compounds	98 (1991) 53	- magnetic	104–107 (1992) 128, 167,
	102 (1991) L1		1585
	104–107 (1992) 1096,	 magnetization 	99 (1991) 7
	2092	regular shaped	104–107 (1992) 329
Organic conductors	104–107 (1992) 2099	single-domain	92 (1990) 185
Organic ferromagnet	104–107 (1992) 2096		96 (1991) 23
Orientation kinetics	101 (1991) 221		104–107 (1992) 1152,
Orthoferrite	104–107 (1992) 1037		1543, 1569
Oscillation	100 (1991) 497, 527	– size	96 (1991) 29
- long-period	100 (1991) 527		98 (1991) 28
- short-period	100 (1991) 527		101 (1991) 379
Overlayers	99 (1991) 45		104–107 (1992) 633
	100 (1991) 440	 size distribution 	96 (1991) 82, 89, 105
	103 (1992) 7		98 (1991) 210
Oxidation	101 (1991) 347	– small	94 (1991) 267
Oxygen starvation	104–107 (1992) 497	 strongly magnetic 	104–107 (1992) 979
Oxygen stoichiometry	104–107 (1992) 1969, 1973	submicron	104–107 (1992) 969
		– ultrafine	92 (1990) 217
			95 (1991) 365
Pair distribution function	95 (1991) 43		96 (1991) 82
Palladium	104–107 (1992) 727		101 (1991) 403
Parallel pumping	104–107 (1992) 1055,	Particulate coatings	100 (1991) 413
	1059, 2129	Pauli paramagnets	99 (1991) 193
Paramagnetic fluctuations	104–107 (1992) 1269	Penetration depth	101 (1991) 29
Paramagnetic hydrides	104–107 (1992) 1997		108 (1992) 73
Paramagnetic layers	99 (1991) 12	Percolation	104–107 (1992) 357
Paramagnetic phase	97 (1991) 126	Periodic Anderson model	104–107 (1992) 41, 447
	98 (1991) 130, 257		108 (1992) 150
Paramagnetism	96 (1991) 26, 101	Permalloy	94 (1991) 109
	98 (1991) 298, 307		95 (1991) 76
	104–107 (1992) 1991,		96 (1991) 125
	1997		98 (1991) 215
- band	97 (1991) 31		104–107 (1992) 1789
– Pauli	102 (1991) 266, 275	– films	104–107 (1992) 1847
	104–107 (1992) 11, 725,	Permanent magnets	92 (1990/91) 14, 35, 191,
	2099		196, 344
Paramagnons	100 (1991) 292		94 (1991) 57, 67, 113, 220
Parametric excitation	97 (1991) 1		95 (1991) 133, 145, 205

96 (1991) 29. 60. 197. 277, 279, 28	
96 (1991) 29, 60, 197, 277, 279, 28	2, 289,
206, 211, 215, 219, 389, 407, 57	7, 625,
335 647, 691, 75	9, 779,
97 (1991) 40, 45, 79, 107,	9, 841,
187, 210, 343	
98 (1991) 65	
, , ,	
4.00	
204 1479, 1507,	
100 (1991) 38, 57, 79 1511, 1615,	
101 (1991) 29, 279, 286, 1661, 1785,	
323, 333, 335, 343, 1795, 1915,	
347, 360, 369, 372,	
387, 399, 411, 414, 1995, 2011,	
421, 427 2072, 2092, 21	
103 (1992) 58, 65, 165 108 (1992) 1, 5, 1	63, 205,
104–107 (1992) 1081, 207, 213	
1111, 1115, 1117, – antiferro-ferromagnetic 92 (1991) 405	
1121, 1132, 1143, – antiferromagnetic–spin flop 94 (1991) 79	
1145, 1159, 1161, - commensurate-incommensu-	
1165, 1167, 1171, rate 96 (1991) 145	
1173, 1175, 1179, 104–107 (1992) 1	99. 901.
1216, 1295, 1347,	,,,,,,,,,
1447, 2003 – crystal–amorphous 97 (1991) 73	
109 (1992) 103, 209, 271 — crystallographic 100 (1991) 346	
	7 1030
110 (1992) 261, 264 104–107 (1992) 41	7, 1939,
- nucleation-type 97 (1991) 256 2025	
Permeability 96 (1991) 47 – double 94 (1991) 85	
101 (1991) 143 — double (re-entrant) 99 (1991) 103	
110 (1992) 151 – 3D-quasi-1D 95 (1991) 168	
- complex 104–107 (1992) 395, 427 - electronic 98 (1991) 285	
- initial 97 (1991) 135 - ferrimagnetic-spin glass 96 (1991) 175	
101 (1991) 11 – ferri–paramagnetic 98 (1991) 273	
102 (1991) 181 – ferro–antiferromagnetic 97 (1991) 31	
- relaxation 101 (1991) 49 - ferromagnetic 104-107 (1992) 45	
- temperature-dependent 97 (1991) 353 - ferromagnetic-spin glass 99 (1991) 280	
Perpendicular anisotropy 104–107 (1992) 401, 979, – ferro–paramagnetic 92 (1991) 344	
1725, 1885, 1889 – field-induced 98 (1991) 19	
Perpendicular magnetic anisotropy 104–107 (1992) 1845 100 (1991) 99, 515	
Perpendicular magnetization 104–107 (1992) 401, 1725, 104–107 (1992) 17	3, 1139,
1760, 1763, 1772	
Perpendicular recording 104–107 (1992) 965, 981, 1311, 1323, 14	01, 1403
983, 1725 – first-order 94 (1991) 96, 342	
Phase diagram 104–107 (1992) 267, 461, 104–107 (1992)	
833, 1515, 1523, 1671, 453, 823, 859.	
1929, 2069	1100,
108 (1992) 1, 73, 202 — high-spin—low-spin 92 (1990) 87	
110 (1992) 259 — low-spin—high-spin 104—107 (1992) 40	5
400 (4004) 400	3
100 (1001) 110	
100 (1004) (10	
20 (1001) 202	
Phase transition 100 (1991) 99, 186, 346 98 (1991) 231	10
103 (1992) 73, 139 103 (1992) 129, 17	
104–107 (1992) 27, 47, 69, 104–107 (1992) 41	
71, 177, 189, 195, 209, 55, 170, 229, 2	
211, 219, 231, 233, 300, 501, 55	3, 771,
236, 243, 249, 255, 819, 887, 89	1, 895,

	897, 925, 927, 997,	- centres	101 (1991) 19
	1185, 1187, 1193,	Plane rotator model	104–107 (1992) 227
	1289, 1298, 1339,	Platinum	104–107 (1992) 727
	1383, 1613, 1641,	Polarization	104-107 (1992) 727
	1859, 1939, 1955,	- electric	103 (1992) 250
	1957, 1979, 2025,	- free electron	99 (1991) 20
	2027, 2063, 2081	- magnetic	103 (1992) 250
	108 (1992) 113, 175	- neutron	96 (1991) 282
	109 (1992) 113, 139, 172,	- Pd	104–107 (1992) 1825
	275	- remanent	98 (1991) 261
	110 (1991) 80, 181, 259,	- saturation	103 (1992) 250
	327	- spontaneous	97 (1991) 83
- martensitic	104-107 (1992) 2013	opolitaile do	98 (1991) 273
- metal-insulator	104–107 (1992) 1953	Polarized magnetic moment	104–107 (1992) 1845
- metal-nonmetal	104–107 (1992) 41, 45,	Polarized neutrons	108 (1992) 163
	251, 723, 2099	Polycrystalline MnZn ferrite	104–107 (1992) 421
- metamagnetic	96 (1991) 275	Polymer bonding	101 (1991) 375, 377
	100 (1991) 99	Polymers	104–107 (1992) 2099
	102 (1991) 42	– nonclassical	92 (1990) 171
	104–107 (1992) 1639	Potential barrier	100 (1991) 527
- nonequilibrium	104–107 (1992) 267	Pott's model	104–107 (1992) 209, 257
- order-order	104–107 (1992) 373	Powder/dust-separation	94 (1991) 191
- orientational	110 (1991) 221	Powder metallurgy route	101 (1991) 328
- para-antiferromagnetic	92 (1990) 155	Power law	104–107 (1992) 1659
F	98 (1991) 239	Power loss	101 (1991) 296
- Pott's model	104–107 (1992) 264	PrBaCuO	104–107 (1992) 623
- pressure-induced	92 (1990) 75	Pr-based alloys	108 (1992) 85
- processes	92 (1990) 116	PrCo ₁₂ B ₆	104–107 (1992) 1313
- second-order	104–107 (1992) 275, 287,	PrCo ₂ Si ₂	104–107 (1992) 901, 1311
	929	Preisach model	104-107 (1992) 313
– spin-flop	95 (1991) 175	Pressure dependence	108 (1992) 49
* *	104-107 (1992) 277	Pressure effect	92 (1991) 397, 405
- spin flop-paramagnetic	94 (1991) 79		100 (1991) 186, 346
– spin glass	104-107 (1992) 264, 937,		104-107 (1992) 29, 515,
	2040		532, 643, 645, 647,
- spin reorientation	96 (1991) 29		711, 1371, 1441, 1927,
Phonon excitations	104-107 (1992) 951		1929, 1951, 1957,
Phonons	102 (1991) 339		1983, 2059, 2061, 2063
	103 (1992) 50		108 (1992) 63, 113, 138
	104-107 (1992) 663, 701,		109 (1992) 169
	1741		110 (1992) 259
- dispersion	97 (1991) 210	Proximity effects	99 (1991) 45
Photoelectron diffraction		Pseudoternary compounds	95 (1991) 133
- spin-polarized	92 (1991) 301	PuS	104–107 (1992) 65
Photoelectron spectra	108 (1992) 215	PuSe	104–107 (1992) 65
Photoemission	93 (1991) 31, 150, 523, 529	PuTe	104–107 (1992) 65
	100 (1991) 363	3-q phase	104-107 (1992) 913
	104-107 (1992) 23, 671,	Quadrilayer	104-107 (1992) 1013
	1691, 1693, 1781	Quadrupolar interactions	96 (1991) 145
	108 (1992) 129	Quadrupolar moment	95 (1991) 157
Photoinduced magnetic effect	104-107 (1992) 427	Quadrupole ordering	104-107 (1992) 2105
Photoluminescence	95 (1991) 154		108 (1992) 211
Pick up coils	101 (1991) 389	Quadrupole shift	104-107 (1992) 2051
Pi-electron systems	92 (1990) 171	Quantum effect	104–107 (1992) 869
Piezomagnetic effect	97 (1991) 263	Quantum fluctuations	104–107 (1992) 761, 799,
Pinning	96 (1991) 13		809, 857, 863, 1689

Quantum Monte Carlo simulation	104-107 (1992) 863		953, 1145, 1159, 1165,
Quantum thermodynamics	104–107 (1992) 785		1185, 1187, 1189,
Quantum XY model	104–107 (1992) 222		1204, 1225, 1243,
Quasicrystal	96 (1991) 17		1247, 1267, 1269,
Quasicrystai	98 (1991) 261, 273		1281, 1355, 1385,
			1387, 1397, 1401,
	104–107 (1992) 2033		
Quasicrystalline phase			1431, 1951
 magnetic properties 	109 (1992) 1		108 (1992) 105, 125
Quasi-ferromagnetism	104–107 (1992) 243		109 (1992) 197, 237, 249,
Quenching	104–107 (1992) 885, 1595		309, 316, 349
- rapid	92 (1990) 30, 53		110 (1991) 119, 287
Quench melt growth	104-107 (1992) 539	– intermetallic	100 (1991) 38, 126, 173,
			186, 292, 363
Radial distribution function	92 (1990) 207	pnictides	100 (1991) 151
Raman scattering	104–107 (1992) 1053	- Curie constants	98 (1991) 307
Random anisotropy	104–107 (1992) 163, 165,	– halides	104-107 (1992) 1201
Kandom amsorropy	216, 243, 2079	- hexaboride	104–107 (1992) 1233
Pandam field Ising model	104–107 (1992) 213	nexaboride	108 (1992) 165
Random-field Ising model	96 (1991) 315	- intermetallic	101 (1991) 97, 392, 424
Random fields	1 /	- Intermetanic	
	104–107 (1992) 77, 179,		102 (1991) 42, 91
	193, 269, 277, 389		103 (1992) 267
Random field systems	100 (1991) 272		104–107 (1992) 317, 653,
Random interactions	92 (1990) 59		661, 1171, 1229, 1237,
Random magnet systems	104–107 (1992) 423		1262, 1277, 1285,
Random systems	95 (1991) 221		1291, 1298, 1301,
	96 (1991) 77		1303, 1311, 1313,
	97 (1991) 198, 205		1357, 1359, 1365,
	104-107 (1992) 103, 157,		1367, 1373, 1375,
	161, 187, 189, 261,		1383, 1389, 1403,
	264, 275, 309, 947,		1413, 1415, 1433, 1479
	1595, 1603, 1613,		108 (1992) 143
	1643, 1655, 1661, 1663		109 (1992) 17, 34
Random XY model	104–107 (1992) 289	- intermetallic compound	92 (1990) 80, 101
Rapid quenching	101 (1991) 83	mtermetame compound	94 (1991) 11, 287
- vapor quenching	110 (1991) 106		
Rapid solidification	101 (1991) 114, 360		96 (1991) 145
•			97 (1991) 169
Rare earth	104–107 (1992) 103, 419,		98 (1991) 141
	1481, 1513, 1529, 1537		104–107 (1992) 874
	109 (1992) 159		110 (1991) 317
- actinides	108 (1992) 113	 intermetallic nitrides 	99 (1991) 229
– alloys	100 (1991) 139	- metals	92 (1991) 397, 405
	104–107 (1992) 103, 121,		100 (1991) 99, 139, 363,
	363, 1209, 1471, 1501,		497
	1509, 1519, 1521,		102 (1991) 33, 87
	1525, 1527, 1632		103 (1992) 86, 204, 231
	108 (1992) 82, 161		104-107 (1992) 177, 911,
	109 (1992) 64		1457, 1496, 1499,
- compounds	92 (1990) 201		1503, 1505, 1511,
•	96 (1991) 305		1517, 1531, 1533,
	97 (1991) 53		1901, 1915
	98 (1991) 333	- permanent magnet	101 (1991) 345, 375, 377,
	100 (1991) 38, 126, 151,	permanent magnet	
			382, 385
	173, 186, 218, 292,		104–107 (1992) 1098,
	363		1439
	101 (1991) 355, 399, 401	– pnictides	104–107 (1992) 655, 1239,
	104–107 (1992) 170, 489,		1241
	551, 643, 645, 901,	 ternary silicides 	99 (1991) 95

- thin films	104-107 (1992) 1729	Rare earth-transition metals	104–107 (1992) 1252,
Rare earth-transition metal alloys	104-107 (1992) 1361		1279, 1344, 1378,
Rare earth-transition metal com-			1381, 1399, 1418,
pounds	92 (1990) 14, 35, 46, 191,		1444, 1455
	196	Rayleigh hysteresis	110 (1991) 151
	94 (1991) 6, 15, 49, 57,	$Rb_2Co_xMg_{1-x}F_4$	104-107 (1992) 947
	67, 113, 260, 357	RbMnBr ₃	104-107 (1992) 791
	95 (1991) 35, 145, 184,	R-Co amorphous alloys	104-107 (1992) 1813
	195, 205	Reaction-diffusion process	104-107 (1992) 267
	96 (1991) 29, 41, 60, 114,	Read/write	104-107 (1992) 965
	206, 211, 215, 219	REBaSrCu ₃ O _v	104–107 (1992) 1219
	97 (1991) 4, 15, 37, 45,	Recording	100 (1991) 425
	69, 79, 147, 187, 210	- magneto-optical	100 (1991) 425
	98 (1991) 76, 257, 291	- tapes	101 (1991) 235
	99 (1991) 55, 123, 159,	Recrystallization	92 (1990) 125
	193, 204, 239		97 (1991) 281
	100 (1991) 38, 57, 79, 90,	- secondary	94 (1991) 53
	99, 126, 173	- texture	101 (1991) 114
	102 (1991) 30, 67, 151,	Reduction process	101 (1991) 167
	217, 266, 275, 323	Re-entrance	104-107 (1992) 184
	103 (1992) 58, 65, 245	Re-entrant ferromagnetism	104-107 (1992) 231, 1641
	104–107 (1992) 133, 135,		110 (1992) 103
	143, 397, 585, 731,	Re-entrant phase	109 (1992) 139
	1102, 1117, 1123,	Re-entrant spin glass	94 (1991) 85
	1139, 1152, 1155,	- Paris Garage	103 (1992) 78
	1157, 1163, 1195,		104-107 (1992) 87, 2069
	1198, 1211, 1221,	- behavior	103 (1992) 25
	1227, 1262, 1275,	- ordering	96 (1991) 329
	1308, 1319, 1321,	Re-entrant system	104–107 (1992) 1665
	1325, 1327, 1329,	Re-entrant transition	104–107 (1992) 1427
	1331, 1333, 1339,	RE-Fe compounds	104–107 (1992) 1219
	1341, 1347, 1349,	Reflectivity spectrum	104–107 (1992) 1947
	1369, 1405, 1429,	Relative permeability	104–107 (1992) 1899
	1441, 1460, 1473,	Relativistic APW method	104–107 (1992) 65
	1477, 1959, 2079	Relativistic effects	100 (1991) 241
	109 (1992) 59, 103, 109,		104–107 (1992) 733
	113, 151, 185, 209,	Relativistic theory	104–107 (1992) 755
	265, 275	Relaxation	98 (1991) 60, 141
	110 (1991) 20, 25, 29, 209,		99 (1991) 323
	261, 264, 323		100 (1991) 497
- amorphous	92 (1990/91) 137,		104–107 (1992) 139, 225,
p.i.o.ub	353		487, 1589, 1597, 1617,
	95 (1991) 43		1793
	97 (1991) 40	- dielectric	98 (1991) 33
	98 (1991) 155	- nonequilibrium	92 (1990) 228
	99 (1991) 103	- paramagnetic	97 (1991) 178
- interstitial carbides	109 (1992) 271	- rates	92 (1990) 116
mitorotitur our ordoo	110 (1991) 170	- spin lattice	97 (1991) 316
- interstitial hydrides	103 (1992) 157	- structural	94 (1991) 153
- interstitial nitrides	103 (1992) 53, 165	- times	104–107 (1992) 1063,
miorotitur muidos	109 (1992) 153	V044A	1659
- single crystals	110 (1991) 337	Remanence	92 (1990) 1
Rare earth–transition metal films	104–107 (1992) 1033		100 (1991) 38, 57, 413
Rare earth-transition metal inter-	10. 10. (1772) 1030		101 (1991) 360
metallics	104-107 (1992) 1468		104-107 (1992) 377, 415,
Rare earth-transition metal mul-	101-107 (1772) 1700		537, 1173, 1611, 1617
tilayers	104–107 (1992) 1861,	– angular	95 (1991) 118
illayers	1889	– principal	95 (1991) 17
	1007	principus	70 (2772) 21

– ratio	104–107 (1992) 1747	spin disorder	104–107 (1992) 2049, 2079
Remanent magnetization	104–107 (1992) 1601,		108 (1992) 143
	1993	Secondary recrystallization	101 (1991) 128
Renormalization group	100 (1991) 515	Self biasing	101 (1991) 213
	104–107 (1992) 161, 204,	Self-consistent renormalization	
	236, 251, 275, 300	theory	100 (1991) 261
	108 (1992) 129	Self-energy	104–107 (1992) 593
- methods	104-107 (1992) 222, 273,	Self-gravitating	
	294, 297	– fluid	94 (1991) 311
Reservoir dynamics	97 (1991) 305		96 (1991) 291
Resistivity	101 (1991) 32, 52, 207	– gas jet	94 (1991) 141
	104-107 (1992) 29, 45,	Self-trapped states `	110 (1991) 39
	565, 997, 1387	Semiconducting glasses	94 (1991) 278
	108 (1992) 69, 167, 199	Semiconductor band structure	108 (1992) 217
- spin disorder	104-107 (1992) 95	Semiconductors	100 (1991) 322
- temperature-dependent	101 (1991) 148		101 (1991) 148
	104–107 (1992) 573, 1503	- semimagnetic	101 (1991) 162
Resonance			104–107 (1992) 989, 1605
- ferromagnetic	109 (1992) 293	- diluted magnetic	100 (1991) 322
nonuniform	109 (1992) 293	Semi-spin glass	104-107 (1992) 239, 447,
Resonating valence bond	104-107 (1992) 547		1676
Reversal mechanism	97 (1991) 102	SEMPA	93 (1991) 116
	104-107 (1992) 961	Sensors	100 (1991) 1
$R_2Fe_{14}B$	104-107 (1992) 1363	- magnetic garnet films	92 (1990) 19
$R_2Fe_{17}C_{3}$ δ	104-107 (1992) 1439	Short period oscillations	103 (1992) 221
RF sputtering	104-107 (1992) 1769	Short-range interaction	104–107 (1992) 835, 837
	110 (1992) 233	Short-range order	92 (1990) 207
RHEED	99 (1991) 25		95 (1991) 43
Ridge magnetization	101 (1991) 293		96 (1991) 162
Rietveld	104–107 (1992) 571		100 (1991) 13
RKKY	104–107 (1992) 1519,		102 (1991) 184
	1521, 1734		104–107 (1992) 743, 819,
interaction	109 (1992) 237		1245, 1593, 2017, 2065
- interactions	94 (1991) 85	Shubnikov-de Haas effect	104-107 (1992) 1241
R-lines	104–107 (1992) 944	Sigma model	
Room temperature superconduc-		nonlinear	104–107 (1992) 541
tivity	104-107 (1992) 581	Silicon iron	104-107 (1992) 387
Rotating actuator	104–107 (1992) 1135	Simulation	104–107 (1992) 319
Rotating magnetic field	97 (1991) 25	Sine-Gordon model	104-107 (1992) 1077
		Sine-Gordon theory	104–107 (1992) 1067
Samarium	104–107 (1992) 659	Single crystal high-T _c	104–107 (1992) 630
Sandwiches	100 (1991) 440	Single-crystal particles	110 (1991) 91
Sandwich structure	101 (1991) 193	Single crystals	104–107 (1992) 481
	103 (1992) 236	Single-domain particles	92 (1990) 185
Saturation magnetization	104–107 (1992) 971, 1451,		102 (1991) 103
	1829	Single domains	104–107 (1992) 718, 1851
Scaling	104–107 (1992) 216, 300	Single-ion anisotropy	104–107 (1992) 191
Scanning electron microscope	95 (1991) 85	Single-ion model	92 (1990) 196
	97 (1991) 107, 119	Single-point detection	92 (1990) 14
spin-polarized	104–107 (1992) 1805	Singlet ground state	104-107 (1992) 15, 771,
Scanning laser microscope	95 (1991) 49		1273, 1357, 1457
Scanning microscopy	100 (1991) 481	- nonmagnetic	110 (1991) 337
Scanning tunneling microscopy	101 (1991) 199	Singular point detection	96 (1991) 189
Scattering			97 (1991) 79
– critical	104–107 (1992) 1204	- technique	101 (1991) 343
– elastic	104–107 (1992) 1204	Sintered ferromagnets	109 (1992) 275

6: 41	400 (4000) 474		
Sintered magnets	103 (1992) 151		213, 220
Sinusoidal induction excitation	109 (1992) 213	alastes = i a	109 (1992) 349
S = 1 Ising model	110 (1991) 151	- electronic	99 (1991) 171
Size determination	104–107 (1992) 285	high-temperaturemagnetic	92 (1990) 87
Skin effect	104–107 (1992) 1555 99 (1991) 91		104–107 (1992) 621, 1435
Skyrmions	104–107 (1992) 793	Spectral density	108 (1992) 179
Slater-Pauling curves	100 (1991) 241	SPEES Sperimagnetism	93 (1991) 534
Small moments	108 (1992) 1	Speromagnet Speromagnet	100 (1991) 1
Small particles	104–107 (1992) 229, 979,	Spin clusters	104–107 (1992) 133 104–107 (1992) 811, 955,
•	1577, 1585, 1587	Spin clusters	1577, 1641, 1668
Sm(Co,Cu,Fe,Zr) magnets	104–107 (1992) 1126	Spin correlation functions	104-107 (1992) 267, 766,
SmGa ₂	108 (1992) 125		855, 1647
Sm ₃ Se ₄	108 (1992) 220	Spin correlations	102 (1991) 331
Sm ₃ Te ₄	108 (1992) 213		108 (1992) 107
Soft ferrites	104–107 (1992) 401	Spin crossover	104–107 (1992) 225
Soft magnetic materials	92 (1990) 284	Spin density	100 (1991) 497
	96 (1991) 47, 97, 137, 230		102 (1991) 127
	97 (1991) 135, 198, 205		104–107 (1992) 630
	101 (1991) 6, 55, 57, 89,	approximation	104–107 (1992) 1496
	92	- functional theory	104–107 (1992) 1019
	102 (1991) 139	Spin-density waves	92 (1990) 251
	103 (1992) 250, 274		104–107 (1992) 697, 749,
	104–107 (1992) 100, 375,		759, 1632, 1999, 2029,
	387, 1829, 2116		2031
- core loss	110 (1991) 25	0 1 1 1 1 1 1	109 (1992) 139
Soft magnetic properties	104–107 (1992) 1813	Spin-dependent absorption	104-107 (1992) 1418
Soft magnetism	104–107 (1992) 1090,	Spin-dependent interfacial scat-	100 (1001) 527
C-f44:-1-	1899	tering	100 (1991) 527
Soft materials	93 (1991) 131, 242, 247,	Spin diffusion	104–107 (1992) 2092
Soft modes	257, 356	Spin dynamics	108 (1992) 119, 121
Soft modes	100 (1991) 515	Spin echo – method	104–107 (1992) 1315
Coft V man	104–107 (1992) 949, 1035		104–107 (1992) 635
Soft X-ray Solid state reaction	109 (1992) 288 104–107 (1992) 563	Spinel	92 (1991) 388 96 (1991) 101
Solitons	104–107 (1992) 246, 273,		97 (1991) 119, 329
Solitons	793, 1045, 1067, 1077,		102 (1991) 51
	2099		104–107 (1992) 1641,
Specific heat	96 (1991) 26, 305		1643
Specific fleat	97 (1991) 15, 223, 291	- ferrites	104–107 (1992) 415, 425
	98 (1991) 298, 333	Spin exchange interaction	104–107 (1992) 991
	100 (1991) 99, 126, 186,	Spin excitations	99 (1991) 323
	204, 272, 292, 346	Spin-flip transition	109 (1992) 179
	102 (1991) 199	Spin flop	104–107 (1992) 791, 939,
	104–107 (1992) 17, 23, 55,	op.n. nop	1861
	113, 175, 181, 477,	– phase	104–107 (1992) 1079
	479, 489, 613, 639,	*	108 (1992) 211
	691, 693, 779, 785,	Spin fluctuation	100 (1991) 204, 261, 292
	803, 837, 881, 901,		103 (1992) 50
	959, 989, 1233, 1245,		104-107 (1992) 456, 511,
	1298, 1319, 1367,		671, 675, 677, 691,
	1385, 1387, 1435,		701, 703, 705, 747,
	1507, 1593, 1632,		825, 1257, 1918
	1918, 1973, 2059, 2061		108 (1992) 115
	108 (1992) 1, 45, 49, 65,	- antiferromagnetic	100 (1991) 261
	69, 147, 161, 207, 209,	Spin frustration	104–107 (1992) 859

Spin glass	92 (1990) 6, 228		1277, 1301, 1339,
- F. 11. G. 11.	96 (1991) 89, 315		1341, 1363, 1369,
	98 (1991) 60, 245		1371, 1429, 1995
	99 (1991) 280		109 (1992) 113
	102 (1991) L15		110 (1992) 20
		field induced	
	103 (1992) 37	- field-induced	104–107 (1992) 1363
	104–107 (1992) 87, 135,	- temperature	104–107 (1992) 1113
	163, 165, 179, 269,	Spin resonance	104–107 (1992) 125
	513, 549, 1271, 1593,	Spin-slip structures	104–107 (1992) 1523
	1595, 1599, 1601,	Spin waves	93 (1991) 80, 229, 281,
	1603, 1605, 1607,		290, 403, 489, 616
	1609, 1611, 1613,		100 (1991) 139, 481, 515,
	1615, 1617, 1619,		527
	1621, 1623, 1625,		101 (1991) 175
	1627, 1629, 1632,		104–107 (1992) 246, 699,
	1635, 1637, 1639,		718, 721, 743, 809,
			847, 949, 1035, 1041,
	1641, 1643, 1645,		
	1647, 1649, 1657,		1053, 1055, 1065,
	1661, 1663, 1665,		1069, 1079, 1577,
	1676, 2033, 2085		1707, 1783, 1835,
	109 (1992) 67		1865, 1876, 2109
	110 (1991) 197	 antiferromagnetic 	104–107 (1992) 1053,
behavior	96 (1991) 223, 261, 329		1065
	104-107 (1992) 2101	contribution	104-107 (1992) 2053
- phase	96 (1991) 175	dispersion	97 (1991) 286
- re-entrant	110 (1991) 103	·	104-107 (1992) 557
- single-domain	97 (1991) 316	- dynamics	104-107 (1992) 1807
- transition	100 (1991) 322	- ferromagnetic	109 (1992) 359
Spin Hamiltonian formalism	110 (1991) 295	- layer compounds	92 (1990) 116
Spin-lattice relaxation time	104–107 (1992) 1693	- nonlinear	97 (1991) 1
Spin liquid	104–107 (1992) 505	- permanent magnets	97 (1991) 210
Spin-1 model	104–107 (1992) 231	- resonance	101 (1991) 187
Spin-orbit coupling	100 (1991) 481, 515		109 (1992) 341
	104–107 (1992) 1942	- spectra	104–107 (1992) 1381
Spin-orbit interactions	109 (1992) 151	 surface modes 	100 (1991) 481
Spin polarization	92 (1991) 301	- theory	100 (1991) 481, 515
	94 (1991) 134		104–107 (1992) 855, 1798
	99 (1991) 71	two-dimensional	100 (1991) 515
	102 (1991) L233		104-107 (1992) 769
	104–107 (1992) 1182,	Sputtered films	104-107 (1992) 2047
	1693, 1781, 2055	Sputtered multilayers	104-107 (1992) 1851
Spin-polarized electron tech-		Sputtering	
niques	100 (1991) 481	- thin films	95 (1991) 356
Spin relaxation	104–107 (1992) 1595	Squareness ratio	97 (1991) 329
op retailettest	108 (1992) 123	SQUID	104–107 (1992) 491, 1613,
Spin reorientation	94 (1991) 6	SQUID	
Spin reorientation		magnatamatan	1816
	95 (1991) 184	- magnetometer	104–107 (1992) 1132,
	96 (1991) 29, 206	0.190	1611, 2069, 2103
	97 (1991) 37, 79	Stability against radiation	101 (1991) 345
	99 (1991) 204	Stacked cores	101 (1991) 62
	100 (1991) 57, 99, 173,	Staggered field	104–107 (1992) 1223
	515, 544	Staggered susceptibility	104–107 (1992) 757
	101 (1991) 97, 111, 131,	Static magnetization	104-107 (1992) 1613
	341, 382	Static scaling	104-107 (1992) 1621
	104-107 (1992) 453, 519,	Statistical theory	104-107 (1992) 233, 267,
	949, 1051, 1149, 1159,		1991
	1167, 1193, 1227,		

Steel			101 (1001) 105
- high-strength	96 (1991) 137		101 (1991) 105
Step moments	100 (1991) 481		104–107 (1992) 456, 465,
Stiffness constant	97 (1991) 286		483, 485, 487, 489,
Stoner enhancement factor	104–107 (1992) 727		491, 495, 501, 503,
Stoner-type contribution			509, 511, 513, 517,
	104–107 (1992) 2053		521, 523, 525, 529,
Stoner-Wohlfarth particle	104–107 (1992) 1547		532, 545, 553, 555,
Stoner-Wohlfarth theory	109 (1992) 301		559, 568, 571, 579,
Strain	94 (1991) 247		583, 585, 591, 596,
Stratifed magnetic bodies	101 (1991) 81		601, 603, 605, 607,
Stray field	104–107 (1992) 963, 971		613, 621, 769, 1223,
Stress	104–107 (1992) 1453		1945
- internal	94 (1991) 29		110 (1992) 39, 175
- effects	92 (1990) 181	 high temperature 	100 (1991) 218
	98 (1991) 349	Superconductors	101 (1991) 175, 276
	101 (1991) 122, 125		104-107 (1992) 469
	104–107 (1992) 355	– high- $T_{\rm c}$	110 (1991) 91
Stress-induced anisotropy	104-107 (1992) 1831	Super-effective field	104-107 (1992) 929
Stripe domains	104-107 (1992) 241	Superexchange	94 (1991) 337
Strong correlations	108 (1992) 170		100 (1991) 322, 527
Structural defects	104-107 (1992) 871		102 (1991) 305
Structural disorder	92 (1990) 265, 267		104-107 (1992) 447, 835,
	104-107 (1992) 123		933, 1981
Structural/magnetic transition	104-107 (1992) 29	Superferromagnetism	104–107 (1992) 1793
Structural phase transitions	104-107 (1992) 193, 1187	Superlattices	96 (1991) 1, 7
Structural relaxation	94 (1991) 153		97 (1991) 102, 227, 329
	101 (1991) 99		98 (1991) 10
	102 (1991) 47		100 (1991) 440
	104–107 (1992) 128		102 (1991) L5
Structure	104–107 (1992) 853		103 (1992) 7
- factors	104–107 (1992) 173		104–107 (1992) 1747,
– phenomena	98 (1991) 10		1883
phonomena	102 (1991) 184	- growth	110 (1991) 239
	104–107 (1992) 501, 645,	Superparamagnetic	110 (1991) 99
	885, 2006	Superparamagnetism	94 (1991) 267
Sublattice interactions	92 (1990) 201	Superparamagnetism	96 (1991) 89
Submicron grained materials	110 (1991) 73		104–107 (1992) 561, 1549,
Substrate preparation processes	110 (1991) 73		
Superconductivity			1560, 1565, 1567, 1571, 1574
Superconductivity	97 (1991) 131, 297	Company atoms	
	100 (1991) 126, 186, 204,	Superstructure Surface anisotropy	100 (1991) 481
	218, 261, 425	Surface anisotropy	104–107 (1992) 1587,
	104–107 (1992) 77, 229,	Conformation and assumption	1816, 1885
	471, 473, 475, 477,	Surface chemical composition	104-107 (1992) 971
	479, 481, 493, 499,	Surface chemical state	95 (1991) 123
	515, 527, 535, 543,	Surface doping	97 (1991) 338
	551, 565, 633, 661,	Surface effects	104–107 (1992) 659
	1247, 1777, 2105	- EFG	92 (1990) 11
	108 (1992) 1, 15, 23, 71,	Surface impedance	104–107 (1992) 529
	75, 138	Surface inhomogeneity	109 (1992) 341
- anions	100 (1991) 425	Surface magnetism	92 (1991) 301
$-$ high- $T_{\rm c}$	92 (1990) 19		98 (1991) 185
	94 (1991) 119		99 (1991) 45
	95 (1991) 58, 168, 195		100 (1991) 363, 440, 469,
	96 (1991) 41		481, 497
	97 (1991) 112		104–107 (1992) 275, 1567,
	99 (1991) 239		1687, 1691, 1695,

			(1005) 200
	1697, 1699, 1701,	- dc	109 (1992) 309
	1781, 1791, 1816	- domain wall	103 (1992) 231
	109 (1992) 288	dynamic	104–107 (1992) 339, 589,
enhancement	100 (1991) 497		1571, 1613, 1783
Surface magnetochemistry	100 (1991) 481	 dynamic magnetic 	110 (1991) 119
Surface magneto-optic Kerr effect		 field-dependent 	95 (1991) 109
(SMOKE)	93 (1991) 1, 25, 43, 155,		98 (1991) 250
	183, 207, 215, 220,	 frequency-dependent 	96 (1991) 105
	261, 307	- high-field	92 (1990) 46
	99 (1991) 25		97 (1991) 141
	100 (1991) 440, 527		98 (1991) 231
	104–107 (1992) 1798	- high-temperature `	98 (1991) 53
Surface magnetostriction	104–107 (1992) 1717	- initial	96 (1991) 89
Surface modes	104–107 (1992) 1707	1111,6164	98 (1991) 25
Surface morphology	104–107 (1992) 1007		103 (1992) 231
Surface phenomena	99 (1991) 81, 85		109 (1992) 67
Surface reconstruction	104–107 (1992) 1701	- low-field	99 (1991) 239
			98 (1991) 333
Surface roughness	92 (1991) 295	- magnetic	
	104–107 (1992) 971, 1687,		100 (1991) 497
	1779		103 (1992) 129
- ferromagnets	109 (1992) 293		104–107 (1992) 43, 113,
Surface segregation	97 (1991) 281		415, 469, 537, 545,
Surface shape effect	94 (1991) 29		575, 609, 625, 779,
Surface spin waves	104–107 (1992) 1679		781, 831, 835, 871,
Surface stress	104–107 (1992) 385		918, 1233, 1245, 1351,
Surface treatments	109 (1992) 221		1403, 1457, 1591,
Surface waves	104–107 (1992) 1709,		1973, 2049, 2081, 2101
	1865		109 (1992) 47, 98
Susceptibility	100 (1991) 497	– maximum	104–107 (1992) 709
	101 (1991) 3, 148, 162, 372	nonlinear	104–107 (1992) 1641
	104–107 (1992) 141, 959,	paramagnetic	98 (1991) 239, 298
	997, 1641		104–107 (1992) 583, 685,
	108 (1992) 147, 161		885, 1185, 1991, 2099
	109 (1992) 185, 316, 349,	– static	104–107 (1992) 187, 189,
	359		1603, 1632
	110 (1991) 32, 139, 161,	 static nonlinear 	104–107 (1992) 1787
	181	 temperature-dependent 	92 (1990/91) 6, 53, 80,
– ac	92 (1990) 75		155, 162, 201, 375,
	94 (1991) 6, 85		381, 397
	95 (1991) 184		94 (1991) 35, 127, 278
	96 (1991) 29, 162, 305		95 (1991) 168, 175
	97 (1991) 79		96 (1991) 41, 121, 145,
	99 (1991) 275		223, 261
	103 (1992) 231		97 (1991) 15, 119,
	104-107 (1992) 13, 69, 71,		147, 223, 291
	89, 133, 165, 243, 401,		98 (1991) 71, 147, 257
	473, 547, 549, 603,		99 (1991) 95, 152, 193,
	615, 833, 893, 1227,		235
	1505, 1507, 1591,		109 (1992) 1, 117
	1665, 1879, 1929,		110 (1991) 185, 259, 317
	1995, 2033	Switching characteristics	104–107 (1992) 2105
	110 (1991) 103	Switching field	
- amorphous systems	110 (1991) 32	Switching process	104–107 (1992) 1017
- anisotropy	104-107 (1992) 575	Switching speeds	103 (1992) 117
альонору	110 (1991) 295	Symmetry	104–107 (1992) 977
- calculated	110 (1991) 293	Synchrotron radiation	104–107 (1992) 1803
- complex	101 (1991) 45	Synchrotron radiation	104–107 (1992) 1947
complex	101 (1771) 73		

TbB ₆	104–107 (1992) 1233	Thermoelectric power	104–107 (1992) 923, 1955
Tb/Fe	93 (1991) 609		108 (1992) 27, 107, 165,
Tb-Fe-Co/Al multilayers	104–107 (1992) 1855		199, 209
Temperature stability	101 (1991) 338, 417	Thermomagnetic behaviour	101 (1991) 119
Temperature switch	102 (1991) 135	Thermomagnetic curves	92 (1990) 185
Tensile stress	102 (1991) 63		96 (1991) 23
Terfenol	99 (1991) 159	Thermomagnetic effects	104-107 (1992) 1271
	104-107 (1992) 1455	Thermomagnetic relaxation	104-107 (1992) 1769
Ternary alloy films	97 (1991) 171	Thermooptics	101 (1991) 157
Ternary alloys	102 (1991) 166	Thermoremanence	104-107 (1992) 539
Ternary compounds	92 (1991) 381	Thin films	92 (1990) 68
Ternary magnets	98 (1991) 71		94 (1991) 109, 197, 215,
Ternary rare earth compounds	94 (1991) 6, 15, 35, 113 98 (1991) 257		235, 247, 251, 293, 302, 357
	102 (1991) 67, 71, 266, 323		95 (1991) 27, 35, 43, 49,
	108 (1992) 85, 157		
Ternary U alloys	108 (1992) 69		58, 61, 69, 85, 95, 99,
Ternary U compounds	108 (1992) 67		109, 123, 137, 215,
Tetracritical point	104–107 (1992) 197		237, 289, 313, 356
Texture	95 (1991) 215		96 (1991) 1, 7, 125, 230,
Texture	97 (1991) 281		237, 248 97 (1991) 171
	101 (1991) 83, 323, 382,		98 (1991) 65, 205, 215,
	385		341
	109 (1992) 103, 375		99 (1991) 20, 81, 85
	110 (1991) 239		100 (1991) 413, 481, 497,
- crystallographic	94 (1991) 53		515, 527
- evolution	92 (1990) 125		101 (1991) 159, 181, 213
TGA	104-107 (1992) 571		102 (1991) 87, 223, 238
Thermal			103 (1992) 7, 13, 221, 228
- activation	99 (1991) 119		104–107 (1992) 315, 397,
	104-107 (1992) 1126		731, 841, 1021, 1027,
- conductivity	101 (1991) 37, 271		1031, 1699, 1707,
	108 (1992) 133, 159		1760, 1781, 1791,
- excitations	100 (1991) 261		1835, 1837, 1903, 1905
- expansion	96 (1991) 301, 305		109 (1992) 79, 133, 179,
	100 (1991) 186, 346		243, 288, 298, 301,
	101 (1991) 271, 349		367, 375
	104–107 (1992) 175, 405,		110 (1991) 61, 106, 113,
	643, 819, 1305, 1515,	h	254 92 (1990/91) 137,
	1925, 1939, 1957, 1979, 2035	– amorphous	353
	108 (1992) 59, 61, 100, 105		95 (1991) 199
	109 (1992) 139	coatings	100 (1991) 413
spontaneous	104-107 (1992) 1983	 electrical properties 	101 (1991) 211
- fluctuations	96 (1991) 275	 ferromagnetic 	99 (1991) 261
- loss	96 (1991) 197	magnetic	104–107 (1992) 331, 1699,
– stability	97 (1991) 353		1725, 1741, 1765,
	103 (1992) 274		1767, 1783, 1829, 1915
	104–107 (1992) 1829	 magnetoelastic 	92 (1991) 291
- treatment	104–107 (1992) 1593	multilayered	92 (1990/91) 1, 143,
Thermally induced ferromagne-	104 105 (1005) 505	1411	295
tism	104–107 (1992) 707	- multilayer systems	110 (1991) 233
Thermodynamic properties	97 (1991) 223	- permanent magnet	97 (1991) 343
Thermodynamics	103 (1992) 250	- recording media	100 (1991) 413
	104–107 (1992) 1991	- single	92 (1990) 261, 279

 soft magnetic 	92 (1990) 284	Transmission electron microscopy	96 (1991) 82, 137, 197
– ultra-	97 (1991) 102		97 (1991) 73, 343, 353
	99 (1991) 25, 215, 253		98 (1991) 341
	100 (1991) 481, 515		99 (1991) 159
Three-dimensional analysis	101 (1991) 283		104–107 (1992) 365, 1092,
Three-sublattice systems	104–107 (1992) 837		1161
Thrust	101 (1991) 271	- Lorentz	96 (1991) 189
Thulium	104–107 (1992) 563, 1515		98 (1991) 205
Ti(BeCu) ₂	104-107 (1992) 687	Transport properties	97 (1991) 223
Time-dependent effects	104-107 (1992) 1611		98 (1991) 60
Time relaxation	110 (1991) 197		100 (1991) 527
Titanomagnetics	104-107 (1992) 407	`	102 (1991) 74
Topography	104-107 (1992) 453		104–107 (1992) 639, 1712,
Topological criteria	92 (1990) 171		1918, 1973
Torque	99 (1991) 103		108 (1992) 27, 107, 150
- curves	101 (1991) 323, 421		110 (1992) 287
- magnetometry	104-107 (1992) 485, 979,	Transverse Ising model	104-107 (1992) 233
,	1163, 1803	Trapped electrons	104-107 (1992) 991, 999
Torsion effect	96 (1991) 321	Triangular antiferromagnet	104-107 (1992) 779
Transition metal	100 (1991) 363, 481, 497,	Triangular lattice	104–107 (1992) 197, 285,
	515, 527	Ü	791, 819, 823, 829,
	104–107 (1992) 711, 749,		859, 1045
	1323, 1945	Tricritical point	104–107 (1992) 191
– alloys	92 (1990) 30	Tunneling	109 (1992) 79
4110,0	94 (1991) 20, 29, 53, 243	– quantum	109 (1992) 159
	96 (1991) 301	Tunneling junction	105 (1552) 105
	97 (1991) 83	- magnetic	98 (1991) 7
	98 (1991) 119	Two-dimensional bilayer	104–107 (1992) 821
	99 (1991) 152,	Two-dimensional ferromagnet	104–107 (1992) 931
	222, 280, 293	Two-dimensional ferromagnetism	104–107 (1992) 1703
	100 (1991) 241, 346, 363	Two-dimensional magnetism	100 (1991) 515
	104–107 (1992) 718, 877,	Two-dimensional spin waves	104–107 (1992) 1868
	1931, 2025, 2027,	Two-dimensional systems	92 (1990) 245
	2029, 2031	1 wo-dimensional systems	100 (1991) 497, 527
concentrated	100 (1991) 241		104–107 (1992) 187, 257,
concentrated	102 (1991) 47, 56, 63, 139,		261, 585, 761, 766,
	175, 184, 199, 238,		
			775, 788, 793, 803,
compounds	247, 283, 297	- disordered	849, 851, 929, 947
– compounds	100 (1991) 151, 346, 363		96 (1991) 77
	102 (1991) L5, 25, 74, 116,	Two-impurity Anderson model	108 (1992) 53
	121, 127, 166	Two-level systems	104–107 (1992) 693, 1185
	104–107 (1992) 187, 225,	Two-sublattice systems	104–107 (1992) 239, 1643
	681, 691, 723, 729,	TID	100 (1000) 10
	731, 927, 1053, 1557,	UB ₁₂	108 (1992) 19
	1603, 1819, 1925,	UBe ₁₃	108 (1992) 1
	1931, 1935, 1949,	UC	108 (1992) 19
	1951, 1953, 1957,	UCu ₅	108 (1992) 1
2.3	1961, 1979, 2063	UGe ₂	104–107 (1992) 39
- 3d	102 (1991) 261	Y 114 £'	108 (1992) 19
- ferromagnets	99 (1991) 190	Ultrafine particles	104–107 (1992) 1090,
– films	95 (1991) 237	Y 114	1583
fluoridos	104–107 (1992) 1805	Ultrasonic attenuation	102 (1991) L15
- fluorides	92 (1991) 359, 366, 375		104–107 (1992) 407, 1517,
- intercalation compound	98 (1991) 60		1527, 2027
- ions	104–107 (1992) 995		108 (1992) 109
- multilayers	94 (1991) 1	Ultrasonic holeburning	104–107 (1992) 957
– pure	94 (1991) 134, 235	Ultrasonic velocity	104–107 (1992) 1293,

	1505 1500	***	
	1527, 1529	Wasping	104–107 (1992) 1147
Ultrasonic waves	108 (1992) 109	Weak ferromagnetism	99 (1991) 171
Ultrathin films	97 (1991) 246 104–107 (1992) 1743		100 (1991) 292
Uniaxial dipolar ferromagnets	104–107 (1992) 1743		104–107 (1992) 187, 350,
Uniaxial dipolar ferromagnets	104–107 (1992) 204		549, 673, 675, 687,
Uniaxial stress	108 (1992) 138		725, 831, 1317, 1479
UPd ₃	108 (1992) 163	Wools magnetic fields	108 (1992) 115
UPd ₂ In	104-107 (1992) 29	Weak magnetic fields Wear	94 (1991) 342 95 (1991) 289
UPt ₃	108 (1992) 1, 31, 111, 133,	Weberites	97 (1991) 126
0113	138	Weight increase	104–107 (1992) 1147
U ₂ Pt ₁₅ Si ₇	108 (1992) 209	Wiedemann effect	97 (1991) 193
Uranium compounds	104–107 (1992) 69	Wiedemann eneet	77 (1791) 193
orania compoundo	108 (1992) 71, 75	Xα method	104-107 (1992) 445
U(RhRu) ₂ Si ₂	108 (1992) 202	X-ray	101 (1991) 155, 170
U(SnIn) alloys	104–107 (1992) 67	- absorption	93 (1991) 53, 539
UTGa ₅	104–107 (1992) 57	- aosorption	104–107 (1992) 2087
UThBe	108 (1992) 73	 absorption spectroscopy 	104–107 (1992) 2087
U_2Zn_{17}	108 (1992) 1	acsorption spectroscopy	2001, 2055
O ₂ 231/	100 (1),2), 1	- diffraction	92 (1990) 1, 14, 30, 53,
			125, 137
Vacancies	104–107 (1992) 969		93 (1991) 15, 164
Vacancy ordering	98 (1991) 37		94 (1991) 6, 15, 267
Valence changes	104–107 (1992) 1265		96 (1991) 60
Valence fluctuations	92 (1991) 388		97 (1991) 73, 79, 119, 329
	104–107 (1992) 639, 643,		98 (1991) 37, 65, 76, 341
	653, 667, 1349		99 (1991) 152, 199, 229,
	108 (1992) 35, 147, 187		243
Valence instabilities	104–107 (1992) 641, 651,		103 (1992) 174, 194
	659		104–107 (1992) 47, 177,
Valence states	104–107 (1992) 647		453, 563, 565, 645,
Valence transitions	97 (1991) 223		1086, 1753, 1795,
	104–107 (1992) 653		1873, 2013
V7 (* 1751 1 1 1 1 1 1	108 (1992) 103	- fluorescence	104-107 (1992) 755
Vertical Bloch line chains	100 (1991) 455	- photoelectron spectroscopy	100 (1991) 363
- formation energy	100 (1991) 455		104-107 (1992) 1147
- temperature dependence	100 (1991) 455	 powder diffraction 	104-107 (1992) 781
Vertical Bloch lines	104–107 (1992) 305, 307,	- scattering	104-107 (1992) 1551
W 779	331	XY model	104107 (1992) 843
Vibrating sample magnetometer	97 (1991) 286		
	98 (1991) 65	YAG	104-107 (1992) 439
	101 (1991) 389	YBaCuO	104-107 (1992) 497, 589,
X 711	104–107 (1992) 939, 1871		609, 630
Vibronic effects	110 (1991) 295	YBaSrCuO	104-107 (1992) 589
¥ 7° ,	110 (1992) 295	YBCuO	104-107 (1992) 539
Virgin curve	101 (1991) 299	YbInAgCu	104-107 (1992) 647
Viscosity	98 (1991) 162	YbInCu ₄	104-107 (1992) 641
1	104–107 (1992) 1555	YbNiSn	104-107 (1992) 665
- dynamic	97 (1991) 25	YCaBaCuO	104-107 (1992) 635
- magnetic	95 (1991) 365	YCo ₅	104–107 (1992) 1942
Voiet offeet	104–107 (1992) 368	Y(Co,Al) ₂	104–107 (1992) 1967
Voigt effect	100 (1991) 425	YCo ₄ B	104–107 (1992) 1289
Volume effect	104–107 (1992) 653, 1427	Y(Fe,Al) ₂	104–107 (1992) 1965,
Vortex dynamics	104–107 (1992) 473, 529,		1967
	537	YIG	104–107 (1992) 427, 449, 1057, 1059
Wall dynamics	104–107 (1992) 379	YIG films	104–107 (1992) 429, 1043
*			

Handbook of Magnetic Materials, Volume 7

edited by K.H.J. Buschow

©1993 676 pages Hardbound Price: Dfl. 410.00 (US \$ 234.25) Subscription price: Dfl. 348.50 (US \$ 199.25) ISBN 0-444-89853-0

The Handbook of Magnetic Materials has a dual purpose. As a textbook it is intended to be of assistance to those who wish to be introduced to a given topic in the field of magnetism without the need to read the vast amount of literature published. As a work of reference it is intended for scientists active in magnetism research. To this purpose the handbook is composed of topical review articles written by leading authorities. In each of these articles an extensive description is given in graphical as well as in tabular form, much emphasis being placed on the discussion of the experimental material in the framework of physics, chemistry and materials science. Volume 7 of the Handbook of Magnetic Materials provides an overview of some of the most exciting topics in magnetism today.

Firstly, a substantial step forward in the understanding of metallic magnetism has been reached by means of electronic band structure calculation. Progress in this area has been made not only due to the availability of high speed computing machines but also due to sophistication in the computational methodology. In Volume 7 of the Handbook two chapters are devoted to this subject, one of which is devoted to the elements and the other dealing primarily with 4f and 5f systems, including examples of the large group of intermetallic compounds. In both chapters the authors have concentrated on explaining the physics behind these band calculations. The chapters are written in a manner understandable to scientists having no experience with band calculations.

Thin film technology has become a key issue in high density magnetic and magneto-optical recording and will be dealt with in future volumes of the Handbook. The present volume introduces the field with a chapter on the magnetism of ultrathin transition metal films, describing the richness in novel magnetic phenomens that has been encountered in the past few years in these materials. Of equal interest are the novel magnetic phenomena observed when magnetic moments are incorporated in a semiconducting matrix. A comprehensive description of these materials is found in the chapter on diluted magnetic semiconductors. A separate chapter is devoted to the progress made in the field of heavy fermions and valence fluctuations, emphasis being placed on the important results obtained by means of neutron scattering. A detailed review of the progress made in the field of rare earth based intermetallic compounds in combination with 3d transition metals completes this mulfaceted volume.

Contents: Preface. Contents of volumes 1-6. 1. Magnetism in ultrathin transition metal films (*U. Gradmann*).

2. Energy band theory of metallic magnetism in the elements (*V.L. Moruzzi*, *P.M. Marcus*). 3. Density functional theory of the

ground state magnetic properties of rare earths and actinides (M.S.S. Brooks, B. Johansson).

4. Diluted magnetic semiconductors (*J. Kossut*, *W. Dobrowolski*). 5. Magnetic properties of binary rare-earth 3d-transition-metal intermetallic compounds (*J.J.M. Franse, R.J. Radwanski*). 6. Neutron scattering on heavy fermion and valence fluctuation 4f-systems (*M. Loewenhaupt, K.H. Fischer*). Author index. Subject index. Materials index.

TO ORDER

Contact your regular supplier or:

ELSEVIER SCIENCE PUBLISHERS

P.O. Box 103 1000 AC Amsterdam The Netherlands attn. Karien van der Harst

Customers in the USA and Canada:

ELSEVIER SCIENCE PUBLISHING CO. INC.

P.O. Box 882 Madison Square Station New York, NY 10159, USA

No postage will be added to prepaid book orders. US \$ book prices are valid only in the USA and Canada. In all other countries the Dutch guilder (Dfl.) price is definitive. Customers in the European Community should add the appropriate VAT rate applicable in their country to the price(s). In New York State please add applicable sales tax. All prices are subject to change without prior notice.



NORTH-HOLLAND

(AN IMPRINT OF ELSEVIER SCIENCE PUBLISHERS)

COMPUTATIONAL MATERIALS SCIENICE

proudly announces Volume 1, Number 3

a selection of the 20 articles:

Some simple models for micromechanical investigations of fiber arrangement effects in MMCs

H.J. Böhm, F.G. Rammerstorfer and E. Weissenbek

FE-modelling of the deformation behaviour of WC-Co alloys M.H. Poech, H.F. Fischmeister, D. Kaute and R. Spiegler

Finite element modelling of a transverse-loaded fibre composite. Effects of section size and net density

M. Sautter, Ch. Dietrich, M.H. Poech, S. Schmauder and H.F. Fischmeister

Structure-property relations in duplex materials T. Siegmund, E. Werner and F.D. Fischer

J-integral concept for multi-phase materials

D. Weichert and M. Schulz

The effect of interfacial sliding on the strength of metal matrix composites

D.B. Zahl

Modelling of scattering materials properties with stochastic finite element methods

S. Reh, A. Brückner-Foit and H. Riesch-Oppermann

Finite element modelling of crack propagation in ductile fracture J. Wulf, S. Schmauder and H.F. Fischmeister

A numerical method for delamination in composites H.M. Jensen

Editors:

Uzi Landman

School of Physics Georgia Inst. of Technology Atlanta GA 30332, USA Tel: +1(404) 894-3368 Fax: +1(404) 853-9958 Bitnet: PH274UL@GITVM1

Risto Nieminen

Laboratory of Physics Helsinki Univ. of Technology 02150 Espoo, Finland Tel: +358-0-457-4344 Fax: +358-0-457-2302 Internet: RNIEMINEN@CSC.FI Two unique features:

Computer Videos

Authors are encouraged to submit computer videos accompanying their articles; these videos will be made accessible to the readers through the Computational Materials Science Video Library.

Electronic Bulletin Board

Associated with the journal an Electronic Bulletin Board is accessible free of charge. The Bulletin Board will provide information on:

- programmes and subroutines supplied by authors
- data, such as structural coordinates or simulated time sequences pertaining to an article published in the journal
- contents of future issues
- items of further interest, including computer info, etc.
- conference calendar

To receive the Bulletin Board free of charge, send an e-mail to cmp-soft@sci.funet.fi. On the subject line write subscribe (your name). The e-mail address will be automatically extracted. The body of the e-mail is of no significance. By writing 'help' on the subject line you receive more information about this service.

Subscription Information 1992-1993: Volume 1 (in 4 issues) Price: US\$ 222.00/Dfl. 368.00 including postage and handling costs ISSN 0927-0256

The Dutch Guilder (Dfl.) price is definitive. US\$ price is subject of exchange rate fluctuations.



ELSEVIER SCIENCE PUBLISHERS

For a free sample copy:

Elsevier Science Publishers
P.O. Box 103
1000 AC Amsterdam
The Netherlands
Attn. Ms. K. van der Harst
Fax: +31 20 5862580

NFORMATION TO CONTRIBUTORS

im and Scope

he JOURNAL OF MAGNETISM AND MAGNETIC MA-ERIALS provides an important forum for the disclosure and iscussion of original contributions covering the whole specum of topics from basic magnetism to the technology and pplications of magnetic materials. The journal encourages reater interaction between the basic and applied sub-discilines of magnetism with short but comprehensive review rticles, short notes and a separate Letters to the Editor ection – in addition to the more traditional contributions.

nvitation to Authors

he editors invite contributions on all aspects of fundamental applied problems in the study of magnetism and magnetic atterials. Instructions to Authors are available from the ublishers. There are no publication charges and 25 reprints ill be provided free of charge, with additional reprints available from the publisher at their normal prices.

Upon acceptance of an article by the journal, author(s) ill be asked to transfer copyright of the article to the ublisher. This transfer will ensure the widest possible dissem-

nation of information.

Contributions to the **Letters** section should be sent in dupliate either to A.J. Freeman or to I.A. Campbell and simultateously to the publisher. Letters may not exceed six pages when printed. The original copy, with figures for reproduction, should be sent to:

North-Holland (Elsevier Science Publishers B.V.) c/o J.M. Hogendorp, P.O. Box 103, 1000 AC Amsterdam, The Netherlands

UBMISSION BY TELEFAX IS ENCOURAGED TO:

A.J. Freeman or Department of Physics Northwestern University Evanston, IL 60208, USA Fax: +1-708-4915082 Bitnet:

rt@freeman.phys.nwu.edu

I.A. Campbell Lab. de Physique des Solides Université de Paris-Sud Bât. 510, 91405 Orsay Cedex France Fax: +33-1-69416086

Bitnet: Campbell@FRSOL11

Other contributions, written in English, should be sent in luplicate, preferably to one of the Editors. Contributions may lso be submitted to a member of the Advisory Editorial Goard who is familiar with the research presented, in which ase one copy plus the original figures should be sent simultateously to A.J. Freeman. Submission of a paper will be taken to imply that it represents original work not previously published, that it is not being considered elsewhere for publication, and that if accepted for publication, it will not be sublished elsewhere in the same form, in any language, without the consent of the publisher.

All manuscripts will be refereed. They should be typed with double spacing and a wide margin. All pages should be numbered. Before mailing the manuscripts, please check the

ollowing points:

Title: The title should be chosen for its sufficient information content so that it conveys to the informed reader the particular nature of the contents he can expect from the paper. When the length exceeds 45 letters, an abbreviated unning title should be indicated.

. Abstract: The abstract of 100–150 words should contain all he substance of the methods and the results achieved.

- 3. Key words: These must be included with the manuscript before refereeing can begin.
- 4. Address: The name(s) of the author(s) and the name and address of the institution where the research work has been done should be indicated on the manuscript. Proofs will be sent by the publisher to this address, unless specifically requested otherwise.
- 5. Figures: The drawings for the figures must be submitted on separate sheets, either as good sharp photoprints (glossy prints), drawn in black indian ink in large size and carefully lettered (with the use of stencils). The lettering as well as the details should have proportionate dimensions so as not to become illegible or unclear after the usual reduction by the printers; in general, the figures should be designed for a reduction factor of two to three. Each figure should have an Arabic number and a caption; the captions should be collected on a separate sheet. The appropriate place of a figure should be indicated in the margin. Figures will be returned after publication of the article.

Colour plates: Illustrations can be printed in colour when they are judged by the Editor to be essential to the presentation. The Publisher and the Author will each bear part of the extra costs involved. Further information concerning colour illustrations and the cost to the author is available from the Publisher

- 6. Formulae: Displayed formulae should be numbered and typed, or clearly written by hand. Vectors will be printed in boldface italics (heavy, slanting type), and should be indicated by a wavy underlining in the type-script. Special attention should be paid to characters that can easily be misread such as i (lower case), I (cap.), l (el), 1 (one), '(prime), o (lower case), O (cap.), 0 (zero), ° (degree), u, v (vee), ν (Greek nu), V (cap.), x, X, z, Z, p, P, ρ (Greek rho), etc.
- 7. Tables: Tables should be typed on separate sheets. Each table should have a Roman number and a title. The appropriate places for the insertion of the tables should be indicated in the margin.
- 8. References: In the text, reference to other parts of the paper should be made by section (or equation) number, not by page number. References to other papers should be consecutively numbered in the text and should be listed by number, preferably as in the following examples:

For a book: D.J. Craik and R.S. Tebble, Ferromagnetism and Ferromagnetic Domains (North-Holland, Amsterdam, 1975) p. 160.

For a paper in a journal: M.A. Ruderman and C. Kittel, Phys. Rev. 168 (1968) 679.

For a paper in a contributed volume: A. Carrington, in: Magnetic Resonance and Radiofrequency Spectroscopy, ed. P. Averbuch (North-Holland, Amsterdam, 1968) p. 23.

For an unpublished paper: B.N. Harmon, Ph. D. Thesis, Northwestern University, United States (1973).

- 9. Footnotes: As far as possible, footnotes should be avoided. 10. Set headings over to the left, with only the first letter capitalised.
- 11. Units: Metric units are preferred. Acceptable abbreviations of units are given in the Style Manual of the American Institute of Physics and similar publications.
- 12. Authors will receive page proofs (including figures) by airmail for correction, which must be returned to the publisher within three days of receipt. Please ensure that a full postal address is given on the first page of the typescript, so that proofs are not delayed in the post. Please note that corrections of other than printer's errors may be charged.
- 13. Reprints: The publisher will supply, free of charge, 50 reprints without covers for each paper. Additional reprints may be ordered by completing the appropriate form sent with proofs.
- 14. There are no page charges.

JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS

Master Index Vols. 92-110

CC	M	וחר	O'I	TT	TC
1.1			D. I	•	

List of Proceedings Published in this period		1
Author index to volumes 92-110	`	3
Subject index to volumes 92–110		115



0304-8853(199309)92/110;1-L